

RichFaces Developer Guide



RichFaces framework with a huge library of rich components and skinnability support

| | |
|--|----|
| 1. Introduction | 1 |
| 2. Technical Requirements | 3 |
| 2.1. Supported Java Versions | 3 |
| 2.2. Supported JavaServer Faces Implementations and Frameworks | 3 |
| 2.3. Supported Servers | 3 |
| 2.4. Supported Browsers | 4 |
| 3. Getting Started with RichFaces | 5 |
| 3.1. Downloading the RichFaces | 5 |
| 3.2. Simple JSF application with RichFaces | 5 |
| 3.2.1. Adding RichFaces libraries into the project | 5 |
| 3.2.2. Registering RichFaces in web.xml | 6 |
| 3.2.3. Managed bean | 8 |
| 3.2.4. Registering bean in faces-cofig.xml | 8 |
| 3.2.5. RichFaces Greeter index.jsp | 9 |
| 3.3. Integration of RichFaces into Maven Project | 10 |
| 3.4. Relevant Resources Links | 16 |
| 4. Settings for different environments | 17 |
| 4.1. Web Application Descriptor Parameters | 17 |
| 4.2. Sun JSF RI | 20 |
| 4.3. Apache MyFaces | 21 |
| 4.4. Facelets Support | 21 |
| 4.5. JBoss Seam Support | 22 |
| 4.6. Portlet Support | 25 |
| 4.7. Sybase EAServer | 25 |
| 4.8. Oracle AS/OC4J | 26 |
| 5. Basic concepts of the RichFaces Framework | 27 |
| 5.1. Introduction | 27 |
| 5.2. RichFaces Architecture Overview | 28 |
| 5.3. RichFaces Integral Parts | 31 |
| 5.4. Limitations and Rules | 32 |
| 5.5. Ajax Request Optimization | 32 |
| 5.5.1. Re-Rendering | 32 |
| 5.5.2. Queue and Traffic Flood Protection | 35 |
| 5.5.3. Queue Principles | 36 |
| 5.5.4. Data Processing Options | 41 |
| 5.5.5. Action and Navigation | 42 |
| 5.5.6. JavaScript Interactions | 42 |
| 5.5.7. Iteration components Ajax attributes | 44 |
| 5.5.8. Other useful attributes | 44 |
| 5.6. How To... | 45 |
| 5.6.1. Send an Ajax request | 45 |
| 5.6.2. Decide What to Send | 46 |
| 5.6.3. Decide What to Change | 46 |
| 5.6.4. Decide what to process | 46 |

| | |
|--|-----|
| 5.7. Filter Configuration | 47 |
| 5.8. Scripts and Styles Load Strategy | 49 |
| 5.9. Request Errors and Session Expiration Handling | 51 |
| 5.9.1. Request Errors Handling | 51 |
| 5.9.2. Session Expired Handling | 51 |
| 5.10. Skinnability | 52 |
| 5.10.1. Why Skinnability | 52 |
| 5.10.2. Using Skinnability | 53 |
| 5.10.3. Example | 53 |
| 5.10.4. Skin Parameters Tables in RichFaces | 55 |
| 5.10.5. Creating and Using Your Own Skin File | 56 |
| 5.10.6. Built-in Skinnability in RichFaces | 57 |
| 5.10.7. Changing skin in runtime | 58 |
| 5.10.8. Standard Controls Skinning | 60 |
| 5.10.9. Client-side Script for Extended Skinning Support | 70 |
| 5.10.10. XCSS File Format | 71 |
| 5.10.11. Plug-n-Skin | 72 |
| 5.11. State Manager API | 79 |
| 5.12. Identifying User Roles | 84 |
| 6. The RichFaces Components | 85 |
| 6.1. Ajax Support | 85 |
| 6.1.1. < a4j:ajaxListener > | 85 |
| 6.1.2. < a4j:actionparam > | 87 |
| 6.1.3. < a4j:form > | 90 |
| 6.1.4. < a4j:region > | 95 |
| 6.1.5. < a4j:support > | 99 |
| 6.1.6. < a4j:commandButton > | 105 |
| 6.1.7. < a4j:commandLink > | 112 |
| 6.1.8. < a4j:jsFunction > | 119 |
| 6.1.9. < a4j:poll > | 124 |
| 6.1.10. < a4j:push > | 128 |
| 6.1.11. < a4j:queue > | 133 |
| 6.1.12. < a4j:status > | 138 |
| 6.2. Resources/Beans Handling | 142 |
| 6.2.1. < a4j:loadBundle > | 143 |
| 6.2.2. < a4j:keepAlive > | 147 |
| 6.2.3. < a4j:loadScript > | 149 |
| 6.2.4. < a4j:loadStyle > | 151 |
| 6.3. Ajax Validators | 152 |
| 6.3.1. < rich:ajaxValidator > | 152 |
| 6.3.2. < rich:beanValidator > | 159 |
| 6.3.3. < rich:graphValidator > | 162 |
| 6.4. Ajax Output | 166 |
| 6.4.1. < a4j:include > | 166 |

| | |
|---|-----|
| 6.4.2. < a4j:mediaOutput > | 168 |
| 6.4.3. < a4j:outputPanel > | 176 |
| 6.5. Ajax Miscellaneous | 181 |
| 6.5.1. < a4j:page > | 181 |
| 6.5.2. < a4j:portlet > | 185 |
| 6.5.3. < a4j:htmlCommandLink > | 186 |
| 6.5.4. < a4j:log > | 191 |
| 6.6. Data Iteration | 194 |
| 6.6.1. < rich:column > | 194 |
| 6.6.2. < rich:columnGroup > | 209 |
| 6.6.3. < rich:columns > | 217 |
| 6.6.4. < rich:dataDefinitionList > | 228 |
| 6.6.5. < rich:dataFilterSlider > | 235 |
| 6.6.6. < rich:dataGrid > | 243 |
| 6.6.7. < rich:dataList > | 253 |
| 6.6.8. < rich:dataOrderedList > | 260 |
| 6.6.9. < rich:datascroller > | 267 |
| 6.6.10. < rich:dataTable > | 283 |
| 6.6.11. < rich:subTable > | 296 |
| 6.6.12. < rich:extendedDataTable > | 305 |
| 6.6.13. < a4j:repeat > | 318 |
| 6.6.14. < rich:scrollableDataTable > | 321 |
| 6.7. Drag-Drop Support | 337 |
| 6.7.1. < rich:dragIndicator > | 337 |
| 6.7.2. < rich:dragSupport > | 341 |
| 6.7.3. < rich:dragListener > | 347 |
| 6.7.4. < rich:dropListener > | 350 |
| 6.7.5. < rich:dropSupport > | 352 |
| 6.7.6. < rich:dndParam > | 362 |
| 6.8. Rich Menu | 364 |
| 6.8.1. < rich:contextMenu > | 365 |
| 6.8.2. < rich:dropDownMenu > | 375 |
| 6.8.3. < rich:menuGroup > | 386 |
| 6.8.4. < rich:menuItem > | 393 |
| 6.8.5. < rich:menuSeparator > | 403 |
| 6.9. Rich Trees | 406 |
| 6.9.1. < rich:tree > | 406 |
| 6.9.2. < rich:treeNode > | 428 |
| 6.9.3. < rich:treeNodesAdaptor > | 439 |
| 6.9.4. < rich:recursiveTreeNodesAdaptor > | 442 |
| 6.9.5. < rich:changeExpandListener > | 446 |
| 6.9.6. < rich:nodeSelectListener > | 448 |
| 6.10. Rich Output | 450 |
| 6.10.1. < rich:modalPanel > | 450 |

| | |
|---|-----|
| 6.10.2. < rich:paint2D > | 465 |
| 6.10.3. < rich:panel > | 470 |
| 6.10.4. < rich:panelBar > | 477 |
| 6.10.5. < rich:panelBarItem > | 483 |
| 6.10.6. < rich:panelMenu > | 489 |
| 6.10.7. < rich:panelMenuGroup > | 501 |
| 6.10.8. < rich:panelMenuItem > | 514 |
| 6.10.9. < rich:progressBar > | 525 |
| 6.10.10. < rich:separator > | 538 |
| 6.10.11. < rich:simpleTogglePanel > | 543 |
| 6.10.12. < rich:spacer > | 552 |
| 6.10.13. < rich:tabPanel > | 556 |
| 6.10.14. < rich:tab > | 565 |
| 6.10.15. < rich:togglePanel > | 577 |
| 6.10.16. < rich:toggleControl > | 585 |
| 6.10.17. < rich:toolBar > | 592 |
| 6.10.18. < rich:toolBarGroup > | 599 |
| 6.10.19. < rich:toolTip > | 604 |
| 6.11. Rich Input | 613 |
| 6.11.1. < rich:calendar > | 613 |
| 6.11.2. < rich:colorPicker > | 644 |
| 6.11.3. < rich:comboBox > | 653 |
| 6.11.4. < rich:editor > | 667 |
| 6.11.5. < rich:fileUpload > | 682 |
| 6.11.6. < rich:inplaceInput > | 704 |
| 6.11.7. < rich:inplaceSelect > | 718 |
| 6.11.8. < rich:inputNumberSlider > | 733 |
| 6.11.9. < rich:inputNumberSpinner > | 745 |
| 6.11.10. < rich:suggestionbox > | 753 |
| 6.12. Rich Selects | 769 |
| 6.12.1. < rich:listShuttle > | 769 |
| 6.12.2. < rich:orderingList > | 788 |
| 6.12.3. < rich:pickList > | 804 |
| 6.13. Rich Semantic Layouts | 819 |
| 6.13.1. < rich:page > | 819 |
| 6.13.2. < rich:layout > | 826 |
| 6.13.3. < rich:layoutPanel > | 829 |
| 6.14. Rich Miscellaneous | 831 |
| 6.14.1. < rich:componentControl > | 831 |
| 6.14.2. < rich:effect > | 836 |
| 6.14.3. < rich:gmap > | 840 |
| 6.14.4. < rich:virtualEarth > | 850 |
| 6.14.5. < rich:hotKey > | 855 |
| 6.14.6. < rich:insert > | 859 |

| | |
|---|-----|
| 6.14.7. < rich:message > | 861 |
| 6.14.8. < rich:messages > | 868 |
| 6.14.9. < rich:jQuery > | 875 |
| 7. IDE Support | 883 |
| 8. Links to information resources | 885 |

Introduction

RichFaces is an open source framework that adds Ajax capability into existing JSF applications without resorting to JavaScript.

RichFaces leverages JavaServer Faces framework including lifecycle, validation, conversion facilities and management of static and dynamic resources. RichFaces components with built-in Ajax support and a highly customizable look-and-feel can be easily incorporated into JSF applications.

RichFaces allows to:

- Intensify the whole set of JSF benefits while working with Ajax. RichFaces is fully integrated into the JSF lifecycle. While other frameworks only give you access to the managed bean facility, RichFaces advantages the action and value change listeners, as well as invokes server-side validators and converters during the Ajax request-response cycle.
- Add Ajax capability to the existing JSF applications. Framework provides two components libraries (Core Ajax and UI). The Core library sets Ajax functionality into existing pages, so there is no need to write any JavaScript code or to replace existing components with new Ajax ones. RichFaces enables page-wide Ajax support instead of the traditional component-wide support and it gives the opportunity to define the event on the page. An event invokes an Ajax request and areas of the page which become synchronized with the JSF Component Tree after changing the data on the server by Ajax request in accordance with events fired on the client.
- Create quickly complex View basing on out of the box components. RichFaces UI library contains components for adding rich user interface features to JSF applications. It extends the RichFaces framework to include a large (and growing) set of powerful rich Ajax-enabled components that come with extensive skins support. In addition, RichFaces components are designed to be used seamlessly with other 3d-party component libraries on the same page, so you have more options for developing your applications.
- Write your own custom rich components with built-in Ajax support. We're always working on improvement of Component Development Kit (CDK) that was used for RichFaces UI library creation. The CDK includes a code-generation facility and a templating facility using a JSP-like syntax. These capabilities help to avoid a routine process of a component creation. The component factory works like a well-oiled machine allowing the creation of first-class rich components with built-in Ajax functionality even more easily than the creation of simpler components by means of the traditional coding approach.
- Package resources with application Java classes. In addition to its core, Ajax functionality of RichFaces provides an advanced support for the different resources management: pictures, JavaScript code, and CSS stylesheets. The resource framework makes possible to pack easily these resources into Jar files along with the code of your custom components.

- Easily generate binary resources on-the-fly. Resource framework can generate images, sounds, Excel spreadsheets etc.. on-the-fly so that it becomes for example possible to create images using the familiar approach of the "Java Graphics2D" library.
- Create a modern rich user interface look-and-feel with skins-based technology. RichFaces provides a skinnability feature that allows easily define and manage different color schemes and other parameters of the UI with the help of named skin parameters. Hence, it is possible to access the skin parameters from JSP code and the Java code (e.g. to adjust generated on-the-fly images based on the text parts of the UI). RichFaces comes with a number of predefined skins to get you started, but you can also easily create your own custom skins.
- Test and create the components, actions, listeners, and pages at the same time. An automated testing facility is in our roadmap for the near future. This facility will generate test cases for your component as soon as you develop it. The testing framework will not just test the components, but also any other server-side or client-side functionality including JavaScript code. What is more, it will do all of this without deploying the test application into the Servlet container.

RichFaces UI components come ready to use out-of-the-box, so developers save their time and immediately gain the advantage of the mentioned above features in Web applications creation. As a result, usage experience can be faster and easily obtained.

Technical Requirements

RichFaces was developed with an open architecture to be compatible with the widest possible variety of environments.

This is what you need to start working with RichFaces 3.3.1:

- Java
- JavaServer Faces
- Java application server or servlet container
- Browser (on client side)
- RichFaces framework

2.1. Supported Java Versions

- JDK 1.5 and higher

2.2. Supported JavaServer Faces Implementations and Frameworks

- Sun JSF-RI - 1.2_12
- MyFaces 1.2.5
- Facelets 1.1.1 - 1.2
- Seam 1.2. - 2.1.0

2.3. Supported Servers

- Apache Tomcat 5.5 - 6.0
- BEA WebLogic 9.1 - 10.0
- Resin 3.1
- Jetty 6.1.x
- Sun Application Server 9 (J2EE 1.5)
- Glassfish (J2EE 5)

- JBoss 4.2.x - 5
- Websphere 7.0. and higher
- Geronimo 2.0 and higher

2.4. Supported Browsers

- Internet Explorer 6.0 - 8.0
- Firefox 2.0 - 3.0
- Opera 8.5 - 9.5
- Safari 3.0
- Google Chrome

This list is composed basing on reports received from our users. We assume the list can be incomplete and absence of your environment in the list doesn't mean incompatibility.

We appreciate your feedback on platforms and browsers that aren't in the list but are compatible with RichFaces. It helps us to keep the list up-to-date.

Getting Started with RichFaces

This chapter describes all necessary actions and configurations that should be done for plugging the RichFaces components into a JSF application. The description relies on a simple JSF with RichFaces application creation process from downloading the libraries to running the application in a browser. The process of application creation described here is common and does not depend on used IDE.

3.1. Downloading the RichFaces

The latest release of RichFaces components is available for download at [JBoss RichFaces Downloads area](http://labs.jboss.com/jbossrichfaces/downloads) [http://labs.jboss.com/jbossrichfaces/downloads] at JBoss community. Binary files (uploaded there in *.bin.zip or *.bin.tar.gz archives) contains compiled, ready-to-use version of RichFaces with set of basic skins.

To start with RichFaces in computer file system create new folder with name "RichFaces", download and unzip the archive with binaries there.

For those who want to download and compile the RichFaces by themselves there is an article at JBoss community that describes the [RichFaces repository's structure overview](http://www.jboss.org/community/docs/DOC-11864) [http://www.jboss.org/community/docs/DOC-11864] and some aspects of working with it.

3.2. Simple JSF application with RichFaces

"RichFaces Greeter"—the simple application—is hello-world like application but with one difference: the world of RichFaces will say "Hello!" to user first.

Create standard JSF 1.2 project with all necessary libraries; name the project "Greeter" and follow the description.

3.2.1. Adding RichFaces libraries into the project

Go to the folder with unzipped earlier RichFaces binary files and open `lib` folder. This folder contains three *.jar files with API, UI and implementation libraries. Copy that "jars" from `lib` folder to `WEB-INF/lib` folder of "Greeter" JSF application.

Important:

A JSF application with RichFaces assumes that the following JARs are available in the project: commons-beanutils-1.7.0.jar, commons-collections-3.2.jar, commons-digester-1.8.jar, commons-logging-1.0.4.jar, jhighlight-1.0.jar.

3.2.2. Registering RichFaces in web.xml

After RichFaces libraries where added into the project it is necessary to register them in project `web.xml` file. Add following lines in `web.xml`:

```
...
<!-- Plugging the "Blue Sky" skin into the project -->
<context-param>
  <param-name>org.richfaces.SKIN</param-name>
  <param-value>blueSky</param-value>
</context-param>

<!-- Making the RichFaces skin spread to standard HTML controls -->
<context-param>
  <param-name>org.richfaces.CONTROL_SKINNING</param-name>
  <param-value>enable</param-value>
</context-param>

<!-- Defining and mapping the RichFaces filter -->
<filter>
  <display-name>RichFaces Filter</display-name>
  <filter-name>richfaces</filter-name>
  <filter-class>org.ajax4jsf.Filter</filter-class>
</filter>

<filter-mapping>
  <filter-name>richfaces</filter-name>
  <servlet-name>Faces Servlet</servlet-name>
  <dispatcher>REQUEST</dispatcher>
  <dispatcher>FORWARD</dispatcher>
  <dispatcher>INCLUDE</dispatcher>
</filter-mapping>
...
```

For more information on how to work with RichFaces skins read "[Skinnability](#)" chapter.

Finally the `web.xml` should look like this:

```
<?xml version="1.0"?>
<web-app version="2.5"
  xmlns="http://java.sun.com/xml/ns/javaee"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
```

```
xsi:schemaLocation="http://java.sun.com/xml/ns/javaee http://java.sun.com/xml/ns/
javaee/web-app_2_5.xsd">
<display-name>Greeter</display-name>

<context-param>
  <param-name>javax.faces.STATE_SAVING_METHOD</param-name>
  <param-value>server</param-value>
</context-param>

<context-param>
  <param-name>org.richfaces.SKIN</param-name>
  <param-value>blueSky</param-value>
</context-param>

<context-param>
  <param-name>org.richfaces.CONTROL_SKINNING</param-name>
  <param-value>enable</param-value>
</context-param>

<filter>
  <display-name>RichFaces Filter</display-name>
  <filter-name>richfaces</filter-name>
  <filter-class>org.ajax4jsf.Filter</filter-class>
</filter>

<filter-mapping>
  <filter-name>richfaces</filter-name>
  <servlet-name>Faces Servlet</servlet-name>
  <dispatcher>REQUEST</dispatcher>
  <dispatcher>FORWARD</dispatcher>
  <dispatcher>INCLUDE</dispatcher>
</filter-mapping>

<listener>
  <listener-class>com.sun.faces.config.ConfigureListener</listener-class>
</listener>

<!-- Faces Servlet -->
<servlet>
  <servlet-name>Faces Servlet</servlet-name>
  <servlet-class>javax.faces.webapp.FacesServlet</servlet-class>
  <load-on-startup>1</load-on-startup>
</servlet>
```

```
<!-- Faces Servlet Mapping -->
<servlet-mapping>
  <servlet-name>Faces Servlet</servlet-name>
  <url-pattern>*.jsf</url-pattern>
</servlet-mapping>

<login-config>
  <auth-method>BASIC</auth-method>
</login-config>
</web-app>
```

3.2.3. Managed bean

The "RichFaces Greeter" application needs a managed bean. In project `JavaSource` folder create a new managed bean with name `user` in `demo` package and paste there the following simple code:

```
package demo;

public class user {
  private String name="";
  public String getName() {
    return name;
  }
  public void setName(String name) {
    this.name = name;
  }
}
```

3.2.4. Registering bean in faces-cofig.xml

With the next step the `user` bean should be registered in `faces-config.xml` file:

```
<?xml version="1.0" encoding="UTF-8"?>
<faces-config version="1.2"
  xmlns="http://java.sun.com/xml/ns/javaee"
  xmlns:xi="http://www.w3.org/2001/XInclude"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://java.sun.com/xml/ns/javaee http://java.sun.com/xml/
ns/javaee/web-facesconfig_1_2.xsd">
  <managed-bean>
    <description>UsernName Bean</description>
    <managed-bean-name>user</managed-bean-name>
```

```

<managed-bean-class>demo.user</managed-bean-class>
<managed-bean-scope>request</managed-bean-scope>
<managed-property>
  <property-name>name</property-name>
  <property-class>java.lang.String</property-class>
  <value/>
</managed-property>
</managed-bean>
</faces-config>

```

3.2.5. RichFaces Greeter index.jsp

The "RichFaces Greeter" application has only one JSP page. Create `index.jsp` page in root of `WEB_CONTENT` folder and add there following code:

```

<!doctype html public "-//w3c//dtd html 4.0 transitional//en">
<%@ taglib uri="http://java.sun.com/jsf/core" prefix="f" %>
<%@ taglib uri="http://java.sun.com/jsf/html" prefix="h" %>
<!-- RichFaces tag library declaration -->
<%@ taglib uri="http://richfaces.org/a4j" prefix="a4j"%>
<%@ taglib uri="http://richfaces.org/rich" prefix="rich"%>

<html>
  <head>
    <title>RichFaces Greeter</title>
  </head>
  <body>
    <f:view>
      <a4j:form>
        <rich:panel header="RichFaces Greeter" style="width: 315px">
          <h:outputText value="Your name: " />
          <h:inputText value="#{user.name}" >
            <f:validateLength minimum="1" maximum="30" />
          </h:inputText>

          <a4j:commandButton value="Get greeting" reRender="greeting" />

          <h:panelGroup id="greeting" >
            <h:outputText value="Hello, " rendered="#{not empty user.name}" />
            <h:outputText value="#{user.name}" />
            <h:outputText value="!" rendered="#{not empty user.name}" />
          </h:panelGroup>
        </rich:panel>

```

```
</a4j:form>
  </f:view>
</body>
</html>
```

The application uses three RichFaces components: **<rich:panel>** is used as visual container for information; **<a4j:commandButton>** with built-in Ajax support allows rendering a greeting dynamically after a response comes back and **<a4j:form>** helps the button to perform the action.

Note, that the RichFaces tag library should be declared on each JSP page. For XHTML pages add following lines for tag library declaration:

```
<xmlns:a4j="http://richfaces.org/a4j">
<xmlns:rich="http://richfaces.org/rich">
```

That's it. Run the application on server. Point your browser to `index.jsp` page in browser: `http://localhost:8080/Greeter/index.jsf`




Figure 3.1. "RichFaces Greeter" application

3.3. Integration of RichFaces into Maven Project

In this section we will tell how you can create a simple JSF application with RichFaces using Maven.

In the first place you need to make sure that Maven is installed on you local machine. We will run the JSF application on Tomcat 6.0 server, so please download and install it if you haven't done already so.

Now we can move on to creating the application. To create the project structure and fill it with minimal content we will use the "maven-archetype-jsfwebapp" Maven archetype which is a part of RichFaces CDK.

The "maven-archetype-jsfwebapp" archetype and the project itself require extra repositories to be provided, namely "http://snapshots.jboss.org/maven2/" and "http://repository.jboss.com/maven2/". The easiest way to make the repositories visible for Maven is to create a profile in "maven_installation_folder/conf/settings.xml" in `<profiles>` element. This is the content of the profile:

```
<profile>
  <id>jsf-app-profile</id>
  <repositories>
    <repository>
      <releases>
        <enabled>true</enabled>
      </releases>
      <snapshots>
        <enabled>true</enabled>
        <updatePolicy>always</updatePolicy>
      </snapshots>
      <id>snapshots.jboss.org</id>
      <name>Snapshot Jboss Repository for Maven</name>
      <url>http://snapshots.jboss.org/maven2/</url>
      <layout>default</layout>
    </repository>
    <repository>
      <releases>
        <enabled>true</enabled>
      </releases>
      <snapshots>
        <enabled>true</enabled>
        <updatePolicy>always</updatePolicy>
      </snapshots>
      <id>repository.jboss.com</id>
      <name>Jboss Repository for Maven</name>
      <url>http://repository.jboss.com/maven2/</url>
      <layout>default</layout>
    </repository>
  </repositories>
</profile>
```

When the profile is added you need to activate it in the `<activeProfiles>` element. It can be done like this:

```
...
<activeProfiles>
  <activeProfile>jsf-app-profile</activeProfile>
</activeProfiles>
```

...

Now you have everything to create the project using the "maven-archetype-jsfwebapp" archetype. Create a folder that will house your project and run the this command in it:

```
...
mvn archetype:generate -DarchetypeGroupId=org.richfaces.cdk -DarchetypeArtifactId=maven-archetype-jsfwebapp -DarchetypeVersion=3.3.2-SNAPSHOT -DgroupId=org.docs.richfaces -DartifactId=jsf-app
...
```

You can adjust some parameters of the command.

Table 3.1. Title of the table

| Parameter | Description |
|--------------|---|
| -DgroupId | Defines the package for the Managed beans |
| -DartifactId | Defines the name of the project |

This command generates a JSF project that has the following structure:

```
jsf-app
|-- pom.xml
`-- src
    |-- main
    |   |-- java
    |   |   |-- org
    |   |   |   |-- docs
    |   |   |   |   |-- richfaces
    |   |   |   |   |   |-- Bean.java
    |   |-- resources
    |   `-- webapp
    |       |-- WEB-INF
    |       |   |-- faces-config.xml
    |       |   |-- web.xml
    |       |-- index.jsp
    |       `-- pages
    |           |-- index.jsp
    |           `-- index.xhtml
    `-- test
        `-- java
```

```
`-- org
  |-- docs
    |-- richfaces
      |-- BeanTest.java
```

Now go to "jsf-app" folder, it contains a project descriptor(pom.xml). Open the project descriptor to edit and add dependencies to the `<dependencies>` element. Your `<dependencies>` element content should be the following:

```
...
<dependencies>
  <dependency>
    <groupId>junit</groupId>
    <artifactId>junit</artifactId>
    <version>3.8.1</version>
    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>javax.servlet</groupId>
    <artifactId>servlet-api</artifactId>
    <version>2.4</version>
    <scope>provided</scope>
  </dependency>
  <dependency>
    <groupId>javax.servlet</groupId>
    <artifactId>jsp-api</artifactId>
    <version>2.0</version>
    <scope>provided</scope>
  </dependency>
  <dependency>
    <groupId>jstl</groupId>
    <artifactId>jstl</artifactId>
    <version>1.1.2</version>
  </dependency>
  <dependency>
    <groupId>javax.servlet.jsp</groupId>
    <artifactId>jsp-api</artifactId>
    <version>2.1</version>
    <scope>provided</scope>
  </dependency>
  <dependency>
    <groupId>javax.faces</groupId>
```

```
<artifactId>jsf-api</artifactId>
<version>1.2_12</version>
</dependency>
<dependency>
  <groupId>javax.faces</groupId>
  <artifactId>jsf-impl</artifactId>
  <version>1.2_12</version>
</dependency>
<dependency>
  <groupId>javax.el</groupId>
  <artifactId>el-api</artifactId>
  <version>1.0</version>
  <scope>provided</scope>
</dependency>
<dependency>
  <groupId>el-impl</groupId>
  <artifactId>el-impl</artifactId>
  <version>1.0</version>
  <scope>provided</scope>
</dependency>
<dependency>
  <groupId>javax.annotation</groupId>
  <artifactId>jsr250-api</artifactId>
  <version>1.0</version>
</dependency>
<!-- RichFaces libraries -->
<dependency>
  <groupId>org.richfaces.framework</groupId>
  <artifactId>richfaces-api</artifactId>
  <version>3.3.2-SNAPSHOT</version>
</dependency>
<dependency>
  <groupId>org.richfaces.framework</groupId>
  <artifactId>richfaces-impl</artifactId>
  <version>3.3.2-SNAPSHOT</version>
</dependency>
<dependency>
  <groupId>org.richfaces.ui</groupId>
  <artifactId>richfaces-ui</artifactId>
  <version>3.3.2-SNAPSHOT</version>
</dependency>
</dependencies>
...
```

The last three dependences add RichFaces libraries to the project. You can now build the project with the `mvn install` command.

When you see the "BUILD SUCCESSFUL" message, the project is assembled and can be imported to a IDE and run on the server.

The project can be built for Eclipse IDE with `mvn eclipse:eclipse -Dwtpversion=2.0` command.

Then you can import the project into Eclipse. After importing to Eclipse open the "jsf-app/src/main/webapp/WEB-INF/web.xml" to configure it according to the listing in the [Registering RichFaces in web.xml](#) section of the guide.

The project is configured and now you can start using RichFaces. Open "jsf-app/src/main/webapp/pages/index.jsp" file and add the tag library declaration.

```
...
<%@ taglib uri="http://richfaces.org/rich" prefix="rich"%>
...
```

Add some RichFaces component to the "index.jsp" page, for instance `<rich:calendar>`. Your "index.jsp" page will look like this:

```
...
<%@ taglib uri="http://java.sun.com/jsf/html" prefix="h" %>
<%@ taglib uri="http://java.sun.com/jsf/core" prefix="f"%>
<%@ taglib uri="http://richfaces.org/rich" prefix="rich"%>
<html>
  <head>
    <title>JSF Application with RichFaces built by Maven</title>
  </head>
  <body>
    <f:view>
      <rich:calendar />
    </f:view>
  </body>
</html>
...
```

Now run the application on Tomcat server and open it in your favourite browser by pointing it to "http://localhost:8080/jsf-app/" .

3.4. Relevant Resources Links

The Photo Album Application [<http://livedemo.exadel.com/photoalbum>] is designed and developed with RichFaces.

Maven Resource Dependency Plugin Reference [<http://www.jboss.org/community/wiki/MavenResourceDependencyPluginReference>] article discusses plugin configuration and usage.

See also the *"How to start RichFaces application with NetBeans IDE"* [<http://www.jboss.org/community/wiki/HowtostartRichFacesapplicationwithNetBeansIDE>] article in the RichFaces Cookbook.

JBoss Developer Studio [https://www.redhat.com/apps/store/developers/jboss_developer_studio.html] comes with a tight integration with RichFaces component framework. Following links might be useful for those who already use this IDE and RichFaces for developing applications and those who wish to improve their development process:

- *"Rich Components"* [http://download.jboss.org/jbosstools/nightly-docs/en/GettingStartedGuide/html/first_seam.html#rich_components] chapter in "Getting Started with JBoss Developer Studio Guide" describes how to add RichFaces components into a CRUD application;
- *"JBoss Tools Palette"* [<http://download.jboss.org/jbosstools/nightly-docs/en/jsf/html/palette.html>] chapter in "Visual Web Tools Reference Guide" describes advantages that gives Tools Palette (comes together with JBDS) for quick and easy pages creation processs including RichFaces applications;
- *"RichFaces Toolkit for developing Web application"* [http://docs.jboss.org/tools/movies/demos/rich_faces_demo/rich_faces_demo.htm] video tutorial demonstrates some aspects of interaction with JBoss Developer Studio while working with RichFaces.
- *"How to Configure Maven for RichFaces"* [http://docs.jboss.org/tools/movies/demos/rich_faces_demo/rich_faces_demo.htm] article shortly discusses Maven configuration for RichFaces.
- *"RichFaces Release Procedure"* [<http://www.jboss.org/community/docs/DOC-13446>] article describes how RichFaces release builds are made.

Read also the *quick overview* [<http://mkblog.exadel.com/?p=110>] to "Practical RichFaces " book by Max Katz at his blog.

Settings for different environments

RichFaces comes with support for all tags (components) included in the JavaServer Faces specification. To add RichFaces capabilities to the existing JSF project you should just put the RichFaces libraries into the lib folder of the project and add filter mapping. The behavior of the existing project doesn't change just because of RichFaces.

4.1. Web Application Descriptor Parameters

RichFaces doesn't require any parameters to be defined in your web.xml. But the RichFaces parameters listed below may help with development and may increase the flexibility of RichFaces usage.

Table 4.1. Initialization Parameters

| Name | Default | Description |
|----------------------------------|---------|--|
| org.richfaces.SKIN | DEFAULT | Is a name of a skin used in an application. It can be a literal string with a skin name, or the <i>EL</i> expression (<code>#{...}</code>) pointed to a <i>String</i> property (skin name) or a property of a <code>org.richfaces.framework.skin</code> type. Skin in last case, this instance is used as a current skin |
| org.richfaces.LoadScriptStrategy | DEFAULT | Defines how the RichFaces script files are loaded to application. Possible values are: ALL, DEFAULT, NONE. For more information see "Scripts and Styles Load Strategy" . |
| org.richfaces.LoadStyleStrategy | DEFAULT | Defines how the RichFaces style files are loaded to application. Possible values are: ALL, DEFAULT, NONE. For more information see "Scripts and Styles Load Strategy" . |
| org.ajax4jsf.LOGFILE | none | Is an URL to an application or a container log file (if possible). If this parameter is set, content |

| Name | Default | Description |
|------------------------------------|---------|--|
| | | from the given URL is shown on a <i>Debug</i> error page in the <i>iframe</i> window |
| org.ajax4jsf.VIEW_HANDLERS | none | Is a comma-separated list of custom <i>ViewHandler</i> instances for inserting in chain. Handlers are inserted BEFORE RichFaces viewhandlers in the given order. For example, in facelets application this parameter must contain com.sun.facelets.FaceletViewHandler, instead of declaration in faces-config.xml |
| org.ajax4jsf.CONTROL_COMPONENTS | none | Is a comma-separated list of names for a component as a special control case, such as messages bundle loader, alias bean components, etc. Is a type of component got by a reflection from the static field <i>COMPONENT_TYPE</i> . For components with such types encode methods always are called in rendering Ajax responses, even if a component isn't in an updated part |
| org.ajax4jsf.ENCRYPT_RESOURCE_DATA | true | For generated resources, such as encrypt generation data, it's encoded in the resource URL. For example, URL for an image generated from the <i>mediaOutput</i> component contains a name of a generation method, since for a hacker attack, it is possible to create a request for any JSF baked beans or other attributes. To prevent such attacks, set this parameter to |

| Name | Default | Description |
|--|---------|--|
| | | "true" in critical applications (works with JRE > 1.4) |
| org.ajax4jsf.ENCRYPT_PASSWORD | word | Is a password for encryption of resources data. If isn't set, a random password is used |
| org.ajax4jsf.COMPRESS_SCRIPT | true | It doesn't allow framework to reformat JavaScript files (makes it impossible to debug) |
| org.ajax4jsf.RESOURCE_URI_PREFIX | / | Defines prefix which is added to all URIs of generated resources. This prefix designed to handle RichFaces generated resources requests |
| org.ajax4jsf.GLOBAL_RESOURCE_URI_PREFIX | / | Defines prefix which is added to URIs of global resources. This prefix designed to handle RichFaces generated resources requests |
| org.ajax4jsf.SESSION_RESOURCE_URI_PREFIX | / | Defines prefix which is used for session tracking for generated resources. This prefix designed to handle RichFaces generated resources requests |
| org.ajax4jsf.DEFAULT_EXPIRE | 86400 | Defines in seconds how long streamed back to browser resources can be cached |
| org.ajax4jsf.SERIALIZE_SERVER_STATE | false | If enabled the component state (not the tree) will be serialized before being stored in the session. This may be desirable for applications that may have issues with view state being sensitive to model changes. Instead of this parameter can use <code>com.sun.faces.serializeServerState</code> and <code>org.apache.myfaces.SERIALIZE_STATE_IN_SESSION</code> parameters for corresponding environments. |

Note:

`org.richfaces.SKIN` is used in the same way as `org.ajax4jsf.SKIN`

Table 4.2. org.ajax4jsf.Filter Initialization Parameters

| Name | Default | Description |
|-----------------|---------|---|
| log4j-init-file | - | Is a path (relative to web application context) to the <i>log4j.xml</i> configuration file, it can be used to setup per-application custom logging |
| enable-cache | true | Enable caching of framework-generated resources (JavaScript, CSS, images, etc.). For debug purposes development custom JavaScript or Style prevents to use old cached data in a browser |
| forcenotrf | true | Force parsing by a filter <i>HTML</i> syntax checker on any JSF page. If "false", only Ajax responses are parsed to syntax check and conversion to well-formed XML. Setting to "false" improves performance, but can provide visual effects on Ajax updates |

4.2. Sun JSF RI

RichFaces works with implementation of JSF (JSF 1.2_12) and with most JSF component libraries without any additional settings. For more information look at:

[java.sun.com](http://java.sun.com/javaee/javaserverfaces/) [http://java.sun.com/javaee/javaserverfaces/]

Additional information how to get `ViewExpiredExceptions` when using RichFaces with JSF 1.2_12 you can find in [RichFaces Cookbook article](http://wiki.jboss.org/auth/wiki/RichFacesCookbook/ViewExpiredException) [http://wiki.jboss.org/auth/wiki/RichFacesCookbook/ViewExpiredException].

4.3. Apache MyFaces

RichFaces works with Apache MyFaces 1.2.5 version including specific libraries like TOMAHAWK Sandbox and Trinidad (the previous ADF Faces). However, there are some considerations to take into account for configuring applications to work with MyFaces and RichFaces.

Note:

There are some problems with different filters defined in the web.xml file clashing. To avoid these problems, the RichFaces filter must be the first one among other filters in the web.xml configuration file.

For more information look at: <http://myfaces.apache.org> [http://myfaces.apache.org]

There's one more problem while using MyFaces + Seam . If you use this combination you should use `<a4j:page>` inside `<f:view>` (right after it in your code) wrapping another content inside your pages because of some problems in realization of `<f:view>` in myFaces.

The problem is to be overcome in the nearest future.

4.4. Facelets Support

A high-level support for Facelets is one of our main support features. When working with RichFaces, there is no difference what release of Facelets is used.

You should also take into account that some JSF frameworks such as Facelets use their own `ViewHandler` and need to have it first in the chain of `ViewHandlers` and the RichFaces `AjaxViewHandler` is not an exception. At first RichFaces installs its `ViewHandler` in any case, so in case of two frameworks, for example RichFaces + Facelets, no changes in settings are required. Although, when more than one framework (except RichFaces) is used, it's possible to use the `VIEW_HANDLERS` parameter defining these frameworks view handlers according to its usage order in it. For example, the declaration:

Example:

```
...
<context-param>
  <param-name>org.ajax4jsf.VIEW_HANDLERS</param-name>
  <param-value>com.sun.facelets.FaceletViewHandler</param-value>
</context-param>
...
```

says that Facelets will officially be the first, however `AjaxViewHandler` will be a little ahead temporarily to do some small, but very important job.

Note:

In this case you don't have to define `FaceletViewHandler` in the `WEB-INF/faces-config.xml`.

4.5. JBoss Seam Support

RichFaces now works out-of-the-box with JBoss Seam and Facelets running inside JBoss AS 4.0.4 and higher. There is no more shared JAR files needed. You just have to package the RichFaces library with your application.

Your `web.xml` for Seam 1.2 must be like this:

```
<?xml version="1.0" ?>
<web-app xmlns="http://java.sun.com/xml/ns/j2ee"
         xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
         xsi:schemaLocation="http://java.sun.com/xml/ns/j2ee http://java.sun.com/xml/ns/
j2ee/web-app_2_4.xsd"
         version="2.4">

  <!-- richfaces -->

  <filter>
    <display-name>RichFaces Filter</display-name>
    <filter-name>richfaces</filter-name>
    <filter-class>org.ajax4jsf.Filter</filter-class>
  </filter>

  <filter-mapping>
    <filter-name>richfaces</filter-name>
    <url-pattern>*.seam</url-pattern>
  </filter-mapping>

  <!-- Seam -->

  <listener>
    <listener-class>org.jboss.seam.servlet.SeamListener</listener-class>
  </listener>

  <servlet>
    <servlet-name>Seam Resource Servlet</servlet-name>
    <servlet-class>org.jboss.seam.servlet.ResourceServlet</servlet-class>
  </servlet>
```

```
<servlet-mapping>
  <servlet-name>Seam Resource Servlet</servlet-name>
  <url-pattern>/seam/resource/*</url-pattern>
</servlet-mapping>

<filter>
  <filter-name>Seam Filter</filter-name>
  <filter-class>org.jboss.seam.web.SeamFilter</filter-class>
</filter>

<filter-mapping>
  <filter-name>Seam Filter</filter-name>
  <url-pattern>/*</url-pattern>
</filter-mapping>

<!-- MyFaces -->

<listener>
  <listener-class>org.apache.myfaces.webapp.StartupServletContextListener</listener-
class>
</listener>

<!-- JSF -->

<context-param>
  <param-name>javax.faces.STATE_SAVING_METHOD</param-name>
  <param-value>client</param-value>
</context-param>

<context-param>
  <param-name>javax.faces.DEFAULT_SUFFIX</param-name>
  <param-value>.xhtml</param-value>
</context-param>

<servlet>
  <servlet-name>Faces Servlet</servlet-name>
  <servlet-class>javax.faces.webapp.FacesServlet</servlet-class>
  <load-on-startup>1</load-on-startup>
</servlet>

<servlet-mapping>
  <servlet-name>Faces Servlet</servlet-name>
  <url-pattern>*.seam</url-pattern>
```

```
</servlet-mapping>
</web-app>
```

Seam 2 supports RichFaces Filter. Thus your web.xml for Seam 2 must be like this:

```
<?xml version="1.0" encoding="UTF-8"?>
<web-app version="2.5"
  xmlns="http://java.sun.com/xml/ns/javaee"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://java.sun.com/xml/ns/javaee http://java.sun.com/xml/
ns/javaee/web-app_2_5.xsd">

  <context-param>
    <param-name>org.ajax4jsf.VIEW_HANDLERS</param-name>
    <param-value>com.sun.facelets.FaceletViewHandler</param-value>
  </context-param>

  <!-- Seam -->

  <listener>
    <listener-class>org.jboss.seam.servlet.SeamListener</listener-class>
  </listener>

  <servlet>
    <servlet-name>Seam Resource Servlet</servlet-name>
    <servlet-class>org.jboss.seam.servlet.SeamResourceServlet</servlet-class>
  </servlet>

  <servlet-mapping>
    <servlet-name>Seam Resource Servlet</servlet-name>
    <url-pattern>/seam/resource/*</url-pattern>
  </servlet-mapping>

  <filter>
    <filter-name>Seam Filter</filter-name>
    <filter-class>org.jboss.seam.servlet.SeamFilter</filter-class>
  </filter>

  <filter-mapping>
    <filter-name>Seam Filter</filter-name>
    <url-pattern>/*</url-pattern>
  </filter-mapping>
```

```

<!-- JSF -->

<context-param>
  <param-name>javax.faces.DEFAULT_SUFFIX</param-name>
  <param-value>.xhtml</param-value>
</context-param>

<context-param>
  <param-name>facelets.DEVELOPMENT</param-name>
  <param-value>>true</param-value>
</context-param>

<servlet>
  <servlet-name>Faces Servlet</servlet-name>
  <servlet-class>javax.faces.webapp.FacesServlet</servlet-class>
  <load-on-startup>1</load-on-startup>
</servlet>

<servlet-mapping>
  <servlet-name>Faces Servlet</servlet-name>
  <url-pattern>*.seam</url-pattern>
</servlet-mapping>
</web-app>

```

Only one issue still persists while using Seam with MyFaces. Look at myFaces part of this section.

Detailed information on how to integrate Richfaces and Trinidad and how to hide ".seam" postfix in the URL you can find in the [RichFaces Cookbook article](http://wiki.jboss.org/auth/wiki/RichFacesWithTrinidad) [http://wiki.jboss.org/auth/wiki/RichFacesWithTrinidad]

4.6. Portlet Support

JBoss Portlets have support since version Ajax4jsf 1.1.1. This support is improved from RichFaces 3.2.1. Provide your feedback on compatible with RichFaces if you face some problems.

4.7. Sybase EAServer

The load-on-startup for the Faces Servlet had to be set to 0 in web.xml.

Example:

```

...
<servlet>
  <servlet-name>Faces Servlet</servlet-name>

```

```
<servlet-class>javax.faces.webapp.FacesServlet</servlet-class>
<load-on-startup>0</load-on-startup>
</servlet>
...
```

This is because, EAServer calls `servlet init()` before the `ServletContextInitializer`. Not an EAServer bug, this is in Servlet 2.3 spec.

4.8. Oracle AS/OC4J

In order to deploy your project with RichFaces components to an Oracle AS you just have to prevent the application's class loader from importing the Oracle XML parser. Use the following notation in `orion-application.xml` :

```
...
<imported-shared-libraries>
  <remove-inherited name="oracle.xml"/>
  <remove-inherited name="oracle.xml.security"/>
</imported-shared-libraries>
...
```

Basic concepts of the RichFaces Framework

5.1. Introduction

The framework is implemented as a component library which adds Ajax capability into existing pages, so you don't need to write any JavaScript code or to replace existing components with new Ajax widgets. RichFaces enables page-wide Ajax support instead of the traditional component-wide support. Hence, you can define the event on the page that invokes an Ajax request and the areas of the page that should be synchronized with the JSF Component Tree after the Ajax request changes the data on the server according to the events fired on the client.

Next Figure shows how it works:




Figure 5.1. Request Processing flow

RichFaces allows to define (by means of JSF tags) different parts of a JSF page you wish to update with an Ajax request and provide a few options to send Ajax requests to the server. Also JSF page doesn't change from a "regular" JSF page and you don't need to write any JavaScript or XMLHttpRequest objects by hands, everything is done automatically.

5.2. RichFaces Architecture Overview

Next figure lists several important elements of the RichFaces framework




Figure 5.2. Core Ajax component structure

Ajax Filter. To get all benefits of RichFaces , you should register a Filter in web.xml file of your application. The Filter recognizes multiple request types. Necessary information about Filter configuration can be found in the *"Filter configuration"* section. The sequence diagram on Figure 3 shows the difference in processing of a "regular" JSF request and an Ajax request.

In the first case the whole JSF tree will be encoded, in the second one option it depends on the "size" of the Ajax region. As you can see, in the second case the filter parses the content of an Ajax response before sending it to the client side.

Have a look at the next picture to understand these two ways:




Figure 5.3. Request Processing sequence diagram

In both cases, the information about required static or dynamic resources that your application requests is registered in the ResourceBuilder class.

When a request for a resource comes (Figure 4), the RichFaces filter checks the Resource Cache for this resource and if it is there, the resource is sent to the client. Otherwise, the filter searches for the resource among those that are registered by the ResourceBuilder. If the resource is registered, the RichFaces filter will send a request to the ResourceBuilder to create (deliver) the resource.

Next Figure shows the ways of resource request processing.




Figure 5.4. Resource request sequence diagram

AJAX Action Components. There are Ajax Action Components: `<a4j:commandButton>` , `<a4j:commandLink>` , `<a4j:poll>` and `<a4j:support>` and etc. You can use them to send Ajax requests from the client side.

AJAX Containers. AjaxContainer is an interface that describes an area on your JSF page that should be decoded during an Ajax request. `AjaxViewRoot` and `AjaxRegion` are implementations of this interface.

JavaScript Engine. RichFaces JavaScript Engine runs on the client-side. It knows how to update different areas on your JSF page based on the information from the Ajax response. Do not use this JavaScript code directly, as it is available automatically.

5.3. RichFaces Integral Parts

The RichFaces comes with a number of integral parts (framework, libraries):

- [Prototype 1.6.0.3](http://prototypejs.org) [http://prototypejs.org]
- [jQuery 1.3.1](http://jquery.com) [http://jquery.com]

- [Script.aculo.us 1.8.1](http://script.aculo.us) [http://script.aculo.us]

For more information about framework and libraries loading see the following section in the [FAQ](http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/devguide/en/faq/faq.html#d0e581) [http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/devguide/en/faq/faq.html#d0e581].

Note:

In order to prevent JavaScript versions conflict you should use only one version of the framework or library. You could find more information about libraries exclusion in the [FAQ](http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/devguide/en/faq/faq.html#d0e1546) [http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/devguide/en/faq/faq.html#d0e1546].

5.4. Limitations and Rules

In order to create RichFaces applications properly, keep the following points in mind:

- Any Ajax framework should not append or delete, but only replace elements on the page. For successful updates, an element with the same ID as in the response must exist on the page. If you'd like to append any code to a page, put in a placeholder for it (any empty element). For the same reason, it's recommended to place messages in the **"AjaxOutput"** component (as no messages is also a message).
- Don't use `<f:verbatim>` for self-rendered containers, since this component is transient and not saved in the tree.
- Ajax requests are made by XMLHttpRequest functions in XML format, but this XML bypasses most validations and the corrections that might be made in a browser. Thus, create only a strict standards-compliant code for HTML and XHTML, without skipping any required elements or attributes. Any necessary XML corrections are automatically made by the XML filter on the server, but lot's of unexpected effects can be produced by an incorrect HTML code.
- The RichFaces ViewHandler puts itself in front of the Facelets ViewHandlers chain.
- RichFaces components uses their own renderers. On the Render Response Phase RichFaces framework makes a traversal of the component tree, calls its own renderer and put the result into the Faces Response.

5.5. Ajax Request Optimization

5.5.1. Re-Rendering

Ajax attributes are common for Ajax components such as `<a4j:support>` , `<a4j:commandButton>` , `<a4j:jsFunction>` , `<a4j:poll>` , `<a4j:push>` and so on. Also, most

RichFaces components with built-in Ajax support have these attributes for a similar purpose. Ajax components attributes help RichFaces to expose its features. Most of the attributes have default values. Thus, you can start working with RichFaces without knowing the usage of these attribute. However, their usage allows to tune the required Ajax behavior very smoothly.

reRender is a key attribute. The attribute allows to point to area(s) on a page that should be updated as a response on Ajax interaction. The value of the *reRender* attribute is an id of the JSF component or an id list.

A simple example is placed below:

```
...
<a4j:commandButton value="update" reRender="infoBlock"/>
...
<h:panelGrid id="infoBlock">
...
</h:panelGrid>
...
```

The value of *reRender* attribute of the **<a4j:commandButton>** tag defines which part(s) of your page is (are) to be updated. In this case, the only part of the page to update is the **<h:panelGrid>** tag because its ID value matches to the value of *reRender* attribute. As you see, it's not difficult to update multiple elements on the page, only list their IDs as the value of *reRender* .

reRender uses [*UIViewComponent.findComponent\(\)* algorithm](http://java.sun.com/javaee/1.2_MR1/docs/api/javafx/faces/component/UIViewComponent.html#findComponent(java.lang.String)) [http://java.sun.com/javaee/1.2_MR1/docs/api/javafx/faces/component/UIViewComponent.html#findComponent(java.lang.String)] (with some additional exceptions) to find the component in the component tree. As can you see, the algorithm presumes several steps. Each other step is used if the previous step is not successful. Therefore, you can define how fast the component is found mentioning it more precisely. The following example shows the difference in approaches (both buttons will work successfully):

```
...
<h:form id="form1">
...
  <a4j:commandButton value="Usual Way" reRender="infoBlock, infoBlock2" />
  <a4j:commandButton value="Shortcut" reRender=":infoBlock1,sv:infoBlock2" />
...
</h:form>
<h:panelGrid id="infoBlock">
...
</h:panelGrid>
...
<f:subview id="sv">
```

```
<h:panelGrid id="infoBlock2">
  ...
</h:panelGrid>
...
</f:subview>
...
```

It's also possible to use JSF EL expression as a value of the `reRender` attribute. It might be a property of types Set, Collection, Array or simple String. The EL for `reRender` is resolved right before the Render Response phase. Hence, you can calculate what should be re-rendered on any previous phase during the Ajax request processing.

Most common problem with using `reRender` is pointing it to the component that has a `"rendered"` attribute. Note, that JSF does not mark the place in the browser DOM where the outcome of the component should be placed in case the `"rendered"` condition returns false. Therefore, after the component becomes rendered during the Ajax request, RichFaces delivers the rendered code to the client, but does not update a page, because the place for update is unknown. You need to point to one of the parent components that has no `"rendered"` attribute. As an alternative, you can wrap the component with `<a4j:outputPanel layout="none" .`

`"ajaxRendered"` attribute of the `<a4j:outputPanel>` set to `"true"` allows to define the area of the page that will be re-rendered even if it is not pointed in the `reRender` attribute explicitly. It might be useful if you have an area on a page that should be updated as a response on any Ajax request. For example, the following code allows to output error messages regardless of what Ajax request causes the Validation phase failed.

```
...
<a4j:outputPanel ajaxRendered="true">
  <h:messages />
</a4j:outputPanel>
...
```

`"limitToList"` attribute allows to dismiss the behavior of the `<a4j:outputPanel>` `"ajaxRendered"` attribute. `limitToList = "true"` means to update only the area(s) that mentioned in the `"reRender"` attribute explicitly. All output panels with `ajaxRendered="true"` is ignored. An example is placed below:

```
...
<h:form>
  <h:inputText value="#{person.name}">
    <a4j:support event="onkeyup" reRender="test" limitToList="true"/>
  </h:inputText>
  <h:outputText value="#{person.name}" id="test"/>
</h:form>
```

```
</form>
...
```

5.5.2. Queue and Traffic Flood Protection

"eventsQueue" attribute defines the name of the queue that will be used to order upcoming Ajax requests. By default, RichFaces does not queue Ajax requests. If events are produced simultaneously, they will come to the server simultaneously. JSF implementations (especially, the very first ones) does not guaranty that the request that comes first will be served or passed into the JSF lifecycle first. The order how the server-side data will be modified in case of simultaneous request might be unpredictable. Usage of *eventsQueue* attribute allows to avoid possible mess. Define the queue name explicitly, if you expect intensive Ajax traffic in your application.

The next request posted in the same queue will wait until the previous one is not processed and Ajax Response is returned back if the *"eventsQueue"* attribute is defined. In addition, RichFaces starts to remove from the queue "similar" requests. "Similar" requests are the requests produced by the same event. For example, according to the following code, only the newest request will be sent to the server if you type very fast and has typed the several characters already before the previous Ajax Response is back.

```
...
<h:inputText value="#{userBean.name}">
  <a4j:support event="onkeyup" eventsQueue="foo" reRender="bar" />
</h:inputText>
...
```

"requestDelay" attribute defines the time (in ms) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest "similar" request is in a queue already .

"ignoreDupResponses" attribute orders to ignore the Ajax Response produced by the request if the newest "similar" request is in a queue already. *ignoreDupResponses="true"* does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response loses the actuality.

Defining the *"eventsQueue"* along with *"requestDelay"* allows to protect against unnecessary traffic flood and synchronizes Ajax requests order. If you have several sources of Ajax requests, you can define the same queue name there. This might be very helpful if you have Ajax components that invoke request asynchronously from the ones produced by events from users. For example, `<a4j:poll>` or `<a4j:push>` . In case the requests from such components modify the same data, the synchronization might be very helpful.

More information can be found on the [RichFaces Users Forum](http://jboss.com/index.html?module=bb&op=viewtopic&t=105766) [http://jboss.com/index.html?module=bb&op=viewtopic&t=105766] .

"*timeout*" attribute is used for setting response waiting time on a particular request. If a response is not received during this time, the request is aborted.

5.5.3. Queue Principles

Starting from 3.3.0 version RichFaces has an improved queue.

There are some reasons why the queue has been improved. In previous versions the queue had quite simple implementation: it sent to the server only the last Ajax request out of all requests coming in the queue during request delay.

The improved queue allows to

- Eliminate the possibility of collisions when several JSF requests pass the JSF lifecycle at the same time. The queue prevents sending such requests. Only one request is processed. The rest ones are waiting.
- Reduce the traffic between browser and the server. The "similar" requests came within request delay are absorbed. Only the last one is actually sent. Reducing the number of request reduces the server load.

There are 4 types of the queue:

- Global default queue, defined in the web.xml file
- View scoped default queue
- View scoped named queue
- Form-based default queue

In this section we will take a closer look at the listed above types of the queue and see in more detail how they differ. Usage details are covered in the [<a4j:queue>](#) chapter.

5.5.3.1. Global default queue, defined in the web.xml file

Design details

- Only one global queue will ever exist on a view
 - If you define more than one with this name while attempting to set its attributes a warning will appear in server console during rendering. All the same named queues after the first instance are ignored.
- The queue class name is "org.richfaces.queue.global"

Global default queue has application scope and is defined in the web.xml

It can be done as follows:

```
...
```

```

<context-param>
  <param-name>org.richfaces.queue.global.enabled</param-name>
  <param-value>true</param-value>
</context-param>
...

```

The global default queue is disabled by default, because artificial serializing of all Ajax requests on a page can significantly affect expected behavior.

5.5.3.2. View scoped default queue

Design details

- Only one default queue is ever active at one time for a given view or form.
- If ever more are detected a warning will appear in server console during rendering. All the same named queues after the first instance are ignored.
- View scoped default queue is also created for components which have the following Ajax attributes: (in this case queue has a component scope)
 - *"requestDelay"*
 - *"ignoreDupResponse"*
- View scoped default queue is created automatically if the *"eventsQueue"* attribute is defined with some name in a component but not found in the view. It has a scope the same as defined in corresponding context param.

The view scoped default, named and formed-based types of queue utilize the `<a4j:queue>` tag to override the settings of the global queue defined in the web.xml file.

You can also programmatically enable/disable the global queue on a single view using the following:

```

...
<a4j:queue name="org.richfaces.global_queue" disabled="true"... />
...

```

Hence, to enable the queue for a single view page you need to define the "disable" attribute with "false".

Now, you can override the default settings using the attributes of the `<a4j:queue>` component. The full [list of attributes](file:///C:/Projects/RichFaces/docs/userguide/en/target/docbook/publish/en-US/html_single/index.html#d0e10019) [file:///C:/Projects/RichFaces/docs/userguide/en/target/docbook/publish/en-US/html_single/index.html#d0e10019] is given in the "6.20. `<a4j:queue>`" chapter of the guide.

Example:

```
...  
<a4j:queue name="org.richfaces.global_queue" requestDelay="1000" />  
...
```

View scoped queue can be also added by just definition of the queue without name specified. In this case it should be placed anywhere outside the forms in order not to be recognized as a form-based queue.

```
...  
<a4j:queue ... />  
...
```

5.5.3.3. View scoped named queue

Design details

- Named queues must have a unique name, if a second queue with the same name is defined all the same named queues after the first instance are ignored.
- Form elements are used as naming container for the queue i.e. custom queue defined within the form cannot be used by the components outside this concrete form.

You can reference a named queue from any Ajax4JSF or RichFaces component that supports the "eventsQueue" attribute. Below there is an example of how the components can reference a named queue.

Example:

```
...  
<a4j:queue name="sampleQueue"/>  
<h:inputText value="#{bean.inputValue}" >  
  <a4j:support id="inputSupport" event="onkeyup" eventsQueue="sampleQueue"/>  
</h:inputText>  
<rich:comboBox value="#{bean.state}" suggestionValues="#{bean.suggestions}" eventsQueue="sampleQueue"  
>  
...  
...
```

In this example, two components(<a4j:queue>, <rich:comboBox>,) reference the named ("sampleQueue") queue via the "eventsQueue" attribute.

5.5.3.4. Form based default queue

Design details

- Only one enabled form based default queue can be active at a time.
 - A warning appears in server console during rendering if more than one enabled form based queue exists. All queues with the same name after the first instance should be ignored.
 - Users can define more than one form queue, however all but one must be disabled.

Queues are often used within forms, but defining the *eventsQueue* attribute on every component within a form can be tedious work. To avoid that you can create a default queue for a form (overriding the global default queue).

You can use either a JSF `<h:form>` or an Ajax4JSF `<a4j:form>`.

Example:

```
...
<h:form ... >
  <a4j:queue ... /><!-- note no name specified -->
  ...
</h:form>
...
```

Though, using an Ajax4JSF `<a4j:form>` you can reference a named queue via the *eventsQueue*.

Example:

```
...
<a4j:form eventsQueue="fooQueue" ...>
  ...
</a4j:form>
...
```

However the implementation of the queue allows you to reference a named queue from the form with a form-based queue.

Example:

```
...
<a4j:queue name="sampleQueue" ... /> <!-- named queue -->
...
<h:form ... >
  <a4j:queue ... /><!-- form-based queue-->
  <a4j:commandButton ... /> <!-- uses the form-based queue -->
  <a4j:commandButton eventsQueue="sampleQueue" /> <!-- uses named queue -->
```

```
</h:form>
```

```
...
```

5.5.3.5. Queue functionality

This section will cover some queue's functionality aspects.

5.5.3.5.1. Events Similarity

By default all the events raised by the same component are similar to the queue (according to client Id of event source). This means that if new requests come from the same component they are combined with the previous ones. For example: if we use `a4j:support` on an input field and the user types frequently all the request raised by key up during `requestDelay` will be combined into one.

You can also manually specify multiple components which will produce similar requests. The *"similarityGroupId"* attribute is added to all the Ajax action components with 3.3.0 release. Hence, for example, you can add two `<a4j:support/>` components to the input (one for key up and the second for blur) and define that request events are similar by specifying the same *"similarityGroupId"*.

5.5.3.5.2. Similar requests during request delay

As written above requests are collected in the queue during `requestDelay` and similar ones are combined. But similar requests can only be combined if they are raised sequentially. This is done in order not to block the queue and not to change the requests order.

Example:

A request with some delay comes to the queue, let it be A^1 the delay counter for this request is started. If similar request (e.g. from the same component - A^2) appears - these two requests are combined ($A^1 A^2$ to A^{combined}) and the counter is reset.

But if some not similar request comes to the queue B^1 - it is placed after the first one (A^{combined}, B^1). And if the A^{combined} request doesn't exit the queue and another request similar to A (let is be A^3) appears again - these requests are not combined with the first one. The request is placed after B^1 . ($A^{\text{combined}}, B^1, A^3$).

Such behavior allows

- to maximize similar requests throughput
- to send only the latest fields state for similar requests
- not to block the queue if the different types of requests comes to queue and should wait one for another

The `<a4j:poll>` component has delay time 0 by default starting from 3.3.0 version in order not to use the queue delay (its own value for this parameter redefines queue's parameter) to avoid blocking periodical update in the queue. You can redefine this on the component level if need.

5.5.3.5.3. JavaScript API

Table 5.1. JavaScript API

| Function | Description |
|-------------------------------|--|
| <code>getSize()</code> | Returns the current size to the queue |
| <code>getMaximumSize()</code> | Returns the maximum size to the queue, specified in the "size" attribute |

5.5.4. Data Processing Options

RichFaces uses form based approach for Ajax request sending. This means each time, when you click an Ajax button or `<a4j:poll>` produces an asynchronous request, the data from the closest JSF form is submitted with the XMLHttpRequest object. The form data contains the values from the form input element and auxiliary information such as state saving data.

When `"ajaxSingle"` attribute value is `"true"`, it orders to include only a value of the current component (along with `<f:param>` or `<a4j:actionparam>` values if any) to the request map. In case of `<a4j:support>`, it is a value of the parent component. An example is placed below:

```
...
<h:form>
  <h:inputText value="#{person.name}">
    <a4j:support event="onkeyup" reRender="test" ajaxSingle="true"/>
  </h:inputText>
  <h:inputText value="#{person.middleName}" />
</form>
...
```

In this example the request contains only the input component causes the request generation, not all the components contained on a form, because of `ajaxSingle="true"` usage.

Note, that `ajaxSingle="true"` reduces the upcoming traffic, but does not prevent decoding other input components on the server side. Some JSF components, such as `<h:selectOneMenu>` do recognize the missing data in the request map value as a null value and try to pass the validation process with a failed result. Thus, use `<a4j:region>` to limit a part of the component tree that will be processed on the server side when it is required.

`"immediate"` attribute has the same purpose as any other non-JSF component. The default `"ActionListener"` should be executed immediately (i.e. during the Apply Request Values phase of a request processing lifecycle), rather than waiting until the Invoke Application phase. Using

`immediate="true"` is one of the ways to have some data model values updated when other cannot be updated because of a problem with passing the Validation phase successfully. This might be important inside the `<h:dataTable>` like components where using `<a4j:region>` is impossible due to the `<h:dataTable>` component architecture.

`"bypassUpdates"` attribute allows to bypass the Update Model phase. It might be useful if you need to check your input against the available validator, but not to update the model with those data. Note, that an action will be invoked at the end of the Validation phase only if the Validation phase is passed successfully. The listeners of the Application phase will not be invoked in any case.

5.5.5. Action and Navigation

Ajax component is similar to any other non-Ajax JSF component like `<h:commandButton>`. It allows to submit the form. You can use `"action"` and `"actionListener"` attributes to invoke the action method and define the action event.

`"action"` method must return null if you want to have an Ajax Response with a partial page update. This is regular mode called "Ajax request generates Non-Ajax Response". In case of action does not return null, but the action outcome that matches one of navigation rules, RichFaces starts to work in "Ajax request generates Non-Ajax Response" mode. This mode might be helpful in two major cases:

- RichFaces allows to organize a page flow inside the `<a4j:include>` component. This is a typical scenario for Wizard like behavior. The new content is rendered inside the `<a4j:include>` area. The content is taken from the navigation rule of the faces configuration file (usually, the `faces-config.xml`). Note, that the content of the "wizard" is not isolated from the rest of the page. The included page should not have own `<f:view>` (it does not matter if you use facelets). You need to have an Ajax component inside the `<a4j:include>` to navigate between the wizard pages. Otherwise, the whole page update will be performed.
- If you want to involve the server-side validators and navigate to the next page only if the Validation phase is passed successfully, you can replace `<h:commandButton>` with `<a4j:commandButton>` and point to the action method that navigates to the next page. If Validation process fails, the partial page update will occur and you will see an error message. Otherwise, the application proceeds to the next page. Make sure, you define `<redirect/>` option for the navigation rule to avoid memory leaks.

5.5.6. JavaScript Interactions

RichFaces allows writing Ajax-enabled JSF application without writing any Javascript code. However, you can still invoke the JavaScript code if you need. There are several Ajax attributes that helps to do it.

`"onsubmit"` attribute allows to invoke JavaScript code before an Ajax request is sent. If `"onsubmit"` returns "false", the Ajax request is canceled. The code of `"onsubmit"` is inserted before the RichFaces Ajax call. Hence, the `"onsubmit"` should not has a "return" statement if you want the Ajax request to be sent. If you are going to invoke a JavaScript function that returns "true"

or "false" , use the conditional statement to return something only when you need to cancel the request. For example:

```
...
onsubmit="if (mynosendfunct()==false){return false}"
...
```

"onclick" attribute is similar to the "onsubmit" , but for clickable components such as `<a4j:commandLink>` and `<a4j:commandButton>` . If it returns "false" , the Ajax request is canceled also.

The "oncomplete" attribute is used for passing JavaScript that would be invoked right after the Ajax response returns back and DOM is updated. It is not recommended to use use keyword `this` inside the EL-expression, because it will not always point to the component where Ajax request was initiated.

"onbeforedomupdate" attribute defines JavaScript code for call after Ajax response receiving and before updating DOM on a client side.

"data" attribute allows to get the additional data from the server during an Ajax call. You can use JSF EL to point the property of the managed bean and its value will be serialized in JSON format and be available on the client side. You can refer to it using the "data" variable. For example:

```
...
<a4j:commandButton value="Update" data="#{userBean.name}" complete="showTheName(data.name)"
>
...
```

RichFaces allows to serialize not only primitive types into JSON format, but also complex types including arrays and collections. The beans should be serializable to be referred with "data" .

There is a number of useful functions which can be used in JavaScript:

- `rich:clientId('id')` - returns client id by short id or null if the component with the id specified hasn't been found
- `rich:element('id')` - is a shortcut for `document.getElementById("#{rich:clientId('id')})`
- `rich:component('id')` - is a shortcut for `#{rich:clientId('id')}.component`
- `rich:findComponent('id')` - returns an instance of `UICComponent` taking the short ID of the component as a parameter.

```
...
```

```
<h:inputText id="myInput">
  <a4j:support event="onkeyup" reRender="outtext"/>
</h:inputText>
<h:outputText id="outtext" value="#{rich:findComponent('myInput').value}" />
...

```

5.5.7. Iteration components Ajax attributes

"*ajaxKeys*" attribute defines strings that are updated after an Ajax request. It provides possibility to update several child components separately without updating the whole page.

```
...
<a4j:poll interval="1000" action="#{repeater.action}" reRender="text">
  <table>
    <tbody>
      <a4j:repeat value="#{bean.props}" var="detail" ajaxKeys="#{repeater.ajaxedRowsSet}">
        <tr>
          <td>
            <h:outputText value="detail.someProperty" id="text"/>
          </td>
        </tr>
      </a4j:repeat>
    </tbody>
  </table>
</a4j:poll>
...

```

5.5.8. Other useful attributes

"*status*" attribute for Ajax components (such as `<a4j:commandButton>` , `<a4j:poll>` , etc.) points to an ID of `<a4j:status>` component. Use this attribute if you want to share `<a4j:status>` component between different Ajax components from different regions. The following example shows it.

```
...
<a4j:region id="extr">
  <h:form>
    <h:outputText value="Status:" />
    <a4j:status id="commonstatus" startText="In Progress...." stopText="" />
    <h:panelGrid columns="2">
      <h:outputText value="Name"/>
      <h:inputText id="name" value="#{userBean.name}">

```

```

    <a4j:support event="onkeyup" reRender="out" />
</h:inputText>
<h:outputText value="Job"/>
<a4j:region id="intr">
    <h:inputText id="job" value="#{userBean.job}">
        <a4j:support event="onkeyup" reRender="out" status="commonstatus"/>
    </h:inputText>
</a4j:region>
</h:panelGrid>
<a4j:region>
    <h:outputText id="out" value="Name: #{userBean.name}, Job: #{userBean.job}" />
    <br />
    <a4j:commandButton ajaxSingle="true" value="Clean Up Form" reRender="name, job,
out" status="commonstatus">
        <a4j:actionparam name="n" value="" assignTo="#{userBean.name}" />
        <a4j:actionparam name="j" value="" assignTo="#{userBean.job}" />
    </a4j:commandButton>
</a4j:region>
</h:form>
</a4j:region>
...

```

In the example `<a4j:support>` and `<a4j:commandButton>` are defined in different regions. Values of `"status"` attribute for these components points to an ID of `<a4j:support>`. Thus, the `<a4j:support>` component is shared between two components from different regions.

More information could be found on the [RichFaces Live Demo](http://livedemo.exadel.com/richfaces-demo/richfaces/status.jsf?c=status) [http://livedemo.exadel.com/richfaces-demo/richfaces/status.jsf?c=status].

Other useful attribute is `"focus"`. It points to an ID of a component where focus will be set after an Ajax request.

5.6. How To...

5.6.1. Send an Ajax request

There are different ways to send Ajax requests from your JSF page. For example you can use `<a4j:commandButton>`, `<a4j:commandLink>`, `<a4j:poll>` or `<a4j:support>` tags or any other.

All these tags hide the usual JavaScript activities that are required for an XMLHttpRequest object building and an Ajax request sending. Also, they allow you to decide which components of your JSF page are to be re-rendered as a result of the Ajax response (you can list the IDs of these components in the `"reRender"` attribute).

`<a4j:commandButton>` and `<a4j:commandLink>` tags are used to send an Ajax request on "onclick" JavaScript event.

`<a4j:poll>` tag is used to send an Ajax request periodically using a timer.

The `<a4j:support>` tag allows you to add Ajax functionality to standard JSF components and send Ajax request onto a chosen JavaScript event: "onkeyup", "onmouseover", etc.

5.6.2. Decide What to Send

You may describe a region on the page you wish to send to the server, in this way you can control what part of the JSF View is decoded on the server side when you send an Ajax request.

The easiest way to describe an Ajax region on your JSF page is to do nothing, because the content between the `<f:view>` and `</f:view>` tags is considered the default Ajax region.

You may define multiple Ajax regions on the JSF page (they can even be nested) by using the `<a4j:region>` tag.

If you wish to render the content of an Ajax response outside of the active region then the value of the "renderRegionOnly" attribute should be set to "false" ("false" is default value). Otherwise, your Ajax updates are limited to elements of the active region.

5.6.3. Decide What to Change

Using IDs in the "reRender" attribute to define "AJAX zones" for update works fine in many cases.

But you can not use this approach if your page contains, e.g. a `<f:verbatim>` tag and you wish to update its content on an Ajax response.

The problem with the `<f:verbatim/>` tag as described above is related to the value of the transientFlag of JSF components. If the value of this flag is true, the component must not participate in state saving or restoring of process.

In order to provide a solution to this kind of problems, RichFaces uses the concept of an output panel that is defined by the `<a4j:outputPanel>` tag. If you put a `<f:verbatim>` tag inside of the output panel, then the content of the `<f:verbatim/>` tag and content of other panel's child tags could be updated on Ajax response. There are two ways to control this:

- By setting the "ajaxRendered" attribute value to "true".
- By setting the "reRender" attribute value of an Action Component to the output panel ID.

5.6.4. Decide what to process

The "process" attribute allows to define the ids of components to be processed together with the component which is marked as ajaxSingle or wrapped to region.

You could make use of the *"process"* attribute when you need to process only two components in the different parts of view.

Imagine you need to process only two input fields but not all the view. If you wrap the first input to region or make **<a4j:support>** component with `ajaxSingle="true"` nested the second input will not be processed.

Here is a simple solution:

```
...
<h:inputText value="#{bean.name}" id="name">
  <a4j:support ajaxSingle="true" process="email" event="onblur" reRender="someOut"/>
</h:inputText>
<h:inputTextarea value="#{bean.description}" id="desc" />
<h:inputText value="#{bean.email}" id="email">
  <a4j:support ajaxSingle="true" process="name" event="onblur" reRender="someOut"/>
</h:inputText>
...
```

In the example above when the input field with the `id="name"` loses focus, an Ajax request is sent. So only two input fields (with `id="name"` and additionally with `id="email"`) are processed: decoding, conversion/validation, value applying phases are executed. The input field with the `id="email"` is handled the same way on blur event.

5.7. Filter Configuration

RichFaces uses a filter for a correction of code received on an Ajax request. In case of a "regular" JSF request a browser makes correction independently. In case of Ajax request in order to prevent layout destruction it's needed to use a filter, because a received code could differ from a code validated by a browser and a browser doesn't make any corrections.

An example of how to set a Filter in a web.xml file of your application is placed below.

Example:

```
...
<filter>
  <display-name>RichFaces Filter</display-name>
  <filter-name>richfaces</filter-name>
  <filter-class>org.ajax4jsf.Filter</filter-class>
</filter>
...
```

Note:

Fast Filter is deprecated and available only for backward compatibility with previous RichFaces versions. Fast Filter usage isn't recommended, because there is another way to use its functionality by means of *Neko filter type* [48].

From RichFaces 3.2 filter configuration becomes more flexible. It's possible to configure different filters for different sets of pages for the same application.

The possible filter types are:

- TIDY

"TIDY" filter type based on the Tidy parser. This filter is recommended for applications with complicated or non-standard markup when all necessary code corrections are made by the filter when a response comes from the server.

- NEKO

"NEKO" filter type corresponds to the former "Fast Filter" and it's based on the Neko parser. In case of using this filter code isn't strictly verified. Use this one if you are sure that your application markup is really strict for this filter. Otherwise it could cause lot's of errors and corrupt a layout as a result. This filter considerably accelerates all Ajax requests processing.

- NONE

No correction.

An example of configuration is placed below.

Example:

```
...
<context-param>
  <param-name>org.ajax4jsf.xmlparser.ORDER</param-name>
  <param-value>NONE,NEKO,TIDY</param-value>
</context-param>
<context-param>
  <param-name>org.ajax4jsf.xmlparser.NONE</param-name>
  <param-value>/pages/performance\.xhtml,/pages/default.*\.xhtml</param-value>
</context-param>
<context-param>
  <param-name>org.ajax4jsf.xmlparser.NEKO</param-name>
  <param-value>/pages/repeat\.xhtml</param-value>
</context-param>
<filter>
```

```

<display-name>RichFaces Filter</display-name>
<filter-name>richfaces</filter-name>
<filter-class>org.ajax4jsf.Filter</filter-class>
</filter>
<filter-mapping>
  <filter-name>richfaces</filter-name>
  <servlet-name>Faces Servlet</servlet-name>
  <dispatcher>FORWARD</dispatcher>
  <dispatcher>REQUEST</dispatcher>
  <dispatcher>INCLUDE</dispatcher>
</filter-mapping>
...

```

The example shows that `ORDER` parameter defines the order in which particular filter types are used for pages code correction.

First of all "NONE" type is specified for the filter. Then two different sets of pages are defined for which two filter types (NONE and NEKO) are used correspondingly. If a page relates to the first set that is defined in the following way:

```
<param-value>/pages/performance\.html,/pages/default.*\.html</param-value>
```

it's not corrected, because filter type for this page is defined as "NONE". If a page is not from the first set, then "NEKO" type is set.

If a page relates to the second set that is defined in the following way:

```
<param-value>/pages/repeat\.html</param-value>
```

then "NEKO" filter type is used for correction. If it's not related to the second set, "TIDY" type is set for the filter ("TIDY" filter type is used for code correction).

5.8. Scripts and Styles Load Strategy

Before the version 3.1.3, RichFaces loaded styles and script on demand. I.e. files are loaded only if they are required on a particular page. Since RichFaces 3.1.3, it's possible to manage how the RichFaces script and style files are loaded to application.

org.richfaces.LoadScriptStrategy

The following declaration in your web.xml allows loading the integrated script files.

```
...
```

```
<context-param>
  <param-name>org.richfaces.LoadScriptStrategy</param-name>
  <param-value>ALL</param-value>
</context-param>
...
```

If you do not declare the `org.richfaces.LoadScriptStrategy` in the `web.xml`, it equals to:

```
...
<context-param>
  <param-name>org.richfaces.LoadScriptStrategy</param-name>
  <param-value>DEFAULT</param-value>
</context-param>
...
```

The third possible value is "NONE". You have no a special reason to use it unless you obtain the newest (or modified) version of the script and want to include it manually in a page header.

Note:

If you use ALL value of Scripts Load Strategy, the JavaScript files compression turns off!

org.richfaces.LoadStyleStrategy

The following declaration allows to load only one integrated style sheet file.

```
...
<context-param>
  <param-name>org.richfaces.LoadStyleStrategy</param-name>
  <param-value>ALL</param-value>
</context-param>
...
```

The integrated style sheet contains style for all shipped components. The skinnability feature still works.

The "DEFAULT" value is a classical on-demand variant.

The "NONE" stops loading the styles at all. The earlier introduced plain skin resets all color and font parameters to null. The "NONE" value for `org.richfaces.LoadStyleStrategy` means that predefined styles for RichFaces are not used.

For more information see [RichFaces User Forum](http://www.jboss.com/index.html?module=bb&op=viewtopic&p=4114033) [http://www.jboss.com/index.html?module=bb&op=viewtopic&p=4114033] .

5.9. Request Errors and Session Expiration Handling

RichFaces allows to redefine standard handlers responsible for processing of different exceptional situations. It helps to define own JavaScript, which is executed when these situations occur.

Add the following code to web.xml:

```
<context-param>
  <param-name>org.ajax4jsf.handleViewExpiredOnClient</param-name>
  <param-value>true</param-value>
</context-param>
```

5.9.1. Request Errors Handling

To execute your own code on the client in case of an error during Ajax request, it's necessary to redefine the standard "A4J.AJAX.onError" method:

```
A4J.AJAX.onError = function(req, status, message){
  window.alert("Custom onError handler "+message);
}
```

The function defined this way accepts as parameters:

- `req` - a params string of a request that calls an error
- `status` - the number of an error returned by the server
- `message` - a default message for the given error

Thus, it's possible to create your own handler that is called on timeouts, internal server errors, and etc.

5.9.2. Session Expired Handling

It's possible to redefine also the "onExpired" framework method that is called on the "Session Expiration" event.

Example:

```
A4J.AJAX.onExpired = function(loc, expiredMsg){
    if(window.confirm("Custom onExpired handler "+expiredMsg+" for a location: "+loc)){
        return loc;
    } else {
        return false;
    }
}
```

Here the function receives in params:

- `loc` - URL of the current page (on demand can be updated)
- `expiredMsg` - a default message on "*Session Expiration*" event.

Note:

Note that custom "*onError*", "*onExpire*" handlers do not work under MyFaces. MyFaces handles exception by its internals generating debug page. You could use the following code to prevent such behavior:

```
...
<context-param>
  <param-name>org.apache.myfaces.ERROR_HANDLING</param-name>
  <param-value>>false</param-value>
</context-param>
...
```

5.10. Skinnability

5.10.1. Why Skinnability

If you have a look at a CSS file in an enterprise application, for example, the one you're working on now, you'll see how often the same color is noted in it. Standard CSS has no way to define a particular color abstractly for defining as a panel header color, a background color of an active pop-up menu item, a separator color, etc. To define common interface styles, you have to copy the same values over and over again and the more interface elements you have the more copy-and-paste activity that needs to be performed.

Hence, if you want to change the application palette, you have to change all interrelating values, otherwise your interface can appear a bit clumsy. The chances of such an interface coming about is very high, as CSS editing usually becomes the duty of a general developer who doesn't necessarily have much knowledge of user interface design.

Moreover, if a customer wishes to have an interface look-and-feel that can be adjusted on-the-fly by an end user, your work is multiplied, as you have to deal with several CSS files variants, each of which contains the same values repeated numerous times.

These problems can be solved with the skinnability system built into the RichFaces project and implemented fully in RichFaces. Every named skin has some skin-parameters for the definition of a palette and the other parameters of the user interface. By changing just a few parameters, you can alter the appearance of dozens of components in an application in a synchronized fashion without messing up user interface consistency.

The skinnability feature can't completely replace standard CSS and certainly doesn't eliminate its usage. Skinnability is a high-level extension of standard CSS, which can be used together with regular CSS declarations. You can also refer to skin parameters in CSS via JSF Expression Language. You have the complete ability to synchronize the appearance of all the elements in your pages.

5.10.2. Using Skinnability

RichFaces skinnability is designed for mixed usage with:

- Skin parameters defined in the RichFaces framework
- Predefined CSS classes for components
- User style classes

The color scheme of the component can be applied to its elements using any of three style classes:

- A default style class inserted into the framework

This contains style parameters linked to some constants from a skin. It is defined for every component and specifies a default representation level. Thus, an application interface could be modified by changing the values of skin parameters.

- A style class of skin extension

This class name is defined for every component element and inserted into the framework to allow defining a class with the same name into its CSS files. Hence, the appearance of all components that use this class is extended.

- User style class

It's possible to use one of the styleClass parameters for component elements and define your own class in it. As a result, the appearance of one particular component is changed according to a CSS style parameter specified in the class.

5.10.3. Example

Here is a simple panel component:

Example:

```
<rich:panel> ... </rich:panel>
```

The code generates a panel component on a page, which consists of two elements: a wrapper `<div>` element and a `<div>` element for the panel body with the particular style properties. The wrapper `<div>` element looks like:

Example:

```
<div class="dr-pnl rich-panel">  
  ...  
</div>
```

`dr-pnl` is a CSS class specified in the framework via skin parameters:

- `background-color` is defined with `generalBackgroundColor`
- `border-color` is defined with `panelBorderColor`

It's possible to change all colors for all panels on all pages by changing these skin parameters.

However, if a `<rich:panel>` class is specified somewhere on the page, its parameters are also acquired by all panels on this page.

A developer may also change the style properties for a particular panel. The following definition:

Example:

```
<rich:panel styleClass="customClass" />
```

Could add some style properties from `customClass` to one particular panel, as a result we get three styles:

Example:

```
<div class="dr_pnl rich-panel customClass">  
  ...  
</div>
```

5.10.4. Skin Parameters Tables in RichFaces

RichFaces provides eight predefined skin parameters (skins) at the simplest level of common customization:

- DEFAULT
- plain
- emeraldTown
- blueSky
- wine
- japanCherry
- ruby
- classic
- deepMarine

To plug one in, it's necessary to specify a skin name in the `org.richfaces.SKIN` context-param.

Here is an example of a table with values for one of the main skins, "blueSky" .

Table 5.2. Colors

| Parameter name | Default value |
|---------------------------|----------------------------|
| headerBackgroundColor | #BED6F8 |
| headerGradientColor | #F2F7FF |
| headTextColor | #000000 |
| headerWeightFont | bold |
| generalBackgroundColor | #FFFFFF |
| generalTextColor | #000000 |
| generalSizeFont | 11px |
| generalFamilyFont | Arial, Verdana, sans-serif |
| controlTextColor | #000000 |
| controlBackgroundColor | #ffffff |
| additionalBackgroundColor | #ECF4FE |
| shadowBackgroundColor | #000000 |
| shadowOpacity | 1 |
| panelBorderColor | #BED6F8 |
| subBorderColor | #ffffff |

| Parameter name | Default value |
|----------------------|---------------|
| tabBackgroundColor | #C6DEFF |
| tabDisabledTextColor | #8DB7F3 |
| trimColor | #D6E6FB |
| tipBackgroundColor | #FAE6B0 |
| tipBorderColor | #E5973E |
| selectControlColor | #E79A00 |
| generalLinkColor | #0078D0 |
| hoverLinkColor | #0090FF |
| visitedLinkColor | #0090FF |

Table 5.3. Fonts

| Parameter name | Default value |
|-------------------------------|----------------------------|
| headerSizeFont | 11px |
| headerFamilyFont | Arial, Verdana, sans-serif |
| tabSizeFont | 11px |
| tabFamilyFont | Arial, Verdana, sans-serif |
| buttonSizeFont | 11px |
| buttonFamilyFont | Arial, Verdana, sans-serif |
| tableBackgroundColor | #FFFFFF |
| tableFooterBackgroundColor | #cccccc |
| tableSubfooterBackgroundColor | #f1f1f1 |
| tableBorderColor | #C0C0C0 |

Skin "plain" was added from 3.0.2 version. It doesn't have any parameters. It's necessary for embedding RichFaces components into existing projects which have their own styles.

To get detailed information on particular parameter possibilities, see the [chapter](#) where each component has skin parameters described corresponding to its elements.

5.10.5. Creating and Using Your Own Skin File

In order to create your own skin file, do the following:

- Create a file and define in it skin constants which are used by style classes (see section ["Skin Parameters Tables in RichFaces"](#)). The name of skin file should correspond to the following format: `<name>.skin.properties`. As an example of such file you can see RichFaces predefined skin parameters (skins): blueSky, classic, deepMarine, etc. These files are located in the `richfaces-impl-xxxxx.jar` inside the `/META-INF/skins` folder.

- Add a skin definition `<context-param>` to the web.xml of your application. An example is placed below:

Example:

```
...
<context-param>
  <param-name>org.richfaces.SKIN</param-name>
  <param-value>name</param-value>
</context-param>
...
```

- Put your `<name>.skin.properties` file in one of the following classpath elements: META-INF/skins/ or classpath folder (e.g. WEB-INF/classes).

5.10.6. Built-in Skinnability in RichFaces

RichFaces gives an opportunity to incorporate skinnability into UI design. With this framework you can easily use named skin parameters in properties files to control the appearance of the skins that are applied consistently to a whole set of components. You can look at examples of predefined skins at:

<http://livedemo.exadel.com/richfaces-demo/> [http://livedemo.exadel.com/richfaces-demo/]

You may simply control the look-and-feel of your application by using the skinnability service of the RichFaces framework. With the means of this service you can define the same style for rendering standard JSF components and custom JSF components built with the help of RichFaces.

To find out more on skinnability possibilities, follow these steps:

- Create a custom render kit and register it in the faces-config.xml like this:

```
<render-kit>
  <render-kit-id>NEW_SKIN</render-kit-id>
  <render-kit-class>org.ajax4jsf.framework.renderer.ChameleonRenderKitImpl</render-kit-
class>
</render-kit>
```

- Then you need to create and register custom renderers for the component based on the look-and-feel predefined variables:

```
<renderer>
```

```
<component-family>javax.faces.Command</component-family>
<renderer-type>javax.faces.Link</renderer-type>
<renderer-class>newskin.HtmlCommandLinkRenderer</renderer-class>
</renderer>
```

- Finally, you need to place a properties file with skin parameters into the class path root. There are two requirements for the properties file:
 - The file must be named `<skinName>.skin.properties`, in this case, it would be called `newskin.skin.properties`.
 - The first line in this file should be `render.kit=<render-kit-id>` in this case, it would be called `render.kit=NEW_SKIN`.

Extra information on custom renderers creation can be found at:

<http://java.sun.com/javaee/javaserverfaces/reference/docs/index.html> [http://java.sun.com/javaee/javaserverfaces/reference/docs/index.html]

5.10.7. Changing skin in runtime

It's possible to change skins in runtime. In order to do that, define the EL-expression in the web.xml. For example:

```
<context-param>
  <param-name>org.richfaces.SKIN</param-name>
  <param-value>#{skinBean.skin}</param-value>
</context-param>
```

The `skinBean` code looks as follows:

```
public class SkinBean {

    private String skin;

    public String getSkin() {
        return skin;
    }
    public void setSkin(String skin) {
        this.skin = skin;
    }
}
```

Further, it is necessary to set the skin property to the initial value in the configuration file. For example, "classic":

```
<managed-bean>
  <managed-bean-name>skinBean</managed-bean-name>
  <managed-bean-class>SkinBean</managed-bean-class>
  <managed-bean-scope>session</managed-bean-scope>
  <managed-property>
    <property-name>skin</property-name>
    <value>classic</value>
  </managed-property>
</managed-bean>
```

You can also change the default skin, for instance, change the default color. To do this, edit the file properties of the skin. Here is an example of the code for page:

```
<h:form>
  <div style="display: block; float: left">

  <h:selectOneRadio value="#{skinBean.skin}" border="0" layout="pageDirection" title="Changing
  skin" style="font-size: 8; font-family: comic" onchange="submit()">
    <f:selectItem itemLabel="plain" itemValue="plain" />
    <f:selectItem itemLabel="emeraldTown" itemValue="emeraldTown" />
    <f:selectItem itemLabel="blueSky" itemValue="blueSky" />
    <f:selectItem itemLabel="wine" itemValue="wine" />
    <f:selectItem itemLabel="japanCherry" itemValue="japanCherry" />
    <f:selectItem itemLabel="ruby" itemValue="ruby" />
    <f:selectItem itemLabel="classic" itemValue="classic" />
    <f:selectItem itemLabel="laguna" itemValue="laguna" />
    <f:selectItem itemLabel="deepMarine" itemValue="deepMarine" />
    <f:selectItem itemLabel="blueSky Modified" itemValue="blueSkyModify" />
  </h:selectOneRadio>
</div>
  <div style="display: block; float: left">
    <rich:panelBar height="100" width="200">
      <rich:panelBarItem label="Item 1" style="font-family: monospace; font-size: 12;">
        Changing skin in runtime
      </rich:panelBarItem>

      <rich:panelBarItem label="Item 2" style="font-family: monospace; font-size: 12;">
        This is a result of the modification "blueSky" skin
```

```
</rich:panelBarItem>
  </rich:panelBar>
</div>
</h:form>
```

This is result:




Figure 5.5. Changing skin in runtime

5.10.8. Standard Controls Skinning

The feature is designed to unify the look and feel of standard HTML element and RichFaces components. Skinning can be applied to all controls on a page basing on elements' name and attribute type (where applicable). Also this feature provides a set of CSS styles so that skinning can be applied assigning rich-* classes to particular elements or to container of elements that nests controls.

Standard controls skinning feature provides 2 levels of skinning: Standard and Extended. The level is based on detecting the browser type. If browser type is not identified, Advanced level is used. However, if you want to explicitly specify the level of skinning you want to be applied, you need to add a context parameter to your web.xml with `org.richfaces.CONTROL_SKINNING_LEVEL` as the parameter name and value set to either `basic` or `extended`.

- *Standard level* provides customization for only basic style properties.

To the following browsers Standard level of skinning is applied:

- Internet Explorer 6
- Internet Explorer 7 in BackCompat mode (see [document.compatMode property in MSDN](http://msdn2.microsoft.com/en-us/library/ms533687(VS.85).aspx) [http://msdn2.microsoft.com/en-us/library/ms533687(VS.85).aspx])
- Opera

- Safari
- *Extended level* extends basic level introducing broader number of style properties and is applied to browsers with rich visual styling capability of controls

The following browsers support Extended level of skinning:

- Mozilla Firefox
- Internet Explorer 7 in Standards-compliant mode (CSS1Compat mode)

These are the elements that affected by skinning:

- input
- select
- textarea
- keygen
- isindex
- legend
- fieldset
- hr
- a (together with a:hover, a:visited "pseudo"-elements)

Skinning for standard HTML controls can be initialized in two ways:

- by adding `org.richfaces.CONTROL_SKINNING` parameter to `web.xml`. Values: "enable" and "disable". This way implies that skinning style properties are applied to elements by element name and attribute type (where applicable). No additional steps required. Please find below the table that contains the list of elements to which skinning is applicable.
- by adding `org.richfaces.CONTROL_SKINNING_CLASSES` parameter to `web.xml` file. Possible values "enable" and "disable". When this option is enabled you are provided with a set of predefined CSS classes that you can use for skinning your HTML components.

By setting `org.richfaces.CONTROL_SKINNING_CLASSES` to "enable" you are provided with style classes applicable to:

- Basic elements nested inside element having rich-container class, e.g.:

Example:

```
...  
.rich-container select {  
  //class content  
}  
...
```

- Elements that have class name corresponding to one of the basic elements name/type mapped by the following scheme `rich-<elementName>[-<elementType>]` . See the example:

Example:

```
...  
.rich-select {  
  //class content  
}  
  
.rich-input-text {  
  //class content  
}  
  
...
```

Note:

Elements have classes based on "link" and pseudo class name, e.g.: rich-link, rich-link-hover, rich-link-visited

Additionally, the predefined rich CSS classes that we provide can be used not only as classes for basic HTML elements but also as classes for creation of complex elements .

There is a snippet with some of them for example:

```
...  
<u:selector name=".rich-box-bgcolor-header">  
  <u:style name="background-color" skin="headerBackgroundColor" />  
</u:selector>  
<u:selector name=".rich-box-bgcolor-general">  
  <u:style name="background-color" skin="generalBackgroundColor" />  
</u:selector>  
...
```

```

//gradient elements
...
<u:selector name=".rich-gradient-menu">
  <u:style name="background-image">
    <f:resource f:key="org.richfaces.renderkit.html.gradientimages.MenuGradientImage"/>
  </u:style>
  <u:style name="background-repeat" value="repeat-x" />
</u:selector>
<u:selector name=".rich-gradient-tab">
  <u:style name="background-image">
    <f:resource f:key="org.richfaces.renderkit.html.gradientimages.TabGradientImage"/>
  </u:style>
  <u:style name="background-repeat" value="repeat-x" />
</u:selector>
...

```

To get a better idea of standard component skinning we recommend to explore CSS files located in `ui/core/src/main/resources/org/richfaces/` folder of RichFaces svn.

5.10.8.1. Standard level

Table 5.4. Html Elements Skin Bindings for input, select, textarea, button, keygen, isindex, legend

| CSS Properties | Skin parameters |
|----------------|-------------------|
| font-size | generalSizeFont |
| font-family | generalFamilyFont |
| color | controlTextColor |

Table 5.5. Html Elements Skin Bindings for fieldset

| CSS Properties | Skin parameters |
|----------------|------------------|
| border-color | panelBorderColor |

Table 5.6. Html Elements Skin Bindings for hr

| CSS Properties | Skin parameters |
|----------------|------------------|
| border-color | panelBorderColor |

Table 5.7. Html Elements Skin Bindings for a

| CSS Properties | Skin parameters |
|----------------|------------------|
| color | generalLinkColor |

Table 5.8. Html Elements Skin Bindings for a:hover

| CSS Properties | Skin parameters |
|----------------|--------------------------------|
| color | hoverLinkColorgeneralLinkColor |

Table 5.9. Html Elements Skin Bindings for a:visited

| CSS Properties | Skin parameters |
|----------------|------------------|
| color | visitedLinkColor |

Table 5.10. Rich Elements Skin Bindings for .rich-input, .rich-select, .rich-textarea, .rich-keygen, .rich-isindex, .rich-link

| CSS Properties | Skin parameters |
|----------------|-------------------|
| font-size | generalSizeFont |
| font-family | generalFamilyFont |
| color | controlTextColor |

Table 5.11. Rich Elements Skin Bindings for .rich-fieldset

| CSS Properties | Skin parameters |
|----------------|------------------|
| border-color | panelBorderColor |

Table 5.12. Rich Elements Skin Bindings for .rich-hr

| CSS Properties | Skin parameters/Value |
|----------------|-----------------------|
| border-color | panelBorderColor |
| border-width | 1px |
| border-style | solid |

Table 5.13. Rich Elements Skin Bindings for .rich-link

| CSS Properties | Skin parameters |
|----------------|------------------|
| color | generalLinkColor |

Table 5.14. Rich Elements Skin Bindings for .rich-link:hover

| CSS Properties | Skin parameters |
|----------------|-----------------|
| color | hoverLinkColor |

Table 5.15. Rich Elements Skin Bindings for .rich-link:visited

| CSS Properties | Skin parameters |
|----------------|------------------|
| color | visitedLinkColor |

Table 5.16. Rich Elements Skin Bindings for .rich-field

| CSS Properties | Skin parameters/Value |
|---------------------|------------------------|
| border-width | 1px |
| border-style | inset |
| border-color | panelBorderColor |
| background-color | controlBackgroundColor |
| background-repeat | no-repeat |
| background-position | 1px 1px |

Table 5.17. Rich Elements Skin Bindings for .rich-field-edit

| CSS Properties | Skin parameters/Value |
|------------------|-----------------------|
| border-width | 1px |
| border-style | inset |
| border-color | panelBorderColor |
| background-color | editBackgroundColor |

Table 5.18. Rich Elements Skin Bindings for .rich-field-error

| CSS Properties | Skin parameter/Value |
|---------------------|------------------------|
| border-width | 1px |
| border-style | inset |
| border-color | panelBorderColor |
| background-color | warningBackgroundColor |
| background-repeat | no-repeat |
| background-position | center left |
| padding-left | 7px |

Table 5.19. Rich Elements Skin Bindings for .rich-button, .rich-button-disabled, .rich-button-over

| CSS Properties | Skin parameter/Value |
|------------------|----------------------|
| border-width | 1px |
| border-style | solid |
| border-color | panelBorderColor |
| background-color | trimColor |
| padding | 2px 10px 2px 10px |
| text-align | center |

| CSS Properties | Skin parameter/Value |
|---------------------|----------------------|
| cursor | pointer |
| background-repeat | repeat-x |
| background-position | top left |

Table 5.20. Rich Elements Skin Bindings for .rich-button-press

| CSS Properties | Skin parameter/Value |
|---------------------|----------------------|
| background-position | bottom left |

Table 5.21. Rich Elements Skin Bindings for .rich-container fieldset, .rich-fieldset

| CSS Properties | Skin parameters/Value |
|----------------|-----------------------|
| border-color | panelBorderColor |
| border-width | 1px |
| border-style | solid |
| padding | 10px |
| padding | 10px |

Table 5.22. Rich Elements Skin Bindings for .rich-legend

| CSS Properties | Skin parameter/Value |
|----------------|----------------------|
| font-size | generalSizeFont |
| font-family | generalFamilyFont |
| color | controlTextColor |
| font-weight | bold |

Table 5.23. Rich Elements Skin Bindings for .rich-form

| CSS Properties | Skin parameters/Value |
|----------------|-----------------------|
| padding | 0px |
| margin | 0px |

5.10.8.2. Extended level

Table 5.24. Html Elements Skin Bindings for input, select, textarea, button, keygen, isindex

| CSS properties | Skin parameters/Value |
|----------------|-----------------------|
| border-width | 1px |

| CSS properties | Skin parameters/Value |
|----------------|-----------------------|
| border-color | panelBorderColor |
| color | controlTextColor |

Table 5.25. Html Elements Skin Bindings for *|button

| CSS properties | Skin parameters |
|------------------|---|
| border-color | panelBorderColor |
| font-size | generalSizeFont |
| font-family | generalFamilyFont |
| color | headerTextColor |
| background-color | headerBackgroundColor |
| background-image | org.richfaces.renderkit.html.images.ButtonBackgroundImage |

Table 5.26. Html Elements Skin Bindings for button[type=button], button[type=reset], button[type=submit], input[type=reset], input[type=submit], input[type=button]

| CSS properties | Skin parameters |
|------------------|---|
| border-color | panelBorderColor |
| font-size | generalSizeFont |
| font-family | generalFamilyFont |
| color | headerTextColor |
| background-color | headerBackgroundColor |
| background-image | org.richfaces.renderkit.html.images.ButtonBackgroundImage |

Table 5.27. Html Elements Skin Bindings for *|button[disabled], .rich-container *|button[disabled], .rich-button-disabled

| CSS properties | Skin parameters |
|------------------|---|
| color | tabDisabledTextColor |
| border-color | tableFooterBackgroundColor |
| background-color | tableFooterBackgroundColor |
| background-image | org.richfaces.renderkit.html.images.ButtonDisabledBackgroundImage |

Table 5.28. Html Elements Skin Bindings for .rich-button-disabled, .rich-container button[type="button"][disabled], .rich-button-button-disabled, .rich-container button[type="reset"][disabled], .rich-button-reset-disabled, .rich-container button[type="submit"]

**[disabled], .rich-button-submit-disabled, .rich-container input[type="reset"]
 [disabled], .rich-input-reset-disabled, .rich-container input[type="submit"]
 [disabled], .rich-input-submit-disabled, .rich-container
 input[type="button"] [disabled], .rich-input-button-disabled**

| CSS properties | Skin parameters |
|------------------|---|
| color | tabDisabledTextColor |
| background-color | tableFooterBackgroundColor |
| border-color | tableFooterBackgroundColor |
| background-image | org.richfaces.renderkit.html.images.ButtonDisabledBackgroundImage |

**Table 5.29. Html Elements Skin Bindings for *button[type="button"]
 [disabled], button[type="reset"] [disabled], button[type="submit"]
 [disabled], input[type="reset"] [disabled], input[type="submit"] [disabled],
 input[type="button"] [disabled]**

| CSS properties | Skin parameters |
|------------------|----------------------------|
| color | tabDisabledTextColor |
| border-color | tableFooterBackgroundColor |
| background-color | tableFooterBackgroundColor |

Table 5.30. Html Elements Skin Bindings for *|textarea

| CSS properties | Skin parameters |
|------------------|--|
| border-color | panelBorderColor |
| font-size | generalSizeFont |
| font-family | generalFamilyFont |
| color | controlTextColor |
| background-color | controlBackgroundColor |
| background-image | org.richfaces.renderkit.html.images.InputBackgroundImage |

**Table 5.31. Html Elements Skin Bindings for textarea[type=textarea],
 input[type=text], input[type=password], select**

| CSS properties | Skin parameters |
|----------------|-------------------|
| border-color | panelBorderColor |
| font-size | generalSizeFont |
| font-family | generalFamilyFont |
| color | controlTextColor |

| CSS properties | Skin parameters |
|------------------|--|
| background-color | controlBackgroundColor |
| background-image | org.richfaces.renderkit.html.images.InputBackgroundImage |

Table 5.32. Html Elements Skin Bindings for `*|textarea[disabled]`, `.rich-container *|textarea[disabled]`

| CSS properties | Skin parameters |
|----------------|------------------|
| color | tableBorderColor |

Table 5.33. `textarea[type="textarea"][disabled]`, `input[type="text"][disabled]`, `input[type="password"][disabled]`

| CSS properties | Skin parameters |
|----------------|------------------|
| color | tableBorderColor |

Table 5.34. `textarea[type="textarea"][disabled]`, `input[type="text"][disabled]`, `input[type="password"][disabled]`

| CSS properties | Skin parameters |
|----------------|------------------|
| color | tableBorderColor |

Note:

Standard skinning level can fail if configuration of `ajaxPortlet` is as following:

```

...
<portlet>
  <portlet-name>ajaxPortlet</portlet-name>
  <header-content>
    <script src="/faces/rfRes/org/ajax4jsf/framework.pack.js" type="text/
javascript" />
    <script src="/faces/rfRes/org/richfaces/ui.pack.js" type="text/javascript" />
    <link rel="stylesheet" type="text/css" href="/faces/rfRes/org/richfaces/
skin.xcss" />
  </header-content>
</portlet>
...

```

Attention. The `<a4j:portlet>` component is DEPRECATED as far as [JSR-301](http://jcp.org/en/jsr/detail?id=301) [http://jcp.org/en/jsr/detail?id=301] was defined the same functionality for a

UIViewRoot component. Thus, it is implicitly defined by mandatory `<f:view>` component.

5.10.9. Client-side Script for Extended Skinning Support

As it was mentioned earlier in the guide, extended skinning of standard HTML controls is applied automatically: the browser type is detected and if a browser doesn't fully support extended skinning feature, only basic skinning is applied.

However, if you don't want the RichFaces components and standard HTML controls to be skinned automatically and perform the skinnability implementation yourself, you might encounter with a problem, namely standard HTML controls in such browsers as Opera and Safari will be affected by standard controls skinning. (*In this section* you can get more details on how to disable skinnability.)

In brief, to disable the skinnability mechanism of RichFaces you need to set the "org.richfaces.LoadStyleStrategy" parameter to "NONE" in the `web.xml` file.

```
...  
<context-param>  
  <param-name>org.richfaces.LoadStyleStrategy</param-name>  
  <param-value>NONE</param-value>  
</context-param>  
...
```

Additionally, you should include the style sheets that perform skinning of the RichFaces component and standard HTML controls.

In order to resolve the problem with extended skinning in Opera and Safari a client script (`skinning.js`) is added to the RichFaces library. The script detects the browser type and enables extended skinning only for those browsers that fully support it.

The script can be activated by inserting this JavaScript code to the page:

```
<script type="text/javascript">  
  window.RICH_FACES_EXTENDED_SKINNING_ON = true;  
</script>
```

When NO script loading strategy is used and extended skinning is turned on then corresponding warning message will appear in the console.

You also need to specify "media" attribute in the `<link>` tag which includes the "extended_both.xcss" style sheet with "rich-extended-skinning".

This is how you can include the style sheets to the page, in case automatic skinnability implementation is disabled.

```
<link href='/YOUR_PROJECT_NAME/a4j_3_2_2-SNAPSHOTorg/richfaces/renderkit/html/css/basic_both.xcss/DATB/eAF7sqpgb-jyGdIAFrMEaw__.jsf' type='text/css' rel='stylesheet' class='component' />
<link media='rich-extended-skinning' href='/ YOUR_PROJECT_NAME /a4j_3_2_2-SNAPSHOTorg/richfaces/renderkit/html/css/extended_both.xcss/DATB/eAF7sqpgb-jyGdIAFrMEaw__.jsf' type='text/css' rel='stylesheet' class='component' />
<link href='/ YOUR_PROJECT_NAME /a4j_3_2_2-SNAPSHOT/org/richfaces/skin.xcss/DATB/eAF7sqpgb-jyGdIAFrMEaw__.jsf' type='text/css' rel='stylesheet' class='component' />
```

Note

Now it's necessary to use `a4j/versionXXX` resources prefix instead of `a4j_versionXXX`. Base64 encoder changed to use `'!` instead of `'.'`.

5.10.10. XCSS File Format

XCSS files are the core of RichFaces components skinnability.

XCSS is an XML formatted CSS that adds extra functionality to the skinning process. XCSS extends skinning possibilities by parsing the XCSS file that contains all look-and-feel parameters of a particular component into a standard CSS file that a web browser can recognize.

XCSS file contains CSS properties and skin parameters mappings. Mapping of a CSS selector to a skin parameter is performed using `< u:selector >` and `< u:style>` XML tags that form the mapping structure. Please study the example below.

```
...
<u:selector name=".rich-component-name">
  <u:style name="background-color" skin="additionalBackgroundColor" />
  <u:style name="border-color" skin="tableBorderColor" />
  <u:style name="border-width" skin="tableBorderWidth" />
  <u:style name="border-style" value="solid" />
</u:selector>
...
```

During processing the code in the shown example is parsed into a standard CSS format.

```
...
```

```
.rich-component-name {
    background-color: additionalBackgroundColor; /*the value of the constant defined by your skin*/
    border-color: tableBorderColor; /*the value of the constant defined by your skin*/
    border-width: tableBorderWidth; /*the value of the constant defined by your skin*/
    border-style: solid;
}
...
```

The *"name"* attribute of **<u:selector>** tag defines the CSS selector, while *"name"* attribute of the **<u:style>** tag defines what skin constant is mapped to a CSS property. The *"value"* attribute of the **<u:style>** tag can also be used to assign a value to a CSS property.

CSS selectors with identical skinning properties can be set as a comma separated list.

```
...
<u:selector name=".rich-ordering-control-disabled, .rich-ordering-control-top, .rich-ordering-
control-bottom, .rich-ordering-control-up, .rich-ordering-control-down">
    <u:style name="border-color" skin="tableBorderColor" />
</u:selector>
...
```

5.10.11. Plug-n-Skin

Plug-n-Skin is a feature that gives you an opportunity to easily create, customize and plug into your project a custom skin. The skin can be created basing on parameters of some predefined RichFaces skin.

The feature also provides an option to unify the appearance of rich controls with standard HTML elements.

In order to create your own skin using Plug-n-Skin feature, you can follow these step by step instructions.

First of all, you need to create a template for the new skin. Creation of the template can be performed using Maven build and deployment tool. More information on how to configure Maven for RichFaces you can find out from [JBoss wiki article](http://wiki.jboss.org/wiki/HowToConfigureMavenForRichFaces) [http://wiki.jboss.org/wiki/HowToConfigureMavenForRichFaces] . You can copy and paste these Maven instructions to command line and execute them.

```
...
mvn archetype:create -DarchetypeGroupId=org.richfaces.cdk -DarchetypeArtifactId=maven-
archetype-plug-n-skin -DarchetypeVersion=RF-VERSION -DartifactId=ARTIFACT-ID -
DgroupId=GROUP-ID -Dversion=VERSION
```

```
...
```

Primary keys for the command:

- `archetypeVersion` indicates the RichFaces version. For example, "3.3.2-SNAPSHOT"
- `artifactId` artifact id of the project
- `groupId` group id of the project
- `version` the version of the project you create, by default it is "1.0.-SNAPSHOT"

After this operation, a folder with the name of your "ARTIFACT-ID" appears. The folder contains a template of Maven project.

Next steps will guide you through creating of the skin itself.

In the root folder of Maven project (the one that contains "pom.xml" file) you should run the following command in the command line:

```
...  
mvn cdk:add-skin -Dname=SKIN-NAME -Dpackage=SKIN-PACKAGE  
...
```

Primary keys for the command:

- `name` defines the name of the new skin
- `package` base package of the skin. By default "groupId" of the project is used.

Additional optional keys for the command:

- `baseSkin` defines the name of the base skin.
- `createExt` if set to "true", extended CSS classes are added. For more information, please, see ["Standard controls skinning"](#)

As a result of the performed operations the following files and folders are created:

- `BaseImage.java` - the base class to store images. Location: "`\src\main\java\SKIN-PACKAGE\SKIN-NAME\images\`"

- BaselmageTest.java - a test version of a class that stores images. Location: "\\src\\test\\java\\SKIN-PACKAGE\\SKIN-NAME\\images\\"
- XCSS files - XCSS files define the new look of RichFaces components affected by the new skin. Location: "\\src\\main\\resources\\SKIN-PACKAGE\\SKIN-NAME\\css\\"
- SKIN-NAME.properties - a file that contains properties of the new skin. Location: "\\src\\main\\resources\\SKIN-PACKAGE\\SKIN-NAME\\css\\"

The following properties are used to configure the SKIN-NAME.properties file:

- baseSkin – the name of the base skin to be used as basis. The look of the skin you define will be affected by new style properties.
- generalStyleSheet - a path to the style sheet (SKIN-NAME.xcss) that imports style sheets of the components to be affected by the new skin.
- extendedStyleSheet - a path to a style sheet that is used to unify the appearance of RichFaces components and standard HTML controls. For additional information please read ["Standard controls skinning"](#) chapter.
- gradientType - a predefined property to set the type of gradient applied to the new skin. Possible values are glass, plastic, plain. More information on gradient implementation you can find further in this chapter.
- SKIN-NAME.xcss - a XCSS file that imports XCSS files of the components to be affected by the new skin. Location: "src\\main\\resources\\META-INF\\skins "
- XCSS files If the command is executed with the "DcreateExt" key set to "true", the XCSS (extended_classes.xcss and extended.xcss) files that define style for standard controls will be created. Location: "\\src\\main\\resources\\SKIN-PACKAGE\\SKIN-NAME\\css\\".
- SKIN-NAME-ext.xcss If the command is executed with the "DcreateExt" key set to "true", the configuration SKIN-NAME-ext.xcss file that imports XCSS file defining styles for the standard controls will be created. Location: "src\\main\\resources\\META-INF\\skins ".
- SKIN-NAME-resources.xml - the file contains the description of all listed above files. Location: "src\\main\\config\\resources ".

Now you can start editing the XCSS files located in "\\src\\main\\resources\\SKIN-PACKAGE\\SKIN-NAME\\css\\". New style properties can be assigned to the selectors (the selectors listed in the XCSS files) in two ways, which are both valid, and it's up to you what way to choose.

- Standard CSS coding approach, i.e. you can add CSS properties to the given selectors. The only thing, you have to keep in mind is that the selectors must be inside `<f:verbatim> <![CDATA[...]> </f:verbatim>` tags.

For example

```
...
.rich-calendar-cell {
    background: #537df8;
}
...
```

- Using XCSS coding approach, the same way as XCSS files are normally formed in RichFaces. The XCSS tags have to be placed outside `<f:verbatim> <![CDATA[...]]> </f:verbatim>` tags.

```
...
<u:selector name=".rich-calendar-cell">
    <u:style name="border-bottom-color" skin="panelBorderColor"/>
    <u:style name="border-right-color" skin="panelBorderColor"/>
    <u:style name="background-color" skin="tableBackgroundColor"/>
    <u:style name="font-size" skin="generalSizeFont"/>
    <u:style name="font-family" skin="generalFamilyFont"/>
</u:selector>
...
```

Having performed described above steps and edited the XCSS files you can proceed to building the new skin and to plugging it into the project. Building the new skin can be done by executing the given below command in the command line in the root folder of you skin project (the one that contains pom.xml file).

```
...
mvn clean install
...
```

In addition Plug-n-Skin has a number of predefined gradients that you can also use to make your application look nicer. The given below code snippet shows how a gradient can be used

```
...
<u:selector name=".rich-combobox-item-selected">
    <u:style name="border-width" value="1px" />
    <u:style name="border-style" value="solid" />
    <u:style name="border-color" skin="newBorder" />
    <u:style name="background-position" value="0% 50%" />
    <u:style name="background-image">
```

```
<f:resource f:key="org.richfaces.renderkit.html.CustomizeableGradient">
  <f:attribute name="valign" value="middle" />
  <f:attribute name="gradientHeight" value="17px" />
  <f:attribute name="baseColor" skin="headerBackgroundColor" />
</f:resource>
</u:style>
</u:selector>
...
```

So, as you can see, the background-image CSS property is defined with `<f:resource f:key="org.richfaces.renderkit.html.CustomizeableGradient">` that sets the gradient. While the gradient type can be specified in the SKIN-NAME.properties file with `gradientType` property. The `gradientType` property can be set to one of the possible values `glass`, `plastic`, `plain`. The gradient in its turn can be adjusted using `baseColor`, `gradientColor`, `gradientHeight`, `valign` attributes. Their usage is shown in the snippet above.

Now, you can use your newly-created and customized skin in your project by adding your new skin parameters to `web.xml` file and placing the jar file with your skin (the jar file is located in "target" folder of your skin project) to `"\WebContent\WEB-INF\lib"`.

```
...
<context-param>
  <param-name>org.ajax4jsf.SKIN</param-name>
  <param-value>SKIN-NAME</param-value>
</context-param>
...
```

5.10.11.1. Details of Usage

This section will cover some practical aspects of Plug-n-Skin implementation. It's assumed that you have read the section of the guide that tells how the new skin using Plug-n-Skin prototype can be created.

Above all, we need to create a new skin, in order to do that we just have to follow the steps described in the previous section.

This command will be used to create a template of the new skin project.

```
mvn archetype:create -DarchetypeGroupId=org.richfaces.cdk -DarchetypeArtifactId=maven-archetype-plugin-n-skin -DarchetypeVersion=3.3.2-SNAPSHOT -DartifactId=P-n-S -DgroupId=GROUPID -Dversion=1.0.-SNAPSHOT
```

Now you can browse the "P-n-S" folder to view what files and folders were created there.

Next, we will use Maven to add all needed files to the skin project. This will be done by the following command:

```
mvn cdk:add-skin -DbaseSkin=blueSky -DcreateExt=true -Dname=PlugnSkinDemo -
Dpackage=SKINPACKAGE
```

As you remember from the previous section "-DbaseSkin" key defines what RichFaces built-in skin to be used as a base one, "-DcreateExt=true" determines that the new skin will come with XCSS files that unify the look of the rich components with standard HTML controls.

So, now the files and folder with all needed resources are created and redefining/editing the new skin can be started.

Now we can start editing XCSS files of the rich components. In order to see how the Plug-n-Skin feature works we will change some style attributes of **<rich:calendar>** and some basic HTML controls to see how they are affected by standard controls skinning.

Thus, it will be demonstrated how to:

- Recolor the current day's cell background of the **<rich:calendar>** to see how the new skin created with the help of Plug-n-Skin feature affects the style of the component;
- Recolor a standard HTML submit button;

In order to edit the style properties of **<rich:calendar>** you need to open the "calendar.xcss" file located in "P-n-S\src\main\resources\skinpackage\plugnskindemo\css". Once you have opened the file, please find ".rich-calendar-today" selector and amend it as follows: `background-color: #075ad1;`. The current day's background color can be considered recolored.

Now we will see how font style of a standard HTML submit button can be changed. Please, open "extended.xcss" file located in "P-n-S\src\main\resources\skinpackage\plugnskindemo\css\" and put in `font-weight: bold;` inside the curly braces of these comma separated selectors `button[type="button"], button[type="reset"], button[type="submit"], input[type="reset"], input[type="submit"], input[type="button"]`. So, the CSS code should look like this.

```
button[type="button"], button[type="reset"],
        button[type="submit"], input[type="reset"],
input[type="submit"], input[type="button"] {
font-weight: bold;
}
```

All the changes that were planned to be preformed are done and now you can proceed to building the new PlugnSkinDemo skin and import it into the project. As you read in the previous section, the skin should be built in the "P-n-S" folder of the skin project by executing `mvn clean install` command. This procedure results in creating a "target" folder that contains a .jar file with a compiled new skin, in our case the file is named "P-n-S-1.0.-SNAPSHOT.jar". The next step is to import the new PlugnSkinDemo skin into the project.

What you need to do, in order to have the new skin imported to the project is to

- Copy the "P-n-S-1.0.-SNAPSHOT.jar" file to the "\\WebContent\\WEB-INF\\lib\\" folder.
- Add the new skin's name to the "web.xml" file. It is done like this

```
<context-param>
  <param-name>org.ajax4jsf.SKIN</param-name>
  <param-value>PlugnSkinDemo</param-value>
</context-param>
```

Please, do not forget that standard controls skinning has to be enabled in the "web.xml" file, which can be done by adding the following code to the "web.xml" file:

```
<context-param>
  <param-name>org.richfaces.CONTROL_SKINNING</param-name>
  <param-value>enable</param-value>
</context-param>
```

The result of both operations is displayed on the figure below.




Figure 5.6. Plug-n-Skin feature in action.

5.11. State Manager API

JSF has an advanced navigation mechanism that allows you to define navigation from view to view. Navigation happens in a Web Application when a user tries to switch from one page to another page either by clicking a button, a hyperlink, or another command component. But there is no switch mechanism between some logical states of the same view. For example in Login/Register dialog an existing user signs in with his user name and password, but if a new user registers an additional field "Confirm" is displayed, buttons labels and methods are changed when the user clicks "To register" link:

Login Existing User [\(To register\)](#)

username

password

Figure 5.7. Login Dialog




Figure 5.8. Register Dialog

RichFaces State API allows easily to define some set of states for the pages and any properties for this states.

Actually States is a map where the entry key is a name of the State and the value is a State map. Particular State map has entries with some names as keys and any objects as values that are used after the state activation. Thus, in the State map you could define any values, method bindings, or just some simple state variables (constants) which have different values for every State.




Figure 5.9. RichFaces State API

One of the most convenience features of the RichFaces State API is a navigation between states. The RichFaces State API implements states change as the standard JSF navigation. Action component just returns outcome and the RichFaces State API extension for the JSF navigation handler checks whether this outcome is registered as a state change outcome or not. If the state change outcome is found the corresponding state is activated. Otherwise the standard navigation handling is called.

In order to use RichFaces State API you should follow the next steps:

- Register State Manager EL resolver and navigation handler in the faces-config.xml:

```
...
<application>
  <navigation-handler>org.richfaces.ui.application.StateNavigationHandler</navigation-
handler>
  <el-resolver>org.richfaces.el.StateELResolver</el-resolver>
</application>
...
```

- Register an additional application factory in the faces-config.xml:

```
...
<factory>
  <application-factory>org.richfaces.ui.application.StateApplicationFactory</application-
factory>
</factory>
...
```

- Register two managed beans in the faces-config.xml:

```
...
<managed-bean>
  <managed-bean-name>state</managed-bean-name>
  <managed-bean-class>org.richfaces.ui.model.States</managed-bean-class>
  <managed-bean-scope>request</managed-bean-scope>
  <managed-property>
    <property-name>states</property-name>
    <property-class>org.richfaces.ui.model.States</property-class>
    <value>#{config.states}</value>
  </managed-property>
</managed-bean>
<managed-bean>
  <managed-bean-name>config</managed-bean-name>
  <managed-bean-class>org.richfaces.demo.stateApi.Config</managed-bean-class>
  <managed-bean-scope>none</managed-bean-scope>
</managed-bean>
...
```

One bean ("config") defines and stores states as it is shown in the following example:

```
...
public class Config {

    /**
     * @return States
     */
    public States getStates() {
        FacesContext facesContext = FacesContext.getCurrentInstance();
        States states = new States();

        // Registering new User State definition
        states.setCurrentState("register"); // Name of the new state

        // Text labels, properties and Labels for controls in "register" state
        states.put("showConfirm", Boolean.TRUE); // confirm field rendering
        states.put("link", "(To login)"); // Switch State link label
        states.put("okBtn", "Register"); // Login/Register button label
        states.put("stateTitle", "Register New User"); // Panel title

        ExpressionFactory expressionFactory = facesContext.getApplication()
            .getExpressionFactory();

        // Define "registerbean" available under "bean" EL binding on the page
        ValueExpression beanExpression = expressionFactory
            .createValueExpression(facesContext.getELContext(),
                "#{registerbean}", Bean.class);
        states.put("bean", beanExpression);

        // Define "registeraction" available under "action" EL binding on the
        // page
        beanExpression = expressionFactory.createValueExpression(facesContext
            .getELContext(), "#{registeraction}", RegisterAction.class);
        states.put("action", beanExpression);

        // Define method expression inside registeraction binding for this state
        MethodExpression methodExpression = expressionFactory.createMethodExpression(
            facesContext.getELContext(), "#{registeraction.ok}",
            String.class, new Class[] {});
        states.put("ok", methodExpression);

        // Outcome for switching to login state definition
        states.setNavigation("switch", "login");
    }
}
```

```

// Login Existent User State analogous definition
states.setCurrentState("login");
states.put("showConfirm", Boolean.FALSE);
states.put("link", "(To register)");
states.put("okBtn", "Login");
states.put("stateTitle", "Login Existing User");

beanExpression = expressionFactory.createValueExpression(facesContext
    .getELContext(), "#{loginbean}", Bean.class);
states.put("bean", beanExpression);

beanExpression = expressionFactory.createValueExpression(facesContext
    .getELContext(), "#{loginaction}", LoginAction.class);
states.put("action", beanExpression);

methodExpression = expressionFactory.createMethodExpression(
    facesContext.getELContext(), "#{loginaction.ok}",
    String.class, new Class[] {});
states.put("ok", methodExpression);

states.setNavigation("switch", "register");

return states;
}
}
...

```

The other bean ("state") with the type `org.richfaces.ui.model.States` has the "states" managed property that is bound to the "config" bean which defines states.

- Use state bindings on the page. See the following example:

```

...
<h:panelGrid columns="3">
  <h:outputText value="username" />
  <h:inputText value="#{state.bean.name}" id="name" required="true" />
  <h:outputText value="password" />
  <h:inputSecret value="#{state.bean.password}" id="password" required="true" />
  <h:outputText value="confirm" rendered="#{state.showConfirm}" />
  <h:inputSecret value="#{state.bean.confirmPassword}" id="confirm" rendered="#{state.showConfirm}" required="true" />
  >
</h:panelGrid>

```

```
<a4:commandButton actionListener="#{state.action.listener}" action="#{state.value}" value="#{state.old}" />
>
...
```

To get full Login/Register dialog example, please, have a look at [RichFaces Live Demo](http://livedemo.exadel.com/richfaces-demo/richfaces/stateAPI.jsf?c=stateAPI) [http://livedemo.exadel.com/richfaces-demo/richfaces/stateAPI.jsf?c=stateAPI].

5.12. Identifying User Roles

RichFaces provides a function to check whether the logged-in user belongs to a certain user role. The function is `rich:isUserInRole(Object)`, it takes a String, a comma-separated list String, Collection etc. as arguments and returns a boolean value.

For example, you need to render some controls only for administrators. To do this you need to create a role "admin" in web.xml and implement authorisation that assigns the "admin" role to the user that logged-in as an administrator. Afterwards, you can use the `rich:isUserInRole(Object)` function with the *rendered* attribute of any component.

Example:

```
...
<rich:editor value="#{bean.text}" rendered="#{rich:isUserInRole('admin')}}" />
...
```

In the example above only a logged-in user with the role "admin" can see the text editor while for the user with other roles the component will not be rendered.

The RichFaces Components

The library encompasses ready-made components built based on the *Rich Faces CDK*.

6.1. Ajax Support

The component in this section lets you easily add Ajax capabilities to other components as well as manage Ajax requests.

6.1.1. `< a4j:ajaxListener >` available since 3.0.0

6.1.1.1. Description

The component adds an action listener to a parent component to provide possibility of Ajax update. It works like the `<f:actionListener>` or `<f:valueChangeListener>` JSF components but for the whole Ajax container.

6.1.1.2. Key Features

- The listener is invoked for Ajax requests only
- The listener is always guaranteed to be invoked

Table 6.1. a4j : ajaxListener attributes

| Attribute Name | Description |
|----------------|--|
| type | HTML: Fully qualified Java class name of an AjaxListener to be created and registered. |

Table 6.2. Component identification parameters

| Name | Value |
|----------------|--|
| listener-class | org.ajax4jsf.event.AjaxListener |
| event-class | org.ajax4jsf.event.AjaxEvent |
| tag-class | org.ajax4jsf.taglib.html.jsp.AjaxListenerTag |

6.1.1.3. Creating the Component with a Page Tag

To create the simplest variant of the `a4j:ajaxListener` component on a page use the following syntax:

Example:

```
...  
<a4j:ajaxListener type="demo.Bean"/>  
...
```

6.1.1.4. Creating the Component Dynamically Using Java

Example:

```
package demo;  
  
public class ImplBean implements import org.ajax4jsf.event.AjaxListener{  
...  
}
```

```
import demo.ImplBean;  
...  
ImplBean myListener = new ImplBean();  
...
```

6.1.1.5. Details of Usage

The `<a4j:ajaxListener>` component adds an action listener to a parent component, which needs to be provided with Ajax support. That listener is invoked on each Ajax request during the "Render Response" JSF phase. In comparison with JSF `<f:actionListener>` and `<f:valueChangeListener>` the invocation of the `<a4j:ajaxListener>` is not skipped in case when validation of Update Model fails. The `<a4j:ajaxListener>` is guaranteed to be invoked for each Ajax response.

Note

Ajax listener is not invoked for non-Ajax requests and when RichFaces works in the "Ajax Request generates Non-Ajax Response" mode.

As example of the `<a4j:ajaxListener>` component usage one can cite an updating the list of re-rendered components.

The `"type"` attribute defines the fully qualified Java class name for the listener. This Java class implements [org.ajax4jsf.event.AjaxListener](http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/apidoc_framework/org/ajax4jsf/event/) [http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/apidoc_framework/org/ajax4jsf/event/

AjaxListener.html] interface, which is base interface for all listeners, capable for receiving Ajax events. The source of the event could be accessed using the [java.util.EventObject.getSource\(\)](http://java.sun.com/j2se/1.4.2/docs/api/java/util/EventObject.html) [http://java.sun.com/j2se/1.4.2/docs/api/java/util/EventObject.html] call.

Example:

```
...
<a4j:commandLink id="cLink" value="Click it To Send Ajax Request">
  <a4j:ajaxListener type="demo.Bean"/>
</a4j:commandLink>
...
```

Example:

```
package demo;

import org.ajax4jsf.event.AjaxEvent;

public class Bean implements org.ajax4jsf.event.AjaxListener{
  ...
  public void processAjax(AjaxEvent arg){
    //Custom Developer Code
  }
  ...
}
```

6.1.1.6. Relevant resources links

Vizit [AjaxListener](http://livedemo.exadel.com/richfaces-demo/richfaces/ajaxListener.jsf?c=ajaxListener) [http://livedemo.exadel.com/richfaces-demo/richfaces/ajaxListener.jsf?c=ajaxListener] page at RichFaces Livedemo for examples of component usage and their sources.

Check Sun JSF TLD documentation for more information on [<f:valueChangeListener> tag](http://java.sun.com/javaee/javaserverfaces/1.1_01/docs/tlddocs/f/valueChangeListener.html) [http://java.sun.com/javaee/javaserverfaces/1.1_01/docs/tlddocs/f/valueChangeListener.html].

6.1.2. < a4j:actionparam > available since 3.0.0

6.1.2.1. Description

The **<a4j:actionparam>** component combines the functionality of both JSF **<f:param>** and **<f:actionListener>** and allows to assign the value to the property of the manager bean directly using the *assignTo* attribute.

Table 6.3. a4j : actionparam attributes

| Attribute Name | Description |
|----------------|--|
| actionListener | A method binding that refers to a method with this signature: void methodName(ActionEvent) |
| assignTo | EL expression for updatable bean property. This property will be updated if the parent command component performs an actionEvent. |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| converter | JSF: ID of a converter to be used or a reference to a converter. |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| name | A name of this parameter |
| noEscape | If set to true, the value will not be enclosed within single quotes and there will be no escaping of characters. This allows the use of the value as JavaScript code for calculating value on the client-side. This doesn't work with non-AJAX components. |
| value | JSF: An initial value or a value binding |

Table 6.4. Component identification parameters

| Name | Value |
|-----------------|---|
| component-type | org.ajax4jsf.ActionParameter |
| component-class | org.ajax4jsf.component.html.HtmlActionParameter |

6.1.2.2. Creating the Component with a Page Tag

Simple component definition example:

Example:

```
<a4j:actionparam noEscape="true" name="param1" value="getMyValue()" assignTo="#{bean.prop1}"
>
```

6.1.2.3. Creating the Component Dynamically Using Java

Example:

```
import org.ajax4jsf.component.html.HtmlActionParameter;
...
HtmlActionParameter myActionParameter = new HtmlActionParameter();
...
```

6.1.2.4. Details of usage

The component `<a4j:actionparam>` is a combination of the functionality of two JSF tags: `<f:param>` and `<f:actionListener>`.

At the render phase, it's decoded by parent component (`<h:commandLink>` or like) as usual. At the process request phase, if the parent component performs an action event, update the "value" specified in the "assignTo" attribute as its "value". If a "converter" attribute is specified, use it to encode and decode the "value" to a string stored in the html parameter. To make the "assignTo" attribute usable add the `actionParam` instance to the parent component as an action listener.

`<a4j:actionparam>` has a "noEscape" attribute. If it is set to "true", the "value" is evaluated as a JavaScript code.

Example:

```
...
<script>
...
var foo = "bar";
...
</script>
...
<a4j:actionparam noEscape="true" name="param1" value="foo" assignTo="#{bean.prop1}" />
...
```

The `<a4j:param>` extends `<f:param>`, so the "name" attribute is mandatory. Otherwise, the "value" misses due missing the request parameter name for it.

6.1.2.5. Relevant resources links

Vizit the [ActionParamter page](http://livedemo.exadel.com/richfaces-demo/richfaces/actionparam.jsf?c=actionparam) [http://livedemo.exadel.com/richfaces-demo/richfaces/actionparam.jsf?c=actionparam] at RichFaces LiveDemo for examples of component usage abd their sources.

More information can be found on the [Ajax4jsf Users Forum](http://www.jboss.com/index.html?module=bb&op=viewtopic&p=4063764) [http://www.jboss.com/index.html?module=bb&op=viewtopic&p=4063764].

More information about `<f:param>` and `<f:actionListener>` can be found in [Sun JSF TLD documentation](http://java.sun.com/javaee/javaserverfaces/1.2/docs/tlddocs/index.html) [http://java.sun.com/javaee/javaserverfaces/1.2/docs/tlddocs/index.html].

6.1.3. `<a4j:form >` available since 3.0.0

6.1.3.1. Description

The `<a4j:form>` component is very similar to JSF `<h:form>` the only difference is in generation of links inside and possibility of default Ajax submission.

Table 6.5. a4j : form attributes

| Attribute Name | Description |
|----------------|--|
| accept | HTML: This attribute specifies a comma-separated list of content types that a server processing this form will handle correctly. User agents may use this information to filter out non-conforming files when prompting you to select files to be sent to the server (cf. the INPUT element when type="file") |
| acceptCharset | This attribute specifies the list of character encodings for input data that is accepted by the server processing this form. The value is a space- and/or comma-delimited list of charset values. The client must interpret this list as an exclusive-or list, i.e., the server is able to accept any single character encoding per entity received. The default value for this attribute is the reserved string "UNKNOWN". User agents may interpret this value as the character encoding that was used to transmit the document containing this FORM element |
| ajaxSingle | Limits JSF tree processing (decoding, conversion, validation and model updating) only to a component that sends the request. Boolean |
| ajaxSubmit | If "true", it becomes possible to set AJAX submission way for any components inside . |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |

| Attribute Name | Description |
|--------------------|--|
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| enctype | This attribute specifies the content type used to submit the form to the server (when the value of method is "post"). The default value for this attribute is "application/x-www-form-urlencoded". The value "multipart/form-data" should be used in combination with the INPUT element, type="file" |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| focus | ID of an element to set focus after request is completed on client side |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now |
| iterationState | iterationState |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| onbeforedomupdate | The client-side script method to be called before DOM is updated |

| Attribute Name | Description |
|----------------------|--|
| oncomplete | The client-side script method to be called after the request is completed |
| onreset | DHTML: The client-side script method to be called when a form is reset. It is only applied to the FORM element |
| onsubmit | DHTML: The client-side script method to be called when a form is submitted. It is only applied to the FORM element |
| prependId | The flag indicating whether or not this form should prepend its id to its descendent id during the clientId generation process. If this flag is not set, the default value is "true". |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, processed at the phases 2-5 in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, rendered in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code> of Request status component |
| style | HTML: CSS style rules to be applied to the component |

| Attribute Name | Description |
|----------------|--|
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| target | HTML: This attribute specifies the name of a frame where a document is to be opened. By assigning a name to a frame via the name attribute, authors can refer to it as the "target" of links defined by other elements |
| timeout | Timeout (in ms) for request. |

Table 6.6. Component identification parameters

| Name | Value |
|------------------|--------------------------------------|
| component-type | org.ajax4jsf.Form |
| component-family | javax.faces.Form |
| component-class | org.ajax4jsf.component.html.AjaxForm |
| renderer-type | org.ajax4jsf.FormRenderer |

6.1.3.2. Creating the Component with a Page Tag

Component definition on a page is similar to definition of the original component from JSF HTML library.

Example:

```
<a4j:form>  
  <h:panelGrid>  
    <h:commandButton value="Button" action="#{userBean.nameItMark}" />  
  </h:panelGrid>  
</a4j:form>
```

6.1.3.3. Creating the Component Dynamically Using Java

Example:

```
import org.ajax4jsf.component.html.AjaxForm;  
...  
AjaxForm myForm = new AjaxForm();  
...
```

6.1.3.4. Details of usahe

The difference with the original component is that all hidden fields required for command links are always rendered and it doesn't depend on links rendering on the initial page. It solves the problem with invalid links that weren't rendered on a page immediately, but after some Ajax request.

Beginning with release 1.0.5 additional attributes that make this form variant universal have appeared.

If *"ajaxSubmit"* attribute is true, it becomes possible to set Ajax submission way for any components inside with the help of the javascript `A4J.AJAX.Submit(...)` call. In this case, the *"reRender"* attribute contains a list of Ids of components defined for re-rendering. If you have `<h:commandButton>` or `<h:commandLink>` inside the form, they work as `<a4j:commandButton>` .

Example:

```
<a4j:form id="helloForm" ajaxSubmit="true" reRender="table">
  ...
  <t:dataTable id="table"... >
    ...
  </t:dataTable>
  ...
  <t:datascroller for="table"... >
    ...
  </t:datascroller>
  ...
</a4j:form>
```

This example shows that in order to make `<t:datascroller>` submissions to be Ajax ones it's required only to place this `<t:datascroller>` into `<a4j:form>` . In the other case it is necessary to redefine renders for its child links elements that are defined as `<h:commandLink>` and can't be made Ajax ones with using e.g. `<a4j:support>` .

With the help of *"limitToList"* attribute you can limit areas, which are updated after the responses. If *"limitToList"* is true, only the reRender attribute is taken in account. Therefore, if you use blocks of text wrapped with `<a4j:outputPanel>` and `ajaxRendered= "true"`, blocks of text are ignored.

Information about the *"process"* attribute usage you can find in the "[Decide what to process](#)" guide section.

6.1.3.5. Relevant resources links

Vizit [AjaxForm](http://livedemo.exadel.com/richfaces-demo/richfaces/form.jsf?c=form) [http://livedemo.exadel.com/richfaces-demo/richfaces/form.jsf?c=form] at RichFaces Livedemo for examples of component usage and their sources. a

6.1.4. < a4j:region > ^{available since 3.0.0}

6.1.4.1. Description

The <a4j:region> component specifies the part of the component tree to be processed on server. If no <a4j:region> is defined the whole View functions as a region.

Table 6.7. a4j : region attributes

| Attribute Name | Description |
|------------------|---|
| ajaxListener | MethodExpression representing an action listener method that will be notified when this component is activated by the ajax Request and handle it. The expression must evaluate to a public method that takes an AjaxEvent parameter, with a return type of void |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| immediate | Flag indicating that, if this component is activated by ajaxrequest, notifications should be delivered to interested listeners and actions immediately (that is, during Apply Request Values phase) rather than waiting until Invoke Application phase |
| rendered | JSF: If "false", this component is not rendered |
| renderRegionOnly | Excludes all the components from the outside of the region from updating on the page on Renderer Response phase. Default value is "false". |
| selfRendered | if "true", self-render subtree at InvokeApplication (or Decode, if immediate property set to true) phase |

Table 6.8. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.ajax4jsf.AjaxRegion |
| component-family | org.ajax4jsf.AjaxRegion |
| component-class | org.ajax4jsf.component.html.HtmlAjaxRegion |
| renderer-type | org.ajax4jsf.components.AjaxRegionRenderer |

6.1.4.2. Creating the Component with a Page Tag

To create the simplest variant of the `<a4j:region>` component on a page use the following syntax:

```
<a4j:region>
...
</a4j:region>
```

6.1.4.3. Creating the Component Dynamically Using Java

Example:

```
import org.ajax4jsf.component.html.HtmlAjaxRegion;
...
HtmlAjaxRegion newRegion = new HtmlAjaxRegion();
...
```

6.1.4.4. Details of Usage

The `<a4j:region>` component specifies the part of the component tree to be processed on server. The processing includes data handling during decoding, conversion, validation and model update. Note that the whole Form is still submitted but only part taken into region will be processed.

Example:

```
<h:form>
...
  <a4j:region>
    <a4j:commandLink/>
  </a4j:region>
...
</h:form>
```

The whole Form on the schematic listing above will be submitted by request invoked with the `<a4j:commandLink>`. The only part that is going to be processed on the server is enclosed with `<a4j:region>` and `</a4j:region>` tags. If no `<a4j:region>` is defined the whole View functions as a region.

The regions could be nested. Server picks out and decodes only the region, which contains the component that initiates the request.

Example:

```
<h:form>
  ...
  <a4j:region>
    <a4j:commandLink value="Link 1" id="link1"/>
    <a4j:region>
      <a4j:commandLink value="Link 2" id="link2"/>
    </a4j:region >
  </a4j:region>
  ...
</h:form>
```

The external region is decoded for `link1` and the internal one is decoded for `link2`.

The *"renderRegionOnly"* attribute is used when it is necessary to exclude all the components from the outside of the region from updating on the page during Renderer Response phase. Such manipulation allows region to be passed straight into Encode and reduces performance time. This optimization should be implemented carefully because it doesn't allow data from the outside of active region to be updated.

Example:

```
<h:form>
  ...
  <a4j:region renderRegionOnly="true">
    <a4j:commandLink value="Link 1" id="link1"/>
  </a4j:region>
  ...
  <a4j:region renderRegionOnly="false">
    <a4j:commandLink value="Link 2" id="link2"/>
  </a4j:region>
  ...
</h:form>
```

On the example above the first region only will be updated if `link1` initiates a request. When a request is initiated by `link2` both regions will be updated. In this case search for components to include them into Renderer Response will be performed on the whole component tree.

RichFaces allows setting Ajax responses rendering basing on component tree nodes directly, without referring to the JSP (XHTML) code. This speeds up a response output considerably and could be done by setting the **<a4j:region>** *"selfRendered"* attribute to "true". However, this rapid processing could cause missing of transient components that present on view and don't come into a component tree as well as omitting of **<a4j:outputPanel>** usage described below.

Example:

```
<a4j:region selfRendered="true">
  <a4j:commandLink value="Link" id="link"/>
  <!--Some HTML content-->
</a4j:region>
```

In this case the processing is quicker and going on without referring to the page code. The HTML code is not saved in a component tree and could be lost. Thus, such optimization should be performed carefully and additional RichFaces components usage (e.g. `<a4j:outputPanel>`) is required.

Starting from RichFaces 3.2.0 the `<a4j:region>` can be used together with iterative components (e.g. `<rich:column>` or `<rich:scrollableDataTable>`, etc.). It became possible to re-render a particular row in a table without updating the whole table and without any additional listeners.

Example:

```
<rich:column>
  <a4j:region>
    <a4j:commandLink reRender="out"/>
  </a4j:region>
</rich:column>
<rich:column>
  <h:outputText id="out">
</rich:column>
```

In most cases there is no need to use the `<a4j:region>` as `ViewRoot` is a default one.

6.1.4.5. Relevant resources links

Visit [a4j:region demo page](http://livedemo.exadel.com/richfaces-demo/richfaces/region.jsf?c=region) [http://livedemo.exadel.com/richfaces-demo/richfaces/region.jsf?c=region] at RichFaces live demo for examples of component usage and their sources.

Useful articles and examples:

- [a4j:region and two h:inputTexts](http://www.jboss.org/community/docs/DOC-11866) [http://www.jboss.org/community/docs/DOC-11866] in RichFaces cookbook at JBoss portal;
- [A sad story about UIInput](http://ishabalov.blogspot.com/2007/08/sad-story-about-uuinput.html) [http://ishabalov.blogspot.com/2007/08/sad-story-about-uuinput.html] at personal blog of I.Shabalov and [exhaustive example](http://livedemo.exadel.com/richfaces-local-value-demo/pages/local-value-demo.jsf) [http://livedemo.exadel.com/richfaces-local-value-demo/pages/local-value-demo.jsf] of solving the problem with the help of `<a4j:region>`.

6.1.5. < a4j:support > available since 3.0.0

6.1.5.1. Description

The **<a4j:support>** component is the most important core component in the RichFaces library. It enriches any existing non-Ajax JSF or RichFaces component with an Ajax capability. All the other RichFaces Ajax components are based on the same principles **<a4j:support>** has.

Table 6.9. a4j : support attributes

| Attribute Name | Description |
|----------------|--|
| action | MethodBinding pointing at the application action to be invoked, if this UIComponent is activated by you, during the Apply Request Values or Invoke Application phase of the request processing lifecycle, depending on the value of the immediate property |
| actionListener | MethodBinding pointing at method accepting an(ActionEvent) with return type void |
| ajaxSingle | Limits JSF tree processing (decoding, conversion, validation and model updating) only to a component that sends the request. Boolean |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| disabled | HTML: If "true", disable this component on page. |
| disableDefault | Disables default action for target event (append "return false;" to JavaScript). Default value is "false" |
| event | Name of JavaScript event property (onclick, onchange, etc.) of parent component, for which we will build AJAX submission code |

| Attribute Name | Description |
|--------------------|--|
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| focus | ID of an element to set focus after request is completed on client side |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now |
| immediate | True means, that the default ActionListener should be executed immediately (i.e. during Apply Request Values phase of the request processing lifecycle), rather than waiting until the Invoke Application phase |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| onbeforedomupdate | The client-side script method to be called before DOM is updated |
| oncomplete | The client-side script method to be called after the request is completed |
| onsubmit | DHTML: The client-side script method to be called before an ajax request is submitted |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, processed at the phases 2-5 in case of AjaxRequest caused by this component. Can be single id, comma- |

| Attribute Name | Description |
|----------------------|---|
| | separated list of Id's, or EL Expression with array or Collection |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, rendered in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of <code>Request</code> status component |
| timeout | Timeout (in ms) for request |

Table 6.10. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.ajax4jsf.Support |
| component-family | org.ajax4jsf.AjaxSupport |
| component-class | org.ajax4jsf.component.html.HtmlAjaxSupport |
| renderer-type | org.ajax4jsf.components.AjaxSupportRenderer |

6.1.5.2. Creating the Component with a Page Tag

To create the simplest variant on a page you should put **<a4j:support>** as a nested element into the component that you want to enhance with Ajax functionality. You should also specify an event that will trigger an Ajax request.

Example:

```
<h:inputText value="#{bean.text}">
  <a4j:support event="onkeyup" reRender="repeater"/>
</h:inputText>
```

```
</h:inputText>
<h:outputText id="repeater" value="#{bean.text}"/>
```

6.1.5.3. Creating the Component Dynamically Using Java

In order to add the `<a4j:support>` in Java code you should add it as facet , not as a child:

Example:

```
HtmlInputText inputText = new HtmlInputText();
...
HtmlAjaxSupport ajaxSupport = new HtmlAjaxSupport();
ajaxSupport.setActionExpression(FacesContext.getCurrentInstance().getApplication().getExpressionFactory().createValueExpression(
    FacesContext.getCurrentInstance().getELContext(), "#{bean.action}", String.class, new Class[] {}));
ajaxSupport.setEvent("onkeyup");
ajaxSupport.setReRender("output");
inputText.getFacets().put("a4jsupport", ajaxSupport);
```

6.1.5.4. Details of Usage

The `<a4j:support>` component has two key attributes:

- mandatory *"event"* attribute that defines the JavaScript event the Ajax support will be attached to
- *"reRender"* attribute that defines id(s) of JSF component(s) that should be re-rendered after an Ajax request

As mentioned above the `<a4j:support>` component adds Ajax capability to non-Ajax JSF components. Let's create ajaxed `<h:selectOneMenu>` called "Planets and Their Moons".

We begin with the common behavior description. When a page is rendered you see only one select box with the list of planets. When you select a planet the `<h:dataTable>` containing moons of the selected planet appears.

In other words we need `<h:selectOneMenu>` with the nested `<a4j:support>` component that is attached to the onchange event.

When an Ajax response comes back the `<h:dataTable>` is re-rendered on the server side and updated on the client.

```
...
<h:form id="planetsForm">
  <h:outputLabel value="Select the planet:" for="planets" />
```

```
<h:selectOneMenu id="planets" value="#{planetsMoons.currentPlanet}" valueChangeListener="#{planetsMoons
  <f:selectItems value="#{planetsMoons.planetsList}" />
  <a4j:support event="onchange" reRender="moons" />
</h:selectOneMenu>
<h:dataTable id="moons" value="#{planetsMoons.moonsList}" var="item">
  <h:column>
    <h:outputText value="#{item}" />
  </h:column>
</h:dataTable>
</h:form>
...
```

Finally we need a backing bean:

```
...
public class PlanetsMoons {
  private String currentPlanet="";
  public List<SelectItem> planetsList = new ArrayList<SelectItem>();
  public List<String> moonsList = new ArrayList<String>();
  private static final String [] EARTH = {"The Moon"};
  private static final String [] MARS = {"Deimos", "Phobos"};
  private static final String [] JUPITER = {"Europa", "Gamymede", "Callisto"};

  public PlanetsMoons() {
    SelectItem item = new SelectItem("earth", "Earth");
    planetsList.add(item);
    item = new SelectItem("mars", "Mars");
    planetsList.add(item);
    item = new SelectItem("jupiter", "Jupiter");
    planetsList.add(item);
  }

  public void planetChanged(ValueChangeEvent event){
    moonsList.clear();
    String[] currentItems;
    if (((String)event.getNewValue()).equals("earth")) {
      currentItems = EARTH;
    }else if(((String)event.getNewValue()).equals("mars")){
      currentItems = MARS;
    }else{
      currentItems = JUPITER;
    }
  }
}
```

```

    for (int i = 0; i < currentItems.length; i++) {
        moonsList.add(currentItems[i]);
    }
}

//Getters and Setters
...
}

```

There are two properties `planetsList` and `moonsList`. The `planetsList` is filled with planets names in the constructor. After you select the planet, the `planetChanged()` listener is called and the `moonsList` is populated with proper values of moons.

With the help of `onsubmit` and `oncomplete` attributes the `<a4j:support>` component allows to use JavaScript calls before and after an Ajax request respectively. Actually the JavaScript specified in the `oncomplete` attribute will be executed in any case whether the Ajax request is completed successfully or not.

You can easily add confirmation dialog for the planet select box and colorize `<h:dataTable>` after the Ajax response:

```

...
<h:form id="planetsForm">
    <h:outputLabel value="Select the planet:" for="planets" />

    <h:selectOneMenu id="planets" value="#{planetsMoons.currentPlanet}" valueChangeListener="#{planetsMoons
        <f:selectItems value="#{planetsMoons.planetsList}" />
        <a4j:support event="onchange" reRender="moons"
            onsubmit="if(!confirm('Are you sure to change the planet?')) {form.reset(); return false;}"
            oncomplete="document.getElementById('planetsForm:moonsPanel').style.backgroundColor='#c8dcf9';"
        >
    </h:selectOneMenu>
    <h:dataTable id="moons" value="#{planetsMoons.moonsList}" var="item">
        <h:column>
            <h:outputText value="#{item}" />
        </h:column>
    </h:dataTable>
</h:form>
...

```

There is the result:




Figure 6.1. "Planets and Their Moons"

Information about the "process" attribute usage you can find in the " [Decide what to process](#) " guide section.

Tip:

The <a4j:support> component created on a page as following

```
<h:inputText value="#{bean.text}">
  <a4j:support event="onkeyup" reRender="output" action="#{bean.action}"/>
</h:inputText>
```

is decoded in HTML as

```
<input onkeyup="A4J.AJAX.Submit( Some request parameters )"/>
```

6.1.5.5. Relevant resources links

Visit [<a4j:support> demo page](http://livedemo.exadel.com/richfaces-demo/richfaces/support.jsf?c=support) [http://livedemo.exadel.com/richfaces-demo/richfaces/support.jsf?c=support] at RichFaces live demo for examples of component usage and their sources.

6.1.6. < a4j:commandButton > available since 3.0.0

6.1.6.1. Description

The <a4j:commandButton> component is very similar to JSF <h:commandButton> , the only difference is that an Ajax form submit is generated on a click and it allows dynamic re-rendering after a response comes back.



Figure 6.2. The `<a4j:commandButton>` component rendered in Blue Sky skin

Table 6.11. `a4j : commandButton` attributes

| Attribute Name | Description |
|----------------|--|
| accesskey | HTML: This attribute assigns an access key to an element. An access key is a single character from the document character set. Note: Authors should consider the input method of the expected reader when specifying an accesskey |
| action | MethodBinding pointing at the application action to be invoked, if this UIComponent is activated by you, during the Apply Request Values or Invoke Application phase of the request processing lifecycle, depending on the value of the immediate property |
| actionListener | MethodBinding pointing at method accepting an ActionEvent with return type void |
| ajaxSingle | Limits JSF tree processing (decoding, conversion, validation and model updating) only to a component that sends the request. Boolean |
| alt | HTML: Alternate textual description of the element rendered by this component. |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |

| Attribute Name | Description |
|--------------------|---|
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| disabled | HTML: If "true", disable this component on page. |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| focus | ID of an element to set focus after request is completed on client side |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now. |
| image | Absolute or relative URL of the image to be displayed for this button. If specified, this "input" element will be of type "image". Otherwise, it will be of the type specified by the "type" property with a label specified by the "value" property. |
| immediate | True means, that the default ActionListener should be executed immediately (i.e. during Apply Request Values phase of the request processing lifecycle), rather than waiting until the Invoke Application phase |
| lang | HTML: Code describing the language used in the generated markup for this component |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, |

| Attribute Name | Description |
|-------------------|---|
| | which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| onbeforeDOMupdate | The client-side script method to be called before DOM is updated |
| onblur | DHTML: The client-side script method to be called when the element loses the focus |
| onchange | DHTML: The client-side script method to be called when the element value is changed |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| oncomplete | The client-side script method to be called after the request is completed |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onfocus | DHTML: The client-side script method to be called when the element gets the focus |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |

| Attribute Name | Description |
|----------------------|--|
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, processed at the phases 2-5 in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, rendered in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| size | HTML: This attribute tells the user agent the initial width of the control. The width is given in pixels except when type attribute has the value "text" or "password". In that case, its value refers to the (integer) number of characters |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| tabindex | HTML: This attribute specifies the position of the current element in the tabbing order for |

| Attribute Name | Description |
|----------------|---|
| | the current document. This value must be a number between 0 and 32767. User agents should ignore leading zeros |
| timeout | Timeout (in ms) for request. |
| title | HTML: Advisory title information about markup elements generated for this component |
| type | HTML: This attribute specifies a type of control to create. The possible values are "submit", "reset", "image" and "button". The default value for this attribute is "submit" |
| value | JSF: The current value for this component |

Table 6.12. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.ajax4jsf.CommandButton |
| component-family | javax.faces.Command |
| component-class | org.ajax4jsf.component.html.HtmlAjaxCommandButton |
| renderer-type | org.ajax4jsf.components.AjaxCommandButtonRenderer |

6.1.6.2. Creating the Component with a Page Tag

To create the simplest variant of the component on a page use the following syntax:

Example:

```
<a4j:commandButton reRender="someData" action="#{bean.action}" value="Button"/>
```

The example above creates a button on a page clicking on which causes an Ajax form submit on the server, "action" method performance, and rendering the component with "someData" ID after response comes back.

6.1.6.3. Creating the Component Dynamically Using Java

Example:

```
import org.ajax4jsf.component.html.HtmlAjaxCommandButton;
...
HtmlAjaxCommandButton myButton = new HtmlAjaxCommandButton();
...
```

6.1.6.4. Details of Usage

The **<a4j:commandButton>** component is used in the same way as JSF **<h:commandButton>**. The difference is that in case of **<a4j:commandButton>** the components to be updated should be specified.

The example [above \[110\]](#) generates the following HTML code:

```
<input type="submit" onclick="A4J.AJAX.Submit(request parameters);return false;" value="Button"/>
```

#licking the generated anchor fires the utility method `A4J.AJAX.Submit()` that performs Ajax request.

Note:

The **<a4j:commandButton>** already has Ajax support built-in and there is no need to add **<a4j:support>**.

The usage of the keyword 'this' in JavaScript code in the value for "oncomplete" attribute depends on the location of **<a4j:commandButton>**. If the **<a4j:commandButton>** is situated outside the re-rendered region it is possible to use keyword 'this' as in the following example:

```
<h:form>  
<a4j:commandButton action="director.rollCamera" onclick="this.disabled=true;oncomplete="this.disabled=false"  
>  
</h:form>
```

Otherwise, if the **<a4j:commandButton>** is contained in a re-rendered region than the "oncomplete" attribute has a problem with obtaining a reference of the commandButton object when using the keyword 'this'. In this case use the "oncomplete" attribute as in the following example:

```
<h:form id="form">  
<a4j:commandButton action="director.rollCamera" onclick="this.disabled=true;oncomplete="document.getElementById('form:button').disabled=false"  
>  
</h:form>
```

Common JSF navigation could be performed after an Ajax submit and partial rendering, but Navigation Case must be defined as `<redirect/>` in order to avoid problems with some browsers.

As any Core Ajax component that sends Ajax requests and processes server responses the `<a4j:commandButton>` has all attributes that provide the required behavior of requests (delay, limitation of submit area and rendering, etc.)

Note:

When attaching a JavaScript API function to the `<a4j:commandButton>` with the help of the `<rich:componentControl>` do not use the `attachTo` attribute of the last one. The attribute adds event handlers using `Event.observe` but `<a4j:commandButton>` has no such event. The example below will not work:

```
<a4j:commandButton value="Show" Current  
Selection" reRender="table" action="#{dataTableScrollerBean.takeSelection}" id="button">  
<rich:componentControl attachTo="button" for="panel" event="oncomplete" operation="show"  
>  
</a4j:commandButton>
```

This one should work properly:

```
<a4j:commandButton value="Show" Current  
Selection" reRender="table" action="#{dataTableScrollerBean.takeSelection}" id="button">  
  <rich:componentControl for="panel" event="oncomplete" operation="show" />  
</a4j:commandButton>
```

Information about the `"process"` attribute usage you can find in the ["Decide what to process"](#) guide section.

6.1.6.5. Relevant resources links

Vizit [CommandButton demo](#) [<http://livedemo.exadel.com/richfaces-demo/richfaces/commandButton.jsf?c=commandButton>] page at RichFaces live demo for examples of component usage and their sources.

6.1.7. `<a4j:commandLink >` available since 3.0.0

6.1.7.1. Description

The `<a4j:commandLink>` component is very similar to the `<h:commandLink>` component, the only difference is that an Ajax form submit is generated on a click and it allows dynamic rendering

after a response comes back. It's not necessary to plug any support into the component, as Ajax support is already built in.

Table 6.13. a4j : commandLink attributes

| Attribute Name | Description |
|----------------|--|
| accesskey | HTML: This attribute assigns an access key to an element. An access key is a single character from the document character set. Note: Authors should consider the input method of the expected reader when specifying an accesskey |
| action | MethodBinding pointing at the application action to be invoked, if this UIComponent is activated by you, during the Apply Request Values or Invoke Application phase of the request processing lifecycle, depending on the value of the immediate property |
| actionListener | MethodBinding pointing at method accepting an ActionEvent with return type void |
| ajaxSingle | Limits JSF tree processing (decoding, conversion, validation and model updating) only to a component that sends the request. Boolean |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| charset | HTML: The character encoding of a resource designated by this hyperlink |
| coords | HTML: The attribute specifies shape and its position on the screen. Possible values: "rect: left-x, top-y, right-x, bottom-y", "circle: center-x, center-y, radius", "poly: x1, y1, x2, y2, ..., xN, yN". Notes: a) when giving the radius value in percents, user agents should calculate the final radius value in pixels based on the associated object's width and height; b) the radius value should be smaller than center-x and center-y values; c) for a polygon, the first and last |

| Attribute Name | Description |
|--------------------|--|
| | coordinate pairs should have same x and y to close the shape (x1=xN; y1=yN) (when these coordinates are different, user agents should infer an additional pair to close a polygon). Coordinates are relative to the top left corner of an object. All values are lengths. All values are comma separated. |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| disabled | HTML: Disables the component on page. Boolean. |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| focus | ID of an element to set focus after request is completed on client side |
| hreflang | HTML: Base language of a resource specified with the href attribute; hreflang may only be used with href |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now |
| immediate | True means, that the default ActionListener should be executed immediately (i.e. during Apply Request Values phase of the request processing lifecycle), rather than waiting until the Invoke Application phase |

| Attribute Name | Description |
|-------------------|---|
| lang | HTML: Code describing the language used in the generated markup for this component |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| onbeforeDOMupdate | The client-side script method to be called before DOM is updated |
| onblur | DHTML: The client-side script method to be called when the element loses the focus either when pointing a device or tabbing navigation. The attribute may be used with the same elements as onFocus |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| oncomplete | The client-side script method to be called after the request is completed |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onfocus | DHTML: The client-side script method to be called when the element gets the focus |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |

| Attribute Name | Description |
|----------------|--|
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, processed at the phases 2-5 in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rel | HTML: The relationship from the current document to the anchor specified by this hyperlink. The value of this attribute is a space-separated list of link types |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, rendered in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rev | HTML: A reverse link from the anchor specified by this hyperlink to the current document. The value of this attribute is a space-separated list of link types |
| shape | HTML: This attribute specifies the shape of a region. The possible values are "default", "rect", "circle" and "poly". |

| Attribute Name | Description |
|-------------------|--|
| similarityGroupId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| tabindex | HTML: This attribute specifies the position of the current element in the tabbing order for the current document. This value must be a number between 0 and 32767. User agents should ignore leading zeros |
| target | HTML: This attribute specifies the name of a frame where a document is to be opened. By assigning a name to a frame via the name attribute, authors can refer to it as the "target" of links defined by other elements |
| timeout | Timeout (in ms) for request. |
| title | HTML: Advisory title information about markup elements generated for this component |
| type | HTML: The content type of the resource designated by this hyperlink |
| value | JSF: The current value for this component |

Table 6.14. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.ajax4jsf.CommandLink |
| component-family | javax.faces.Command |
| component-class | org.ajax4jsf.component.html.HtmlAjaxCommandLink |
| renderer-type | org.ajax4jsf.components.AjaxCommandLinkRenderer |

6.1.7.2. Creating the Component with a Page Tag

To create the simplest variant of the component on a page use the following syntax:

Example:

```
<a4j:commandLink value="Follow this link" reRender="some ID" action="#{bean.action}" />
```

The example above creates a link on a page clicking on which causes an Ajax form submit on the server, "action" method performance, and rendering the component with "someData" ID after response comes back.

6.1.7.3. Creating the Component Dynamically Using Java

Example:

```
import org.ajax4jsf.component.html.HtmlAjaxCommandLink;
...
HtmlAjaxCommandLink myLink = new HtmlAjaxCommandLink();
...
```

6.1.7.4. Details of Usage

The `<a4j:commandLink>` component is used in the same way as JSF `<h:commandLink>`. The difference is that in case of `<a4j:commandLink>` the components to be updated should be specified. In this chapter we will use the code from *RichFaces Greeter* and change there `<a4j:commandButton>` to `<a4j:commandLink>`:

```
...
<a4j:commandLink value="Get greeting" reRender="greeting" />
...
```

It's not necessary to add nested `<a4j:support>` as the `<a4j:commandLink>` has an Ajax support already built-in. As a result of our changes we will get a form with "Get greeting" link instead of the button:




Figure 6.3. The RicjFaces greeter with `<a4j:commandLink>`

The example [above \[117\]](#) generates the following HTML code:

```
<a href="#" onclick="A4J.AJAX.Submit(?request parameters); return false;"><span>Get greeting</span></a>
```

If you click on the generated anchor the utility method `A4J.AJAX.Submit()` will be fired.

Note:

Common JSF navigation could be performed after Ajax submit and partial rendering, but Navigation Case must be defined as `<redirect/>` in order to avoid problems with some browsers.

As any Core Ajax component that sends Ajax requests and processes server responses the `<a4j:commandLink>` has all attributes that provide the required behavior of requests (delay, limitation of submit area and rendering, etc.)

Information about the `"process"` attribute usage you can find "[Decide what to process](#)" guide section.

6.1.7.5. Relevant resources links

Vizit [CommandLink demo](#) [<http://livedemo.exadel.com/richfaces-demo/richfaces/commandLink.jsf?c=commandLink>] page at RichFaces live demo for examples of component usage and their sources.

Useful articles:

- [How to use "window.confirm" JavaScript with <a4j:commandLink> "onclick" attribute](#) [<http://www.jboss.org/community/docs/DOC-11850>] in RichFaces cookbook at JBoss portal.

6.1.8. < a4j:jsFunction > available since 3.0.0

6.1.8.1. Description

The `<a4j:jsFunction>` component allows to perform Ajax requests directly from JavaScript code, invoke server-side data and return it in a JSON format to use in a client JavaScript calls.

Table 6.15. a4j : jsFunction attributes

| Attribute Name | Description |
|----------------|--|
| action | MethodBinding pointing at the application action to be invoked, if this UIComponent is activated by you, during the Apply Request Values or Invoke Application phase of the request processing lifecycle, depending on the value of the immediate property |

| Attribute Name | Description |
|--------------------|--|
| actionListener | MethodBinding pointing at method accepting an ActionEvent with return type void |
| ajaxSingle | Limits JSF tree processing (decoding, conversion, validation and model updating) only to a component that sends the request. Boolean |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| focus | ID of an element to set focus after request is completed on client side |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now |
| immediate | True means, that the default ActionListener should be executed immediately (i.e. during Apply Request Values phase of the request processing lifecycle), rather than waiting until the Invoke Application phase |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, |

| Attribute Name | Description |
|----------------------|---|
| | which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| name | Name of generated JavaScript function definition |
| onbeforedomupdate | The client-side script method to be called before DOM is updated |
| oncomplete | The client-side script method to be called after the request is completed |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, processed at the phases 2-5 in case of AjaxRequest caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, rendered in case of AjaxRequest caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| timeout | Response waiting time on a particular request. If a response is not received during this time, the request is aborted |

Table 6.16. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.ajax4jsf.Function |
| component-family | org.ajax4jsf.components.ajaxFunction |
| component-class | org.ajax4jsf.component.html.HtmlajaxFunction |
| renderer-type | org.ajax4jsf.components.ajaxFunctionRenderer |

6.1.8.2. Creating the Component with a Page Tag

To create the simplest example of the component on the page use the following syntax:

Example:

```

<head>
  <script>
    <!--There is some script named "myScript" that uses parameters which will be taken from
server-->
  </script>
</head>
<body>
  ...
<a4j:jsFunction data="#{bean.someProperty}" name="callScript" complete="myScript(data.subProperty1,
data.subProperty2)"/>
  ...
</body>

```

The script "myScript" is called after `bean.someProperty` data is returned from server (e.g. It'll be object with two subproperties).

6.1.8.3. Creating the Component Dynamically Using Java

Example:

```

import org.ajax4jsf.component.html.HtmlajaxFunction;
...
HtmlajaxFunction myFunction = new HtmlajaxFunction();
...

```

6.1.8.4. Details of usage

As the component uses Ajax request to get data from server it has all common Ajax Action attributes. Hence, "action" and "actionListener" can be invoked, and reRendering some parts of the page fired after calling function.

When using the **<a4j:jsFunction>** it's possible to initiate the Ajax request from the JavaScript and perform partial update of a page and/or invoke the JavaScript function with data returned by Ajax response.

```
<body onload="callScript()">
  <h:form>
    ...
    <a4j:jsFunction name="callScript" id="#{bean.someProperty1}" reRender="someComponent" complete="myScript(data.subProperty1,
    data.subProperty2)">
      <a4j:actionparam name="param_name" assignTo="#{bean.someProperty2}"/>
    </a4j:jsFunction>
    ...
  </h:form>
  ...
</body>
```

The **<a4j:jsFunction>** allows to use **<a4j:actionparam>** or pure **<f:param>** for passing any number of parameters of the JavaScript function into Ajax request. **<a4j:jsFunction>** is similar to **<a4j:commandButton>**, but it could be activated from the JavaScript code. It allows to invoke some server-side functionality and use the returned data in the JavaScript function invoked from "oncomplete" attribute. Hence it's possible to use **<a4j:jsFunction>** instead of **<a4j:commandButton>**. You can put it anywhere, just don't forget to use **<h:form>** and **</h:form>** around it.

Information about the "process" attribute usage you can find "[Decide what to process](#)" guide section.

6.1.8.5. Relevant resources links

Vizit the [jsFunction page](http://livedemo.exadel.com/richfaces-demo/richfaces/jsFunction.jsf?c=jsFunction) [http://livedemo.exadel.com/richfaces-demo/richfaces/jsFunction.jsf?c=jsFunction] at RichFaces LiveDemo for component usage and sources for the given examples.

Useful articles:

- "[JsFunctionJson](http://www.jboss.org/community/docs/DOC-11856) [http://www.jboss.org/community/docs/DOC-11856]" article in the RichFaces Cookbook describes how to use **"a4j:jsFunction"** to call the jsonTest backing bean that generates some random data in a JSON String;

6.1.9. <a4j:poll> available since 3.0.0

6.1.9.1. Description

The <a4j:poll> component allows periodical sending of Ajax requests to a server and is used for a page updating according to a specified time interval.

Table 6.17. a4j : poll attributes

| Attribute Name | Description |
|----------------|--|
| action | MethodBinding pointing at the application action to be invoked, if this UIComponent is activated by you, during the Apply Request Values or Invoke Application phase of the request processing lifecycle, depending on the value of the immediate property |
| actionListener | MethodBinding pointing at method accepting an ActionEvent with return type void |
| ajaxSingle | Limits JSF tree processing (decoding, conversion, validation and model updating) only to a component that sends the request. Boolean |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| enabled | Enables/disables polling. Default value is "true". |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| focus | ID of an element to set focus after request is completed on client side |

| Attribute Name | Description |
|--------------------|--|
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now |
| immediate | True means, that the default ActionListener should be executed immediately (i.e. during Apply Request Values phase of the request processing lifecycle), rather than waiting until the Invoke Application phase |
| interval | Interval (in ms) for call poll requests. Default value is "1000"ms (1 second). |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| onbeforedomupdate | The client-side script method to be called before DOM is updated |
| oncomplete | The client-side script method to be called after the request is completed |
| onsubmit | DHTML: The client-side script method to be called before an ajax request is submitted |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, processed at the phases 2-5 in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rendered | JSF: If "false", this component is not rendered |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, rendered in case of <code>AjaxRequest</code> |

| Attribute Name | Description |
|----------------------|---|
| | caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| timeout | Timeout (in ms) for request |

Table 6.18. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.ajax4jsf.Poll |
| component-family | org.ajax4jsf.components.AjaxPoll |
| component-class | org.ajax4jsf.component.html.AjaxPoll |
| renderer-type | org.ajax4jsf.components.AjaxPollRenderer |

6.1.9.2. Creating the component with a Page Tag

To create the simplest variant on a page use the following syntax:

```
<a4j:poll interval="500" reRender="grid"/>
```

6.1.9.3. Creating the Component Dynamically Using Java

Example:

```
import org.ajax4jsf.component.html.AjaxPoll;
...
AjaxPoll myPoll = new AjaxPoll();
...
```

6.1.9.4. Details of usage

The `<a4j:poll>` component is used for periodical polling of server data. In order to use the component it's necessary to set an update interval. The `"interval"` attribute defines an interval in milliseconds between the previous response and the next request. The total period between two

requests generated by the **<a4j:poll>** component is a sum of an *"interval"* attribute value and server response time. Default value for *"interval"* attribute is set to "1000" milliseconds (1 second). See an example of definition in the "[Creating the component with a Page Tag \[126\]](#)" section.

The *"timeout"* attribute defines response waiting time in milliseconds. If a response isn't received during this period a connection is aborted and the next request is sent. Default value for *"timeout"* attribute isn't set.

The *"enabled"* attribute defines should the **<a4j:poll>** send request or not. It's necessary to render the **<a4j:poll>** to apply the current value of *"enabled"* attribute. You can use an EL-expression for *"enabled"* attribute to point to a bean property. An example of usage of mentioned above attributes is placed below:

Example:

```
...
<a4j:region>
  <h:form>

  <a4j:poll id="poll" interval="1000" enabled="#{userBean.pollEnabled}" reRender="poll,grid"/>
  </h:form>
</a4j:region>
<h:form>
  <h:panelGrid columns="2" width="80%" id="grid">
    <h:panelGrid columns="1">
      <h:outputText value="Polling Inactive" rendered="#{not userBean.pollEnabled}" />
      <h:outputText value="Polling Active" rendered="#{userBean.pollEnabled}" />
    </h:panelGrid>
    <a4j:commandButton style="width:120px" id="control" value="#{userBean.pollEnabled?'Stop':'Start'}
    Polling" reRender="poll, grid">
      <a4j:actionparam name="polling" value="#{!
userBean.pollEnabled}" assignTo="#{userBean.pollEnabled}"/>
    </a4j:commandButton>
  </h:panelGrid>
  <h:outputText id="serverDate" style="font-size:16px" value="Server Date:
#{userBean.date}"/>
</h:panelGrid>
</h:form>
...
```

The example shows how date and time are updated on a page in compliance with data taken from a server. The **<a4j:poll>** component sends requests to the server every second. *"reRender"* attribute of the **<a4j:poll>** contains poll's own `id`. Hence, it is self rendered for applying the current value of *"enabled"* attribute.

Notes:

- The form around the `<a4j:poll>` component is required.
- To make the `<a4j:poll>` component send requests periodically when it `limitToList` is set to "true", pass the `<a4j:poll>` ID to its `reRender` attribute.

Information about the "process" attribute usage you can find "[Decide what to process](#)" guide section.

6.1.9.5. Relevant resources links

Visit the [Poll page](http://livedemo.exadel.com/richfaces-demo/richfaces/poll.jsf?c=poll) [http://livedemo.exadel.com/richfaces-demo/richfaces/poll.jsf?c=poll] at RichFaces LiveDemo for examples of the component usage and their sources.

Useful examples and articles:

- "[Create a Banner Using Effects and Poll](http://www.jboss.org/community/wiki/CreateABannerUsingEffectsAndPoll)" article at RichFaces Wiki gives an example of how to create an image banner using `<rich:effect>` and `<a4j:poll>` components;
- "[Create an HTML Banner Using Effects and Poll](http://www.jboss.org/community/wiki/CreateAHTMLBannerUsingEffectsAndPoll)" article at RichFaces Wiki brings the code of the way of creating an HTML banner banner using `<rich:effect>` and `<a4j:poll>` components;
- "[RichFaces and Slideshow](http://www.jboss.org/index.html?module=bb&op=viewtopic&t=125621)" thread in the RichFaces users forum contains an information and code on making a Slide Show with the help of the `<a4j:poll>` component;

Manage the [RichFaces Users Forum](http://jboss.com/index.html?module=bb&op=viewtopic&t=103909) [http://jboss.com/index.html?module=bb&op=viewtopic&t=103909] for fresh issues about the component usage.

6.1.10. `< a4j:push >` available since 3.0.0

6.1.10.1. Description

The `<a4j:push>` periodically perform Ajax request to server, to simulate 'push' data.

The main difference between `<a4j:push>` and `<a4j:poll>` components is that `<a4j:push>` makes request to minimal code only (not to JSF tree) in order to check the presence of messages in the queue. If the message exists the complete request is performed. The component doesn't poll registered beans but registers `EventListener` which receives messages about events.

Table 6.19. a4j : push attributes

| Attribute Name | Description |
|----------------|--|
| action | MethodBinding pointing at the application action to be invoked, if this UIComponent is activated by you, during the Apply Request Values or Invoke Application phase of the request processing lifecycle, depending on the value of the immediate property |
| actionListener | MethodBinding pointing at method accepting an ActionEvent with return type void |
| ajaxSingle | Limits JSF tree processing (decoding, conversion, validation and model updating) only to a component that sends the request. Boolean |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| enabled | Enables/disables pushing. Default value is "true". |
| eventProducer | MethodBinding pointing at method accepting an PushEventListener with return type void. User bean must register this listener and send EventObject to this listener on ready. |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| focus | ID of an element to set focus after request is completed on client side |
| id | JSF: Every component may have a unique id that is automatically created if omitted |

| Attribute Name | Description |
|--------------------|--|
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now |
| immediate | True means, that the default ActionListener should be executed immediately (i.e. during Apply Request Values phase of the request processing lifecycle), rather than waiting until the Invoke Application phase |
| interval | Interval (in ms) for call push requests. Default value is "1000"ms (1 second). |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| onbeforedomupdate | The client-side script method to be called before DOM is updated |
| oncomplete | The client-side script method to be called after the request is completed |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, processed at the phases 2-5 in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rendered | JSF: If "false", this component is not rendered |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, rendered in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |

| Attribute Name | Description |
|----------------------|--|
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| timeout | Timeout (in ms) for request |

Table 6.20. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.ajax4jsf.Push |
| component-family | org.ajax4jsf.components.AjaxPush |
| component-class | org.ajax4jsf.component.html.AjaxPush |
| renderer-type | org.ajax4jsf.components.AjaxPushRenderer |

6.1.10.2. Creating on a page

```
<a4j:push reRender="msg" eventProducer="#{messageBean.addListener}" interval="3000"/>
```

6.1.10.3. Creating the Component Dynamically Using Java

```
import org.ajax4jsf.component.html.AjaxPush;  
...  
AjaxPush myPush = new AjaxPush();  
...
```

6.1.10.4. Key attributes and ways of usage

The **<a4j:push>** implements reverse Ajax technique.

The bean, for example, could be subscribed to Java Messaging Service ([JMS](http://java.sun.com/products/jms/) [http://java.sun.com/products/jms/]) topic or it could be implemented as Message Driven Bean (MDB) in order to send a message to the **<a4j:push>** component about an event presence. In the presence of the event some action occurs.

Thus, a work paradigm with the **<a4j:push>** component corresponds to an anisochronous model, but not to pools as for **<a4j:poll>** *component*. See the simplest example below:

Example:

```
...
class MyPushEventListener implements PushEventListener {
    public void onEvent(EventObject evt) {
        System.out.println(evt.getSource());
        //Some action
    }
}
...
```

Code for `EventListener` registration in the bean is placed below:

Example:

```
...
public void addListener(EventListener listener) {
    synchronized (listener) {
        if (this.listener != listener) {
            this.listener = (PushEventListener) listener;
        }
    }
}
...
```

A page code for this example is placed below.

Example:

```
...
<a4j:status startText="in progress" stopText="done"/>
<a4j:form>
    <a4j:region>
        <a4j:push reRender="msg" eventProducer="#{pushBean.addListener}" interval="2000"/>
    </a4j:region>
    <a4j:outputPanel id="msg">
        <h:outputText value="#{pushBean.date}">
            <f:convertDateTime type="time"/>
        </h:outputText>
    </a4j:outputPanel>
    <a4j:commandButton value="Push!!" action="#{pushBean.push}" ajaxSingle="true"/>
</a4j:form>
...
```

The example shows how date is updated on a page in compliance with data taken from a server. In the example *"interval"* attribute has value "2000". This attribute defines an interval in milliseconds between the previous response and the next request. Default value is set to "1000" milliseconds (1 second). It's possible to set value equal to "0". In this case connection is permanent.

The *"timeout"* attribute defines response waiting time in milliseconds. If a response isn't received during this period a connection is aborted and the next request is sent. Default value for *"timeout"* attribute isn't set. Usage of *"interval"* and *"timeout"* attributes gives an opportunity to set short polls of queue state or long connections.

Note:

The form around the `<a4j:push>` component is required.

Information about the *"process"* attribute usage you can find "[Decide what to process](#)" guide section.

6.1.10.5. Relevant resources links

[On RichFaces LiveDemo page](#) [<http://livedemo.exadel.com/richfaces-demo/richfaces/push.jsf?c=push>] you can found some additional information for `<a4j:push>` component usage.

6.1.11. < a4j:queue > available since 3.3.0

3.3.0

6.1.11.1. Description

The `<a4j:queue>` component enqueues set of Ajax requests sent from client. The RichFaces components with built-in Ajax can reference the queue to optimize Ajax requests.

Table 6.21. a4j : queue attributes

| Attribute Name | Description |
|--------------------|---|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| disabled | HTML: If "true", disables this component on page. |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows you to ignore an Ajax response produced by a request if the newest 'similar' request is in the queue already. <code>ignoreDupResponses="true"</code> does not cancel |

| Attribute Name | Description |
|----------------------|---|
| | the request while it is processed on the server, but just allows avoiding unnecessary updates on the client side if the response isn't actual now |
| name | Specifies to name for the named queue. |
| onbeforedomupdate | The client-side script method to be called before DOM is updated |
| oncomplete | The client-side script method to be called after the request is completed |
| onerror | The client-side script method to be called whenever a JavaScript error occurs |
| onrequestdequeue | The client-side script method to be called after the request is removed from the queue |
| onrequestqueue | The client-side script method to be called when the request is added to the queue |
| onsizeexceeded | The client-side script method to be called when a size is exceeded |
| onsubmit | DHTML: The client-side script method to be called before an ajax request is submitted |
| requestDelay | Attribute defines the time (in ms) the request will be waiting in the queue before it is ready to be sent. |
| size | HTML: Defines the number of requests allowed in the queue at one time. |
| sizeExceededBehavior | Defines the strategies of the queue's behavior if the number of the requests waiting in the queue is exceeded. There are four strategies: dropNext (by default), dropNew, fireNext , fireNew. |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| timeout | Waiting time for response on a particular request. If no response is received during this time, the request is aborted |

Table 6.22. Component identification parameters

| Name | Value |
|------------------|--------------------|
| component-family | org.ajax4jsf.Queue |

| Name | Value |
|-----------------|---------------------------------------|
| component-class | org.ajax4jsf.component.html.HtmlQueue |
| renderer-type | org.ajax4jsf.QueueRenderer |
| tag-class | org.ajax4jsf.taglib.html.jsp.QueueTag |

6.1.11.2. Creating the Component with a Page Tag

To create the simplest variant of the Form Based queue use the following syntax.

Example:

```
<h:form id="form">
  <a4j:queue />
  <h:inputText value="#{bean.a}">
    <a4j:support event="onkeyup" />
  </h:inputText>
</h:form>
```

6.1.11.3. Creating the Component Dynamically Using Java

Example:

```
import org.ajax4jsf.component.html.HtmlQueue;
...
HtmlQueue myQueue = new HtmlQueue();
```

6.1.11.4. Details of usage

The RichFaces Queue has four different types: global default, view scoped default, view scoped named and form-based default queue (general Queue principles are good documented in the "[Queue Principles](#)" section). The current section will take closer to the form based queue. The usage of other types is similar.

In order to disable or enable the **<a4j:queue>** component on the page you can use the *"disabled"* attribute.

The *"requestDelay"* attribute defines delay time for all the requests fired by the action components.

The *"size"* attribute specifies the number of requests that can be stored in the queue at a time. The attribute helps to prevent server overloading. It is also possible to determine queue's behaviour when it's size is exceeded. Use the *"sizeExceededBehavior"* for this purpose. There are four possible strategies of exceeded queue's behavior:

- "dropNext" drops next request that should be fired
- "dropNew" drops the incoming request
- "fireNext" immediately fires the next request in line to be fired
- "fireNew" immediately fires the incoming request.

Example:

```
<h:form>
<a4j:queue size="2" requestDelay="500" sizeExceededBehavior="dropNext" onsizeexceeded="alert('The
size of the queue is exceeded')" />
  <h:inputText value="#{bean.a}">
    <a4j:support event="onkeyup" />
  </h:inputText>
  <h:inputText value="#{bean.b}">
    <a4j:support event="onblur" />
  </h:inputText>
  <h:selectBooleanCheckbox value="#{bean.check}" id="checkboxID">
    <a4j:support id="checkboxSupport" event="onchange" />
  </h:selectBooleanCheckbox>
</h:form>
```

In this example if the queue has more than 2 requests waiting to be processed the next event will be dropped and a message (the "onsizeexceeded" attribute fires a JavaScript function) saying that the queues is exceeded will be displayed.

The "ignoreDupResponses" attribute that takes a boolean value can also help optimize your Ajax requests. If set to true, response processing for request will not occur if a similar request is already waiting in the queue. New request will be fired immediately when the response from the previous one returns.

Example:

```
<h:form>
  <a4j:queue requestDelay="500" ignoreDupResponses="true" />
  <h:inputText value="#{bean.a}">
    <a4j:support event="onkeyup" />
  </h:inputText>
</h:form>
```

In this example, the requests are glued together and only the last one is submitted.

Another key attribute that eases server load is *"timeout"*. The attribute specifies the amount of time an item can be in the queue before the sent event is be aborted and dropped from the queue.

If the request is sent and response is not returned within the time frame defined in this attribute - the request is aborted, and the next one is sent.

Example:

```
<h:form>
  <a4j:queue timeout="1000" />
  <h:inputText value="#{bean.a}">
    <a4j:support event="onkeyup" />
  </h:inputText>
</h:form>
```

In this case if the sever doesn't respond within a second the request will be aborted.

As you can see the implementation of the queue provides some custom event handlers that you may use to call JavaScript functions.

The *"oncomplete"* is fired after request completed. In this event handler request object is be passed as a parameter. Thus queue is be accessible using `request.queue`. And the element which was a source of the request is available using `this`.

Example:

```
<h:form>
  <a4j:queue oncomplete="alert(request.queue.getSize())" requestDelay="1000" />
  <h:inputText value="#{bean.a}">
    <a4j:support event="onkeyup" />
  </h:inputText>
  <h:selectBooleanCheckbox value="#{bean.check}">
    <a4j:support event="onchange"/>
  </h:selectBooleanCheckbox>
</h:form>
```

In this example you can see how the number of requests waiting in the queue change. You will get a message with the number of the requests in the queue.

The *"onbeforedomupdate"* event handler called before updating DOM on a client side.

The *"onrequestqueue"* event handler called after the new request has been added to queue. And the *"onrequestdequeue"* event handler called after the request has been removed from queue.

The *onsubmit* event handler called after request is completed. This attribute allows to invoke JavaScript code before an Ajax request is sent.

6.1.11.5. JavaScript API

Table 6.23. JavaScript API

| Function | Description |
|------------------|--|
| getSize() | Returns the current size to the queue |
| getMaximumSize() | Returns the maximum size to the queue, specified in the "size" attribute |

6.1.11.6. Relevant resources links

Vizit the [Queue Page](http://livedemo.exadel.com/richfaces-demo/richfaces/queue.jsf?c=queue) [http://livedemo.exadel.com/richfaces-demo/richfaces/queue.jsf?c=queue] at the RichFaces LiveDemo for examples of component usage and their sources.

Useful articles:

"[Queue Principles](#)" section of the RichFaces developer guide describes general Queue principles.

6.1.12. < a4j:status > available since 3.0.0

6.1.12.1. Description

The **<a4j:status>** component generates elements for displaying of the current Ajax requests status. There are two status modes: Ajax request is in process or finished.

Table 6.24. a4j : status attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| for | ID of the AjaxContainer component whose status is indicated (in the format of a javax.faces.UIComponent.findComponent() call). |
| forceld | If true, render the ID of the component in HTML code without JSF modifications. |
| id | JSF: Every component may have a unique id that is automatically created if omitted |

| Attribute Name | Description |
|----------------|--|
| lang | HTML: Code describing the language used in the generated markup for this component |
| layout | Define visual layout of panel, can be "block" or "inline". |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| onstart | The client-side script method to be called at the start of the request |
| onstop | The client-side script method to be called when the request is finished |
| rendered | JSF: If "false", this component is not rendered |
| startStyle | CSS style rules to be applied to the element displayed when a request is in progress |

| Attribute Name | Description |
|-----------------|--|
| startStyleClass | Assigns one or more space-separated CSS class names to the element displayed when a request is in progress |
| startText | Text to display on starting request. |
| stopStyle | CSS style rules to be applied to the element displayed on a request completion |
| stopStyleClass | Assigns one or more space-separated CSS class names to the element displayed on a request completion |
| stopText | Text for display on request complete. |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| title | HTML: Advisory title information about markup elements generated for this component |

Table 6.25. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.ajax4jsf.Status |
| component-family | javax.faces.Panel |
| component-class | org.ajax4jsf.component.html.HtmlAjaxStatus |
| renderer-type | org.ajax4jsf.components.AjaxStatusRenderer |

6.1.12.2. Creating the Component with a Page Tag

There are two ways to define elements indicating a request status :

- With *"StartText"/"StopText"* attributes:

```
<a4j:status startText="Progress" stopText="Done" for="stat1">
```

In this case, text elements for the corresponding status are generated.

- With *"Start"/"Stop"* facets definition:

```
<a4j:status for="stat2">
```

```
<f:facet name="start">
  <h:graphicImage value="ajax_process.png" />
</f:facet>
<f:facet name="stop">
  <h:graphicImage value="ajax_stoped.png" />
</f:facet>
</a4j:status>
```

In this case, the elements are generated for each status and correspond the facets content.

6.1.12.3. Creating the Component Dynamically Using Java

Example:

```
import org.ajax4jsf.component.html.HtmlAjaxStatus;
...
HtmlAjaxStatus myStatus = new HtmlAjaxStatus();
...
```

6.1.12.4. Facets

Table 6.26. Facets

| Facet name | Description |
|------------|---|
| start | Redefines the content for display on starting request |
| stop | Redefines the content for display on request complete |

6.1.12.5. Details of usage

There are two ways for the components or containers definition, which Ajax requests status is tracked by a component.

- Definition with the "for" attribute on the <a4j:status> component. Here "for" attribute should point at an Ajax container (<a4j:region>) id, which requests are tracked by a component.
- Definition with the "status" attribute obtained by any RichFaces library action component. The attribute should point at the <a4j:status> component id. Then this <a4j:status> component shows the status for the request fired from this action component.

The component creates two or <div> elements depending on attribute "layout" with content defined for each status, one of the elements (start) is initially hidden. At the beginning of

an Ajax request, elements state is inversed, hence the second element is shown and the first is hidden. At the end of a response processing, elements display states return to its initial values.

Example:

```
<a4j:status startText="Started" stopText="stopped" />
```

The code shown in the example above is decoded on a page as:

```
<span id="j_id20:status.start" style="display: none">
  Started
</span>
<span id="j_id20:status.stop">
  Stopped
</span>
```

and after the generation of an Ajax response is changed to:

```
<span id="j_id20:status.start">
  Started
</span>
<span id="j_id20:status.stop" style="display: none">
  Stopped
</span>
```

There is a possibility to group a `<a4j:status>` elements content into `<div>` elements, instead of ``. To use it, just redefine the *"layout"* attribute from "inline" (default) to "block".

6.1.12.6. Relevant resources links

Vizit [Status page](http://livedemo.exadel.com/richfaces-demo/richfaces/status.jsf?c=status) [http://livedemo.exadel.com/richfaces-demo/richfaces/status.jsf?c=status] at RichFaces Livedemo for examples of component usage and their sources.

Useful articles at JBoss portal:

- [RichFacesPleaseWaitBox](http://wiki.jboss.org/wiki/RichFacesPleaseWaitBox) [http://wiki.jboss.org/wiki/RichFacesPleaseWaitBox] describes how to show a "Please Wait" box and block the input while the Ajax request is processed using combination of `<a4j:status>` and `<rich:modalPanel>`.

6.2. Resources/Beans Handling

The main purpose of the components covered in this section is to load resources (style sheets, JavaScript files and resource bundle) and to keep a state of a bean between requests.

6.2.1. < a4j:loadBundle > available since 3.0.0

6.2.1.1. Description

The **<a4j:loadBundle>** component is similar to JSF **<f:loadBundle>** : it loads a resource bundle localized for the Locale of the current view and stores properties as a Map in the current request attributes of the current request.

Table 6.27. a4j : loadBundle attributes

| Attribute Name | Description |
|----------------|--|
| basename | Base name of the resource bundle to be loaded. |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| rendered | JSF: If "false", this component is not rendered |
| var | Name of a request scope attribute under which the resource bundle will be exposed as a Map. |

Table 6.28. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.ajax4jsf.Bundle |
| component-family | org.ajax4jsf.Bundle |
| component-class | org.ajax4jsf.component.html.AjaxLoadBundle |

6.2.1.2. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
<a4j:loadBundle baseName="demo.bundle.Messages" var="Message"/>
```

6.2.1.3. Creating the Component Dynamically Using Java

Example:

```
import org.ajax4jsf.component.html.AjaxLoadBundle;
```

```
...  
AjaxLoadBundle myBundle = new AjaxLoadBundle();  
...
```

6.2.1.4. Details of usage

Internationalization and Localization are the processes of adaptation of web applications for different languages and cultures. When you develop English and German versions of a site it can be said that you localize the site for England and Germany. Language is not the only thing that undergoes the localization — dates, times, numbers, currencies, phone numbers, addresses, graphics, icons, colors, personal titles and even favourite sounds are also varies from country to country. It means that an internationalized application may have lots of different types information, which should be changed depending on user location.

There are several approaches of organizing the localization. The JSF `<h:loadBundle>` loads bundles into the request scope when page is being rendered and updates all the needed areas in a crowd. Bundle information loaded in such way becomes unavailable when dealing with Ajax requests that work in their own request scopes. The approach provided by RichFaces `<a4j:loadBundle>` component enriches one given by the JSF `<h:loadBundle>` with Ajax capability: it allows to use reference to a particular bundle item during an Ajax update.

The `<a4j:loadBundle>` usage is pretty simple. Imagine a small application that says "Hello!" in different languages, where switching between translations (localizations, in our case) occurs when corresponding links are being clicked, like you have used to see on lots of sites. In our JSF with RichFaces application (those who feel not strong with that should better read the "[Getting started with RichFaces](#)" chapter) create resource bundles with "Hello!" message for three different languages: English, German and Italian. Resource bundles are represented with `*.properties` extension files that keep items in `key(name) - value` pairs. A key for an item should be the same for all locales.




Figure 6.4. Resource bundles *.properties files with Keys and Values for multi-language application.

#message resource bundles should be registered in the Faces configuration (`faces-config.xml`) file of your application as `<message-bundle>` inside the `<application>` element. Name of a resource should be specified without language or country code and without `.properties` extension. Supported locales should be specified inside the `<supported-locale>` element.

Registering resource bundles in the Faces configuration file:

```
<application>
  <locale-config>
    <default-locale>en</default-locale>
    <supported-locale>en</supported-locale>
    <supported-locale>de</supported-locale>
    <supported-locale>it</supported-locale>
  </locale-config>
  <message-bundle>demo.message</message-bundle>
</application>
```

For the application we will use JSF `javax.faces.component.UIViewRoot.setLocale` method that will set a needed Locale (each link will invoke corresponding method — there are, off course, another ways to do that).

ChangeLocale Java class with three methods for setting the corresponding Locale:

```
package demo;

import java.util.Locale;
import javax.faces.context.FacesContext;

public class ChangeLocale {
    public String germanAction() {
        FacesContext context = FacesContext.getCurrentInstance();
        context.getViewRoot().setLocale(Locale.GERMAN);
        return null;
    }

    public String englishAction() {
        FacesContext context = FacesContext.getCurrentInstance();
        context.getViewRoot().setLocale(Locale.ENGLISH);
        return null;
    }

    public String italianAction() {
        FacesContext context = FacesContext.getCurrentInstance();
        context.getViewRoot().setLocale(Locale.ITALIAN);
        return null;
    }
}
```

Recently, the JSP page will look as following:

```
<h:form>
  <a4j:loadBundle var="msg" basename="demo.message"/>
  <h:outputText id="messageBundle" value="#{msg.greeting}"/>

  <a4j:commandLink value="De" action="#{changeLocale.germanAction}" reRender="messageBundle"
  >
  </a4j:commandLink>

  <a4j:commandLink value="Eng" action="#{changeLocale.englishAction}" reRender="messageBundle"
  >
  </a4j:commandLink>

  <a4j:commandLink value="It" action="#{changeLocale.italianAction}" reRender="messageBundle"
  >
  </a4j:commandLink>
</h:form>
```

As an output we will get a simple application with English "Hello!" by default. Clicking on links "De", "Eng" and "It" will show the messages specified within the corresponding *.properties file. To reference to a particular bundle item during an Ajax update it is necessary to point the component(s) that should be re-rendered (in this example it is done with the help of <a4j:commandLink> "reRender" attribute).



Figure 6.5. Using of the RichFaces <a4j:loadBundle> component for application localization.

6.2.1.5. Relevant resources links

Vizit the [LoadBundle page](http://livedemo.exadel.com/richfaces-demo/richfaces/bundle.jsf?c=loadBundle) [http://livedemo.exadel.com/richfaces-demo/richfaces/bundle.jsf?c=loadBundle] at RichFaces LiveDemo for additional information on the component.

More useful examples and articles:

- [loadBundle tag reference](http://java.sun.com/javaee/javaserverfaces/1.1_01/docs/tlddocs/f/loadBundle.html) [http://java.sun.com/javaee/javaserverfaces/1.1_01/docs/tlddocs/f/loadBundle.html] at java.sun portal;
- [Backing a ResourceBundle with Properties Files](http://java.sun.com/docs/books/tutorial/i18n/resbundle/propfile.html) [http://java.sun.com/docs/books/tutorial/i18n/resbundle/propfile.html] at java.sun portal;
- [Internationalization and Localization of J2EE application](http://www.objectsource.com/j2eechapters/Ch19-I18N_and_L10N.htm) [http://www.objectsource.com/j2eechapters/Ch19-I18N_and_L10N.htm] explains main principles of the internationalization of a web application;
- [one more useful tutorial](http://www.laliluna.de/javaserver-faces-message-resource-bundle-tutorial.html) [http://www.laliluna.de/javaserver-faces-message-resource-bundle-tutorial.html] explains the internationalization of a web application using JSF message resource bundle;
- [Some special problem with JSF internationalization](http://www.i-coding.de/www/en/jsf/application/locale.html) [http://www.i-coding.de/www/en/jsf/application/locale.html] and solution from the i-coding.de portal.

6.2.2. < a4j:keepAlive > available since 3.0.0

6.2.2.1. Description

The <a4j:keepAlive> tag allows to keep a state of a bean between requests.

Table 6.29. a4j : keepAlive attributes

| Attribute Name | Description |
|----------------|---|
| ajaxOnly | if true, bean value restored in ajax requests only. |
| beanName | name of bean for EL-expressions. |

Table 6.30. Tag identification parameters

| Name | Value |
|------------------|---------------------------------------|
| component-type | org.ajax4jsf.components.KeepAlive |
| component-family | org.ajax4jsf.components.AjaxKeepAlive |
| component-class | org.ajax4jsf.components.AjaxKeepAlive |

6.2.2.2. Using the tag on a Page

To create the simplest variant on a page use the following syntax:

Example:

```
<a4j:keepAlive beanName = "testBean"/>
```

Note, that to be put into the request scope the pointed bean should be registered inside `faces-config.xml` file and marked with `org.ajax4jsf.model.KeepAlive` annotation. A bean instance in the request scope could also be saved directly through the declaration of `@KeepAlive` annotation inside the bean.

6.2.2.3. Details of usage

If a managed bean is declared with request scope in the configuration file with the help of **<managed-bean-scope>** tag then the life-time of this bean instance is valid only for the current request. Any attempts to make a reference to the bean instance after the request end will throw in `Illegal Argument Exception` by the server. To avoid these kinds of Exceptions component **<a4j:keepAlive>** is used to maintain the state of the whole bean object among subsequent request.

Example:

```
<a4j:keepAlive beanName = "#{myClass.testBean}"/>
```

The *"beanName"* attribute defines the request scope bean name you'd like to re-use. Note that this attribute must point to a legal JSF EL expression which resolves to a managed bean instance. For example for the above code the class definition may look like this one:

```
class MyClass{
    ...
    private TestBean testBean;
    // Getters and Setters for testBean.
    ...
}
```

The *"ajaxOnly"* attribute declares whether the value of the bean should be available during a non-Ajax request. If the value of this attribute is "true" a request scope bean keeps the same value during Ajax requests from the given page. If a non-Ajax request is sent from this page the bean is re-created as a regular request scope bean.

6.2.2.4. Relevant resources links

Vizit [KeepAlive page](http://livedemo.exadel.com/richfaces-demo/richfaces/keepAlive.jsf?c=keepAlive) [http://livedemo.exadel.com/richfaces-demo/richfaces/keepAlive.jsf?c=keepAlive] at RichFaces Livedemo for examples of component usage and their sources.

Search the [RichFaces Users forum](http://www.jboss.org/index.html?module=bb&op=viewforum&f=261) [http://www.jboss.org/index.html?module=bb&op=viewforum&f=261] for some additional information about usage of component.

6.2.3. < a4j:loadScript > available since 3.0.0

6.2.3.1. Description

The <a4j:loadScript> component allows to load scripts from alternative sources like a jar files, etc.

Table 6.31. a4j : loadScript attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| rendered | JSF: If "false", this component is not rendered |
| src | name of JavaScript resource to load. |

Table 6.32. Component identification parameters

| Name | Value |
|----------------|-------------------------|
| component-type | org.ajax4jsf.LoadScript |

| Name | Value |
|------------------|--|
| component-family | org.ajax4jsf.LoadScript |
| component-class | org.ajax4jsf.component.html.HtmlLoadScript |
| renderer-type | org.ajax4jsf.LoadScriptRenderer |

6.2.3.2. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
<a4j:loadScript src="scripts/someScript.js"/>
```

6.2.3.3. Creating the Component Dynamically Using Java

Example:

```
import org.ajax4jsf.component.html.HtmlLoadScript;  
...  
HtmlLoadScript myScript = new HtmlLoadScript();  
...
```

6.2.3.4. Details of usage

The main attribute of the `<a4j:loadScript>` is `src`, which defines the context relative path to the script. The value of the attribute does not require a prefix of an application. Leading slash in the path means the root of the web context. It is also possible to use `resource:///` prefix to access the script file using RichFaces resource framework.

Example:

```
<a4j:loadScript src="resource:///org/mycompany/assets/script/focus.js" />
```

The `src` attribute passes value to the `getResourceURL()` method of the `ViewHandler` of the application, The result is passed through the `encodeResourceURL()` method of the `ExternalContext`.

6.2.3.5. Relevant resources links

Visit the [Script page at RichFaces LiveDemo](http://livedemo.exadel.com/richfaces-demo/richfaces/script.jsf?c=loadScript) [http://livedemo.exadel.com/richfaces-demo/richfaces/script.jsf?c=loadScript] for examples of component usage and their sources.

6.2.4. < a4j:loadStyle > available since 3.0.0

6.2.4.1. Description

The **<a4j:loadStyle>** component allows to load a style sheet file from alternative sources like a jar file, etc. It inserts stylesheet links to the head element.

Table 6.33. a4j : loadStyle attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| media | This attribute defines the device to which it is necessary to apply style registration. The possible values are "all", "screen" (by default), "print", "projection", "projection", "braille" and "speech". |
| rendered | JSF: If "false", this component is not rendered |
| src | Defines the context relative path to the style sheet file. |

Table 6.34. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.ajax4jsf.LoadStyle |
| component-family | org.ajax4jsf.LoadStyle |
| component-class | org.ajax4jsf.component.html.HtmlLoadStyle |
| renderer-type | org.ajax4jsf.LoadStyleRenderer |

6.2.4.2. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
<a4j:loadStyle src="styles/style.css"/>
```

6.2.4.3. Creating the Component Dynamically Using Java

Example:

```
import org.ajax4jsf.component.html.HtmlLoadStyle;
...
HtmlLoadScript myStyle = new HtmlLoadStyle();
...
```

6.2.4.4. Details of usage

The main attribute of the `<a4j:loadStyle>` is `src`, which defines the context relative path to the script. The value of the attribute does not require a prefix of an application. Leading slash in the path means the root of the web context. It is also possible to use `resource:///` prefix to access the script file using RichFaces resource framework.

Example:

```
<a4j:loadStyle src="resource:///org/mycompany/assets/script/focus.js" />
```

The `src` attribute passes value to the `getResourceURL()` method of the `ViewHandler` of the application, The result is passed through the `encodeResourceURL()` method of the `ExternalContext`.

6.2.4.5. Relevant resources links

Visit the [Script page at RichFaces LiveDemo](http://livedemo.exadel.com/richfaces-demo/richfaces/style.jsf?c=loadStyle) [http://livedemo.exadel.com/richfaces-demo/richfaces/style.jsf?c=loadStyle] for examples of component usage and their sources.

6.3. Ajax Validators

RichFaces components library provides 3 components to validate user input data. These components enhance JSF validation capabilities with Ajax support and possibility to use Hibernate validators.

6.3.1. `< rich:ajaxValidator >` available since 3.2.2

3.2.2

6.3.1.1. Description

The `<rich:ajaxValidator>` is a component designed to provide Ajax validation inside for JSF inputs.

6.3.1.2. Key Features

- Skips all JSF processing except validation

- Possibility to use both standard and custom validation
- Possibility to use Hibernate Validation
- Event based validation triggering

Table 6.35. rich : ajaxValidator attributes

| Attribute Name | Description |
|--------------------|--|
| ajaxListener | MethodExpression representing an action listener method that will be notified when this component is activated by the ajax Request and handle it. The expression must evaluate to a public method that takes an AjaxEvent parameter, with a return type of void. Default value is "null" |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| disableDefault | Disables default action for target event (append "return false;" to JavaScript). Default value is "false" |
| event | Name of JavaScript event property (onclick, onchange, etc.) of parent component by which validation will be triggered. Default value is "onblur" |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| focus | ID of an element to set focus after request is completed on client side |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, |

| Attribute Name | Description |
|----------------------|---|
| | but just allows to avoid unnecessary updates on the client side if the response isn't actual now |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| onbeforeDOMupdate | The client-side script method to be called before DOM is updated |
| oncomplete | The client-side script method to be called after the request is completed |
| onsubmit | DHTML: The client-side script method to be called before an ajax request is submitted |
| profiles | This attribute defines JavaBean Validation 'groups' feature (JSR-303). It is ignored if Hibernate Validator is used. |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, rendered in case of AjaxRequest caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| summary | Summary message for a validation errors. |

| Attribute Name | Description |
|----------------|---|
| timeout | Response waiting time on a particular request. If a response is not received during this time, the request is aborted |

Table 6.36. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.ajaxValidator |
| component-class | org.richfaces.component.html.HtmlAjaxValidator |
| component-family | org.richfaces.ajaxValidator |
| renderer-type | org.richfaces.ajaxValidatorRenderer |
| tag-class | org.richfaces.taglib.ajaxValidatorTag |

6.3.1.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...  
<h:outputText value="Name:" />  
<h:inputText value="#{userBean.name}" id="name" required="true">  
    <f:validateLength minimum="3" maximum="12"/>  
    <rich:ajaxValidator event="onblur"/>  
</h:inputText>  
...
```

6.3.1.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlCalendar;  
...  
HtmlAjaxValidator myAjaxValidator= new HtmlAjaxValidator();  
...
```

6.3.1.5. Details of Usage

The `<rich:ajaxValidator>` component should be added as a child component to an input JSF tag which data should be validated and an event that triggers validation should be specified as well. The component is ajaxSingle by default so only the current field will be validated.

The following example demonstrates how the `<rich:ajaxValidator>` adds Ajax functionality to standard JSF validators. The request is sent when the input field loses focus, the action is determined by the `"event"` attribute that is set to `"onblur"`.

```
...
<rich:panel>
  <f:facet name="header">
    <h:outputText value="User Info:" />
  </f:facet>
  <h:panelGrid columns="3">
    <h:outputText value="Name:" />
    <h:inputText value="#{userBean.name}" id="name" required="true">
      <f:validateLength minimum="3" maximum="12"/>
      <rich:ajaxValidator event="onblur"/>
    </h:inputText>
    <rich:message for="name" />

    <h:outputText value="Age:" />
    <h:inputText value="#{userBean.age}" id="age" required="true">
      <f:convertNumber integerOnly="true"/>
      <f:validateLongRange minimum="18" maximum="99"/>
      <rich:ajaxValidator event="onblur"/>
    </h:inputText>
    <rich:message for="age"/>
  </h:panelGrid>
</rich:panel>
...
```

This is the result of the snippet.

User Info:

Name: ajaxValidatorForm:name: Validation Error: Value is required.

Age: ajaxValidatorForm:age: Validation Error: Value is required.

Figure 6.6. Simple example of `<rich:ajaxValidator>` with

In the example above it's show how to work with standard JSF validators. The `<rich:ajaxValidator>` component also works perfectly with custom validators enhancing their usage with Ajax.

Custom validation can be performed in two ways:

- Using JSF Validation API is available in `javax.faces.validator` package

- Using Hibernate Validator, specifying a constraint for the data to be validated. A reference on Hibernate Validator can be found *in [Hibernated documentation](http://www.hibernate.org/hib_docs/validator/reference/en/html_single/)* [http://www.hibernate.org/hib_docs/validator/reference/en/html_single/].

The following example shows how the data entered by user can be validated using Hibernate Validator.

```
...
<rich:panel>
  <f:facet name="header">
    <h:outputText value="User Info:" />
  </f:facet>
  <h:panelGrid columns="3">
    <h:outputText value="Name:" />
    <h:inputText value="#{validationBean.name}" id="name" required="true">
      <rich:ajaxValidator event="onblur" />
    </h:inputText>
    <rich:message for="name" />

    <h:outputText value="Email:" />
    <h:inputText value="#{validationBean.email}" id="email">
      <rich:ajaxValidator event="onblur" />
    </h:inputText>
    <rich:message for="email" />

    <h:outputText value="Age:" />
    <h:inputText value="#{validationBean.age}" id="age">
      <rich:ajaxValidator event="onblur" />
    </h:inputText>
    <rich:message for="age" />
  </h:panelGrid>
</rich:panel>
...
```

Here is the source code of the managed bean.

```
package org.richfaces.demo.validation;

import org.hibernate.validator.Email;
import org.hibernate.validator.Length;
import org.hibernate.validator.Max;
import org.hibernate.validator.Min;
import org.hibernate.validator.NotEmpty;
```

```
import org.hibernate.validator.NotNull;
import org.hibernate.validator.Pattern;

public class ValidationBean {

    private String progressString="Fill the form please";

    @NotEmpty
    @Pattern(regex=".*[^\s].*", message="This string contain only spaces")
    @Length(min=3,max=12)
    private String name;
    @Email
    @NotEmpty
    private String email;

    @NotNull
    @Min(18)
    @Max(100)
    private Integer age;

    public ValidationBean() {
    }

    /* Corresponding Getters and Setters */

}
```

By default the Hibernate Validator generates an error message in 10 language, though you can redefine the messages that are displayed to a user when validation fails. In the shows example it was done by adding `(message="wrong email format")` to the `@Email` annotation.

This is how it looks.



The screenshot shows a form titled "User Info:" with three input fields. The "Name" field is empty and has a red error message: "ajaxValidatorForm2:name: Validation Error: Value is required." The "Email" field contains "test" and has a red error message: "may not be null or empty". The "Age" field contains "17" and has a red error message: "may not be null".

Figure 6.7. Validation using Hibernate validator

6.3.1.6. Relevant Resources Links

Visit the [AjaxValidator page](http://livedemo.exadel.com/richfaces-demo/richfaces/ajaxValidator.jsf?c=ajaxValidator) [http://livedemo.exadel.com/richfaces-demo/richfaces/ajaxValidator.jsf?c=ajaxValidator] at RichFaces LiveDemo for examples of component usage and their sources.

6.3.2. < rich:beanValidator > available since 3.2.2

3.2.2

6.3.2.1. Description

The **<rich:beanValidator>** component designed to provide validation using Hibernate model-based constraints.

6.3.2.2. Key Features

- Validation using Hibernate constraints

Table 6.37. rich : beanValidator attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: A ValueExpression that evaluates to an instance of FacesBeanValidator. |
| profiles | This attribute defines JavaBean Validation 'groups' feature (JSR-303). It is ignored if Hibernate Validator is used. |
| summary | Summary message for a validation errors. |

Table 6.38. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.beanValidator |
| component-class | org.richfaces.component.html.HtmlbeanValidator |
| component-family | org.richfaces.beanValidator |
| renderer-type | org.richfaces.beanValidatorRenderer |
| tag-class | org.richfaces.taglib.beanValidatorTag |

6.3.2.3. Creating the Component with a Page Tag

To create the simplest variant of the component on a page use the following syntax:

```
<h:inputText value="#{validationBean.email}" id="email">
  <rich:beanValidator summary="Invalid email"/>
</h:inputText>
```

6.3.2.4. Creating the Component Dynamically Using Java

```
import org.richfaces.component.html.HtmlCalendar;
...
HtmlbeanValidator mybeanValidator= new HtmlbeanValidator();
...
```

6.3.2.5. Details of Usage

Starting from 3.2.2 GA version Rich Faces provides support for model-based constraints defined using Hibernate Validator. Thus it's possible to use Hibernate Validators the same as for Seam based applications.

The `<rich:beanValidator>` component is defined in the same way as any JSF validator. Look at the example below.

```
<rich:panel>
  <f:facet name="header">
    <h:outputText value="#{validationBean.progressString}" id="progress"/>
  </f:facet>
  <h:panelGrid columns="3">
    <h:outputText value="Name:" />
    <h:inputText value="#{validationBean.name}" id="name">
      <rich:beanValidator summary="Invalid name"/>
    </h:inputText>
    <rich:message for="name" />

    <h:outputText value="Email:" />
    <h:inputText value="#{validationBean.email}" id="email">
      <rich:beanValidator summary="Invalid email"/>
    </h:inputText>
    <rich:message for="email" />

    <h:outputText value="Age:" />
    <h:inputText value="#{validationBean.age}" id="age">
      <rich:beanValidator summary="Wrong age"/>
    </h:inputText>
    <rich:message for="age" />
  </h:panelGrid>
  <f:facet name="footer">
    <a4j:commandButton value="Submit" action="#{validationBean.success}" reRender="progress"/>
  </f:facet>
</rich:panel>
```

```
</h:panelGrid>  
</rich:panel>
```

Please pay close attention on the bean code that contains the constraints defined with Hibernate annotation which perform validation of the input data.

```
package org.richfaces.demo.validation;  
  
import org.hibernate.validator.Email;  
import org.hibernate.validator.Length;  
import org.hibernate.validator.Max;  
import org.hibernate.validator.Min;  
import org.hibernate.validator.NotEmpty;  
import org.hibernate.validator.NotNull;  
import org.hibernate.validator.Pattern;  
  
public class ValidationBean {  
  
    private String progressString="Fill the form please";  
  
    @NotEmpty  
    @Pattern(regex=".*[^\s].*", message="This string contain only spaces")  
    @Length(min=3,max=12)  
    private String name;  
    @Email  
    @NotEmpty  
    private String email;  
  
    @NotNull  
    @Min(18)  
    @Max(100)  
    private Integer age;  
  
    public ValidationBean() {  
    }  
  
    /* Corresponding Getters and Setters */  
  
    public void success() {  
        setProgressString(getProgressString() + "(Stored successfully)");  
    }  
}
```

```

public String getProgressString() {
    return progressString;
}

public void setProgressString(String progressString) {
    this.progressString = progressString;
}
}

```

The following figure shows what happens if validation fails

Fill the form please

Name: may not be null or empty

Email: --- not a well-formed email address

Age: 000 must be greater than or equal to 18

Figure 6.8. `<rich:beanValidator>` usage

As you can see from the example that in order to validate the `<rich:beanValidator>` should be nested into a input JSF or RichFaces component.

The component has the only attribute - *"summary"* which displays validation messages about validation errors.

6.3.2.6. Relevant Resources Links

On [RichFaces LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/beanValidator.jsf?c=beanValidator) [http://livedemo.exadel.com/richfaces-demo/richfaces/beanValidator.jsf?c=beanValidator] you can see an example of `<rich:beanValidator>` usage and sources for the given example.

6.3.3. `< rich:graphValidator >` available since 3.2.2

3.2.2

6.3.3.1. Description

The `<rich:graphValidator>` component allows to register Hibernate Validators for multiple input components.

6.3.3.2. Key Features

- Skips all JSF processing except validation

Table 6.39. rich : graphValidator attributes

| Attribute Name | Description |
|----------------|---|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| profiles | This attribute defines JavaBean Validation 'groups' feature (JSR-303). It is ignored if Hibernate Validator is used. |
| summary | Summary message for a validation errors. |
| type | HTML: JSF Validator type, that implements GraphValidator interface. This validator is used for the Graph and input fields validation. |
| value | JSF: The current value for this component. |

Table 6.40. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.graphValidator |
| component-class | org.richfaces.component.html.HtmlgraphValidator |
| component-family | org.richfaces.graphValidator |
| renderer-type | org.richfaces.graphValidatorRenderer |
| tag-class | org.richfaces.taglib.graphValidatorTag |

6.3.3.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...  
<h:outputText value="Name:" />  
<h:inputText value="#{userBean.name}" id="name" required="true">  
    <f:validateLength minimum="3" maximum="12"/>  
    <rich:graphValidator event="onblur"/>  
</h:inputText>  
...
```

6.3.3.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlCalendar;
...
HtmlgraphValidator mygraphValidator= new HtmlgraphValidator();
...
```

6.3.3.5. Details of usage

The `<rich:graphValidator>` component behaves basically the same way as the `<rich:beanValidator>`. The difference between these two components is that in order to validate some input data with a `<rich:beanValidator>` component, it should be a nested element of an input component, whereas `<rich:graphValidator>` wraps multiple input components and validates the data received from them.

The following example demonstrates a pattern of how the `<rich:graphValidator>` can be used:

```
...
<rich:graphValidator>
  <h:panelGrid columns="3">
    <h:outputText value="Name:" />
    <h:inputText value="#{validationBean.name}" id="name">
      <f:validateLength minimum="2" />
    </h:inputText>
    <rich:message for="name" />
    <h:outputText value="Email:" />
    <h:inputText value="#{validationBean.email}" id="email" />
    <rich:message for="email" />
  </h:panelGrid>
</rich:graphValidator>
...
```

The data validation can be also performed using Hibernate Validator, the same way as it is done with `<rich:beanValidator>`.

The components's architecture provides an option to bind the component to a managed bean, which is done with the `value` attribute. The attribute ensures that the entered data is valid after the model is updated by revalidating the bean properties.

Please look at the example below.

```
...
<rich:graphValidator summary="Invalid values: " value="#{dayStatistics}">
  <a4j:repeat value="#{dayStatistics.dayPasstimes}" var="pt" id="table">
    <h:outputText value="#{pt.title}" />
    <rich:inputNumberSpinner minValue="0" maxValue="24" value="#{pt.time}" id="time" />
    <rich:message for="time" />
  </a4j:repeat>
</rich:graphValidator>
...
```

Hence, the given above code will provide the functionality that is illustrated on the images below.

| Activity | Time |
|---------------|--|
| Sport | <input type="text" value="3"/> |
| Entertainment | <input type="text" value="2"/> |
| Sleeping | <input type="text" value="8"/> |
| Games | <input type="text" value="15"/> must be less than or equal to 12 |

Figure 6.9. "Games" field did not pass validation

As you can see from the picture the "Games" field did not pass validation, as `<rich:graphValidator>` can be used to perform validation of a single input item.

| Activity | Time |
|---------------|---------------------------------|
| Sport | <input type="text" value="3"/> |
| Entertainment | <input type="text" value="2"/> |
| Sleeping | <input type="text" value="8"/> |
| Games | <input type="text" value="12"/> |

Only 24h in a day!

Figure 6.10. Total sum of all input values is incorrect

The figure above shows that the entered data was revalidated after all fields were completed, and the data did not pass revalidation since the total sum was incorrect.

6.3.3.6. Relevant Resources Links

Visit the [GraphValidator page](http://livedemo.exadel.com/richfaces-demo/richfaces/graphValidator.jsf?c=graphValidator) [http://livedemo.exadel.com/richfaces-demo/richfaces/graphValidator.jsf?c=graphValidator] at RichFaces LiveDemo for examples of component usage and their sources.

6.4. Ajax Output

The components described in this section render some content dynamically using Ajax capabilities.

6.4.1. <a4j:include> available since 3.0.0

6.4.1.1. Description

The <a4j:include> component is used to include one view as part of another and navigate there using standard JSF navigation.

Table 6.41. a4j : include attributes

| Attribute Name | Description |
|----------------|--|
| ajaxRendered | Defines, whether the content of this component must be (or not) included in AJAX response created by parent AJAX Container, even if it is not forced by reRender list of ajax action. Ignored if component marked to output by some Ajax action component. Default value is "true". |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| keepTransient | Flag for mark all child components to non-transient. If true, all children components will be set to non-transient state and keep in saved components tree. For output in self-renderer region all content (By default, all content in <:verbatim> tags and non-jsf elements in facelets, marked as transient - since, self-rendered ajax regions don't plain output for ajax processing). |

| Attribute Name | Description |
|----------------|--|
| lang | HTML: Code describing the language used in the generated markup for this component |
| layout | HTML layout for generated markup. Possible values: "block" for generating an HTML <div> element, "inline" for generating an HTML element, and "none" for generating no HTML element. There is a minor exception for the "none" case where a child element has the property "rendered" set to "false". In this case, we create an empty element with same ID as the child element to use as a placeholder for later processing. Default value is "inline" |
| rendered | JSF: If "false", this component is not rendered |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| title | HTML: Advisory title information about markup elements generated for this component |
| viewId | Specifies the view id of a page that is included. |

Table 6.42. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.ajax4jsf.Include |
| component-family | javax.faces.Output |
| component-class | org.ajax4jsf.component.html.Include |
| renderer-type | org.ajax4jsf.components.AjaxIncludeRenderer |

6.4.1.2. Creating the Component with a Page Tag

To create the simplest variant of the component on a page use the following syntax:

Example:

```
<h:panelGrid>  
  <a4j:include viewId="/pages/include/first.xhtml" />  
</rich:panelGrid>
```

6.4.1.3. Creating the Component Dynamically Using Java

This component cannot be created dynamically.

6.4.1.4. Details of usage

The component is used to include one view as part of another and may be put anywhere in the page code. The `'viewID'` attribute is used to point at the part to be included and should present a full context-relative path of the resource in order to be used as from-view and to-view in the JSF navigation cases. In general the component functions as Facelets `<ui:include>` tag but with partial page navigation in Ajax mode as an advantage.

Note:

To make the RichFaces `<a4j:include>` component (as well as Facelets `<ui:include>` tag) work properly when including the part of the page check that included page does not generate extra HTML `<!DOCTYPE>`, `<html>`, `<body>` tags.

The navigation rules could look as following:

Example:

```
<navigation-rule>
  <from-view-id>/pages/include/first.xhtml</from-view-id>
  <navigation-case>
    <from-outcome>next</from-outcome>
    <to-view-id>/pages/include/second.xhtml</to-view-id>
  </navigation-case>
</navigation-rule>
```

6.4.1.5. Relevant resources links

Visit the [Include page](http://livedemo.exadel.com/richfaces-demo/richfaces/include.jsf?c=include) [http://livedemo.exadel.com/richfaces-demo/richfaces/include.jsf?c=include] for examples of component usage and their sources.

6.4.2. `<a4j:mediaOutput>` available since 3.0.0

6.4.2.1. Description

The `<a4j:mediaOutput>` component is a facility for generating images, video, sounds and other binary resources defined by you on-the-fly.

Table 6.43. a4j : mediaOutput attributes

| Attribute Name | Description |
|----------------|---|
| accesskey | HTML: This attribute assigns an access key to an element. An access key is a single character from the document character set. Note: Authors should consider the input method of the expected reader when specifying an accesskey |
| align | Deprecated. This attribute specifies the position of an IMG, OBJECT, or APPLET with respect to its context. The possible values are "bottom", "middle", "top", "left" and "right". The default value is "middle". |
| archive | Specifies a space-separated list of URIs |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| border | HTML: Deprecated. This attribute specifies the width of an IMG or OBJECT border, in pixels. The default value for this attribute depends on the user agent |
| cacheable | Attribute is a flag that defines the caching strategy. If 'cacheable' is set to false, the response will not be cached. If it is set to true, it will be cached and the serialized value of 'value' attribute plays the role of a cache key. |
| charset | HTML: The character encoding of a resource designated by this hyperlink |
| classid | identifies an implementation |
| codebase | base URI for classid, data, archive |
| codetype | Defines content type for code |
| converter | JSF: ID of a converter to be used or a reference to a converter. |
| coords | HTML: The attribute specifies shape and its position on the screen. Possible values: "rect: left-x, top-y, right-x, bottom-y", "circle: center-x, center-y, radius", "poly: x1, y1, x2, y2, ..., xN, yN". Notes: a) when giving the radius value in percents, user agents should calculate the final radius value in pixels based on the associated |

| Attribute Name | Description |
|-------------------------|---|
| | object's width and height; b) the radius value should be smaller than center-x and center-y values; c) for a polygon, the first and last coordinate pairs should have same x and y to close the shape ($x_1=x_N$; $y_1=y_N$) (when these coordinates are different, user agents should infer an additional pair to close a polygon). Coordinates are relative to the top left corner of an object. All values are lengths. All values are comma separated. |
| createContent | Method call expression to send generated resource to OutputStream. It must have two parameter with a type of java.io.OutputStream and java.lang.Object (deserialized value of data attribute) |
| createContentExpression | Attribute references to the method that will be used for content creating. The method accepts two parameters. The first parameter has an OutputStream type. It is a reference to the steam that should be used for output. The second parameter is a reference to a 'value' attribute of the component. |
| declare | declare but don't instantiate flag |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| element | Name of html element for resource link - may be <a> <object> <applet> <script> or <link> |
| expires | The attribute allows to manage caching and defines the period after which a resource is reloaded. |
| hreflang | HTML: Base language of a resource specified with the href attribute; hreflang may only be used with href |
| hspace | Deprecated. This attribute specifies the amount of white space to be inserted to the left and right of an IMG, APPLET, or OBJECT. The default value is not specified, but is generally a small, non-zero length |

| Attribute Name | Description |
|----------------|---|
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ismap | use server-side image map |
| lang | HTML: Code describing the language used in the generated markup for this component |
| lastModified | The attribute allows to manage caching. A browser can send request with the header "If-Modified-Since" for necessity of object reloading. If time of modification is earlier, then the framework doesn't call generation and return code 304. |
| contentType | Generated content mime-type for append to response header ('image/jpeg' etc) |
| onblur | DHTML: The client-side script method to be called when the element loses the focus either when pointing a device or tabbing navigation. The attribute may be used with the same elements as onfocus |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onfocus | DHTML: The client-side script method to be called when the element gets the focus |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |

| Attribute Name | Description |
|----------------|--|
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| rel | HTML: The relationship from the current document to the anchor specified by this hyperlink. The value of this attribute is a space-separated list of link types |
| rendered | JSF: If "false", this component is not rendered |
| rev | HTML: A reverse link from the anchor specified by this hyperlink to the current document. The value of this attribute is a space-separated list of link types |
| session | If "true", a session for an object generation is restored. |
| shape | HTML: This attribute specifies the shape of a region. The possible values are "default", "rect", "circle" and "poly". |
| standby | message to show while loading |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| tabindex | HTML: This attribute specifies the position of the current element in the tabbing order for the current document. This value must be a number between 0 and 32767. User agents should ignore leading zeros |
| target | HTML: This attribute specifies the name of a frame where a document is to be opened. By assigning a name to a frame via the name attribute, authors can refer to it as the "target" of links defined by other elements |

| Attribute Name | Description |
|----------------|---|
| title | HTML: Advisory title information about markup elements generated for this component |
| type | HTML: The content type of the resource designated by this hyperlink |
| uriAttribute | Name of attribute for resource-link attribute ('href' for <a>, 'src' for or <script>, etc) |
| usemap | Specifies an image as a client-side image-map |
| value | JSF: Data value calculated at render time and stored in URI (also as part of cache Key), at generation time passed to send method. Can be used for update cache at change of generating conditions, and for creating beans as "Lightweight" pattern components (request scope). IMPORTANT: Since serialized data stored in URI, avoid using big objects. |
| vspace | Deprecated. This attribute specifies the amount of white space to be inserted above and below an IMG, APPLET, or OBJECT. The default value is not specified, but is generally a small, non-zero length |

Table 6.44. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.ajax4jsf.MediaOutput |
| component-family | org.ajax4jsf.Resource |
| component-class | org.ajax4jsf.component.html.MediaOutput |
| renderer-type | org.ajax4jsf.MediaOutputRenderer |

6.4.2.2. Creating the Component with a Page Tag

Component definition on a page for graphical data output

Example:

```
<a4j:mediaOutput component-family="jsf" data-content="#{paintBean.value}" data-type="image/png"/>
```

6.4.2.3. Creating the Component Dynamically Using Java

Example:

```
import org.ajax4jsf.component.html.MediaOutput;
...
MediaOutput myMedia = new MediaOutput ();
...
```

6.4.2.4. Details of usage

The `<a4j:mediaOutput>` component is used for generating images, videos or sounds on-the-fly. Let's consider an image creation and generate a JPEG image with verification digits for captcha (the image will include just digits without any graphical noise and distortion).

Write the following line on the page:

```
<a4j:mediaOutput element="img" cacheable="false" createContent="#{mediaBean.value}" mimeType="image/jpeg"/>
```

As You see from the example above, first it is necessary to specify the kind of media data You want to generate. This can be done with the help of *"element"* attribute, which possible values are `img`, `object`, `applet`, `script`, `link` or `a`.

The *"cacheable"* defines whether the response will be cached or not. In our case we don't need our image to be cached, cause we need it to be changed every time we refresh the page.

The *"mimeType"* attribute defines the type of output content. It is used to define the corresponded type in the header of an HTTP response.

The `<a4j:mediaOutput>` attribute has two main attributes:

- *"createContent"* specifies a method that will be used for content creating. The method accepts two parameters. The first one — with an `java.io.OutputStream` type — is a reference to the stream that should be used for output. An output stream accepts output bytes and sends them to a recipient. The second parameter is a reference to the component's *"value"* attribute and has `java.lang.Object` type. This parameter contains deserialized object with data specified in the *"value"* attribute.
- *"value"* attribute specifies a bean class that keeps data for transmitting it into a stream in the method specified with *"createContent"* .

Now let's create the `MediaBean` class and specify there a primitive random-number generator and `paint` method that will convert the generated numbers into an output stream and give a JPEG image as a result. The code for `MediaBean` class is going to look as following:

Example:

```
package demo;
```

```
import java.awt.Graphics2D;
import java.awt.image.BufferedImage;
import java.io.IOException;
import java.io.OutputStream;
import java.util.Random;
import javax.imageio.ImageIO;

public class MediaBean {
    public void paint(OutputStream out, Object data) throws IOException{
        Integer high = 9999;
        Integer low = 1000;
        Random generator = new Random();
        Integer digits = generator.nextInt(high - low + 1) + low;
        if (data instanceof MediaData) {
            MediaData paintData = (MediaData) data;
            BufferedImage img = new BufferedImage(paintData.getWidth(),paintData.getHeight(),BufferedImage.TYPE_
            Graphics2D graphics2D = img.createGraphics();
            graphics2D.setBackground(paintData.getBackground());
            graphics2D.setColor(paintData.getDrawColor());
            graphics2D.clearRect(0,0,paintData.getWidth(),paintData.getHeight());
            graphics2D.setFont(paintData.getFont());
            graphics2D.drawString(digits.toString(), 20, 35);
            ImageIO.write(img,"png",out);
        }
    }
}
```

Now it is necessary to create a class that will keep transmissional data that will be used as input data for a content creation method. The code for `MediaData` class is going to be as following:

Note:

A bean class transmitted into value should implement `Serializable` interface in order to be encoded to the URL of the resource.

Example:

```
package demo;

import java.awt.Color;
import java.awt.Font;
```

```
import java.io.Serializable;

public class MediaData implements Serializable{

    private static final long serialVersionUID = 1L;
    Integer Width=110;
    Integer Height=50;
    Color Background=new Color(190, 214, 248);
    Color DrawColor=new Color(0,0,0);
    Font font = new Font("Serif", Font.TRUETYPE_FONT, 30);

    /* Corresponding getters and setters */

}
```

As a result the `<a4j:mediaOutput>` component will generate the following image that will be updated on each page refresh:




Figure 6.11. Using the `<a4j:mediaOutput>` for generating an image for captcha

Hence, when using the component it's possible to output your data of any type on a page with Ajax requests.

6.4.2.5. Relevant resources links

Vizit the [MediaOutput page](http://livedemo.exadel.com/richfaces-demo/richfaces/mediaOutput.jsf?c=mediaOutput) [http://livedemo.exadel.com/richfaces-demo/richfaces/mediaOutput.jsf?c=mediaOutput] at RichFaces LiveDemo for more examples of component usage and their sources.

6.4.3. `< a4j:outputPanel >` available since 3.0.0

6.4.3.1. Description

The component is used for components grouping in the Ajax output area, which offers several additional output opportunities such as inserting of non-present in tree components, saving of transient elements after Ajax request and some others.

Table 6.45. a4j : outputPanel attributes

| Attribute Name | Description |
|----------------|--|
| ajaxRendered | Defines, whether the content of this component must be (or not) included in AJAX response created by parent AJAX Container, even if it is not forced by reRender list of ajax action. Ignored if component marked to output by some Ajax action component. Default value is "false". |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| keepTransient | Flag to mark all child components to non-transient. If true, all children components will be set to non-transient state and keep in saved components tree. For output in self-renderer region all content (By default, all content in <f:verbatim> tags and non-jsf elements in facelets, marked as transient - since, self-rendered ajax regions don't plain output for ajax processing). Default value is "true" |
| lang | HTML: Code describing the language used in the generated markup for this component |
| layout | HTML layout for generated markup. Possible values: "block" for generating an HTML <div> element, "inline" for generating an HTML element, and "none" for generating no HTML element. There is a minor exception for the "none" case where a child element has the property "rendered" set to "false". In this case, we create an empty element with same ID as the child element to use as a placeholder for later processing. Default value is "inline" |
| onclick | DHTML: The client-side script method to be called when the element is clicked |

| Attribute Name | Description |
|----------------|--|
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| rendered | JSF: If "false", this component is not rendered |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| title | HTML: Advisory title information about markup elements generated for this component |

Table 6.46. Component identification parameters

| Name | Value |
|------------------|-------------------------------|
| component-type | org.ajax4jsf.OutputPanel |
| component-family | javax.faces.Panel |
| component-type | org.ajax4jsf.ajax.OutputPanel |

| Name | Value |
|-----------------|---|
| component-class | org.ajax4jsf.component.html.HtmlAjaxOutputPanel |
| renderer-type | org.ajax4jsf.components.AjaxOutputPanelRenderer |

6.4.3.2. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
<a4j:outputPanel>
  <h:form>
    <h:outputText value="Some text"/>
    <h:inputText id="text1" label="text1" value="#{rsBean.text1}"/>
  </h:form>
</a4j:outputPanel>
```

6.4.3.3. Creating the Component Dynamically Using Java

Example:

```
import org.ajax4jsf.component.html.HtmlAjaxOutputPanel;
...
HtmlAjaxOutputPanel myPanel = new HtmlAjaxOutputPanel();
```

6.4.3.4. Details of usage

The **<a4j:outputPanel>** component is used when one or more components should be always updated. The component job is similar to that the *reRender* attribute does, but instead of specifying a comma separated list of components it wraps the components to be updated. This could be useful in cases when some components aren't rendered during the primary non-ajax response.

Example:

```
<a4j:support reRender="mypanel"/>
...
<a4j:outputPanel id="mypanel">
  <h:panelGrid rendered="#{not empty foo.bar}">
    ...
  </h:panelGrid>
```

```
</a4j:outputPanel>
```

By default the `<a4j:outputPanel>` is rendered as opening and closing HTML `` tags and functions as container. With the help of the `"layout"` attribute this output way could be set to any of three variants:

- "inline" (default)
- "block"
- "none"

If `layout="block"` is set, the component is rendered as a pair of opening and closing `<div>` tags. In this case it is possible to apply available for `<div>` elements style attributes. `layout="none"` helps to avoid an unnecessary tag around a context that is rendered or not according to the `"rendered"` attribute value. In case an inner context isn't rendered the `<a4j:outputPanel>` is rendered in a `` tags with ID equal to ID of a child component and `display:none` style. If a child component is rendered, `<a4j:outputPanel>` doesn't present at all in a final code.

Example:

```
<a4j:support reRender="mypanel"/>
...
<a4j:outputPanel layout="none">
  <h:panelGrid id="mypanel" rendered="#{not empty foo.bar}">
    ...
  </h:panelGrid>
</a4j:outputPanel>
```

As you see, the code is very similar to the one shown above, but `"reRender"` attribute refers directly to the updating `panelGrid` and not to the framing `outputPanel`, and it's more semantically correct.

The `<a4j:outputPanel>` allows to update a part of a page basing on its own flag. The flag is defined by the `"ajaxRendered"` attribute. The flag is commonly used when a part of a page must be updated or can be updated on any response.

Example:

```
<a4j:outputPanel ajaxRendered="true">
  <h:messages/>
</a4j:outputPanel>
```

The `<a4j:outPanel>` should be used for non-JSF component part framing, which is to be updated on Ajax response, as RichFaces specifies the list of updating areas as a list of an existing JSF component.

On default non-JSF context isn't saved in a component tree, but is rendered anew every time. To accelerate the processing speed and Ajax response input speed, RichFaces saves non-JSF context in a component tree on default. This option could be canceled by *"keepTransient"* attribute that cancels transient flag forced setting for child components. This flag setting keeps the current value set by child components.

Note:

In JSF 1.1 implementation and lower, where non-JSF context should be framed with the `<f:verbatim>` component, `<a4j:outputPanel>` doesn't improve this JSF implementation option in any way, so you still have to use this tag where it's necessary without RichFaces usage.

RichFaces allows setting Ajax responses rendering directly basing on component tree nodes without referring to the JSP (XHTML) page code. It could be defined by *"selfRendered"* attribute setting to "true" on `<a4j:region>` and could help considerably speed up a response output. However, if a transient flag is kept as it is, this rapid processing could cause missing of transient components that present on view and don't come into a component tree. Hence, for any particular case you could choose a way for you application optimization: speed up processing or redundant memory for keeping tree part earlier defined a transient.

6.4.3.5. Relevant resources links

Vizit [OutputPanel page](http://livedemo.exadel.com/richfaces-demo/richfaces/outputPanel.jsf?c=outputPanel) [http://livedemo.exadel.com/richfaces-demo/richfaces/outputPanel.jsf?c=outputPanel] at RichFaces Livedemo for examples of component usage and their sources.

Useful articles:

- search the [RichFaces Users Forum](http://www.jboss.org/index.html?module=bb&op=viewforum&f=26) [http://www.jboss.org/index.html?module=bb&op=viewforum&f=26] for some additional information on component usage;

6.5. Ajax Miscellaneous

6.5.1. `< a4j:page >` available since 3.0.0

6.5.1.1. Description

The `<a4j:page>` component encodes the full HTML-page structure and used for solving some incompatibility in JSP environment with MyFaces in early Ajax4Jsf versions.

Table 6.47. a4j : page attributes

| Attribute Name | Description |
|----------------|---|
| ajaxListener | MethodExpression representing an action listener method that will be notified when this component is activated by the ajax Request and handle it. The expression must evaluate to a public method that takes an AjaxEvent parameter, with a return type of void |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| contentType | Set custom mime content type to response |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| format | Page layout format (html, xhtml, html-transitional, html-3.2) for encoding DOCTYPE, namespace and Content-Type definitions |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| immediate | Flag indicating that, if this component is activated by ajaxrequest, notifications should be delivered to interested listeners and actions immediately (that is, during Apply Request Values phase) rather than waiting until Invoke Application phase |
| lang | HTML: Code describing the language used in the generated markup for this component |
| namespace | Set html element default namespace |
| onload | The client-side script method to be called before a page is loaded |
| onunload | The client-side script method to be called when a page is unloaded |
| pageTitle | String for output as a page title. |
| rendered | JSF: If "false", this component is not rendered |
| selfRendered | if "true", self-render subtree at InvokeApplication (or Decode, if immediate property set to true) phase |

| Attribute Name | Description |
|----------------|---|
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| title | HTML: Advisory title information about markup elements generated for this component |

Table 6.48. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.ajax4jsf.components.Page |
| component-family | org.ajax4jsf.components.AjaxRegion |
| component-class | org.ajax4jsf.component.html.HtmlPage |
| renderer-type | org.ajax4jsf.components.AjaxPageRenderer |

6.5.1.2. Creating the component with a Page Tag

The **<a4j:page>** should be the only child of **<f:view>** :

```
<f:view>
  <a4j:page>
    <f:facet name="head">
      <!--Head Content-->
    </f:facet>
    <!--Page Content-->
  </a4j:page>
</f:view>
```

6.5.1.3. Creating the Component Dynamically Using Java

Example:

```
import org.ajax4jsf.component.html.HtmlPage;
...
HtmlPage myPage = new HtmlPage();
...
```

6.5.1.4. Details of usage

The component solves the problem with MyFaces for early Ajax4Jsf versions: in MyFaces implementation the `<f:view>` JSP tag doesn't get control for encoding contents during the RENDER_RESPONSE phase, thus Ajax can't neither get a control nor make a response. The `<a4j:page>` solves this problem by wrapping the Ajax updatable areas. In the last versions of both frameworks the problem is successfully fixed and no `<a4j:page>` usage is required.

The component uses facet `"head"` for defining the contents corresponding to the HTML HEAD. There is no need to use `"body"` facet in order to define first body section. The attribute `"format"` defines page layout format for encoding DOCTYPE. The attribute `"pageTitle"` is rendered as title section.

According to the described above, the component defined at page as following

```
<a4j:page format="xhtml" pageTitle="myPage">
  <f:facet name="head">
    <!--Head Content here-->
  </f:facet>
  <!--Page Content Here-->
</a4j:page>
```

will be rendered on a page as

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/
DTD/xhtml1-strict.dtd">
<html>
  <head>
    <title>myPage</title>
    <!--Head Content here-->
  </head>
  <body>
    <!--Page Content Here-->
  </body>
</html>
```

6.5.1.5. Facets

Table 6.49. Facets

| Facet name | Description |
|------------|------------------------|
| head | Defines a head content |

6.5.1.6. Relevant resources links

Vizit the [AjaxPage page](http://livedemo.exadel.com/richfaces-demo/richfaces/page.jsf?c=page) [http://livedemo.exadel.com/richfaces-demo/richfaces/page.jsf?c=page] at RichFaces LiveDemo for examples of component usage and their sources.

6.5.2. < a4j:portlet > available since 3.0.0

6.5.2.1. Description

The **<a4j:portlet>** component is DEPRECATED as far as JSR-301 was defined a same functionality for a UIViewRoot component. Thus, it is implicitly defined by mandatory **<f:view>** component.

Table 6.50. a4j : portlet attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| rendered | JSF: If "false", this component is not rendered |

Table 6.51. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.ajax4jsf.Portlet |
| component-family | org.ajax4jsf.component.Portlet |
| component-class | org.ajax4jsf.component.html.HtmlPortlet |

6.5.2.2. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

```
<f:view>
  <a4j:portlet>
    ...
  </a4j:portlet>
</f:view>
```

6.5.2.3. Creating the Component Dynamically Using Java

```
import org.ajax4jsf.component.html.HtmlPortlet;
...
HtmlPortlet myPortlet = new HtmlPortlet();
...
```

6.5.2.4. Details of usage

The main component purpose is realization of possibility to create several instances the same portlet on one page. But clientId of elements should be different for each window. In that case namespace is used for each portlet. The `<a4j:portlet>` implements `NamingContainer` interface and adds namespace to all componets on a page. All portlet content should be wrapped by `<a4j:portlet>` for resolving problems mentioned before.

6.5.2.5. Relevant resources links

Vizit the [Portlet page](http://livedemo.exadel.com/richfaces-demo/richfaces/portlet.jsf?c=portlet) [http://livedemo.exadel.com/richfaces-demo/richfaces/portlet.jsf?c=portlet] at RichFaces LiveDemo for examples of component usage and their sources.

Useful publications:

- [Ajax4Jsf](#) [Users](#) [Forum](#) [http://www.jboss.com/index.html?module=bb&op=viewtopic&t=107325] — check the forum for additional information about component usage;
- [portal-echo application](http://anonsvn.jboss.org/repos/ajax4jsf/trunk/samples/portal-echo/) [http://anonsvn.jboss.org/repos/ajax4jsf/trunk/samples/portal-echo/] — Portlet Sample, could be checked out from JBoss SVN;
- [First snapshot with Portal environment support](http://www.jboss.com/index.html?module=bb&op=viewtopic&t=107325) [http://www.jboss.com/index.html?module=bb&op=viewtopic&t=107325] contains usage instructions for the Portlet Sample demo.

6.5.3. `<a4j:htmlCommandLink >` available since 3.0.0

6.5.3.1. Description

The `<a4j:htmlCommandLink>` component is very similar to the same component from the JSF HTML library, the only slight difference is in links generation and problem solving that occurs when an original component is used.

Table 6.52. a4j : htmlCommandLink attributes

| Attribute Name | Description |
|----------------|---|
| accesskey | HTML: This attribute assigns an access key to an element. An access key is a single character from the document character set. Note: Authors should consider the input method of the expected reader when specifying an accesskey |

| Attribute Name | Description |
|----------------|--|
| action | MethodBinding pointing at the application action to be invoked, if this UIComponent is activated by you, during the Apply Request Values or Invoke Application phase of the request processing lifecycle, depending on the value of the immediate property |
| actionListener | MethodBinding pointing at method accepting an ActionEvent with return type void |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| charset | HTML: The character encoding of a resource designated by this hyperlink |
| coords | HTML: The attribute specifies shape and its position on the screen. Possible values: "rect: left-x, top-y, right-x, bottom-y", "circle: center-x, center-y, radius", "poly: x1, y1, x2, y2, ..., xN, yN". Notes: a) when giving the radius value in percents, user agents should calculate the final radius value in pixels based on the associated object's width and height; b) the radius value should be smaller than center-x and center-y values; c) for a polygon, the first and last coordinate pairs should have same x and y to close the shape (x1=xN; y1=yN) (when these coordinates are different, user agents should infer an additional pair to close a polygon). Coordinates are relative to the top left corner of an object. All values are lengths. All values are comma separated. |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| disabled | HTML: When set for a form control, this boolean attribute disables the control for your input. |
| hreflang | HTML: Base language of a resource specified with the href attribute; hreflang may only be used with href |
| id | JSF: Every component may have a unique id that is automatically created if omitted |

| Attribute Name | Description |
|----------------|---|
| immediate | True means, that the default ActionListener should be executed immediately (i.e. during Apply Request Values phase of the request processing lifecycle), rather than waiting until the Invoke Application phase |
| lang | HTML: Code describing the language used in the generated markup for this component |
| onblur | DHTML: The client-side script method to be called when the element loses the focus either when pointing a device or tabbing navigation. The attribute may be used with the same elements as onfocus |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onfocus | DHTML: The client-side script method to be called when the element gets the focus |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |

| Attribute Name | Description |
|----------------|--|
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| rel | HTML: The relationship from the current document to the anchor specified by this hyperlink. The value of this attribute is a space-separated list of link types |
| rendered | JSF: If "false", this component is not rendered |
| rev | HTML: A reverse link from the anchor specified by this hyperlink to the current document. The value of this attribute is a space-separated list of link types |
| shape | HTML: This attribute specifies the shape of a region. The possible values are "default", "rect", "circle" and "poly". |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| tabindex | HTML: This attribute specifies the position of the current element in the tabbing order for the current document. This value must be a number between 0 and 32767. User agents should ignore leading zeros |
| target | HTML: This attribute specifies the name of a frame where a document is to be opened. By assigning a name to a frame via the name attribute, authors can refer to it as the "target" of links defined by other elements |
| title | HTML: Advisory title information about markup elements generated for this component |
| type | HTML: The content type of the resource designated by this hyperlink |
| value | JSF: The current value for this component |

Table 6.53. Component identification parameters

| Name | Value |
|------------------|-----------------------------|
| component-type | javax.faces.HtmlCommandLink |
| component-family | javax.faces.Command |

| Name | Value |
|-----------------|--|
| component-class | javax.faces.component.html.HtmlCommandLink |
| renderer-type | org.ajax4jsf.HtmlCommandLinkRenderer |

6.5.3.2. Creating the Component with a Page Tag

Component definition on a page is the same as for the original component from the JSF HTML library.

Example:

```
<a4j:htmlCommandLink value="value" action="action"/>
```

6.5.3.3. Creating the Component Dynamically Using Java

Example:

```
import javax.faces.component.html.HtmlCommandLink;
...
HtmlCommandLink myCommandLink = new HtmlCommandLink();
...
```

6.5.3.4. Key attributes and ways of usage

The difference with the original component is that all hidden fields required for command links with the child **<f:param>** elements are always rendered and it doesn't depend on links rendering on the initial page. It solves the problem with invalid links that weren't rendered on a page immediately, but after some Ajax request.

Example:

```
<a4j:form>
...
<a4j:htmlComandLink action="action" value="link" rendered="#{bean.rendered}">
  <f:param .../>
<a4j:htmlComandLink>
...
</a4j:form>
```

In this example `<a4j:htmlCommandLink>` works as standard `<h:commandLink>` , but here hidden fields required for correct functionality are rendered before the first downloading of a page, though it doesn't happen if its attribute isn't set to "false".

6.5.3.5. Relevant resources links

On [RichFaces LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/htmlCommandLink.jsf?c=htmlCommandLink) [http://livedemo.exadel.com/richfaces-demo/richfaces/htmlCommandLink.jsf?c=htmlCommandLink] you can find some additional information for `<a4j:htmlCommandLink>` component usage.

On [RichFaces LiveDemo page](http://java.sun.com/javaee/javaserverfaces/1.1_01/docs/tlddocs/f/param.html) [http://java.sun.com/javaee/javaserverfaces/1.1_01/docs/tlddocs/f/param.html] you can find some additional information about `<f:param>` component.

6.5.4. < a4j:log > available since 3.0.0

6.5.4.1. Description

The `<a4j:log >` component generates JavaScript that opens a debug window with useful debug information.

Table 6.54. a4j : log attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| height | Height of pop-up. Default value is "600". |
| hotkey | Keyboard key for activate (in combination with CTRL+SHIFT) log window. Default value is "L" |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| lang | HTML: Code describing the language used in the generated markup for this component |
| level | Log level. The possible values are "FATAL", "ERROR", "WARN", "INFO", "DEBUG", "ALL". Component sets level 'ALL' by default. |
| name | Name of pop-up window. Default value is "LogWindow" |
| onclick | DHTML: The client-side script method to be called when the element is clicked |

| Attribute Name | Description |
|----------------|--|
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| popup | Renders log as pop-up window or as div element on the page. Default value is "true". |
| rendered | JSF: If "false", this component is not rendered |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| title | HTML: Advisory title information about markup elements generated for this component |
| width | HTML: Width of pop-up. Default value is "800". |

Table 6.55. Component identification parameters

| Name | Value |
|------------------|-------------------------------------|
| component-type | org.ajax4jsf.Log |
| component-family | org.ajax4jsf.Log |
| component-class | org.ajax4jsf.component.html.AjaxLog |
| renderer-type | org.ajax4jsf.LogRenderer |

6.5.4.2. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

```
<a4j:log popup="false" level="ALL" style="width: 800px; height: 300px;"></a4j:log>
```

Then, in order to open a log window, press "CTRL+SHIFT+L" on a page with the component.

6.5.4.3. Creating the Component Dynamically Using Java

Example:

```
import org.ajax4jsf.component.html.AjaxLog;  
...  
AjaxLog myLog = new AjaxLog();  
...
```

6.5.4.4. Details of usage

The **<a4j:log >** component generates JavaScript that opens a log window with useful debug information, which contains data on requests and responses, DOM tree changes et al. The log could be generated not only in a new window, but also on the current page in a separate **<div>** element. This feature is controlled with the component *"popup"* attribute. The window is opened on pressing of "CTRL+SHIFT+L", which is default registered key. The hot key could be changed with the *"hotkey"* attribute, where it's necessary to define one letter that together with "CTRL +SHIFT" opens a window.

The *"level"* attribute has several possible values "FATAL", "ERROR", "WARN", "INFO", "ALL" and is used when it is necessary to change a logging level.

Example:

```
<a4j:log level="ALL" popup="false" width="400" height="200"/>
```

The component defined this way is decoded on a page as `<div>` inside a page, where all the information beginning with informational message is generated.

Note:

`<a4j:log>` is getting renewed automatically after execution of Ajax requests. Do not renew `<a4j:log>` by using `reRender!`

6.5.4.5. Relevant resources links

Vizit the [Log page](http://livedemo.exadel.com/richfaces-demo/richfaces/log.jsf?c=log) [http://livedemo.exadel.com/richfaces-demo/richfaces/log.jsf?c=log] at RichFaces LiveDemo for example of component usage and their sources.

6.6. Data Iteration

The following components iterate over a collection of data and represent it on the page.

6.6.1. `< rich:column >` available since 3.0.0

6.6.1.1. Description

The component for row rendering for a UIData component.

United States Capitals

| Capitals and States Table | | | |
|---|--------------|------------|----------|
| State Flag | Capital Name | State Name | TimeZone |
|  | Montgomery | Alabama | GMT-6 |
|  | Juneau | Alaska | GMT-9 |
|  | Phoenix | Arizona | GMT-7 |
|  | Little Rock | Arkansas | GMT-6 |
|  | Sacramento | California | GMT-8 |
| State Flag | Capital Name | State Name | TimeZone |

Capitals and States Table

Figure 6.12. `<rich:column>` component

6.6.1.2. Key Features

- Completely skinned table rows and child elements
- Possibility to combine columns with the help of `"colspan"`
- Possibility to combine rows with the help of `"rowspan"` and `"breakBefore"`

- [Sorting column values](#)
- [Filtering column values](#)

Table 6.56. rich : column attributes

| Attribute Name | Description |
|------------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| breakBefore | if "true" next column begins from the first row |
| colspan | Corresponds to the HTML colspan attribute |
| comparator | Defines value binding to the comparator that is used to compare the values |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| filterBy | Defines iterable object property which is used when filtering performed. |
| filterEvent | Event for filter input that forces the filtration (default value is "onchange") |
| filterExpression | Attribute defines a bean property which is used for filtering of a column |
| filterMethod | This attribute is defined with method binding. This method accepts on Object parameter and return boolean value |
| filterValue | Defines current filtering value |
| footerClass | Assigns one or more space-separated CSS class names to any footer generated for this component |
| headerClass | Assigns one or more space-separated CSS class names to any header generated for this component |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| label | Column label for drag indicator. Usable only for extendedDataTable component |
| lang | HTML: Code describing the language used in the generated markup for this component |
| rendered | JSF: If "false", this component is not rendered |
| rowspan | Corresponds to the HTML rowspan attribute |

| Attribute Name | Description |
|--------------------|---|
| selfSorted | Manages if the header of the column is clickable, icons rendered and sorting is fired after click on the header. You need to define this attribute inside <rich:dataTable> component. Default value is "true" |
| sortable | Boolean attribute. If "true" it's possible to sort the column content after click on the header. Default value is "true" |
| sortBy | Defines a bean property which is used for sorting of a column. This attribute used with <rich:dataTable> |
| sortExpression | Defines a bean property which is used for sorting of a column and used only with <rich:scrollableDataTable>. |
| sortIcon | Defines sort icon. The value for the attribute is context related. |
| sortIconAscending | Defines sort icon for ascending order. The value for the attribute is context related. |
| sortIconDescending | Defines sort icon for descending order. The value for the attribute is context related. |
| sortOrder | SortOrder is an enumeration of the possible sort orderings. Default value is "UNSORTED" |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| title | HTML: Advisory title information about markup elements generated for this component |
| visible | The attribute is used to define whether the component is visible or not. The default value is "true". |
| width | HTML: Attribute defines width of column. |

Table 6.57. Component identification parameters

| Name | Value |
|-----------------|---|
| component-type | org.richfaces.Column |
| component-class | org.richfaces.component.html.HtmlColumn |

| Name | Value |
|------------------|--------------------------------|
| component-family | org.richfaces.Column |
| renderer-type | org.richfaces.ColumnRenderer |
| tag-class | org.richfaces.taglib.ColumnTag |

6.6.1.3. Creating the Component with a Page Tag

To create the simplest variant of column on a page, use the following syntax:

Example:

```
...
<rich:dataTable var="set">
  <rich:column>
    <h:outputText value="#{set.property1}"/>
  </rich:column>
  <!--Set of another columns and header/footer facets-->
</rich:dataTable>
...
```

6.6.1.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlColumn;
...
HtmlColumn myColumn = new HtmlColumn();
...
```

6.6.1.5. Details of Usage

To output a simple table, the **<rich:column>** component is used the same way as the standard **<h:column>** , i.e. the following code on a page is used:

Example:

```
...
<rich:dataTable value="#{capitalsBean.capitals}" var="cap" rows="5">
  <rich:column>
    <f:facet name="header">State Flag</f:facet>
    <h:graphicImage value="#{cap.stateFlag}"/>
  </rich:column>
</rich:dataTable>
```

```

</rich:column>
<rich:column>
  <f:facet name="header">State Name</f:facet>
  <h:outputText value="#{cap.state}"/>
</rich:column>
<rich:column >
  <f:facet name="header">State Capital</f:facet>
  <h:outputText value="#{cap.name}"/>
</rich:column>
<rich:column>
  <f:facet name="header">Time Zone</f:facet>
  <h:outputText value="#{cap.timeZone}"/>
</rich:column>
</rich:dataTable>
...

```

The result is:

| State Flag | State Name | State Capital | Time Zone |
|---|------------|---------------|-----------|
|  | Alabama | Montgomery | GMT-6 |
|  | Alaska | Juneau | GMT-9 |
|  | Arizona | Phoenix | GMT-7 |
|  | Arkansas | Little Rock | GMT-6 |
|  | California | Sacramento | GMT-8 |

Figure 6.13. Generated <rich:column> component

Now, in order to group columns with text information into one row in one column with a flag, use the `colspan` attribute, which is similar to an HTML one, specifying that the first column contains 3 columns. In addition, it's necessary to specify that the next column begins from the first row with the help of the `breakBefore="true"`.

Example:

```

...
<rich:dataTable value="#{capitalsBean.capitals}" var="cap" rows="5">
  <rich:column colspan="3">
    <h:graphicImage value="#{cap.stateFlag}"/>
  </rich:column>

```

```
<rich:column breakBefore="true">
  <h:outputText value="#{cap.state}"/>
</rich:column>
<rich:column >
  <h:outputText value="#{cap.name}"/>
</rich:column>
<rich:column>
  <h:outputText value="#{cap.timeZone}"/>
</rich:column>
</rich:dataTable>
...
```

As a result the following structure is rendered:

| | | |
|---|-------------|-------|
|  | | |
| Alabama | Montgomery | GMT-6 |
|  | | |
| Alaska | Juneau | GMT-9 |
|  | | |
| Arizona | Phoenix | GMT-7 |
|  | | |
| Arkansas | Little Rock | GMT-6 |
|  | | |
| California | Sacramento | GMT-8 |

Figure 6.14. <rich:column> modified with "colspan" and "breakbefore" attributes

The same way is used for columns grouping with the "rowspan" attribute that is similar to an HTML one responsible for rows quantity definition occupied with the current one. The only thing to add in the example is an instruction to move onto the next row for each next after the second column.

Example:

```
...
<rich:dataTable value="#{capitalsBean.capitals}" var="cap" rows="5">
  <rich:column rowspan="3">
    <f:facet name="header">State Flag</f:facet>
```

```

    <h:graphicImage value="#{cap.stateFlag}"/>
</rich:column>
<rich:column>
    <f:facet name="header">State Info</f:facet>
    <h:outputText value="#{cap.state}"/>
</rich:column>
<rich:column breakBefore="true">
    <h:outputText value="#{cap.name}"/>
</rich:column>
<rich:column breakBefore="true">
    <h:outputText value="#{cap.timeZone}"/>
</rich:column>
</rich:dataTable>
...

```

As a result:

| State Flag | State Info |
|---|-------------|
|  | Alabama |
| | Montgomery |
| | GMT-6 |
|  | Alaska |
| | Juneau |
| | GMT-9 |
|  | Arizona |
| | Phoenix |
| | GMT-7 |
|  | Arkansas |
| | Little Rock |
| | GMT-6 |
|  | California |
| | Sacramento |
| | GMT-8 |

Figure 6.15. `<rich:column>` generated with *"rowspan"* attribute

Hence, additionally to a standard output of a particular row provided with the `<h:column>` component, it becomes possible to group easily the rows with special HTML attribute.

The columns also could be grouped in a particular way with the help of the `<h:columnGroup>` component that is described in *the following chapter*.

In the [Dynamic Columns Wiki article](http://wiki.jboss.org/wiki/DynamicColumns) [http://wiki.jboss.org/wiki/DynamicColumns] you can find additional information about dynamic columns.

6.6.1.6. Sorting and Filtering

6.6.1.6.1. Sorting

In order to sort the columns you should use `sortBy` attribute that indicates what values to be sorted. This attribute can be used only with the `<rich:dataTable>` component. In order to sort the column you should click on its header. See the following example.

Example:

```
...
<h:form>
  <rich:dataTable value="#{capitalsBean.capitals}" var="cap" width="300px">
    <f:facet name="header">
      <h:outputText value="Sorting Example"/>
    </f:facet>
    <rich:column sortBy="#{cap.state}">
      <f:facet name="header">
        <h:outputText value="State Name"/>
      </f:facet>
      <h:outputText value="#{cap.state}"/>
    </rich:column>
    <rich:column sortBy="#{cap.name}">
      <f:facet name="header">
        <h:outputText value="State Capital"/>
      </f:facet>
      <h:outputText value="#{cap.name}"/>
    </rich:column>
  </rich:dataTable>
</h:form>
...
```

This is result:

| Sorting Example | |
|-----------------|-----------------|
| State Name ↕ | State Capital ↕ |
| Alabama | Montgomery |
| Alaska | Juneau |
| Arizona | Phoenix |
| Arkansas | Little Rock |
| California | Sacramento |

Figure 6.16. `<rich:column>` with `"sortBy"` attribute

The `"sortExpression"` attribute defines a bean property which is used for sorting of a column. This attribute can be used only with the `<rich:scrollableDataTable>` component. The following example is an example of the attribute usage.

Example:

```

...
<rich:scrollableDataTable id="carList"
  value="#{dataTableScrollerBean.allCars}" sortMode="single"
  binding="#{dataTableScrollerBean.table}">
  <rich:column id="make" sortExpression="#{cap.make}">
    <f:facet name="header">
      <h:outputText styleClass="headerText" value="Make" />
    </f:facet>
    <h:outputText value="#{category.make}" />
  </rich:column>
  <rich:column id="model">
    <f:facet name="header">
      <h:outputText styleClass="headerText" value="Model" />
    </f:facet>
    <h:outputText value="#{category.model}" />
  </rich:column>
  <rich:column id="price">
    <f:facet name="header">
      <h:outputText styleClass="headerText" value="Price" />
    </f:facet>
    <h:outputText value="#{category.price}" />
  </rich:column>
</rich:scrollableDataTable>

```

...

The *"selfSorted"* attribute that would add the possibility of automatic sorting by clicking the column header. Default value is "true". In the example below the second column is unavailable for sorting.

Example:

```
...
<rich:dataTable value="#{capitalsBean.capitals}" var="cap">
  <rich:column>
    <f:facet name="header">
      <h:outputText value="State Flag"/>
    </f:facet>
    <h:graphicImage value="#{cap.stateFlag}"/>
  </rich:column>
  <rich:column sortBy="#{cap.state}" selfSorted="false">
    <f:facet name="header">
      <h:outputText value="State Name"/>
    </f:facet>
    <h:outputText value="#{cap.state}"/>
  </rich:column>
</rich:dataTable>
...
```

"sortOrder" attribute is used for changing the sorting of columns by means of external controls.

Possible values are:

- "ASCENDING" - column is sorted in ascending
- "DESCENDING" - column is sorted in descending
- "UNSORTED" - column isn't sorted

Example:

```
...
<h:form>
  <rich:dataTable value="#{capitalsBean.capitals}" var="cap" width="300px">
    <f:facet name="header">
      <h:outputText value="Sorting Example"/>
    </f:facet>
    <rich:column sortBy="#{cap.state}" sortOrder="ASCENDING">
```

```

<f:facet name="header">
  <h:outputText value="State Name"/>
</f:facet>
<h:outputText value="#{cap.state}"/>
</rich:column>
<rich:column sortBy="#{cap.name}" sortOrder="DESCENDING">
  <f:facet name="header">
    <h:outputText value="State Capital"/>
  </f:facet>
  <h:outputText value="#{cap.name}"/>
</rich:column>
</rich:dataTable>
</h:form>
...

```

Below you can see the result:

| Sorting Example | | |
|-----------------|--------------|-----------------|
| Time Zone ▼ | State Name ▲ | State Capital ⇅ |
| GMT-9 | Alaska | Juneau |
| GMT-8 | California | Sacramento |
| GMT-8 | Idaho | Boise |
| GMT-8 | Nevada | Carson City |
| GMT-8 | Oregon | Salem |

Figure 6.17. `<rich:column>` with `"sortOrder"` attribute

In the example above the first column is sorted in descending order. But if recurring rows appear in the table the relative second column are sorted in ascending order.

If the values of the columns are complex, the `"sortOrder"` attribute should point to a bean property containing the sort order. See how it's done in the [LiveDemo](http://livedemo.exadel.com/richfaces-demo/richfaces/columns.jsf?c=columns&tab=usage) [http://livedemo.exadel.com/richfaces-demo/richfaces/columns.jsf?c=columns&tab=usage] for `<rich:columns>` .

You can customize the sorting's icon element using `"rich-sort-icon"` class.

Note

In order to sort a column with the values not in English you can add the `org.richfaces.datatableUsesViewLocale` context parameter in your web.xml. Its value should be `"true"`.

Note:

The `"sortBy"` and the `"selfSorted"` attributes used with the `<rich:dataTable>` component. Also the `"selfSorted"` can be used with the `<rich:extendedDataTable>` .

The `"sortable"` and the `"sortExpression"` attributes used with the `<rich:scrollableDataTable>` component.

6.6.1.6.2. Filtering

There are two ways to filter the column value:

- Using built-in filtering. It uses `startsWith()` function to make filtering. In this case you need to define `"filterBy"` attribute at column you want to be filterable. This attribute defines iterable object property which is used when filtering performed.

The `"filterValue"` attribute is used to get or change current filtering value. It could be defined with initial filtering value on the page or as value binding to get/change it on server. If the `"filterValue"` attribute isn't empty from the beginning table is filtered on the first rendering.

You can customize the input form using `"rich-filter-input"` CSS class.

In order to change filter event you could use `"filterEvent"` attribute on column, e.g. `"onblur"`(default value).

Below you can see the example:

Example:

```
...
<rich:dataTable value="#{capitalsBean.capitals}" var="cap" width="500px">

  <rich:column filterBy="#{cap.state}" filterValue="#{filterName.filterBean}" filterEvent="onkeyup">
    <h:outputText value="#{cap.state}"/>
  </rich:column>
  <rich:column filterBy="#{cap.name}" filterEvent="onkeyup">
    <h:outputText value="#{cap.name}"/>
  </rich:column>
</rich:dataTable>
...
```

This is the result:

| Filtering Example | |
|--------------------------------|----------------------|
| State Name | State Capital |
| <input type="text" value="a"/> | <input type="text"/> |
| Alabama | Montgomery |
| Alaska | Juneau |
| Arizona | Phoenix |
| Arkansas | Little Rock |

Figure 6.18. Built-in filtering feature usage

- Using external filtering. In this case you need to write your custom filtering function or expression and define controls.

The *"filterExpression"* attribute is used to define expression evaluated to boolean value. This expression checks if the object satisfies filtering condition.

The *"filterMethod"* attribute is defined with method binding. This method accepts one Object parameter and return boolean value. So, this method also could be used to check if the object satisfies filtering condition. The usage of this attribute is the best way for implementing your own complex business logic.

See the following example:

Example:

```

...
<rich:dataTable value="#{capitalsBean.capitals}" var="cap" id="table">
  <rich:column filterMethod="#{filteringBean.filterStates}">
    <f:facet name="header">
      <h:inputText value="#{filteringBean.filterValue}" id="input">
        <a4j:support event="onkeyup" reRender="table"
          ignoreDupResponses="true" requestDelay="700" focus="input" />
      </h:inputText>
    </f:facet>
    <h:outputText value="#{cap.state}" />
  </rich:column>
  <rich:column filterExpression="#{fn:containsIgnoreCase(cap.timeZone,
filteringBean.filterZone)}">
    <f:facet name="header">
      <h:selectOneMenu value="#{filteringBean.filterZone}">
        <f:selectItems value="#{filteringBean.filterZones}" />
        <a4j:support event="onchange" reRender="table" />
      </h:selectOneMenu>
    </f:facet>
  </rich:column>
</rich:dataTable>

```

```
</f:facet>
  <h:outputText value="#{cap.timeZone}" />
</rich:column>
</rich:dataTable>
...
```

6.6.1.7. Facets

Table 6.58. Facets

| Facet name | Description |
|------------|----------------------------|
| header | Defines the header content |
| footer | Defines the footer content |

6.6.1.8. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all **<rich:column>** components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a **<rich:column>** component

6.6.1.9. Skin Parameters Redefinition

Skin parameters redefinition for **<rich:column>** are the same as for the **<rich:dataTable>** [component](#).

6.6.1.10. Definition of Custom Style Classes

Custom style classes for **<rich:column>** are the same as for the **<rich:dataTable>** [component](#).

In order to redefine styles for all **<rich:column>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...
.rich-table-cell{
  font-style: italic;
```

```
}
...
```

This is a result:

| State Flag | State Name | State Capital | Time Zone |
|---|-------------------|--------------------|--------------|
|  | <i>Alabama</i> | <i>Montgomery</i> | <i>GMT-6</i> |
|  | <i>Alaska</i> | <i>Juneau</i> | <i>GMT-9</i> |
|  | <i>Arizona</i> | <i>Phoenix</i> | <i>GMT-7</i> |
|  | <i>Arkansas</i> | <i>Little Rock</i> | <i>GMT-6</i> |
|  | <i>California</i> | <i>Sacramento</i> | <i>GMT-8</i> |

Figure 6.19. Redefinition styles with predefined classes

In the example cells font style was changed.

Also it's possible to change styles of particular `<rich:column>` component. In this case you should create own style classes and use them in corresponding `<rich:column styleClass>` attributes. An example is placed below:

Example:

```
...
.myClass{
    font-weight: bolder;
}
...
```

The `"styleClass"` attribute for `<rich:column>` is defined as it's shown in the example below:

Example:

```
<rich:column styleClass="myClass">
```

This is a result:

| State Flag | State Name | State Capital | Time Zone |
|---|-------------------|---------------|-----------|
|  | Alabama | Montgomery | GMT-6 |
|  | Alaska | Juneau | GMT-9 |
|  | Arizona | Phoenix | GMT-7 |
|  | Arkansas | Little Rock | GMT-6 |
|  | California | Sacramento | GMT-8 |

Figure 6.20. Redefinition styles with own classes and *styleClass* attributes

As it could be seen on the picture above, the font weight for second column was changed.

6.6.1.11. Relevant Resources Links

Vizit [Column](http://livedemo.exadel.com/richfaces-demo/richfaces/dataTable.jsf?c=column) [http://livedemo.exadel.com/richfaces-demo/richfaces/dataTable.jsf?c=column] page at RichFaces live demo for examples of component usage and their sources.

" [Using the "rendered" attribute of <rich:column>](http://www.jboss.org/community/docs/DOC-9607) [http://www.jboss.org/community/docs/DOC-9607]" article in RichFaces cookbook at JBoss portal gives an example of code of the component usage case.

6.6.2. < rich:columnGroup > available since 3.0.0

6.6.2.1. Description

The component combines columns in one row to organize complex subparts of a table.

| State Flag | | |
|---|------------|-------------------|
|  | Alabama | Montgomery GMT-6 |
|  | Alaska | Juneau GMT-9 |
|  | Arizona | Phoenix GMT-7 |
|  | Arkansas | Little Rock GMT-6 |
|  | California | Sacramento GMT-8 |

Figure 6.21. `<rich:columnGroup>` component

6.6.2.2. Key Features

- Completely skinned table columns and child elements
- Possibility to combine columns and rows inside
- Possibility to update a limited set of strings with Ajax

Table 6.59. `rich : columnGroup` attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| columnClasses | JSF: Assigns one or more space-separated CSS class names to the columns of the table. If the CSS class names are comma-separated, each class will be assigned to a particular column in the order they follow in the attribute. If you have less class names than columns, the class will be applied to every n-fold column where n is the order in which the class is listed in the attribute. If there are more class names than columns, the overflow ones are ignored. |

| Attribute Name | Description |
|----------------|---|
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| lang | HTML: Code describing the language used in the generated markup for this component |
| rendered | JSF: If "false", this component is not rendered |
| rowClasses | JSF: Assigns one or more space-separated CSS class names to the rows of the table. If the CSS class names are comma-separated, each class will be assigned to a particular row in the order they follow in the attribute. If you have less class names than rows, the class will be applied to every n-fold row where n is the order in which the class is listed in the attribute. If there are more class names than rows, the overflow ones are ignored. |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| title | HTML: Advisory title information about markup elements generated for this component |

Table 6.60. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.ColumnGroup |
| component-class | org.richfaces.component.html.HtmlColumnGroup |
| component-family | org.richfaces.ColumnGroup |
| renderer-type | org.richfaces.ColumnGroupRenderer |
| tag-class | org.richfaces.taglib.ColumnGroupTag |

6.6.2.3. Creating the Component with a Page Tag

To create the simplest variant of columnGroup on a page, use the following syntax:

Example:

```

...
<rich:columnGroup>
  <rich:column>
    <h:outputText value="Column1"/>
  </rich:column>
  <rich:column>
    <h:outputText value="Column2"/>
  </rich:column>
</rich:columnGroup>
...

```

6.6.2.4. Creating the Component Dynamically Using Java

Example:

```

import org.richfaces.component.html.HtmlColumnGroup;
...
HtmlColumnGroup myRow = new HtmlColumnGroup();
...

```

6.6.2.5. Details of Usage

The `<rich:columnGroup>` component combines columns set wrapping them into the `<tr>` element and outputting them into one row. Columns are combined in a group the same way as when the `"breakBefore"` attribute is used for columns to add a moving to the next rows, but the first variant is clearer from a source code. Hence, the following simple examples are very same.

Example:

```

...
<rich:dataTable value="#{capitalsBean.capitals}" var="cap" rows="5" id="sublist">
  <rich:column colspan="3">
    <f:facet name="header">State Flag</f:facet>
    <h:graphicImage value="#{cap.stateFlag}"/>
  </rich:column>
  <rich:columnGroup>
    <rich:column>
      <h:outputText value="#{cap.state}"/>
    </rich:column>
    <rich:column >
      <h:outputText value="#{cap.name}"/>
    </rich:column>
  </rich:columnGroup>

```

```
<rich:column >
  <h:outputText value="#{cap.timeZone}"/>
</rich:column>
</rich:columnGroup>
</rich:dataTable>
...
```

And representation without a grouping:

Example:

```
...
<rich:dataTable value="#{capitalsBean.capitals}" var="cap" rows="5" id="sublist">
  <rich:column colspan="3">
    <f:facet name="header">State Flag</f:facet>
    <h:graphicImage value="#{cap.stateFlag}"/>
  </rich:column>
  <rich:column breakBefore="true">
    <h:outputText value="#{cap.state}"/>
  </rich:column>
  <rich:column breakBefore="true">
    <h:outputText value="#{cap.name}"/>
  </rich:column>
  <rich:column >
    <h:outputText value="#{cap.timeZone}"/>
  </rich:column>
</rich:dataTable>
....
```

The result is:

| State Flag | | | |
|---|------------|-------------|-------|
|  | Alabama | Montgomery | GMT-6 |
|  | Alaska | Juneau | GMT-9 |
|  | Arizona | Phoenix | GMT-7 |
|  | Arkansas | Little Rock | GMT-6 |
|  | California | Sacramento | GMT-8 |

Figure 6.22. Generated `<rich:columnGroup>` component with `"breakBefore"` attribute

It's also possible to use the component for output of complex headers in a table. For example adding of a complex header to a facet for the whole table looks the following way:

Example:

```

...
<f:facet name="header">
  <rich:columnGroup>
    <rich:column rowspan="2">
      <h:outputText value="State Flag"/>
    </rich:column>
    <rich:column colspan="3">
      <h:outputText value="State Info"/>
    </rich:column>
    <rich:column breakBefore="true">
      <h:outputText value="State Name"/>
    </rich:column>
    <rich:column>
      <h:outputText value="State Capital"/>
    </rich:column>
    <rich:column>
      <h:outputText value="Time Zone"/>
    </rich:column>
  </rich:columnGroup>

```

```
</f:facet>
```

...

Generated on a page as:

| State Flag | State Info | | |
|---|------------|---------------|-----------|
| | State Name | State Capital | Time Zone |
|  | Alabama | Montgomery | GMT-6 |
|  | Alaska | Juneau | GMT-9 |
|  | Arizona | Phoenix | GMT-7 |
|  | Arkansas | Little Rock | GMT-6 |
|  | California | Sacramento | GMT-8 |

Figure 6.23. <rich:columnGroup> with complex headers

6.6.2.6. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all <rich:columnGroup> components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a <rich:columnGroup> component

6.6.2.7. Skin Parameters Redefinition

Skin parameters redefinition for <rich:columnGroup> are the same as for the <rich:dataTable> [component](#).

6.6.2.8. Definition of Custom Style Classes

Custom style classes for <rich:columnGroup> are the same as for the <rich:dataTable> [component](#).

In order to redefine styles for all <rich:columnGroup> components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

...

```
.rich-table-cell{
    color: #316ac5;
}
...
```

This is a result:

| State Flag | | |
|---|------------|-------------------|
|  | Alabama | Montgomery GMT-6 |
|  | Alaska | Juneau GMT-9 |
|  | Arizona | Phoenix GMT-7 |
|  | Arkansas | Little Rock GMT-6 |
|  | California | Sacramento GMT-8 |

Figure 6.24. Redefinition styles with predefined classes

In the example cells color was changed.

Also it's possible to change styles of particular `<rich:columnGroup>` component. In this case you should create own style classes and use them in corresponding `<rich:columnGroup>` `styleClass` attributes. An example is placed below:

Example:

```
...
.myClass{
    background-color: #c0c0c0;
}
...
```

The `"columnClasses"` attribute for `<rich:columnGroup>` is defined as it's shown in the example below:

Example:

```
<rich:columnGroup columnClasses="myClass">
```

This is a result:

| State Flag | | |
|--|------------|-------------------|
|  | Alabama | Montgomery GMT-6 |
|  | Alaska | Juneau GMT-9 |
|  | Arizona | Phoenix GMT-7 |
|  | Arkansas | Little Rock GMT-6 |
|  | California | Sacramento GMT-8 |

Figure 6.25. Redefinition styles with own classes and *styleClass* attributes

As it could be seen on the picture above, the background color for columns was changed.

6.6.2.9. Relevant Resources Links

On the [component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/dataTable.jsf?c=columnGroup) [http://livedemo.exadel.com/richfaces-demo/richfaces/dataTable.jsf?c=columnGroup] you can see the example of **<rich:columnGroup>** usage and sources for the given example.

6.6.3. < rich:columns > available since 3.2.0

3.2.0

6.6.3.1. Description

The **<rich:columns>** is a component, that allows you to create a dynamic set of columns from your model.

| Name | State | Time Zone |
|-------------|-------------|-----------|
| Montgomery | Alabama | GMT-6 |
| Juneau | Alaska | GMT-9 |
| Phoenix | Arizona | GMT-7 |
| Little Rock | Arkansas | GMT-6 |
| Sacramento | California | GMT-8 |
| Denver | Colorado | GMT-7 |
| Hartford | Connecticut | GMT-5 |
| Dover | Delaware | GMT-5 |
| Tallahassee | Florida | GMT-5 |
| Atlanta | Georgia | GMT-5 |

Figure 6.26. `<rich:columns>` component

6.6.3.2. Key Features

- Highly customizable look and feel
- Dynamic tables creation
- Possibility to combine columns with the help of `"colspan"` and `"breakBefore"`
- Possibility to combine rows with the help of `"rowspan"`
- [Sorting column values](#)
- [Filtering column values](#)

Table 6.61. `rich : columns` attributes

| Attribute Name | Description |
|--------------------------|--|
| <code>begin</code> | Contains the first iteration item |
| <code>breakBefore</code> | if <code>"true"</code> next column begins from the first row |
| <code>colspan</code> | Corresponds to the HTML <code>colspan</code> attribute |
| <code>columns</code> | Number of columns to be rendered |
| <code>comparator</code> | Defines value binding to the comparator that is used to compare the values |
| <code>dir</code> | HTML: Direction indication for text that does not inherit directionality. Valid values are <code>"LTR"</code> (left-to-right) and <code>"RTL"</code> (right-to-left) |
| <code>end</code> | Contains the last iteration item |
| <code>filterBy</code> | Defines iterable object property which is used when filtering performed. |

| Attribute Name | Description |
|------------------|---|
| filterEvent | Event for filter input that forces the filtration (default value is "onchange") |
| filterExpression | Attribute defines a bean property which is used for filtering of a column |
| filterMethod | This attribute is defined with method binding. This method accepts on Object parameter and return boolean value |
| filterValue | Defines current filtering value |
| footerClass | Assigns one or more space-separated CSS class names to any footer generated for this component |
| headerClass | Assigns one or more space-separated CSS class names to any header generated for this component |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| index | The current counter |
| label | Column label for drag indicator. Usable only for extendedDataTable component |
| lang | HTML: Code describing the language used in the generated markup for this component |
| rendered | JSF: Attribute defines if component should be rendered. Default value is "true". |
| rowspan | Corresponds to the HTML rowspan attribute |
| selfSorted | Manages if the header of the column is clickable, icons rendered and sorting is fired after click on the header. You need to define this attribute inside <rich:dataTable> component. Default value is "true" |
| sortable | Boolean attribute. If "true" it's possible to sort the column content after click on the header. Default value is "true" |
| sortBy | Defines a bean property which is used for sorting of a column. This attribute used with <rich:dataTable> |
| sortExpression | Defines a bean property which is used for sorting of a column and used only with <rich:scrollableDataTable>. |

| Attribute Name | Description |
|--------------------|---|
| sortIcon | Defines sort icon. The value for the attribute is context related. |
| sortIconAscending | Defines sort icon for ascending order. The value for the attribute is context related. |
| sortIconDescending | Defines sort icon for descending order. The value for the attribute is context related. |
| sortOrder | SortOrder is an enumeration of the possible sort orderings. Default value is "UNSORTED" |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| title | HTML: Advisory title information about markup elements generated for this component |
| value | JSF: The current value for this component |
| var | The current variable |
| visible | The attribute is used to define whether the component is visible or not. The default value is "true". |
| width | HTML: Attribute defines width of column. |

Table 6.62. Component identification parameters

| Name | Value |
|----------------|--|
| component-type | org.richfaces.Column |
| tag-class | org.richfaces.taglib.ColumnsTagHandler |

6.6.3.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```

...
<rich:dataTable value="#{capitalsBean.capitals}" var="cap">
  <rich:columns value="#{capitalsBean.labels}" var="col" index="index">
    <h:outputText value="#{cap[index]}" />
  </rich:columns>
</rich:dataTable>

```

...

6.6.3.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlColumn;  
...  
HtmlColumn myColumns = new HtmlColumn();  
...
```

6.6.3.5. Details of Usage

The **<rich:columns>** component gets a list from data model and outputs corresponding set of columns inside **<rich:dataTable>** on a page. It is possible to use *"header"* and *"footer"* facets with **<rich:columns>** component.

The *"value"* and *"var"* attributes are used to access the values of collection.

The simple example is placed below.

Example:

```
...  
<rich:dataTable value="#{capitalsBean.capitals}" var="cap">  
  <rich:columns value="#{capitalsBean.labels}" var="col" index="index">  
    <f:facet name="header">  
      <h:outputText value="#{col.text}" />  
    </f:facet>  
    <h:outputText value="#{cap[index]}" />  
    <f:facet name="footer">  
      <h:outputText value="#{col.text}" />  
    </f:facet>  
  </rich:columns>  
</rich:dataTable>  
...
```

The *"columns"* attribute defines the count of columns.

The *"rowspan"* attribute defines the number of rows to be displayed. If the value of this attribute is zero, all remaining rows in the table are displayed on a page.

The *"begin"* attribute contains the first iteration item. Note, that iteration begins from zero.

The "end" attribute contains the last iteration item.

With the help of the attributes described below you can customize the output, i.e. define which columns and how many rows appear on a page.

Example:

```
...
<rich:dataTable value="#{capitalsBean.capitals}" var="cap">

  <rich:columns value="#{capitalsBean.labels}" var="col" index="index" rowspan="0" columns="3" begin="1" end="2">
    <f:facet name="header">
      <h:outputText value="#{col.text}" />
    </f:facet>
    <h:outputText value="#{cap[index]}" />
  </rich:columns>
</rich:dataTable>
...
```

In the example below, columns from first to second and all rows are shown in the `<rich:dataTable>` .

The result is:

| Name | Capital |
|-------------|-------------|
| Montgomery | Alabama |
| Juneau | Alaska |
| Phoenix | Arizona |
| Little Rock | Arkansas |
| Sacramento | California |
| Denver | Colorado |
| Hartford | Connecticut |
| Dover | Delaware |
| Tallahassee | Florida |
| Atlanta | Georgia |

Figure 6.27. Generated `<rich:columns>` with columns from first to second and all rows

The `<rich:columns>` component does not prevent to use `<rich:column>` . In the following example one column renders in any way and another columns could be picked from the model.

Example:

```
...
<rich:dataTable value="#{rowBean.rows}" var="row">
  <rich:column>
    <h:outputText value="#{row.columnValue}"/>
  </rich:column>
  <rich:columns value="#{colBean.columns}" var="col">
    <f:facet name="header">
      <h:outputText value="#{col.header}"/>
    </f:facet>
    <h:outputText value="#{row.columnValue}"/>
    <f:facet name="footer">
      <h:outputText value="#{col.footer}"/>
    </f:facet>
  </rich:columns>
</rich:dataTable>
...
```

Now, you can use a few **<rich:columns>** together with **<rich:column>** within the one table:

```
...
<rich:dataTable value="#{dataTableScrollerBean.model}" var="model" width="500px" rows="5">
  <f:facet name="header">
    <h:outputText value="Cars Available"></h:outputText>
  </f:facet>
  <rich:columns value="#{dataTableScrollerBean.columns}" var="columns" index="ind">
    <f:facet name="header">
      <h:outputText value="#{columns.header}" />
    </f:facet>
    <h:outputText value="#{model[ind].model}" />
  </rich:columns>
  <rich:column>
    <f:facet name="header">
      <h:outputText value="Price" />
    </f:facet>
    <h:outputText value="Price" />
  </rich:column>
  <rich:columns value="#{dataTableScrollerBean.columns}" var="columns" index="ind">
    <f:facet name="header">
      <h:outputText value="#{columns.header}" />
    </f:facet>
    <h:outputText value="#{model[ind].mileage}$" />
  </rich:columns>
</rich:dataTable>
```

```
</rich:dataTable>
```

```
...
```

In order to group columns with text information into one row, use the *colspan* attribute, which is similar to an HTML one. In the following example the third column contains 3 columns. In addition, it's necessary to specify that the next column begins from the first row with the help of the `breakBefore = "true"`.

Example:

```
...
<rich:dataTable value="#{columns.data1}" var="data">
  <rich:column>
    <h:outputText value="#{column.Item1}" />
  </rich:column>
  <rich:column>
    <h:outputText value="#{column.Item2}" />
  </rich:column>
  <rich:column>
    <h:outputText value="#{column.Item3}" />
  </rich:column>
  <rich:columns columns="3" colspan="3" breakBefore="true">
    <h:outputText value="#{data.str0}" />
  </rich:columns>
</rich:dataTable>
...
```

The same way is used for columns grouping with the *rowspan* attribute that is similar to an HTML. The only thing to add in the example is an instruction to move onto the next row for each next after the second column.

Example:

```
...
<rich:dataTable value="#{columns.data1}" var="data">
  <rich:columns columns="2" rowspan="3">
    <h:outputText value="#{data.str0}" />
  </rich:columns>
  <rich:column>
    <h:outputText value="#{column.Item1}" />
  </rich:column>
  <rich:column breakBefore="true">
```

```
<h:outputText value="#{column.Item2}" />
</rich:column>
<rich:column breakBefore="true">
  <h:outputText value="#{column.Item3}" />
</rich:column>
</rich:dataTable>
...
```

Note:

The **<rich:columns>** tag is initialized during components tree building process. This process precedes page rendering at "Render Response" JSF phase. To be rendered properly the component needs all its variables to be initialized while the components tree is being built. A *javax.servlet.jsp.JspTagException* occurs if **<rich:columns>** uses variables passed from other components, if these variables are initialized during rendering. Thus, when **<rich:columns>** is asking for such variables they do not already exist. Use **<c:forEach>** JSP standard tag as a workaround. Compare two examples below.

This code calls the exception:

```
...
<rich:dataTable value="#{bean.data}" var="var">
  <rich:columns value="#{var.columns}">
    ...
  </rich:columns>
</rich:dataTable>
...
```

This code works properly:

```
...
<c:forEach items="#{bean.data}" var="var">
  <rich:columns value="#{var.columns}">
    ...
  </rich:columns>
</c:forEach>
...
```

Note:

Since 3.3.0GA `<rich:columns>` requires explicit definition of `"id"` for children components to ensure that decode process works properly. The example of how you can define unique `"id"` for children component:

```
...
<rich:columns value="#{bean.columns}" var="col" index="ind" ... >
  <h:inputText id="input#{ind}" value="">
    <a4j:support id="support#{ind}" event="onchange" reRender="someId" />
  </h:inputText>
</rich:columns>
...
```

Only if `"id"` defined as shown above Ajax after onchange event will be processed as expected.

Sorting and filtering for the `<rich:columns>` component works the same as for `<rich:column>`. See the ["Sorting and Filtering"](#) section.

6.6.3.6. Facets**Table 6.63. Facets**

| Facet name | Description |
|------------|----------------------------|
| header | Defines the header content |
| footer | Defines the footer content |

6.6.3.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:columns>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a `<rich:columns>` component

6.6.3.8. Skin Parameters Redefinition

Skin parameters redefinition for `<rich:columns>` are the same as for the `<rich:dataTable>` [component](#).

6.6.3.9. Definition of Custom Style Classes

Custom style classes for <rich:columns> are the same as for the <rich:dataTable> *component*

In order to redefine styles for all <rich:columns> components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables *above*) and define necessary properties in them.

Example:

```
...  
.rich-table-subheadercell{  
    color: #a0a0a0;  
}  
...
```

This is a result:

| Cars Available | | | | | |
|---------------------|---------------------|-------------------|------------------|------------------|----------------|
| Chevrolet | Ford | Nissan | Toyota | GMC | Infiniti |
| Corvette 35924\$ | Explorer 21546\$ | Maxima 42175\$ | Camry 23965\$ | Yukon 47905\$ | G35 22270\$ |
| Corvette 20201\$ | Explorer 28753\$ | Maxima 46531\$ | Camry 18672\$ | Yukon 53682\$ | G35 36320\$ |
| Corvette 41865\$ | Explorer 45383\$ | Maxima 37191\$ | Camry 53521\$ | Yukon 24651\$ | G35 46691\$ |
| Corvette 27377\$ | Explorer 29883\$ | Maxima 22904\$ | Camry 19503\$ | Yukon 18273\$ | G35 48485\$ |
| Corvette 23649\$ | Explorer 24675\$ | Maxima 28192\$ | Camry 16563\$ | Yukon 44151\$ | G35 28548\$ |

Figure 6.28. Redefinition styles with predefined classes

In the example column header cells color was changed.

Also it's possible to change styles of particular <rich:columns> component. In this case you should create own style classes and use them in corresponding <rich:columns> *styleClass* attributes. An example is placed below:

Example:

```
...
```

```
.myClass {
    font-style: oblique;
}
...
```

The `styleClass` attribute for `<rich:columns>` is defined as it's shown in the example below:

Example:

```
<rich:columns styleClass="myClass">
```

This is a result:

| Cars Available | | | | | |
|---------------------|---------------------|-------------------|------------------|------------------|----------------|
| Chevrolet | Ford | Nissan | Toyota | GMC | Infiniti |
| Corvette 20538\$ | Explorer 27258\$ | Maxima 35577\$ | Camry 33560\$ | Yukon 53796\$ | G35 53131\$ |
| Corvette 38615\$ | Explorer 42997\$ | Maxima 17940\$ | Camry 37641\$ | Yukon 43658\$ | G35 32514\$ |
| Corvette 44219\$ | Explorer 27264\$ | Maxima 32297\$ | Camry 20021\$ | Yukon 28010\$ | G35 17485\$ |
| Corvette 41511\$ | Explorer 23427\$ | Maxima 42032\$ | Camry 39194\$ | Yukon 33153\$ | G35 24213\$ |
| Corvette 45762\$ | Explorer 28752\$ | Maxima 26400\$ | Camry 41681\$ | Yukon 50712\$ | G35 29631\$ |

Figure 6.29. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, the font style for columns was changed.

6.6.3.10. Relevant Resources Links

On the component LiveDemo page [<http://livedemo.exadel.com/richfaces-demo/richfaces/dataTable.jsf?c=columns>] you can find some additional information for `<rich:columns>` component usage.

6.6.4. `< rich:dataDefinitionList >` available since 3.0.0

6.6.4.1. Description

The component for definition lists rendering that allows choosing data from a model and obtains built-in support of Ajax updates.

```
Chevrolet Corvette
  Price:18098
  Mileage:16296.0
Chevrolet Malibu
  Price:36523
  Mileage:46112.0
Chevrolet Malibu
  Price:33307
  Mileage:57709.0
Chevrolet Malibu
  Price:34248
  Mileage:62821.0
Chevrolet Malibu
  Price:51555
  Mileage:51549.0
```

Figure 6.30. <rich:dataDefinitionList> component

6.6.4.2. Key Features

- Completely skinned table rows and child elements
- Possibility to update a limited set of rows with Ajax
- Possibility to receive values dynamically from a model

Table 6.64. rich : dataDefinitionList attributes

| Attribute Name | Description |
|----------------|--|
| ajaxKeys | This attribute defines row keys that are updated after an AJAX request |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| columnClasses | JSF: Assigns one or more space-separated CSS class names to the columns of the table. If the CSS class names are comma-separated, each class will be assigned to a particular column in the order they follow in the attribute. If you have less class names than columns, the class will be applied to every n-fold column where n is the order in which the class is listed in the attribute. If there are more class names than columns, the overflow ones are ignored. |
| componentState | It defines EL-binding for a component state for saving or redefinition |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |

| Attribute Name | Description |
|-----------------|---|
| first | A zero-relative row number of the first row to display |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| lang | HTML: Code describing the language used in the generated markup for this component |
| rendered | JSF: If "false", this component is not rendered |
| rowClasses | JSF: Assigns one or more space-separated CSS class names to the rows of the table. If the CSS class names are comma-separated, each class will be assigned to a particular row in the order they follow in the attribute. If you have less class names than rows, the class will be applied to every n-fold row where n is the order in which the class is listed in the attribute. If there are more class names than rows, the overflow ones are ignored. |
| rowKey | RowKey is a representation of an identifier for a specific data row |
| rowKeyConverter | Converter for a RowKey object. |
| rowKeyVar | The attribute provides access to a row key in a Request scope |
| rows | HTML: A number of rows to display, or zero for all remaining rows in the table |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| title | HTML: Advisory title information about markup elements generated for this component |
| value | JSF: The current value for this component |
| var | A request-scope attribute via which the data object for the current row will be used when iterating |

Table 6.65. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.DataDefinitionList |
| component-class | org.richfaces.component.html.HtmlDataDefinitionList |
| component-family | org.richfaces.DataDefinitionList |
| renderer-type | org.richfaces.DataDefinitionListRenderer |
| tag-class | org.richfaces.taglib.DataDefinitionListTag |

6.6.4.3. Creating the Component with a Page Tag

To create the simplest variant of dataDefinitionList on a page, use the following syntax:

Example:

```
...  
<rich:dataDefinitionList value="#{bean.capitals}" var="caps">  
  <f:facet name="term">Cars</f:facet>  
  <h:outputText value="#{car.model}"/>  
</rich:dataDefinitionList>  
...
```

6.6.4.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlDataDefinitionList;  
...  
HtmlDataDefinitionList myList = new HtmlDataDefinitionList();  
...
```

6.6.4.5. Details of Usage

The **<rich:dataDefinitionList>** component allows to generate an definition list from a model.

The component has the *"term"* facet, which corresponds to the *"type"* parameter for the **<DT>** HTML element.

Here is an example:

```
...  
<h:form>
```

```

<rich:dataDefinitionList var="car" value="#{dataTableScrollerBean.allCars}" rows="5" first="4" title="Cars">
  <f:facet name="term">
    <h:outputText value="#{car.make} #{car.model}"></h:outputText>
  </f:facet>
  <h:outputText value="Price:" styleClass="label"></h:outputText>
  <h:outputText value="#{car.price}" /><br/>
  <h:outputText value="Mileage:" styleClass="label"></h:outputText>
  <h:outputText value="#{car.mileage}" /><br/>
</rich:dataDefinitionList>
</h:form>
...

```

This is a result:

```

Chevrolet Corvette
  Price:18098
  Mileage:16296.0
Chevrolet Malibu
  Price:36523
  Mileage:46112.0
Chevrolet Malibu
  Price:33307
  Mileage:57709.0
Chevrolet Malibu
  Price:34248
  Mileage:62821.0
Chevrolet Malibu
  Price:51555
  Mileage:51549.0

```

Figure 6.31. `<rich:dataDefinitionList>` component with *"term"* facet

In the example the *"rows"* attribute limits number of output elements of the list.

"first" attribute defines first element for output. *"title"* are used for popup title.

The component was created basing on the `<a4j:repeat>` component and as a result it could be partially updated with Ajax. *The "ajaxKeys" attribute allows to define row keys that are updated after an Ajax request, you need to pass an array with key (lines) of the list that you want to be updated after the Ajax request is executed.*

Here is an example:

Example:

```

...
<rich:dataDefinitionList value="#{dataTableScrollerBean.allCars}" var="car" ajaxKeys="#{listBean.list}"
  binding="#{listBean.dataList}" id="list">
...

```

```
</rich:dataDefinitionList>  
...  
<a4j:commandButton action="#{listBean.action}" reRender="list" value="Submit"/>  
...
```

In the example "reRender" attribute contains value of "id" attribute for <rich:dataDefinitionList> component. As a result the component is updated after an Ajax request.

6.6.4.6. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all <rich:dataDefinitionList> components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a <rich:dataDefinitionList> component

6.6.4.7. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.32. Style classes

Table 6.66. Classes names that define a list appearance

| Class name | Description |
|-----------------|---|
| rich-deflist | Defines styles for an html <dl> element |
| rich-definition | Defines styles for an html <dd> element |

| Class name | Description |
|----------------------|---|
| rich-definition-term | Defines styles for an html <dt> element |

In order to redefine styles for all **<rich:dataDefinitionList>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```

...
.rich-definition-term{
  font-weight:bold;
}
...

```

This is a result:




Figure 6.33. Redefinition styles with predefined classes

In the example a term font weight was changed.

Also it's possible to change styles of particular **<rich:dataDefinitionList>** component. In this case you should create own style classes and use them in corresponding **<rich:dataDefinitionList>** *styleClass* attributes. An example is placed below:

Example:

```

...

```

```
.myClass{  
font-style: italic;  
}  
...
```

Example:

```
<rich:dataDefinitionList ... rowClasses="myClass"/>
```

This is a result:



| | | |
|--------------------|---------------------|-------------------------|
| Chevrolet Corvette | <i>Price: 25005</i> | <i>Mileage: 39907.0</i> |
| Chevrolet Malibu | <i>Price: 41590</i> | <i>Mileage: 55513.0</i> |
| Chevrolet Malibu | <i>Price: 45663</i> | <i>Mileage: 25634.0</i> |
| Chevrolet Malibu | <i>Price: 54627</i> | <i>Mileage: 49515.0</i> |
| Chevrolet Malibu | <i>Price: 31953</i> | <i>Mileage: 34977.0</i> |

Figure 6.34. Redefinition styles with own classes and *styleClass* attributes

As it could be seen on the picture above, the font style for rows was changed.

6.6.4.8. Relevant Resources Links

On the [component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/dataLists.jsf?c=dataDefinitionList) [http://livedemo.exadel.com/richfaces-demo/richfaces/dataLists.jsf?c=dataDefinitionList] you can see the example of `<rich:dataDefinitionList>` usage and sources for the given example.

6.6.5. < rich:dataFilterSlider > available since 3.0.0

6.6.5.1. Description

A slider-based action component is used for filtering table data.




Figure 6.35. <rich:dataFilterSlider> component

6.6.5.2. Key Features

- Filter any UIData based component in dependency on its child's values
- Fully skinnable control and input elements
- Optional value text field with an attribute-managed position
- Optional disablement of the component on a page
- Optional tooltip to display the current value while a handle is dragged
- Dragged state is stable after the mouse moves
- Optional manual input possible if a text input field is present
- Validation of manual input

Table 6.67. rich : dataFilterSlider attributes

| Attribute Name | Description |
|----------------|--|
| action | MethodBinding pointing at the application action to be invoked, if this UIComponent is activated by you, during the Apply Request Values or Invoke Application phase of the request processing lifecycle, depending on the value of the immediate property |
| actionListener | MethodBinding pointing at method accepting an ActionEvent with return type void |
| ajaxSingle | Limits JSF tree processing (decoding, conversion, validation and model updating) |

| Attribute Name | Description |
|--------------------|---|
| | only to a component that sends the request. Boolean |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| clientErrorMessage | An error message to use in client-side validation events |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| endRange | A slider end point |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| fieldStyleClass | Assigns one or more space-separated CSS class names to the component input field. The value of the "manualInput" attribute must be "true". |
| filterBy | A getter of an object member required to compare a slider value to. This is a value that is used in results filtering |
| focus | ID of an element to set focus after request is completed on client side |
| for | The component using UIData (datatable id) |
| forValRef | This is a string which is used in a value attribute of the datatable. It is used for resetting the datatable back to the original list provided by a backing bean |
| handleStyleClass | Assigns one or more space-separated CSS class names to the component handle |
| handleValue | Current handle value |
| id | JSF: Every component may have a unique id that is automatically created if omitted |

| Attribute Name | Description |
|--------------------|--|
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now |
| immediate | True means, that the default ActionListener should be executed immediately (i.e. during Apply Request Values phase of the request processing lifecycle), rather than waiting until the Invoke Application phase |
| increment | Amount to which a handle on each slide/move should be incremented |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| manuallInput | False value for this attribute makes text field "read-only" and "hidden". Hence, the value can be changed only from a handle. Default value is "true" |
| onbeforedomupdate | The client-side script method to be called before DOM is updated |
| onchange | DHTML: The client-side script method to be called when the component input field value is changed |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| oncomplete | The client-side script method to be called after the request is completed |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onerror | The client-side script method to be called whenever a JavaScript error occurs |

| Attribute Name | Description |
|-----------------|---|
| oninputkeydown | The client-side script method to be called when a key is pressed down in the component input field |
| oninputkeypress | The client-side script method to be called when a key is pressed and released in the component input field |
| oninputkeyup | The client-side script method to be called when a key is released in the component input field |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| onslide | The client-side script method to be called when a slider handle is moved |
| onSlideSubmit | DEPRECATED (use submitOnSlide). If the slider value is changed, the form is submitted. Default value is "true". |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, processed at the phases 2-5 in case of <code>AjaxRequest</code> caused by this |

| Attribute Name | Description |
|----------------------|---|
| | component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rangeStyleClass | Assigns one or more space-separated CSS class names to the background div element wrapping a full range |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, rendered in case of AjaxRequest caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| sliderListener | MethodBinding representing an action listener method that will be notified after changing of slider control position |
| startRange | A slider begin point |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| storeResults | Specifies if the component will store a UIData object (your table rows) in session |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more space-separated CSS class names to the container surrounding the component. Corresponds to the HTML "class" attribute. |
| submitOnSlide | If the slider value is changed, the form is submitted. Default value is "true". |

| Attribute Name | Description |
|-------------------|---|
| timeout | Response waiting time on a particular request. If a response is not received during this time, the request is aborted |
| trackStyleClass | Assigns one or more space-separated CSS class names to the component track |
| trailer | It shows or hides a trailer following a handle |
| trailerStyleClass | Assigns one or more space-separated CSS class names to the trailer following the component handle |
| value | JSF: The current value for this component |
| width | HTML: Width of the slider control. Default value is "200px". |

Table 6.68. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.dataFilterSlider |
| component-class | org.richfaces.component.html.HtmlDataFilterSlider |
| component-family | org.richfaces.DataFilterSlider |
| renderer-type | org.richfaces.DataFilterSliderRenderer |
| tag-class | org.richfaces.taglib.dataFilterSliderTag |

6.6.5.3. Creating the Component with a Page Tag

Here is a simple example as it could be used on a page:

Example:

```
...  
<rich:dataFilterSlider sliderListener="#{mybean.doSlide}" startRange="0"  
    endRange="50000" increment="10000" handleValue="1" />  
...
```

6.6.5.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlDataFilterSlider;  
...
```

```
HtmlDataFilterSlider mySlider = new HtmlDataFilterSlider();  
...
```

6.6.5.5. Details of Usage

The **dataFilterSlider** component is bound to some UIData component using a *"for"* attribute and filters data in a table.

Example:

```
...  
<rich:dataFilterSlider sliderListener="#{mybean.doSlide}"  
    startRange="0"  
    endRange="50000"  
    increment="10000"  
    handleValue="1"  
    for="carIndex"  
    forValRef="inventoryList.carInventory"  
    filterBy="getMileage" />  
...  
<h:dataTable id="carIndex">  
    ...  
</h:dataTable>  
...
```

In this example other two attributes are used for filtering:

- *"forValRef"* is a string which is used in a value attribute of the target UIData component. It's designed for resetting the UIData component back to the original list provided by a backing bean.
- *"filterBy"* is a getter of an object member that is to be compared to a slider value. It's a value that is used in results filtering.

"handleValue" is an attribute for keeping the current handle position on the dataFilterSlider component. Based on the current value, appropriate values obtained from a getter method defined in *"filterBy"* are filtered.

One more important attribute is a *"storeResults"* one that allows the dataFilterSlider component to keep UIData target object in session.

If it's necessary the component submits a form on event of a handle state changing, use the *"submitOnSlide"* attribute. When the attribute definition is `TRUE`, submission on this event is defined.

Information about the "process" attribute usage you can find in the ["Decide what to process"](#) guide section.

6.6.5.6. Look-and-Feel Customization

The `<rich:dataFilterSlider>` component has no skin parameters and special *style classes*, as it consists of one element generated with a your method on the server. To define some style properties such as an indent or a border, it's possible to use "style" and "styleClass" attributes on the component.

6.6.5.7. Relevant Resources Links

On the [component LiveDemo page](#) [<http://livedemo.exadel.com/richfaces-demo/richfaces/dataFilterSlider.jsf?c=dataFilterSlider>] you can see the example of `<rich:dataFilterSlider>` usage and sources for the given example.

6.6.6. < rich:dataGrid > available since 3.0.0

6.6.6.1. Description

The component to render data as a grid that allows choosing data from a model and obtains built-in support of Ajax updates.



Figure 6.36. `<rich:dataGrid>` component

6.6.6.2. Key Features

- A completely skinned table and child elements
- Possibility to update a limited set of rows with Ajax
- Possibility to receive values dynamically from a model

Table 6.69. rich : dataGrid attributes

| Attribute Name | Description |
|----------------|---|
| ajaxKeys | This attribute defines row keys that are updated after an AJAX request |
| align | Deprecated. This attribute specifies the position of the table with respect to the document. The possible values are "left", "center" and "right". The default value is "left". |
| bgcolor | Deprecated. This attribute sets the background color for the document body or table cells. This attribute sets the background color of the canvas for the document body (the BODY element) or for tables (the TABLE, TR, TH, and TD elements). Additional attributes for specifying text color can be used with the BODY element. This attribute has been deprecated in favor of style sheets for specifying background color information |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| border | HTML: This attributes specifies the width of the frame around a component. Default value is "0". |
| captionClass | Assigns one or more space-separated CSS class names to the component caption |
| captionStyle | CSS style rules to be applied to the component caption |
| cellpadding | This attribute specifies the amount of space between the border of the cell and its contents. Default value is "0". |
| cellspacing | This attribute specifies the amount of space between the border of the cell and its contents. The attribute also specifies the amount of space to leave between cells. Default value is "0". |
| columnClasses | JSF: Assigns one or more space-separated CSS class names to the columns of the table. If the CSS class names are comma-separated, each class will be assigned to a particular column in the order they follow in the attribute. |

| Attribute Name | Description |
|----------------|--|
| | If you have less class names than columns, the class will be applied to every n-fold column where n is the order in which the class is listed in the attribute. If there are more class names than columns, the overflow ones are ignored. |
| columns | Number of columns |
| componentState | It defines EL-binding for a component state for saving or redefinition |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| elements | Number of elements in grid |
| first | A zero-relative row number of the first row to display |
| footerClass | Assigns one or more space-separated CSS class names to the component footer |
| frame | This attribute specifies which sides of the frame surrounding a table will be visible. Possible values: "void", "above", "below", "hsides", "lhs", "rhs", "vsides", "box" and "border". The default value is "void". |
| headerClass | Assigns one or more space-separated CSS class names to the component header |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| lang | HTML: Code describing the language used in the generated markup for this component |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |

| Attribute Name | Description |
|----------------|---|
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| onRowClick | The client-side script method to be called when the row is clicked |
| onRowDbClick | The client-side script method to be called when the row is double-clicked |
| onRowMouseDown | The client-side script method to be called when a mouse button is pressed down over the row |
| onRowMouseMove | The client-side script method to be called when a pointer is moved within the row |
| onRowMouseOut | The client-side script method to be called when a pointer is moved away from the row |
| onRowMouseOver | The client-side script method to be called when a pointer is moved onto the row |
| onRowMouseUp | The client-side script method to be called when a mouse button is released over the row |
| rendered | JSF: If "false", this component is not rendered |
| rowClasses | JSF: Assigns one or more space-separated CSS class names to the rows of the table. If the CSS class names are comma-separated, each class will be assigned to a particular row in the order they follow in the attribute. If you have less class names than rows, the class will be applied to every n-fold row where n is the order in which the class is listed in the attribute. If there are more class names than rows, the overflow ones are ignored. |

| Attribute Name | Description |
|-----------------|---|
| rowKey | RowKey is a representation of an identifier for a specific data row |
| rowKeyConverter | Converter for a row key object |
| rowKeyVar | Request scoped variable for client access to rowKey |
| rules | This attribute specifies which rules will appear between cells within a table. The rendering of rules is user agent dependent. Possible values: * none: No rules. This is the default value. * groups: Rules will appear between row groups (see THEAD, TFOOT, and TBODY) and column groups (see COLGROUP and COL) only. * rows: Rules will appear between rows only. * cols: Rules will appear between columns only. * all: Rules will appear between all rows and columns |
| stateVar | The attribute provides access to a component state on the client side |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| summary | This attribute provides a summary of the table's purpose and structure for user agents rendering to non-visual media such as speech and Braille |
| title | HTML: Advisory title information about markup elements generated for this component |
| value | JSF: The current value for this component |
| var | A request-scope attribute via which the data object for the current row will be used when iterating |
| width | HTML: This attribute specifies the desired width of the entire table and is intended for visual user agents. When the value is percentage value, the value is relative to the user agent's available horizontal space. In the absence of any width specification, table width is determined by the user agent |

Table 6.70. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.DataGrid |
| component-class | org.richfaces.component.html.HtmlDataGrid |
| component-family | org.richfaces.DataGrid |
| renderer-type | org.richfaces.DataGridRenderer |
| tag-class | org.richfaces.taglib.DataGridTag |

6.6.6.3. Creating the Component with a Page Tag

To create the simplest variant of dataGrid on a page, use the following syntax:

Example:

```
...
<rich:dataGrid value="#{dataTableScrollerBean.allCars}" var="car">
    <h:outputText value="#{car.model}"/>
</rich:dataGrid>
...
```

6.6.6.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlDataGrid;
...
HtmlDataGrid myList = new HtmlDataGrid();
...
```

6.6.6.5. Details of Usage

The component takes a list from a model and outputs it the same way as with `<h:panelGrid>` for inline data. To define grid properties and styles, use the same definitions as for `<h:panelGrid>`.

The component allows to:

- Use `"header"` and `"footer"` facets for output
- Limit number of output elements (`"elements"` attribute) and define first element for output (`"first"` attribute)

- Bind pages with **<rich:datascroller>** component

Here is an example:

Example:

```
...
<rich:panel style="width:150px;height:200px;">
  <h:form>

  <rich:dataGrid value="#{dataTableScrollerBean.allCars}" var="car" columns="2" elements="4" first="1">
    <f:facet name="header">
      <h:outputText value="Car Store"></h:outputText>
    </f:facet>
    <rich:panel>
      <f:facet name="header">
        <h:outputText value="#{car.make} #{car.model}"></h:outputText>
      </f:facet>
      <h:panelGrid columns="2">
        <h:outputText value="Price:" styleClass="label"></h:outputText>
        <h:outputText value="#{car.price}"/>
        <h:outputText value="Mileage:" styleClass="label"></h:outputText>
        <h:outputText value="#{car.mileage}"/>
      </h:panelGrid>
    </rich:panel>
    <f:facet name="footer">
      <rich:datascroller></rich:datascroller>
    </f:facet>
  </rich:dataGrid>
</h:form>
</rich:panel>
...
```

This is a result:




Figure 6.37. Component usage

The component was created basing on the `<a4j:repeat>` component and as a result it could be partially updated with Ajax. `"ajaxKeys"` attribute allows to define row keys that are updated after an Ajax request.

Here is an example:

Example:

```

...
<rich:dataGrid value="#{dataTableScrollerBean.allCars}" var="car" ajaxKeys="#{listBean.list}"
               binding="#{listBean.dataGrid}" id="grid" elements="4" columns="2">
  ...
</rich:dataGrid>
...
<a4j:commandButton action="#{listBean.action}" reRender="grid" value="Submit"/>
...

```

In the example `"reRender"` attribute contains value of `"id"` attribute for `<rich:dataGrid>` component. As a result the component is updated after an Ajax request.

6.6.6.6. Facets

Table 6.71. Facets

| Facet name | Description |
|------------|-----------------------------|
| header | Defines the header content |
| footer | Defines the footer content |
| caption | Defines the caption content |

6.6.6.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all **<rich:dataGrid>** components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a **<rich:dataGrid>** component

6.6.6.8. Skin Parameters Redefinition

Skin parameters redefinition for **<rich:dataGrid>** are the same as for the **<rich:dataTable>** *component*.

6.6.6.9. Definition of Custom Style Classes

Custom style classes for **<rich:dataGrid>** are the same as for the **<rich:dataTable>** *component*.

In order to redefine styles for all **<rich:dataGrid>** components on a page using CSS, it's enough to create classes with the same names (possible *classes* are the same as for the **<rich:dataTable>**) and define necessary properties in them.

Example:

```
...  
.rich-table-footercell{  
  color:#ff7800;  
}  
...
```

This is a result:




Figure 6.38. Redefinition styles with predefined classes

In the example color of footercell was changed.

Also it's possible to change styles of particular `<rich:dataGrid>` component. In this case you should create own style classes and use them in corresponding `<rich:dataGrid>` styleClass attributes. An example is placed below:

Example:

```
...
.myClass{
    font-style:italic;
}
...
```

The `"columnClasses"` attribute for `<rich:dataGrid>` is defined as it's shown in the example below:

Example:

```
<rich:dataGrid ... columnClasses="myClass"/>
```

This is a result:



Figure 6.39. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, the font style for columns was changed.

6.6.6.10. Relevant Resources Links

On the [component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/dataGrid.jsf?c=dataGrid) [http://livedemo.exadel.com/richfaces-demo/richfaces/dataGrid.jsf?c=dataGrid] you can see the example of `<rich:dataGrid>` usage and sources for the given example.

6.6.7. < rich:dataList > available since 3.0.0

6.6.7.1. Description

The component for unordered lists rendering that allows choosing data from a model and obtains built-in support of Ajax updates.

- Chevrolet Corvette
Price:41753
Mileage:10419.0
- Chevrolet Corvette
Price:17540
Mileage:45531.0
- Chevrolet Corvette
Price:20191
Mileage:5927.0
- Chevrolet Corvette
Price:46960
Mileage:13937.0
- Chevrolet Corvette
Price:34164
Mileage:72236.0

Figure 6.40. <rich:dataList> component

6.6.7.2. Key Features

- A completely skinned list and child elements
- Possibility to update a limited set of rows with Ajax
- Possibility to receive values dynamically from a model

Table 6.72. rich : dataList attributes

| Attribute Name | Description |
|-----------------|---|
| ajaxKeys | This attribute defines row keys that are updated after an AJAX request |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| componentState | It defines EL-binding for a component state for saving or redefinition |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| first | A zero-relative row number of the first row to display |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| lang | HTML: Code describing the language used in the generated markup for this component |
| rendered | JSF: If "false", this component is not rendered |
| rowClasses | JSF: Assigns one or more space-separated CSS class names to the rows of the table. If the CSS class names are comma-separated, each class will be assigned to a particular row in the order they follow in the attribute. If you have less class names than rows, the class will be applied to every n-fold row where n is the order in which the class is listed in the attribute. If there are more class names than rows, the overflow ones are ignored. |
| rowKey | RowKey is a representation of an identifier for a specific data row |
| rowKeyConverter | Converter for a row key object |

| Attribute Name | Description |
|----------------|---|
| rowKeyVar | The attribute provides access to a row key in a Request scope |
| rows | HTML: A number of rows to display, or zero for all remaining rows in the table |
| stateVar | The attribute provides access to a component state on the client side |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| title | HTML: Advisory title information about markup elements generated for this component |
| type | HTML: Corresponds to the HTML DL type attribute |
| value | JSF: The current value for this component |
| var | A request-scope attribute via which the data object for the current row will be used when iterating |

Table 6.73. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.DataList |
| component-class | org.richfaces.component.html.HtmlDataList |
| component-family | org.richfaces.DataList |
| renderer-type | org.richfaces.DataListRenderer |
| tag-class | org.richfaces.taglib.DataListTag |

6.6.7.3. Creating the Component with a Page Tag

To create the simplest variant of dataList on a page, use the following syntax:

Example:

```
...  
<rich:dataList var="car" value="#{dataTableScrollerBean.allCars}" >  
    <h:outputText value="#{car.model}"/>  
</rich:dataList>
```

...

6.6.7.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlDataList;
...
HtmlDataList myList = new HtmlDataList();
...
```

6.6.7.5. Details of Usage

The `<rich:dataList>` component allows to generate a list from a model.

The component has the `type` attribute, which corresponds to the `type` parameter for the `` HTML element and defines a marker type. Possible values for `type` attribute are: "disc", "circle", "square".

Here is an example:

```
...
<h:form>

<rich:dataList var="car" value="#{dataTableScrollerBean.allCars}" rows="5" type="disc" title="Car
Store">
    <h:outputText value="#{car.make} #{car.model}"/><br/>
    <h:outputText value="Price:" styleClass="label"/></h:outputText>
    <h:outputText value="#{car.price}"/><br/>
    <h:outputText value="Mileage:" styleClass="label"/></h:outputText>
    <h:outputText value="#{car.mileage}"/><br/>
</rich:dataList>
</h:form>
...
```

This is a result:




Figure 6.41. <rich:dataList> component with "type" attribute

In the example the "rows" attribute limits number of output elements of the list.

"first" attribute defines first element for output. "title" are used for popup title. See picture below:



Figure 6.42. <rich:dataList> component with "title" attribute

The component was created basing on the <a4j:repeat> component and as a result it could be partially updated with Ajax. "ajaxKeys" attribute allows to define row keys that are updated after an Ajax request.

Here is an example:

Example:

```
...  
<rich:dataList value="#{dataTableScrollerBean.allCars}" var="car" ajaxKeys="#{listBean.list}"  
binding="#{listBean.dataList}" id="list" rows="5" type="disc">
```

```

...
</rich:dataList>
...
<a4j:commandButton action="#{listBean.action}" reRender="list" value="Submit"/>
...

```

In the example "reRender" attribute contains value of "id" attribute for <rich:dataList> component. As a result the component is updated after an Ajax request.

6.6.7.6. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all <rich:dataList> components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a <rich:dataList> component

6.6.7.7. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.43. Style classes

Table 6.74. Classes names that define a list appearance

| Class name | Description |
|---------------|---|
| rich-datalist | Defines styles for an html element |

| Class name | Description |
|----------------|---|
| rich-list-item | Defines styles for an html element |

In order to redefine styles for all **<rich:dataList>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-list-item{  
  font-style:italic;  
}  
...
```

This is a result:




Figure 6.44. Redefinition styles with predefined classes

In the example the font style for list item text was changed.

Also it's possible to change styles of particular **<rich:dataList>** component. In this case you should create own style classes and use them in corresponding **<rich:dataList>** *styleClass* attributes. An example is placed below:

Example:

```
...
```


```
.myClass{  
    background-color:#ffead9;  
}  
...
```

The `"styleClass"` attribute for `<rich:dataList>` is defined as it's shown in the example below:

Example:

```
<rich:dataList ... styleClass="myClass"/>
```

This is a result:



The screenshot shows a list of five Chevrolet Corvette entries. Each entry is displayed on a separate line with a small square icon to the left. The text for each entry is: "Chevrolet Corvette", "Price:28174 Mileage:26199.0 VIN:GMDDGHPFLXYGLB", "Chevrolet Corvette", "Price:28145 Mileage:54302.0 VIN:OXWCKXPGFWGENX", "Chevrolet Corvette", "Price:41463 Mileage:22651.0 VIN:KGYIIDXMGSXFVBI", "Chevrolet Corvette", "Price:31688 Mileage:34170.0 VIN:JSABPTRPSZODIZL", and "Chevrolet Corvette", "Price:21153 Mileage:25967.0 VIN:MMVEDYUJTCLQVHE".

Figure 6.45. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, background color for `<rich:dataList>` was changed.

6.6.7.8. Relevant Resources Links

On the [component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/dataLists.jsf?c=dataList) [http://livedemo.exadel.com/richfaces-demo/richfaces/dataLists.jsf?c=dataList] you can see the example of `<rich:dataList>` usage and sources for the given example.

6.6.8. `< rich:dataOrderedList >` available since 3.0.0

6.6.8.1. Description

The component for ordered lists rendering that allows choosing data from a model and obtains built-in support of Ajax updates.

1. Chevrolet Corvette
Price:16080
Mileage:55773.0
2. Chevrolet Corvette
Price:49936
Mileage:72356.0
3. Chevrolet Corvette
Price:52167
Mileage:30749.0
4. Chevrolet Corvette
Price:21148
Mileage:55447.0
5. Chevrolet Corvette
Price:18098
Mileage:16296.0

Figure 6.46. <rich:dataOrderedList> component

6.6.8.2. Key Features

- A completely skinned list and child elements
- Possibility to update a limited set of rows with Ajax
- Possibility to receive values dynamically from a model

Table 6.75. rich : dataOrderedList attributes

| Attribute Name | Description |
|----------------|--|
| ajaxKeys | This attribute defines row keys that are updated after an AJAX request |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| first | A zero-relative row number of the first row to display |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| lang | HTML: Code describing the language used in the generated markup for this component |
| rendered | JSF: If "false", this component is not rendered |
| rowClasses | JSF: Assigns one or more space-separated CSS class names to the rows of the table. If the CSS class names are comma-separated, |

| Attribute Name | Description |
|-----------------|--|
| | each class will be assigned to a particular row in the order they follow in the attribute. If you have less class names than rows, the class will be applied to every n-fold row where n is the order in which the class is listed in the attribute. If there are more class names than rows, the overflow ones are ignored. |
| rowKey | RowKey is a representation of an identifier for a specific data row |
| rowKeyConverter | Converter for a RowKey object. |
| rowKeyVar | The attribute provides access to a row key in a Request scope |
| rows | HTML: A number of rows to display, or zero for all remaining rows in the table |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| title | HTML: Advisory title information about markup elements generated for this component |
| type | HTML: Corresponds to the HTML OL type attribute |
| value | JSF: The current value for this component |
| var | A request-scope attribute via which the data object for the current row will be used when iterating |

Table 6.76. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.DataOrderedList |
| component-class | org.richfaces.component.html.HtmlDataOrderedList |
| component-family | org.richfaces.DataOrderedList |
| renderer-type | org.richfaces.DataOrderedListRenderer |
| tag-class | org.richfaces.taglib.DataOrderedListTag |

6.6.8.3. Creating the Component with a Page Tag

To create the simplest variant of dataOrderedList on a page, use the following syntax:

Example:

```
...
<rich:dataOrderedList var="car" value="#{dataTableScrollerBean.allCars}" >
    <h:outputText value="#{car.model}"/>
</rich:dataOrderedList>
...
```

6.6.8.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlDataOrderedList;
...
HtmlDataOrderedList myList = new HtmlDataOrderedList();
...
```

6.6.8.5. Details of Usage

The **<rich:dataOrderedList>** component allows to generate an ordered list from a model.

The component has the *"type"* attribute, which corresponds to the *"type"* parameter for the **** HTML element and defines a marker type. Possible values for *"type"* attribute are: "A", "a", "I", "i", "1".

Here is an example:

```
...
<h:form>
<rich:dataOrderedList var="car" value="#{dataTableScrollerBean.allCars}" rows="5" type="A" title="Car Store">
    <h:outputText value="#{car.make} #{car.model}"/><br/>
    <h:outputText value="Price:" styleClass="label"/></h:outputText>
    <h:outputText value="#{car.price}" /><br/>
    <h:outputText value="Mileage:" styleClass="label"/></h:outputText>
    <h:outputText value="#{car.mileage}" /><br/>
</rich:dataOrderedList>
</h:form>
...
```

This is a result:

1. Chevrolet Corvette
Price:16080
Mileage:55773.0
2. Chevrolet Corvette
Price:49936
Mileage:72356.0
3. Chevrolet Corvette
Price:52167
Mileage:30749.0
4. Chevrolet Corvette
Price:21148
Mileage:55447.0
5. Chevrolet Corvette
Price:18098
Mileage:16296.0

Figure 6.47. `<rich:dataOrderedList>` component with `"type"` attribute

In the example the `"rows"` attribute limits number of output elements of the list.

`"first"` attribute defines first element for output. `"title"` are used for popup title.

The component was created basing on the `<a4j:repeat>` component and as a result it could be partially updated with Ajax. `"ajaxKeys"` attribute allows to define row keys that are updated after an Ajax request.

Here is an example:

Example:

```
...
<rich:dataOrderedList value="#{dataTableScrollerBean.allCars}" var="car" ajaxKeys="#{listBean.list}"
    binding="#{listBean.dataList}" id="list">
    ...
</rich:dataOrderedList>
...
<a4j:commandButton action="#{listBean.action}" reRender="list" value="Submit"/>
...
```

In the example `"reRender"` attribute contains value of `"id"` attribute for `<rich:dataOrderedList>` component. As a result the component is updated after an Ajax request.

6.6.8.6. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:dataOrderedList>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a **<rich:dataOrderedList>** component

6.6.8.7. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.



Figure 6.48. Style classes

Table 6.77. Classes names that define a list appearance

| Class name | Description |
|------------------|---|
| rich-orderedlist | Defines styles for an html element |
| rich-list-item | Defines styles for an html element |

In order to redefine styles for all **<rich:dataOrderedList>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-orderedlist{  
  background-color: #ebf3fd;  
}  
...
```

This is a result:




Figure 6.49. Redefinition styles with predefined classes

In the example background color was changed.

Also it's possible to change styles of particular `<rich:dataOrderedList>` component. In this case you should create own style classes and use them in corresponding `<rich:dataOrderedList>` `styleClass` attributes. An example is placed below:

Example:

```
...
.myClass{
  font-style: italic;
}
...
```

Example:

```
<rich:dataOrderedList ... styleClass="myClass"/>
```

This is a result:

- ▶ *Chevrolet Corvette*
Price: 22281 **Mileage:** 61762.0 **VIN:** UGLWPMIKZYZHCY
- ▶ *Chevrolet Corvette*
Price: 29940 **Mileage:** 75937.0 **VIN:** RXXONFRSXMSGEXG
- ▶ *Chevrolet Corvette*
Price: 37681 **Mileage:** 44613.0 **VIN:** FRGKMPJMMZFGDXN
- ▶ *Chevrolet Corvette*
Price: 15840 **Mileage:** 24978.0 **VIN:** DIBNJNURFWOUECW
- ▶ *Chevrolet Corvette*
Price: 25005 **Mileage:** 39907.0 **VIN:** PVJXUCYTLOXWIY
- ▶ *Chevrolet Malibu*
Price: 41590 **Mileage:** 55513.0 **VIN:** ULBFSEUCNRUWYIMZ
- ▶ *Chevrolet Malibu*
Price: 45663 **Mileage:** 25634.0 **VIN:** FPCJEMVCMOPXGTH
- ▶ *Chevrolet Malibu*
Price: 54627 **Mileage:** 49515.0 **VIN:** HWUZNTRQQAMFKHO
- ▶ *Chevrolet Malibu*
Price: 31953 **Mileage:** 34977.0 **VIN:** FALLGJNIUNLMDZ
- ▶ *Chevrolet Malibu*
Price: 27161 **Mileage:** 44016.0 **VIN:** APULFNGWKIGIHSZ

Figure 6.50. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, the font style was changed.

6.6.8.8. Relevant Resources Links

On the [component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/dataLists.jsf?c=dataOrderedList) [http://livedemo.exadel.com/richfaces-demo/richfaces/dataLists.jsf?c=dataOrderedList] you can see the example of `<rich:dataOrderedList >` usage and sources for the given example.

6.6.9. `< rich:datascroller >` available since 3.0.0

6.6.9.1. Description

The component designed for providing the functionality of tables scrolling using Ajax requests.



Figure 6.51. <rich:datascroller> component

6.6.9.2. Key Features

- Provides table scrolling functionality
- Built-in Ajax processing
- Provides fast controls
- Skin support

Table 6.78. rich : datascroller attributes

| Attribute Name | Description |
|----------------|--|
| action | MethodBinding pointing at the application action to be invoked, if this UIComponent is activated by you, during the Apply Request Values or Invoke Application phase of the request processing lifecycle, depending on the value of the immediate property |
| actionListener | MethodBinding pointing at method accepting an ActionEvent with return type void |
| ajaxSingle | Boolean attribute which provides possibility to limit JSF tree processing(decoding, conversion/validation, value applying) to the component which send the request only. Default value is "true" |
| align | This attribute specifies the position of the table with relatively to the document. Possible |

| Attribute Name | Description |
|------------------|---|
| | values are "left","center","right ". Default value is "center". |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| boundaryControls | The attribute specifies the visibility of boundaryControls. Possible values are: "show" (controls are always visible). "hide" (controls are hidden. "auto" (unnecessary controls are hidden). Default value is "show". |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| fastControls | The attribute specifies the visibility of fastControls. Possible values are: "show" (controls are always visible). "hide" (controls are hidden. "auto" (unnecessary controls are hidden). Default value is "show". |
| fastStep | The attribute indicates pages quantity to switch onto when fast scrolling is used. Default value is "0". |
| focus | ID of an element to set focus after request is completed on client side |
| for | ID of the table component whose data is scrolled |
| handleValue | Current handle value |
| id | JSF: Every component may have a unique id that is automatically created if omitted |

| Attribute Name | Description |
|--------------------|--|
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now. Default value is "true". |
| immediate | A flag indicating that this component value must be converted and validated immediately (that is, during Apply Request Values phase), rather than waiting until a Process Validations phase |
| inactiveStyle | CSS style rules to be applied to the scroller inactive cells |
| inactiveStyleClass | Assigns one or more space-separated CSS class names to the scroller inactive cells |
| lastPageMode | The attribute to control whether last page of datascroller shows "rows" number of items or just the rest. Possible values are "full" and "short". Default value is "short". |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| maxPages | Maximum quantity of pages. Default value is "10". |
| onbeforedomupdate | The client-side script method to be called before DOM is updated |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| oncomplete | The client-side script method to be called after the request is completed |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |

| Attribute Name | Description |
|--------------------|--|
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| onpagechange | The client-side script method to be called when a page is changed |
| page | If page >= 1 then it's a page number to show |
| pageIndexVar | Name of variable in request scope containing index of active page |
| pagesVar | Name of variable in request scope containing number of pages |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, processed at the phases 2-5 in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rendered | JSF: If "false", this component is not rendered |
| renderIfSinglePage | If <code>renderIfSinglePage</code> is "true" then <code>datascroller</code> is displayed on condition that the data hold on one page. Default value is "true". |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is |

| Attribute Name | Description |
|----------------------|---|
| | ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, rendered in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| scrollerListener | MethodBinding representing an action listener method that will be notified after scrolling |
| selectedStyle | CSS style rules to be applied to the scroller selected cell |
| selectedStyleClass | Assigns one or more space-separated CSS class names to the scroller selected cell |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| stepControls | The attribute specifies the visibility of stepControls. Possible values are: "show" (controls are always visible). "hide" (controls are hidden). "auto" (unnecessary controls are hidden). Default value is "show". |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more space-separated CSS class names to the component. Corresponds to the HTML "class" attribute. |
| tableStyle | CSS style rules to be applied to the wrapper table element of the component |
| tableStyleClass | Assigns one or more space-separated CSS class names to the wrapper table element of the component |

| Attribute Name | Description |
|----------------|---|
| timeout | Response waiting time on a particular request. If a response is not received during this time, the request is aborted |
| value | JSF: The current value for this component |

Table 6.79. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.Datascroller |
| component-class | org.richfaces.component.html.HtmlDatascroller |
| component-family | org.richfaces.Datascroller |
| renderer-type | org.richfaces.DataScrollerRenderer |
| tag-class | org.richfaces.taglib.DatascrollerTag |

6.6.9.3. Creating the Component with a Page Tag

Here is a simple example as it could be used on a page:

Example:

```
...  
<h:dataTable id="table">  
    ...  
</h:dataTable>  
...  
<rich:datascroller for="table"/>  
...
```

6.6.9.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlDatascroller;  
...  
HtmlDatascroller myScroll = new HtmlDatascroller();  
...
```

6.6.9.5. Details of Usage

The `<rich:datascroller>` component provides table scrolling functionality the same as TOMAHAWK scroller but with Ajax requests usage.

The `<rich:datascroller>` component should be reRendered also with `<rich:dataTable>` when you changing filter in order to be updated according to the `<rich:dataTable>` current model.

The component should be placed into footer of the parent table or be bound to it with the `"for"` attribute. Note, that `"for"` is evaluated on view build, not on view render, that is why it will ignore JSTL tags.

The table should also have the defined `"rows"` attribute limiting the quantity of inputted table rows.

The scroller could limit the maximum quantity of rendered links on the table pages with the help of the `"maxPages"` attribute.

Component provides two controllers groups for switching:

- Page numbers for switching onto a particular page
- The controls of fast switching: `"first"`, `"last"`, `"next"`, `"previous"`, `"fastforward"`, `"fastrewind"`

The controls of fast switching are created adding the facets component with the corresponding name:

Example:

```
...
<rich:datascroller for="table" maxPages="10">
  <f:facet name="first">
    <h:outputText value="First"/>
  </f:facet>
  <f:facet name="last">
    <h:outputText value="Last"/>
  </f:facet>
</rich:datascroller>
...
```



Figure 6.52. <rich:datascroller> controls of fast switching

The screenshot shows one controller from each group.

There are also facets used to create the disabled states: "first_disabled", "last_disabled", "next_disabled", "previous_disabled", "fastforward_disabled", "fastrewind_disabled".

For the "fastforward"/"fastrewind" controls customization the additional "fastStep" attribute is used. The attribute indicates pages quantity to switch onto when fast scrolling is used.

The "page" is a value-binding attribute used to define and save current page number. The example is placed below.

Example:

```
...
<h:form id="myForm">

  <rich:dataTable id="carList" rows="7" value="#{dataTableScrollerBean.allCars}" var="category">
    <f:facet name="header">
      <rich:columnGroup>
        <h:column>
          <h:outputText value="Make" />
        </h:column>
        <h:column>
          <h:outputText value="Model" />
        </h:column>
      </rich:columnGroup>
    </f:facet>
  </rich:dataTable>
</h:form>
```

```

        <h:column>
            <h:outputText value="Price" />
        </h:column>
    </rich:columnGroup>
</f:facet>
<h:column>
    <h:outputText value="#{category.make}" />
</h:column>
<h:column>
    <h:outputText value="#{category.model}" />
</h:column>
<h:column>
    <h:outputText value="#{category.price}" />
</h:column>
</rich:dataTable>
<rich:datascroller id="sc1" for="cars" render="scroll" maxPages="7" page="#{dataTableScrollerBean.scrollerPage}"
>
    <h:panelGrid>
        <h:panelGroup>
            <h:outputText value="Set current page number:" />
            <h:inputText value="#{dataTableScrollerBean.scrollerPage}" id="sc1" size="1"/>
            <h:commandButton value="Set" />
        </h:panelGroup>
    </h:panelGrid>
</h:form>
...

```

In the example above you can enter the page number you want and set it by clicking on the **<h:commandButton>** . By the way, if you use **<rich:datascroller>** page links the input field rerenders and current page number changes.

This is a result:

| Make | Model | Price |
|-----------|-------|-------|
| Chevrolet | S-10 | 43845 |
| Chevrolet | S-10 | 29786 |
| Chevrolet | S-10 | 38657 |
| Chevrolet | S-10 | 28487 |
| Chevrolet | S-10 | 29721 |
| Chevrolet | S-10 | 40935 |
| Chevrolet | S-10 | 46484 |

«« < 1 2 3 4 5 6 7 > »»

Set current page number:

Figure 6.53. The "page" attribute usage

The "pageIndexVar" and "pagesVar" attributes define a request scope variables and provide an ability to show the current page and the number of pages in the <rich:datascroller> .

These attributes are used for definition the names of variables, that is used in the facet with name "pages" . An example can be found below:

Example:

```
...
<h:form>
  <rich:dataTable value="#{capitalsBean.capitals}" var="cap" rows="5">
    <rich:column>
      <h:outputText value="#{cap.name}" />
    </rich:column>
    <f:facet name="footer">
      <rich:datascroller pageIndexVar="pageIndex" pagesVar="pages">
        <f:facet name="pages">
          <h:outputText value="#{pageIndex} / #{pages}" />
        </f:facet>
      </rich:datascroller>
    </f:facet>
  </rich:dataTable>
</h:form>
...
```

It's possible to insert optional separators between controls. For this purpose use a "controlsSeparator" facet. An example is placed below.

```

...
<f:facet name="controlsSeparator">
    <h:graphicImage value="/image/sep.png"/>
</f:facet>
...

```

Starting from 3.2.1 of RichFaces multiple `<rich:datascroller>` instances behavior and page bindings are corrected. Incorrect page after model changes handling is added. Phase Listener called before `RenderResponse` scans the page for the `<rich:datascroller>` and performs the following operations:

- Checks if the `<rich:datascroller>` is rendered. (If the checking generates an exception, the `<rich:datascroller>` is considered to be not rendered)
- If the `<rich:datascroller>` is rendered - the table to which the `<rich:datascroller>` is attached gets the value of the page attribute of `<rich:datascroller>` .

Information about the `"process"` attribute usage you can find in the ["Decide what to process"](#) guide section.

Note:

Make sure, that all `<rich:datascroller>` components, defined for a table, have same values for all `"page"` attributes. The page, specified in the last `"page"` , will be rendered in browser.

6.6.9.6. JavaScript API

Table 6.80. JavaScript API

| Function | Description |
|---------------------------------|---|
| <code>switchToPage(page)</code> | Switches to the defined page, "page" is Number or String |
| <code>next()</code> | Navigates to the next page |
| <code>previous()</code> | Navigates to the previous page |
| <code>first()</code> | Navigates to the first page |
| <code>last()</code> | Navigates to the last page |
| <code>fastForward()</code> | Navigates ahead over a certain number of pages. The number of pages to traverse is defined with <code>fastStep</code> attribute |

| Function | Description |
|--------------|--|
| fastRewind() | Navigates backwards over a certain number of pages. The number of pages to traverse is defined with fastStep attribute |

6.6.9.7. Facets

Table 6.81. Facets

| Facet | Description |
|----------------------|--|
| controlsSeparator | Redefines optional separators between controls |
| first | Redefines the "first" button with the content set |
| first_disabled | Redefines the disabled "first" button with the content set |
| last | Redefines the "last" button with the content set |
| last_disabled | Redefines the disabled "last" button with the content set |
| fastrewind | Redefines the "fastrewind" button with the content set |
| fastrewind_disabled | Redefines the disabled "fastrewind" button with the content set |
| fastforward | Redefines the "fastforward" button with the content set |
| fastforward_disabled | Redefines the disabled "fastforward" button with the content set |
| previous | Redefines the "previous" button with the content set |
| previous_disabled | Redefines the disabled "previous" button with the content set |
| next | Redefines the "next" button with the content set |
| next_disabled | Redefines the disabled "next" button with the content set |
| pages | Redefines the pages buttons with the content set |

6.6.9.8. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all <rich:datascroller> components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a `<rich:datascroller>` component

6.6.9.9. Skin Parameters Redefinition

Table 6.82. Skin parameters redefinition for a wrapper element

| Skin parameters | CSS properties |
|----------------------|------------------|
| tableBackgroundColor | background-color |
| panelBorderColor | border-color |

Table 6.83. Skin parameters redefinition for a button

| Skin parameters | CSS properties |
|---------------------------|------------------|
| additionalBackgroundColor | background-color |
| panelBorderColor | border-color |
| generalFamilyFont | font-family |
| generalSizeFont | font-size |

Table 6.84. Skin parameters redefinition for an active button

| Skin parameters | CSS properties |
|-------------------|------------------|
| generalTextColor | border-top-color |
| generalTextColor | color |
| generalFamilyFont | font-family |
| generalSizeFont | font-size |

Table 6.85. Skin parameters redefinition for an inactive button

| Skin parameters | CSS properties |
|-----------------------|------------------|
| headerBackgroundColor | border-top-color |
| headerBackgroundColor | color |
| generalFamilyFont | font-family |
| generalSizeFont | font-size |

6.6.9.10. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.54. Style classes

Table 6.86. Classes names that define a component appearance

| Class name | Description |
|------------------------------|--|
| rich-datascr | Defines styles for a wrapper <div> element of a datascroller |
| rich-dtascroller-table | Defines styles for a wrapper table element of a datascroller |
| rich-datascr-button | Defines styles for a button |
| rich-datascr-ctrls-separator | Defines styles for a separator between buttons |

Table 6.87. Classes names that define a buttons appearance

| Class name | Description |
|--------------------------|---------------------------------------|
| rich-datascr-act | Defines styles for an active button |
| rich-datascr-inact | Defines styles for an inactive button |
| rich-datascr-button-dsbl | Defines styles for a disabled button |

In order to redefine styles for all **<rich:datascroller>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the table [above](#)) and define necessary properties in them. An example is placed below:

Example:

```
...  
.rich-datascr-button{  
  color: #CD6600;  
}  
...
```

This is a result:



Figure 6.55. Redefinition styles with predefined classes

In the example an input text font style was changed.

Also it's possible to change styles of particular `<rich:datascroller>` component. In this case you should create own style classes and use them in corresponding `<rich:datascroller>` `styleClass` attributes. An example is placed below:

Example:

```
...
.myClass{
  background-color: #C6E2FF;
}
...
```

The `"styleClass"` attribute for `<rich:datascroller>` is defined as it's shown in the example below:

Example:

```
<rich:datascroller ... selectedStyleClass="myClass"/>
```

This is a result:



Figure 6.56. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, background color of the selected cell on scroller was changed.

6.6.9.11. Relevant Resources Links

On the component [LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/dataTableScroller.jsf?c=dataTableScroller) [http://livedemo.exadel.com/richfaces-demo/richfaces/dataTableScroller.jsf?c=dataTableScroller] you can see the example of `<rich:datascroller>` usage and sources for the given example.

The solution about how to do correct pagination using datascroller (load a part of data from database) can be found on the [RichFaces Users Forum](http://www.jboss.com/index.html?module=bb&op=viewtopic&p=4060199#4060199) [http://www.jboss.com/index.html?module=bb&op=viewtopic&p=4060199#4060199].

How to use `<rich:dataTable>` and `<rich:datascroller>` in a context of Extended Data Model see on the [RichFaces Users Forum](http://www.jboss.com/index.html?module=bb&op=viewtopic&t=115636) [http://www.jboss.com/index.html?module=bb&op=viewtopic&t=115636].

6.6.10. < rich:dataTable > available since 3.0.0

6.6.10.1. Description

The component for tables rendering that allows choosing data from a model and obtains built-in support of Ajax updates.

United States Capitals

| Capitals and States Table | | | |
|---|--------------|------------|----------|
| State Flag | Capital Name | State Name | TimeZone |
|  | Montgomery | Alabama | GMT-6 |
|  | Juneau | Alaska | GMT-9 |
|  | Phoenix | Arizona | GMT-7 |
|  | Little Rock | Arkansas | GMT-6 |
|  | Sacramento | California | GMT-8 |
| State Flag | Capital Name | State Name | TimeZone |

Capitals and States Table

Figure 6.57. <rich:dataTable> component

6.6.10.2. Key Features

- A completely skinned table and child elements
- Possibility to insert the complex subcomponents "colGroup" and "subTable"
- Possibility to update a limited set of strings with Ajax
- Possibility to sort and to filter of columns
- [Sorting column values](#)
- [Filtering column values](#)

Table 6.88. rich : dataTable attributes

| Attribute Name | Description |
|----------------|--|
| ajaxKeys | This attribute defines row keys that are updated after an AJAX request |
| align | Deprecated. This attribute specifies the position of the table with respect to the |

| Attribute Name | Description |
|----------------|--|
| | document. The possible values are "left", "center" and "right". The default value is "left". |
| bgcolor | Deprecated. This attribute sets the background color for the document body or table cells. This attribute sets the background color of the canvas for the document body (the BODY element) or for tables (the TABLE, TR, TH, and TD elements). Additional attributes for specifying text color can be used with the BODY element. This attribute has been deprecated in favor of style sheets for specifying background color information |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| border | HTML: This attributes specifies the width of the frame around a component. Default value is "0". |
| captionClass | Assigns one or more space-separated CSS class names to the component caption |
| captionStyle | CSS style rules to be applied to the component caption |
| cellpadding | This attribute specifies the amount of space between the border of the cell and its contents. Default value is "0". |
| cellspacing | This attribute specifies the amount of space between the border of the cell and its contents. The attribute also specifies the amount of space to leave between cells. Default value is "0". |
| columnClasses | JSF: Assigns one or more space-separated CSS class names to the columns of the table. If the CSS class names are comma-separated, each class will be assigned to a particular column in the order they follow in the attribute. If you have less class names than columns, the class will be applied to every n-fold column where n is the order in which the class is listed in the attribute. If there are more class names than columns, the overflow ones are ignored. |

| Attribute Name | Description |
|----------------|--|
| columns | Specifies the number of columns |
| columnsWidth | Comma-separated list of width attribute for every column. Specifies a default width for each column in the table. In addition to the standard pixel, percentage, and relative values, this attribute allows the special form "0*" (zero asterisk) which means that the width of the each column in the group should be the minimum width necessary to hold the column's contents. This implies that a column's entire contents must be known before its width may be correctly computed. Authors should be aware that specifying "0*" will prevent visual user agents from rendering a table incrementally |
| componentState | It defines EL-binding for a component state for saving or redefinition |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| first | A zero-relative row number of the first row to display |
| footerClass | Assigns one or more space-separated CSS class names to the component footer |
| frame | This attribute specifies which sides of the frame surrounding a table will be visible. Possible values: "void", "above", "below", "hsides", "lhs", "rhs", "vsides", "box" and "border". The default value is "void". |
| headerClass | Assigns one or more space-separated CSS class names to the component header |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| lang | HTML: Code describing the language used in the generated markup for this component |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |

| Attribute Name | Description |
|------------------|---|
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| onRowClick | The client-side script method to be called when the row is clicked |
| onRowContextMenu | The client-side script method to be called when a right mouse button is clicked over the row. Returning false prevents default browser context menu from being displayed. |
| onRowDbClick | The client-side script method to be called when the row is double-clicked |
| onRowMouseDown | The client-side script method to be called when a mouse button is pressed down over the row |
| onRowMouseMove | The client-side script method to be called when a pointer is moved within the row |
| onRowMouseOut | The client-side script method to be called when a pointer is moved away from the row |
| onRowMouseOver | The client-side script method to be called when a pointer is moved onto the row |

| Attribute Name | Description |
|-----------------|---|
| onRowMouseUp | The client-side script method to be called when a mouse button is released over the row |
| rendered | JSF: If "false", this component is not rendered |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, rendered in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rowClasses | JSF: Assigns one or more space-separated CSS class names to the rows of the table. If the CSS class names are comma-separated, each class will be assigned to a particular row in the order they follow in the attribute. If you have less class names than rows, the class will be applied to every n-fold row where n is the order in which the class is listed in the attribute. If there are more class names than rows, the overflow ones are ignored. |
| rowKeyConverter | Converter for a RowKey object. |
| rowKeyVar | The attribute provides access to a row key in a Request scope |
| rows | HTML: A number of rows to display, or zero for all remaining rows in the table |
| rules | This attribute specifies which rules will appear between cells within a table. The rendering of rules is user agent dependent. Possible values: * none: No rules. This is the default value. * groups: Rules will appear between row groups (see THEAD, TFOOT, and TBODY) and column groups (see COLGROUP and COL) only. * rows: Rules will appear between rows only. * cols: Rules will appear between columns only. * all: Rules will appear between all rows and columns |
| sortMode | Defines mode of sorting. Possible values are 'single' for sorting of one column and 'multi' for some. |
| sortPriority | Defines a set of columns ids in the sorting order |

| Attribute Name | Description |
|----------------|---|
| stateVar | The attribute provides access to a component state on the client side |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| title | HTML: Advisory title information about markup elements generated for this component |
| value | JSF: The current value for this component |
| var | A request-scope attribute via which the data object for the current row will be used when iterating |
| width | HTML: This attribute specifies the desired width of the entire table and is intended for visual user agents. When the value is percentage value, the value is relative to the user agent's available horizontal space. In the absence of any width specification, table width is determined by the user agent |

Table 6.89. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.DataTable |
| component-class | org.richfaces.component.html.HtmlDataTable |
| component-family | org.richfaces.DataTable |
| renderer-type | org.richfaces.DataTableRenderer |
| tag-class | org.richfaces.taglib.DataTableTag |

6.6.10.3. Creating the Component with a Page Tag

Here is a simple example as it could be used on a page:

Example:

```
...
<rich:dataTable value="#{capitalsBean.capitals}" var="capitals">
  <rich:column>
    ...
  </rich:column>
```

```
</rich:dataTable>
```

...

6.6.10.4. Creating the Component Dynamically from Java

Example:

```
import org.richfaces.component.html.HtmlDataTable;  
...  
HtmlDataTable myTable = new HtmlDataTable();  
...
```

6.6.10.5. Details of Usage

The `<rich:dataTable>` component is similar to the `<h:dataTable>` one, except Ajax support and skinnability. Ajax support is possible, because the component was created basing on the `<a4j:repeat>` component and as a result it could be partially updated with Ajax. `"ajaxKeys"` attribute allows to define row keys that is updated after an Ajax request.

Here is an example:

Example:

```
...  
<rich:dataTable value="#{capitalsBean.capitals}" var="capitals"  
    ajaxKeys="#{bean.ajaxSet}" binding="#{bean.table}" id="table">  
    ...  
</rich:dataTable>  
...  
<a4j:commandButton action="#{tableBean.action}" reRender="table" value="Submit"/>  
...
```

In the example `"reRender"` attribute contains value of `"id"` attribute for `<rich:dataTable>` component. As a result the component is updated after an Ajax request.

The component allows to use `"header"`, `"footer"` and `"caption"` facets for output. See an example below:

Example:

```
...  
<rich:dataTable value="#{capitalsBean.capitals}" var="cap" rows="5">  
    <f:facet name="caption">
```

```
<h:outputText value="United States Capitals" />
</f:facet>
<f:facet name="header">
  <h:outputText value="Capitals and States Table" />
</f:facet>
<rich:column>
  <f:facet name="header">State Flag</f:facet>
  <h:graphicImage value="#{cap.stateFlag}"/>
  <f:facet name="footer">State Flag</f:facet>
</rich:column>
<rich:column>
  <f:facet name="header">State Name</f:facet>
  <h:outputText value="#{cap.state}"/>
  <f:facet name="footer">State Name</f:facet>
</rich:column>
<rich:column >
  <f:facet name="header">State Capital</f:facet>
  <h:outputText value="#{cap.name}"/>
  <f:facet name="footer">State Capital</f:facet>
</rich:column>
<rich:column>
  <f:facet name="header">Time Zone</f:facet>
  <h:outputText value="#{cap.timeZone}"/>
  <f:facet name="footer">Time Zone</f:facet>
</rich:column>
<f:facet name="footer">
  <h:outputText value="Capitals and States Table" />
</f:facet>
</rich:dataTable>
...
```

This is a result:




Figure 6.58. <rich:dataTable> component with facets

Information about sorting and filtering you can find [in the corresponding section](#).

You can find information how to remove header's gradient [in the "How to remove rich:dataTable header background " article](#) [<http://wiki.jboss.org/wiki/RichFacesDataTableBackgroundOut>].

6.6.10.6. Facets

Table 6.90. Facets

| Facet | Description |
|---------|------------------------------|
| header | Redefines the header content |
| footer | Redefines the footer content |
| caption | Defines the caption content |

6.6.10.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all <rich:dataTable> components at once:

- Redefine the corresponding skin parameters

- Add to your style sheets *style classes* used by a `<rich:dataTable>` component

6.6.10.8. Skin Parameters Redefinition

Table 6.91. Skin parameters redefinition for a table

| Skin parameters | CSS properties |
|----------------------|------------------|
| tableBackgroundColor | background-color |

Table 6.92. Skin parameters redefinition for a header

| Skin parameters | CSS properties |
|-----------------------|------------------|
| headerBackgroundColor | background-color |

Table 6.93. Skin parameters redefinition for a footer

| Skin parameters | CSS properties |
|----------------------------|------------------|
| tableFooterBackgroundColor | background-color |

Table 6.94. Skin parameters redefinition for a column header

| Skin parameters | CSS properties |
|---------------------------|------------------|
| additionalBackgroundColor | background-color |

Table 6.95. Skin parameters redefinition for a column footer

| Skin parameters | CSS properties |
|-------------------------------|------------------|
| tableSubfooterBackgroundColor | background-color |

Table 6.96. Skin parameters redefinition for cells

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalSizeFont | font-size |
| generalTextColor | color |
| generalFamilyFont | font-family |

6.6.10.9. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.59. <rich:dataTable> class names

Table 6.97. Classes names that define a whole component appearance

| Class name | Description |
|--------------------|--|
| rich-table | Defines styles for all table |
| rich-table-caption | Defines styles for a "caption" facet element |

Table 6.98. Classes names that define header and footer elements

| Class name | Description |
|----------------------------|---|
| rich-table-header | Defines styles for a table header row |
| rich-table-header-continue | Defines styles for all header lines after the first |
| rich-table-subheader | Defines styles for a column header |
| rich-table-footer | Defines styles for a footer row |
| rich-table-footer-continue | Defines styles for all footer lines after the first |
| rich-table-subfooter | Defines styles for a column footer |

Table 6.99. Classes names that define rows and cells of a table

| Class name | Description |
|--------------------------|---|
| rich-table-headercell | Defines styles for a header cell |
| rich-table-subheadercell | Defines styles for a column header cell |
| rich-table-cell | Defines styles for a table cell |
| rich-table-row | Defines styles for a table row |
| rich-table-firstrow | Defines styles for a table's first row |
| rich-table-footercell | Defines styles for a footer cell |
| rich-table-subfootercell | Defines styles for a column footer cell |

In order to redefine styles for all `<rich:dataTable>` components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```

...
.rich-table-cell{
    font-weight:bold;
}
...

```

This is a result:

| | Expenses | | | subtotals |
|-----------------|-----------------|-----------------|-----------------|-----------------|
| | Meals | Hotels | Transport | |
| San Jose | | | | |
| 25-Aug-97 | \$37.74 | \$112.00 | \$45.00 | |
| 26-Aug-97 | \$27.28 | \$112.00 | \$45.00 | |
| | \$65.02 | \$224.00 | \$90.00 | \$379.02 |
| Seattle | | | | |
| 27-Aug-97 | \$96.25 | \$109.00 | \$36.00 | |
| 28-Aug-97 | \$35.00 | \$109.00 | \$36.00 | |
| | \$131.25 | \$218.00 | \$72.00 | \$421.25 |
| Totals | \$196.27 | \$442.00 | \$162.00 | \$800.27 |

Figure 6.60. Redefinition styles with predefined classes

In the example the font weight for table cell was changed.

Also it's possible to change styles of particular **<rich:dataTable>** component. In this case you should create own style classes and use them in corresponding **<rich:dataTable>** *styleClass* attributes. An example is placed below:

Example:

```
...  
.myClass{  
    font-style:italic;  
}  
...
```

The *"headerClass"* attribute for **<rich:dataTable>** is defined as it's shown in the example below:

Example:

```
<rich:dataTable ... headerClass="myClass"/>
```

This is a result:

| | <i>Expenses</i> | | | <i>subtotals</i> |
|---------------|-----------------|-----------------|------------------|------------------|
| | <i>Meals</i> | <i>Hotels</i> | <i>Transport</i> | |
| San Jose | | | | |
| 25-Aug-97 | \$37.74 | \$112.00 | \$45.00 | |
| 26-Aug-97 | \$27.28 | \$112.00 | \$45.00 | |
| | \$65.02 | \$224.00 | \$90.00 | \$379.02 |
| Seattle | | | | |
| 27-Aug-97 | \$96.25 | \$109.00 | \$36.00 | |
| 28-Aug-97 | \$35.00 | \$109.00 | \$36.00 | |
| | \$131.25 | \$218.00 | \$72.00 | \$421.25 |
| Totals | \$196.27 | \$442.00 | \$162.00 | \$800.27 |

Figure 6.61. Redefinition styles with own classes and *styleClass* attributes

As it could be seen on the picture above, the font style for header was changed.

Detailed information on how to set **<rich:dataTable>** border to "0px" you can find in the ["How to set rich:dataTable border to 0px article"](http://www.jboss.org/community/docs/DOC-11861) [http://www.jboss.org/community/docs/DOC-11861].

6.6.10.10. Relevant Resources Links

On the component *LiveDemo* page [<http://livedemo.exadel.com/richfaces-demo/richfaces/dataTable.jsf?c=dataTable>] you can see the example of `<rich:dataTable>` usage and sources for the given example.

The article about `<rich:dataTable>` flexibility can be found in the "*rich:dataTable Flexibility*" article [<http://www.jboss.org/community/docs/DOC-11847>].

Article on dataTable skinability [<http://www.jboss.org/community/docs/DOC-11848>] provides you a simple example of skinnability.

More information about using `<rich:dataTable>` and `<rich:subTable>` could be found on the *RichFaces Users Forum* [<http://www.jboss.com/index.html?module=bb&op=viewtopic&p=4059044#4059044>].

How to use `<rich:dataTable>` and `<rich:datascroller>` in a context of Extended Data Model see on the *RichFaces Users Forum* [<http://www.jboss.com/index.html?module=bb&op=viewtopic&t=115636>].

From "*rich:dataTable border to 0px*" [<http://www.jboss.org/community/docs/DOC-11861>] article you'll figure out how to set rich:dataTable border to 0px

dataTable Background Out [<http://www.jboss.org/community/docs/DOC-11860>] tells you how to remove rich:dataTable header background

6.6.11. `< rich:subTable >` available since 3.0.0

6.6.11.1. Description

The component is used for inserting subtables into tables with opportunity to choose data from a model and built-in Ajax updates support.

| Countries And Capitals | | | |
|------------------------|------------|---------------|----------------|
| Country | | | |
| United States | | | |
| State Fl | State Name | State Capital | State Timezone |
| | Delaware | Dover | GMT-6 |
| | Alaska | Juneau | GMT-9 |
| | Arizona | Phoenix | GMT-7 |
| | Arkansas | Little Rock | GMT-6 |
| | California | Sacramento | GMT-8 |

Figure 6.62. <rich:subTable> element

6.6.11.2. Key Features

- Completely skinned table rows and child elements
- Possibility to insert complex columnGroup subcomponents
- Possibility to combine rows and columns inside
- Possibility to update a limited set of rows with Ajax

Table 6.100. rich : subTable attributes

| Attribute Name | Description |
|----------------|--|
| ajaxKeys | This attribute defines row keys that are updated after an AJAX request |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| columnClasses | JSF: Assigns one or more space-separated CSS class names to the columns of the table. If the CSS class names are comma-separated, each class will be assigned to a particular column in the order they follow in the attribute. If you have less class names than columns, the class will be applied to every n-fold column where n is the order in which the class is listed in the attribute. If there are more class names than columns, the overflow ones are ignored. |

| Attribute Name | Description |
|----------------|--|
| componentState | It defines EL-binding for a component state for saving or redefinition |
| first | A zero-relative row number of the first row to display |
| footerClass | Assigns one or more space-separated CSS class names to any footer generated for this component |
| headerClass | Assigns one or more space-separated CSS class names to any header generated for this component |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |

| Attribute Name | Description |
|-----------------|---|
| onRowClick | The client-side script method to be called when the row is clicked |
| onRowDbClick | The client-side script method to be called when the row is double-clicked |
| onRowMouseDown | The client-side script method to be called when a mouse button is pressed down over the row |
| onRowMouseMove | The client-side script method to be called when a pointer is moved within the row |
| onRowMouseOut | The client-side script method to be called when a pointer is moved away from the row |
| onRowMouseOver | The client-side script method to be called when a pointer is moved onto the row |
| onRowMouseUp | The client-side script method to be called when a mouse button is released over the row |
| rendered | JSF: If "false", this component is not rendered |
| rowClasses | JSF: Assigns one or more space-separated CSS class names to the rows of the table. If the CSS class names are comma-separated, each class will be assigned to a particular row in the order they follow in the attribute. If you have less class names than rows, the class will be applied to every n-fold row where n is the order in which the class is listed in the attribute. If there are more class names than rows, the overflow ones are ignored. |
| rowKeyConverter | Converter for a row key object |
| rowKeyVar | The attribute provides access to a row key in a Request scope |
| rows | HTML: A number of rows to display, or zero for all remaining rows in the table |
| stateVar | The attribute provides access to a component state on the client side |
| value | JSF: The current value for this component |
| var | A request-scope attribute via which the data object for the current row will be used when iterating |

Table 6.101. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.SubTable |
| component-class | org.richfaces.component.html.HtmlSubTable |
| component-family | org.richfaces.SubTable |
| renderer-type | org.richfaces.SubTableRenderer |
| tag-class | org.richfaces.taglib.SubTableTag |

6.6.11.3. Creating the Component with a Page Tag

Here is a simple example as it could be used on a page:

Example:

```

...
<rich:dataTable value="#{capitalsBean.capitals}" var="capitals">
  <rich:column>
    ...
  </rich:column>
  <rich:subTable value="#{capitals.details}" var="detail">
    <rich:column>
      ...
    </rich:column>
  </rich:subTable>
</rich:dataTable>
...

```

6.6.11.4. Creating the Component Dynamically Using Java

Example:

```

import org.richfaces.component.html.HtmlSubTable;
...
HtmlSubTable mySubTable = new HtmlSubTable();
...

```

6.6.11.5. Details of Usage

The **<rich:subTable>** component is similar to the **<h:dataTable>** one, except Ajax support and skinnability. One more difference is that the component doesn't add the wrapping **<table>**

and `<tbody>` tags. Ajax support is possible, because the component was created basing on the `<a4j:repeat>` component and as a result it could be partially updated with Ajax. `"ajaxKeys"` attribute allows to define row keys that is updated after an Ajax request.

Here is an example:

Example:

```
...
<rich:dataTable value="#{capitalsBean.capitals}" var="capitals">
  <rich:column>
    ...
  </rich:column>

  <rich:subTable value="#{capitals.details}" var="detail" ajaxKeys="#{bean.ajaxSet}" binding="#{bean.subtable}" id="subtable">
    <rich:column>
      ...
    </rich:column>
  </rich:subTable>
</rich:dataTable>
...
<a4j:commandButton action="#{tableBean.action}" reRender="subtable"/>
...

```

In the example `"reRender"` attribute contains value of `"id"` attribute for `<rich:subTable>` component. As a result the component is updated after an Ajax request.

The component allows to use `"header"` and `"footer"` facets for output. See an example for `<rich:dataTable>` [component \[289\]](#).

6.6.11.6. Facets

Table 6.102. Facets

| Facet name | Description |
|------------|----------------------------|
| header | Defines the header content |
| footer | Defines the footer content |

6.6.11.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:subTable>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a `<rich:subTable>` component

6.6.11.8. Skin Parameters Redefinition

Skin parameters redefinition for `<rich:subTable>` are the same as for the `<rich:dataTable>` *component*.

6.6.11.9. Definition of Custom Style Classes

Table 6.103. Classes names that define a component appearance

| Class name | Description |
|-----------------------|--|
| rich-subtable | Defines styles for all subtable |
| rich-subtable-caption | Defines styles for a "caption" facet element |

Table 6.104. Classes names that define header and footer elements

| Class name | Description |
|-------------------------------|--|
| rich-subtable-header | Defines styles for a subtable header row |
| rich-subtable-header-continue | Defines styles for all subtable header lines after the first |
| rich-subtable-subheader | Defines styles for a column header of subtable |
| rich-subtable-subfooter | Defines styles for a column footer of subtable |
| rich-subtable-footer | Defines styles for a subtable footer row |
| rich-subtable-footer-continue | Defines styles for all subtable footer lines after the first |

Table 6.105. Classes names that define rows and cells

| Class name | Description |
|-----------------------------|---|
| rich-subtable-headercell | Defines styles for a subtable header cell |
| rich-subtable-subheadercell | Defines styles for a column header cell of subtable |
| rich-subtable-cell | Defines styles for a subtable cell |
| rich-subtable-row | Defines styles for a subtable row |
| rich-subtable-firstrow | Defines styles for a subtable start row |
| rich-subtable-subfootercell | Defines styles for a column footer cell of subtable |
| rich-subtable-footercell | Defines styles for a subtable footer cell |




Figure 6.63. Style classes

In order to redefine styles for all **<rich:subTable>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-subtable-footer{  
    font-weight: bold;  
}  
...
```

This is a result:

| Country and Capitals | | | |
|---|-------------|------------|-----------|
| Country | | | |
| United States | | | |
| Flag | Name | State | Time Zone |
|  | Montgomery | Alabama | GMT-6 |
|  | Juneau | Alaska | GMT-9 |
|  | Phoenix | Arizona | GMT-7 |
|  | Little Rock | Arkansas | GMT-6 |
|  | Sacramento | California | GMT-8 |
| Flag | Name | State | Time Zone |
| United States | | | |

Figure 6.64. Redefinition styles with predefined classes

In the example a footer font weight was changed.

Also it's possible to change styles of particular `<rich:subTable>` component. In this case you should create own style classes and use them in corresponding `<rich:subTable>` `styleClass` attributes. An example is placed below:

Example:

```
...
.myClass{
background-color: #fff5ec;
}
...
```

The `"columnClasses"` attribute for `<rich:subTable>` is defined as it's shown in the example below:

Example:

```
<rich:subTable ... columnClasses="myClass"/>
```

This is a result:

| Country and Capitals | | | |
|---|-------------|------------|-----------|
| Country | | | |
| United States | | | |
| Flag | Name | State | Time Zone |
|  | Montgomery | Alabama | GMT-6 |
|  | Juneau | Alaska | GMT-9 |
|  | Phoenix | Arizona | GMT-7 |
|  | Little Rock | Arkansas | GMT-6 |
|  | Sacramento | California | GMT-8 |
| Flag | Name | State | Time Zone |
| United States | | | |

Figure 6.65. Redefinition styles with own classes and *styleClass* attributes

As it could be seen on the picture above, the background color for columns was changed.

6.6.12. < rich:extendedDataTable > available since 3.2.2

3.2.2

6.6.12.1. Description

The component for tables extending standard component <rich:dataTable> .

| Table header | | | |
|--------------|------------|------------------|---------|
| Id ↕ | Name ↕ | Date ↕ | Group ↕ |
| 0 | bf753ee6-7 | 1970-06-30 04:52 | group 1 |
| 1 | e481be6b-c | 1979-02-22 21:51 | group 2 |
| 2 | 1b2328fd-c | 1977-07-08 09:44 | group 3 |
| 3 | e57d01ce-b | 1992-05-16 10:58 | group 4 |
| 4 | 06d3b7d8-2 | 1978-07-05 01:11 | group 5 |
| 5 | b4d0be0e-e | 2008-01-15 21:06 | group 6 |
| 6 | 983f8d96-4 | 1990-10-21 21:37 | group 7 |
| 7 | 4e341f46-9 | 1988-10-13 12:34 | group 8 |
| 8 | 9ea456da-6 | 1976-07-11 02:01 | group 9 |

Figure 6.66. <rich:extendedDataTable> component

6.6.12.2. Key Features

- Possibility to scroll data
- Possibility to add an attribute to set the kind of selection (none, single line or multiple lines)
- Possibility to change the sequence of the displayed columns by dragging the column-header to another position
- Possibility to show or hide columns by selecting or deselecting them in a context menu
- Possibility to save the current settings (visible columns, column width, sequence of the columns) to be reused the next time the page will be shown
- Possibility to combine rows to groups

Table 6.106. rich : extendedDataTable attributes

| Attribute Name | Description |
|----------------|---|
| activeClass | Assigns one or more space-separated CSS class names to the component active row |
| activeRowKey | Request scope attribute under which the activeRowKey will be accessible |
| ajaxKeys | This attribute defines row keys that are updated after an AJAX request |
| align | Deprecated. This attribute specifies the position of the table with respect to the document. The possible values are "left", "center" and "right". The default value is "left". |
| bgcolor | Deprecated. This attribute sets the background color for the document body or table cells. This attribute sets the background color of the canvas for the document body (the BODY element) or for tables (the TABLE, TR, TH, and TD elements). Additional attributes for specifying text color can be used with the BODY element. This attribute has been deprecated in favor of style sheets for specifying background color information |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| border | HTML: This attributes specifies the width of the frame around a component. Default value is "0" |

| Attribute Name | Description |
|-------------------|--|
| captionClass | Assigns one or more space-separated CSS class names to the component caption |
| captionStyle | CSS style rules to be applied to the component caption |
| cellpadding | This attribute specifies the amount of space between the border of the cell and its contents. Default value is "0" |
| cellspacing | The cellspacing attribute specifies the space between cells. Default value is "0" |
| columnClasses | JSF: Assigns one or more space-separated CSS class names to the columns of the table. If the CSS class names are comma-separated, each class will be assigned to a particular column in the order they follow in the attribute. If you have less class names than columns, the class will be applied to every n-fold column where n is the order in which the class is listed in the attribute. If there are more class names than columns, the overflow ones are ignored. |
| componentState | It defines EL-binding for a component state for saving or redefinition |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| enableContextMenu | If set to true, table header context menu will be enabled |
| first | A zero-relative row number of the first row to display |
| footerClass | Assigns one or more space-separated CSS class names to the component footer |
| frame | This attribute specifies which sides of the frame surrounding a table will be visible. Possible values: "void", "above", "below", "hsides", "lhs", "rhs", "vsides", "box" and "border". The default value is "void". |
| groupingColumn | Defines an id of column which the data is grouped by. |
| headerClass | Assigns one or more space-separated CSS class names to the component header |

| Attribute Name | Description |
|----------------|--|
| height | Defines a height of the component. Default value is "500px" |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| lang | HTML: Code describing the language used in the generated markup for this component |
| noDataLabel | Defines label to be displayed in case there are no data rows. |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| onRowClick | The client-side script method to be called when the row is clicked |
| onRowDbClick | The client-side script method to be called when the row is double-clicked |

| Attribute Name | Description |
|-------------------|---|
| onRowMouseDown | The client-side script method to be called when a mouse button is pressed down over the row |
| onRowMouseMove | The client-side script method to be called when a pointer is moved within the row |
| onRowMouseOut | The client-side script method to be called when a pointer is moved away from the row |
| onRowMouseOver | The client-side script method to be called when a pointer is moved onto the rows |
| onRowMouseUp | The client-side script method to be called when a pointer is released over the row |
| onselectionchange | The client-side script method to be called when a selected row is changed |
| rendered | JSF: If "false", this component is not rendered |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, rendered in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rowClasses | JSF: Assigns one or more space-separated CSS class names to the rows of the table. If the CSS class names are comma-separated, each class will be assigned to a particular row in the order they follow in the attribute. If you have less class names than rows, the class will be applied to every n-fold row where n is the order in which the class is listed in the attribute. If there are more class names than rows, the overflow ones are ignored. |
| rowKeyConverter | Converter for a row key object |
| rowKeyVar | The attribute provides access to a row key in a Request scope |
| rows | HTML: A number of rows to display, or zero for all remaining rows in the table |
| rules | This attribute specifies which rules will appear between cells within a table. The rendering of rules is user agent dependent. Possible values: * none: No rules. This is the default value. * groups: Rules will appear between row groups (see THEAD, TFOOT, and TBODY) |

| Attribute Name | Description |
|----------------|---|
| | and column groups (see COLGROUP and COL) only. * rows: Rules will appear between rows only. * cols: Rules will appear between columns only. * all: Rules will appear between all rows and columns |
| selectedClass | Assigns one or more space-separated CSS class names to the component rows selected |
| selection | Value binding representing selected rows |
| selectionMode | Single row can be selected. multi: Multiple rows can be selected. none: no rows can be selected. Default value is "single" |
| sortMode | Defines mode of sorting. Possible values are 'single' for sorting of one column and 'multi' for some. |
| sortPriority | Defines a set of column ids in the order the columns could be set |
| stateVar | The attribute provides access to a component state on the client side |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| tableState | ValueBinding pointing at a property of a String to hold table state |
| title | HTML: Advisory title information about markup elements generated for this component |
| value | JSF: The current value for this component |
| var | A request-scope attribute via which the data object for the current row will be used when iterating |
| width | HTML: This attribute specifies the desired width of the entire table and is intended for visual user agents. When the value is percentage value, the value is relative to the user agent's available horizontal space. In the absence of any width specification, table width is determined by the user agent |

Table 6.107. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.ExtendedDataTable |
| component-class | org.richfaces.component.html.HtmlExtendedDataTable |
| component-family | org.richfaces.ExtendedDataTable |
| renderer-type | org.richfaces.ExtendedDataTableRenderer |
| tag-class | org.richfaces.taglib.ExtendedDataTableTag |

6.6.12.3. Creating the Component with a Page Tag

Here is a simple example as it could be used on a page:

Example:

```
...  
<rich:extendedDataTable value="#{extendedDT.dataModel}" var="edt">  
  <rich:column>  
    ...  
  </rich:column>  
</rich:extendedDataTable>  
...
```

6.6.12.4. Creating the Component Dynamically from Java

Example:

```
import org.richfaces.component.html.HtmlExtendedDataTable;  
...  
HtmlExtendedDataTable myTable = new HtmlExtendedDataTable();  
...
```

6.6.12.5. Details of Usage

The **<rich:extendedDataTable>** component is similar to the **<rich:dataTable>**. The data in component is scrollable. You can also set the type of selection (*"none"*, *"single"* or *"multi"* lines). Selection of multiple lines is possible using Shift and Ctrl keys.

Here is an example:

Example:

```
...
<rich:extendedDataTable id="edt" value="#{extendedDT.dataModel}" var="edt" width="500px" height="500px" sel

<rich:column id="id" headerClass="dataTableHeader" width="50" label="Id" sortable="true" sortBy="#{edt.id}" s
    <f:facet name="header">
        <h:outputText value="Id" />
    </f:facet>
    <h:outputText value="#{edt.id}" />
</rich:column>

<rich:column id="name" width="300" headerClass="dataTableHeader" label="Name" sortable="true" sortBy="#
    <f:facet name="header">
        <h:outputText value="Name" />
    </f:facet>
    <h:outputText value="#{edt.name}" />
</rich:column>

<rich:column id="date" width="100" headerClass="dataTableHeader" label="Date" sortable="true" comparator=
    <f:facet name="header">
        <h:outputText value="Date" />
    </f:facet>
    <h:outputText value="#{edt.date}"><f:convertDateTime pattern="yyyy-MM-dd
HH:mm:ss" />
    </h:outputText>
</rich:column>

<rich:column id="group" width="50" headerClass="dataTableHeader" label="Group" sortable="true" sortBy="#{
    <f:facet name="header">
        <h:outputText value="Group" />
    </f:facet>
    <h:outputText value="#{edt.group}" />
</rich:column>
</rich:extendedDataTable>
...
```

| Table header | | | |
|--------------|------------|------------------|---------|
| Id ↕ | Name ↕ | Date ↕ | Group ↕ |
| 0 | bf753ee6-7 | 1970-06-30 04:52 | group 1 |
| 1 | e481be6b-c | 1979-02-22 21:51 | group 2 |
| 2 | 1b2328fd-c | 1977-07-08 09:44 | group 3 |
| 3 | e57d01ce-b | 1992-05-16 10:58 | group 4 |
| 4 | 06d3b7d8-2 | 1978-07-05 01:11 | group 5 |
| 5 | b4d0be0e-e | 2008-01-15 21:06 | group 6 |
| 6 | 983f8d96-4 | 1990-10-21 21:37 | group 7 |
| 7 | 4e341f46-9 | 1988-10-13 12:34 | group 8 |
| 8 | 9ea456da-6 | 1976-07-11 02:01 | group 9 |

Figure 6.67. <rich:extendedDataTable> component with selected multiple lines

Information about sorting and filtering can be found in [RichFaces Developer Guide section on sorting](#).

For external filtering <rich:extendedDataTable> component supports "filter" facet for <rich:column> component. In this facet you can define your own controls for filtering which will be positioned like built-in filter controls. Rest of the filter scenario is the same as described [RichFaces Developer Guide section on filtering](#).

In the example "selection" attribute contains object with selected rows.

Note:

Attribute "height" is mandatory. The default value is "500px".

Menu on the right side of the column header is used to perform action: sorting, grouping, hiding columns.

This is an example:

| Table header | | | |
|--------------|------------|------------------|---------|
| Id ↕ | Name ↕ | Date ↕ | Group ↕ |
| 0 | bf753ee6-7 | | |
| 1 | e481be6b-c | | |
| 2 | 1b2328fd-c | 1977-07-08 09:44 | group 3 |
| 3 | e57d01ce-b | 1992-05-16 10:58 | group 4 |
| 4 | 06d3b7d8-2 | 1978-07-05 01:11 | group 5 |
| 5 | b4d0be0e-e | 2008-01-15 21:06 | group 6 |
| 6 | 983f8d96-4 | 1990-10-21 21:37 | group 7 |
| 7 | 4e341f46-9 | 1988-10-13 12:34 | group 8 |
| 8 | 9ea456da-6 | 1976-07-11 02:01 | group 9 |

Figure 6.68. Column menu

After selecting a "Group by this column" option, you can see the data grouped. You can collapse and expand groups by clicking on a group header.

This is an example:

| Table header | | | |
|---------------------|----------------------|-------------------|-------|
| Id ↕ | Name ↕ | Date ↕ | Group |
| | <input type="text"/> | | |
| + Group: 00000 (10) | | | |
| + Group: 11111 (10) | | | |
| - Group: 22222 (10) | | | |
| 2 | d7f16e56-7 | 1973-11-18 18:36: | 22222 |
| 12 | 27853d02-0 | 1981-02-04 22:28: | 22222 |
| 22 | 9b8616e4-b | 2006-04-23 16:13: | 22222 |
| 32 | 649f94b9-9 | 1973-08-31 01:00: | 22222 |
| 42 | 2dc79b9d-5 | 2006-05-15 23:22: | 22222 |
| 52 | 9c2c08e4-2 | 1997-03-07 19:24: | 22222 |
| 62 | 791c792d-b | 2000-11-01 20:45: | 22222 |

Figure 6.69. <rich:extendedDataTable> component with grouped data

The "label" attribute in <rich:column> sets the name of the column, which is used when dragging columns (in drag window) and in context menu, in "Columns" submenu.

Example:

```
...  
<rich:column id="name" label="#{msg['name']}"  
...
```

The screenshot shows a table with a header row containing columns: Id, Name, Date, and Group. A blue arrow points to a green checkmark icon in the Name column header, indicating a drag-and-drop operation. The table body contains 10 rows of data with various alphanumeric IDs, dates, and group numbers.

| Id | Name | Date | Group |
|----|------------|------------------|-------|
| 0 | bf753ee6-7 | 1970-06-30 04:52 | 00000 |
| 1 | e481be6b-c | 1979-02-22 21:51 | 11111 |
| 2 | 1b2328fd-c | 1977-07-08 09:44 | 22222 |
| 3 | e57d01ce-b | 1992-05-16 10:58 | 33333 |
| 4 | 06d3b7d8-2 | 1978-07-05 01:11 | 44444 |
| 5 | b4d0be0e-e | 2008-01-15 21:06 | 55555 |
| 6 | 983f8d96-4 | 1990-10-21 21:37 | 66666 |
| 7 | 4e341f46-9 | 1988-10-13 12:34 | 77777 |
| 8 | 9ea456da-6 | 1976-07-11 02:01 | 88888 |
| 9 | 802e844e-5 | 1984-04-03 21:24 | 99999 |

Figure 6.70. <rich:extendedDataTable> component with Drag&Drop column 'Name'

In the component <rich:extendedDataTable> columns can be hidden:

The screenshot shows the same table as Figure 6.70, but with a context menu open over the 'Name' column header. The menu includes options for 'Sort Ascending', 'Sort Descending', 'Group by this column', and 'Columns'. The 'Columns' option is expanded, showing a list of columns with checkboxes: 'Id' (checked), 'Name' (checked), 'Date' (unchecked), and 'Group' (unchecked). The 'Date' and 'Group' checkboxes are highlighted, indicating they are being managed.

| Id | Name |
|----|------------|
| 0 | bf753ee6-7 |
| 1 | e481be6b-c |
| 2 | 1b2328fd-c |
| 3 | e57d01ce-b |
| 4 | 06d3b7d8-2 |
| 5 | b4d0be0e-e |
| 6 | 983f8d96-4 |
| 7 | 4e341f46-9 |
| 8 | 9ea456da-6 |
| 9 | 802e844e-5 |

Figure 6.71. <rich:extendedDataTable> component with hidden column 'Id' and 'Group'

"tableState" attribute can be used to bind state of the table (column width, column position, visible, sequence, grouping...) to a backing-bean string property, for a later use. This state can be for example saved to a database, and it is different from standard JSF state saving mechanisms.

Example:

```
...  
<rich:extendedDataTable tableState="#{extendedDT.tableState}">
```

...

6.6.12.6. Facets

Table 6.108. Facets

| Facet | Description |
|---------|-------------------------------|
| header | Redefines the header content |
| footer | Redefines the footer content |
| caption | Redefines the caption content |

6.6.12.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:extendedDataTable>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a `<rich:extendedDataTable>` component

6.6.12.8. Skin Parameters Redefinition

Table 6.109. Skin parameters redefinition for a table

| Skin parameters | CSS properties |
|----------------------|------------------|
| tableBackgroundColor | background-color |

Table 6.110. Skin parameters redefinition for a header

| Skin parameters | CSS properties |
|-----------------------|------------------|
| headerBackgroundColor | background-color |

Table 6.111. Skin parameters redefinition for a footer

| Skin parameters | CSS properties |
|----------------------------|------------------|
| tableFooterBackgroundColor | background-color |

Table 6.112. Skin parameters redefinition for a column header

| Skin parameters | CSS properties |
|---------------------------|------------------|
| additionalBackgroundColor | background-color |

Table 6.113. Skin parameters redefinition for a column footer

| Skin parameters | CSS properties |
|-------------------------------|------------------|
| tableSubfooterBackgroundColor | background-color |

Table 6.114. Skin parameters redefinition for cells

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalSizeFont | font-size |
| generalTextColor | color |
| generalFamilyFont | font-family |

6.6.12.9. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.72. <rich:extendedDataTable> class names

Table 6.115. Classes names that define a whole component appearance

| Class name | Description |
|--------------------|--|
| rich-extdt | Defines styles for all table |
| rich-extdt-caption | Defines styles for a "caption" facet element |

Table 6.116. Classes names that define header and footer elements

| Class name | Description |
|----------------------------|---|
| rich-extdt-header | Defines styles for a table header row |
| rich-extdt-header-continue | Defines styles for all header lines after the first |
| rich-extdt-subheader | Defines styles for a column header |
| rich-extdt-footer | Defines styles for a footer row |
| rich-extdt-footer-continue | Defines styles for all footer lines after the first |
| rich-extdt-subfooter | Defines styles for a column footer |

Table 6.117. Classes names that define rows and cells of a table

| Class name | Description |
|--------------------------|---|
| rich-extdt-headercell | Defines styles for a header cell |
| rich-extdt-subheadercell | Defines styles for a column header cell |
| rich-extdt-cell | Defines styles for a table cell |
| rich-extdt-row | Defines styles for a table row |
| rich-extdt-firstrow | Defines styles for a table start row |
| rich-extdt-footercell | Defines styles for a footer cell |
| rich-extdt-subfootercell | Defines styles for a column footer cell |
| rich-extdt-group-cell | Defines styles for a grouping row cell |

An example of use the styles for component `<rich:extendedDataTable>` is similar to `<rich:dataTable>`

6.6.12.10. Relevant resources links

Some additional information about usage of component can be found [on its LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/extendedDataTable.jsf?c=extendedDataTable) [http://livedemo.exadel.com/richfaces-demo/richfaces/extendedDataTable.jsf?c=extendedDataTable].

6.6.13. `<a4j:repeat >` available since 3.0.0

6.6.13.1. Description

The `<a4j:repeat>` component implements a basic iteration component that allows to update a set of its children with Ajax.

Table 6.118. a4j : repeat attributes

| Attribute Name | Description |
|----------------|---|
| ajaxKeys | This attribute defines row keys that are updated after an AJAX request. |

| Attribute Name | Description |
|-----------------|---|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| componentState | It defines EL-binding for a component state for saving or redefinition. |
| first | A zero-relative row number of the first row to display |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| rendered | JSF: If "false", this component is not rendered |
| rowKeyConverter | Converter for a row key object |
| rowKeyVar | The attribute provides access to a row key in a Request scope. |
| rows | HTML: A number of rows to display, or zero for all remaining rows in the table |
| stateVar | The attribute provides access to a component state on the client side. |
| value | JSF: The current value for this component. |
| var | A request-scope attribute via which the data object for the current row will be used when iterating |

Table 6.119. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.ajax4jsf.Repeat |
| component-family | javax.faces.Data |
| component-class | org.ajax4jsf.component.html.HtmlAjaxRepeat |
| renderer-type | org.ajax4jsf.components.RepeatRenderer |

6.6.13.2. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

```
<a4j:repeat id="detail" value="#{bean.props}" var="detail">  
  <h:outputText value="#{detail.someProperty}"/>  
</a4j:repeat>
```

The output is generated according to a collection contained in `bean.props` with the `detail` key passed to child components.

6.6.13.3. Creating the Component Dynamically Using Java

Example:

```
import org.ajax4jsf.component.html.HtmlAjaxRepeat;
...
HtmlAjaxRepeat repeater = new HtmlAjaxRepeat ();
...
```

6.6.13.4. Details of usage

The `<a4j:repeat>` component is similar to Facelets `<ui:repeat>` tag, which is used to iterate through a collection of objects binded with JSF page as EL expression. The main difference of the `<a4j:repeat>` is a possibility to update particular components (it's children) instead of all using Ajax requests. The feature that makes the component different is a special `"ajaxKeys"` attribute that defines row that are updated after an Ajax request. As a result it becomes easier to update several child components separately without updating the whole page.

```
...
<table>
  <tbody>

  <a4j:repeat value="#{repeatBean.items}" var="item" ajaxKeys="#{updateBean.updatedRow}">
    <tr>
      <td><h:outputText value="#{item.code}" id="item1" /></td>
      <td><h:outputText value="#{item.price}" id="item2" /></td>
    </tr>
  </a4j:repeat>
</tbody>
</table>
...
```

The example above the `<a4j:repeat>` points to a method that contains row keys to be updated.

Note:

The `<a4j:repeat>` component is defined as fully updated, but really updated there are only the row keys which defined in the `"ajaxKeys"` attribute.

One more benefit of this component is absence of strictly defined markup as JSF HTML DataTable and TOMAHAWK DataTable has. Hence the components could be used more flexibly anywhere where it's necessary to output the results of selection from some collection.

The next example shows collection output as a plain HTML list:

```
<ul>
  <a4j:repeat ...>
    <li>...</li>
    ...
    <li>...</li>
  </a4j:repeat>
</ul>
```

All other general attributes are defined according to the similar attributes of iterative components (**<h:dataTable>** or **<ui:repeat>**) and are used in the same way.

6.6.13.5. Relevant resources links

Vizit the [Repeat page](http://livedemo.exadel.com/richfaces-demo/richfaces/repeat.jsf?c=repeat) [http://livedemo.exadel.com/richfaces-demo/richfaces/repeat.jsf?c=repeat] at RichFaces LiveDemo for examples of component usage and their sources.

6.6.14. < rich:scrollableDataTable > available since 3.1.0

3.1.0

6.6.14.1. Description

The **<rich:scrollableDataTable>** component is used for the table-like component creation. The component just adds the set of additional features described below in comparison with the standard table.

| State | Flag | Capital |
|-------------|------|-------------|
| Alabama | | Montgomery |
| Alaska | | Juneau |
| Arizona | | Phoenix |
| Arkansas | | Little Rock |
| California | | Sacramento |
| Colorado | | Denver |
| Connecticut | | Hartford |
| Delaware | | Dover |
| Florida | | Tallahassee |
| Georgia | | Atlanta |
| Hawaii | | Honolulu |
| Idaho | | Boise |
| Illinois | | Springfield |
| Iowa | | Des Moines |
| Kansas | | Topeka |
| Kentucky | | Frankfort |

Figure 6.73. <rich:scrollableDataTable> component

6.6.14.2. Key Features

- Highly customizable look and feel
- Variable content of the table cells
- Dynamically fetching the rows from the server when the table is scrolled up and down
- Resizing columns by mouse dragging the column bar
- Sorting column by clicking the header
- Fixed one or more left columns when table is scrolled horizontally
- One and multi-selection rows mode
- Built-it drag-n-drop support
- [Sorting column values](#)

Table 6.120. rich : scrollableDataTable attributes

| Attribute Name | Description |
|----------------|---|
| activeClass | Assigns one or more space-separated CSS class names to the component active row |

| Attribute Name | Description |
|----------------|--|
| activeRowKey | Request scope attribute under which the activeRowKey will be accessible |
| ajaxKeys | This attribute defines row keys that are updated after an AJAX request |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| columnClasses | JSF: Assigns one or more space-separated CSS class names to the columns of the table. If the CSS class names are comma-separated, each class will be assigned to a particular column in the order they follow in the attribute. If you have less class names than columns, the class will be applied to every n-fold column where n is the order in which the class is listed in the attribute. If there are more class names than columns, the overflow ones are ignored. |
| componentState | It defines EL-binding for a component state for saving or redefinition |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| first | A zero-relative row number of the first row to display |
| footerClass | Assigns one or more space-separated CSS class names to any footer generated for this component |
| frozenColCount | Defines the number of the fixed columns from the left side that will not be scrolled via horizontal scroll. Default value is "0". |

| Attribute Name | Description |
|--------------------|--|
| headerClass | Assigns one or more space-separated CSS class names to any header generated for this component |
| height | Defines a height of the component. Default value is "500px". |
| hideWhenScrolling | If "true" data will be hidden during scrolling. Can be used for increase performance. Default value is "false". |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now |
| onRowClick | The client-side script method to be called when the row is clicked |
| onRowDbClick | The client-side script method to be called when the row is double-clicked |
| onRowMouseDown | The client-side script method to be called when a mouse button is pressed down over the row |
| onRowMouseUp | The client-side script method to be called when a mouse button is released over the row |
| onselectionchange | The client side script method to be called when a selected row is changed |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, rendered in case of AjaxRequest caused by this component. Can be single id, |

| Attribute Name | Description |
|----------------------|---|
| | comma-separated list of Id's, or EL Expression with array or Collection |
| rowClasses | JSF: Assigns one or more space-separated CSS class names to the rows of the table. If the CSS class names are comma-separated, each class will be assigned to a particular row in the order they follow in the attribute. If you have less class names than rows, the class will be applied to every n-fold row where n is the order in which the class is listed in the attribute. If there are more class names than rows, the overflow ones are ignored. |
| rowKeyConverter | Converter for a row key object |
| rowKeyVar | The attribute provides access to a row key in a Request scope |
| rows | HTML: A number of rows to display, or zero for all remaining rows in the table |
| scriptVar | Name of JavaScript variable corresponding to component |
| selectedClass | Assigns one or more space-separated CSS class names to the component rows selected |
| selection | Value binding representing selected rows |
| selectionMode | Defines selection behaviour, provides an enumeration of the possible selection modes. Default value is "multi" |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| sortMode | Defines mode of sorting. Possible values are 'single' for sorting of one column and 'multi' for some. |
| sortOrder | ValueBinding pointing at a property of a class to manage rows sorting |
| stateVar | The attribute provides access to a component state on the client side |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |

| Attribute Name | Description |
|----------------|---|
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| timeout | Response waiting time on a particular request. If a response is not received during this time, the request is aborted |
| value | JSF: The current value for this component |
| var | A request-scope attribute via which the data object for the current row will be used when iterating |
| width | HTML: Defines a width of the component. Default value is "700px". |

Table 6.121. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.component.ScrollableDataTable |
| component-class | org.richfaces.component.html.HtmlScrollableDataTable |
| component-family | org.richfaces.component.ScrollableDataTable |
| renderer-type | org.richfaces.renderkit.html.ScrollableDataTableRenderer |
| tag-class | org.richfaces.taglib.ScrollableDataTableTag |

6.6.14.3. Creating the Component with a Page Tag

Here is a simple example as it could be used on a page:

Example:

```

...
<rich:scrollableDataTable value="#{dataTableScrollerBean.allCars}" var="category">
    <!--Set of columns and header/footer facets-->
</rich:scrollableDataTable>
...

```

6.6.14.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlScrollableDataTable;
...
HtmlScrollableDataTable myScrollableDataTable = new HtmlScrollableDataTable();
...
```

6.6.14.5. Details of Usage

The component represents on a page as a scrollable table with some fixed (non-scrollable) rows (with header and footer) and columns. Like other tables **<rich:scrollableDataTable>** also has optional footer and header that could be implemented using the corresponding facets. Columns of the table are optionally resizable. Resizing is available using "drag and drop" of the column vertical borders. There is possibility to expand or collapse the columns through JS API on the client side. You can define the number of the fixed columns from the left side using attribute *"frozenColCount"* that is not scrolled via horizontal scroll.

There is possibility to increase component performance using attribute *"hideWhenScrolling"* . If attribute value is "true" data is hidden during scrolling.

It's possible to select the whole row with onclick on the row or some set of rows. Selection is optional and availability of such feature is defined on the component. There are two ways to select a few rows:

- Just clicking the columns one by one.
- Clicking some row with the SHIFT button hold. In this case all the rows starting from last selected up to clicked should be selected.

The columns provides the possibility of expanding/collapsing on the client side through the next JS API:

- `collapse(columnId)` - Performs the collapse action for the column with the corresponding id

It's possible to sort the table content after clicks on the header. The feature is optional (to disable it, use attribute `sortable` on `rich:column`). Every column should be pointed to the comparator method that is used for sorting the table. In case the **<rich:scrollableDataTable>** is already sorted by some column and the header of this column has been clicked again - the sorting is reversed.

After sorting selection that was made before is reset

The typical variant of using:

```
...
<rich:scrollableDataTable value="#{modelBuilder.model}" var="issues"
    frozenColCount="1"
```

```

    first="0"
    rows="40"
    width="300px"
    height="396px">
<rich:column width="100px">
  <f:facet name="header" >
    <h:outputText value="State"/>
  </f:facet>
  <h:outputText value="#{issues.cell1}"/>
  <f:facet name="footer">
    <h:outputText value="State"/>
  </f:facet>
</rich:column>
<!--Set of columns and header/footer facets-->
</rich:scrollableDataTable>
...

```

The *"selection"* attribute allows to get the row data when using one and multi-selection rows mode.

This attribute is a reference to object to the instance of `org.richfaces.model.selection.Selection` [<http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/apidoc/org/richfaces/model/selection/Selection.html>]. interface interface, containing current collection of objects selected by you.

In the following example when you submit the form, current collection of the selected objects is placed in the object's property. Then on complete action the `<rich:modalPanel>` with selected data is shown.

Example:

```

...
<h:form>
  <rich:spacer height="30" />
  <rich:scrollableDataTable rowKeyVar="rkv" frozenColCount="1" height="200px"
    width="300px" id="carList" rows="40" columnClasses="col"
    value="#{dataTableScrollerBean.allCars}" var="category" sortMode="single"
    selection="#{dataTableScrollerBean.selection}">
    <rich:column id="make">
      <f:facet name="header"><h:outputText styleClass="headerText" value="Make" />
    </f:facet>
      <h:outputText value="#{category.make}" />
    </rich:column>
    <rich:column id="model">

```

```
<f:facet name="header"><h:outputText styleClass="headerText" value="Model" />
</f:facet>
    <h:outputText value="#{category.model}" />
</rich:column>
<rich:column id="price">
    <f:facet name="header"><h:outputText styleClass="headerText" value="Price" />
</f:facet>
    <h:outputText value="#{category.price}" />
</rich:column>
</rich:scrollableDataTable>
<rich:spacer height="20px"/>
<a4j:commandButton value="Show Current Selection" reRender="table"
    action="#{dataTableScrollerBean.takeSelection}"
    oncomplete="javascript:Richfaces.showModalPanel('panel');"/>
</h:form>
<rich:modalPanel id="panel" autosized="true">
    <f:facet name="header">
        <h:outputText value="Selected Rows"/>
    </f:facet>
    <f:facet name="controls">
        <span style="cursor:pointer" onclick="javascript:Richfaces.hideModalPanel('panel')>X</span>
    </f:facet>
    <rich:dataTable value="#{dataTableScrollerBean.selectedCars}" var="sel" id="table">
        <rich:column>
            <f:facet name="header"><h:outputText value="Make" /></f:facet>
            <h:outputText value="#{sel.make}" />
        </rich:column>
        <rich:column id="model">
            <f:facet name="header"><h:outputText value="Model" /></f:facet>
            <h:outputText value="#{sel.model}" />
        </rich:column>
        <rich:column id="price">
            <f:facet name="header"><h:outputText value="Price" /></f:facet>
            <h:outputText value="#{sel.price}" />
        </rich:column>
    </rich:dataTable>
</rich:modalPanel>
...
```

This is a result:

| Make | Model | Price |
|-----------|----------|-------|
| Chevrolet | Corvette | 22428 |
| Chevrolet | Corvette | 46881 |
| Chevrolet | | |
| Chevrolet | Malibu | 30904 |
| Chevrolet | Malibu | 15503 |

| Make | Model | Price |
|-----------|----------|-------|
| Chevrolet | Corvette | 22428 |

Show Current Selection

Figure 6.74. The *"selection"* attribute usage

On [RichFaces LiveDemo page](http://wiki.jboss.org/wiki/RichFacesCookbook/ScrollableDataTableSelectionUsage) [http://wiki.jboss.org/wiki/RichFacesCookbook/ScrollableDataTableSelectionUsage] you can find fuller example of use of this attribute with example bean.

The `<rich:scrollableDataTable>` component has the following extra attributes for event processing on the client:

- *"onselectionchange"*
- *"onRowClick"*
- *"onRowDbClick"*
- *"onRowMouseUp"*
- *"onRowMouseDown"*

From version 3.3.1 it becomes possible to switch selection mode with `selectionMode` attribute

Information about sorting and filtering you can find in RichFaces Developer guide section about [sorting](#).

Information about the *"process"* attribute usage you can find in the ["Decide what to process"](#) guide section.

Note:

If you want to use specific features such as pagination on database level you should pass to the *"value"* of the `<rich:scrollableDataTable>` component an object which class extends `org.richfaces.model.ScrollableTableDataModel`.

6.6.14.6. JavaScript API

Table 6.122. JavaScript API

| Function | Description |
|--------------------|---|
| collapse(columnId) | Performs a collapse action for column with corresponding Id |

6.6.14.7. Facets

Table 6.123. Facets

| Facet | Description |
|--------|----------------------------|
| header | Defines the header content |
| footer | Defines the footer content |

6.6.14.8. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all **<rich:scrollableDataTable>** components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a **<rich:scrollableDataTable>** component

6.6.14.9. Skin Parameters Redefinition

Table 6.124. Skin parameters for all table

| Skin parameters | CSS properties |
|----------------------|------------------|
| tableBackgroundColor | background-color |
| tableBorderColor | border-color |
| tableBorderWidth | border-width |

Table 6.125. Skin parameters for header rows and cells

| Skin parameters | CSS properties |
|-----------------------|------------------|
| headerBackgroundColor | background-color |
| headerTextColor | color |

| Skin parameters | CSS properties |
|-------------------|---------------------|
| generalFamilyFont | font-family |
| generalSizeFont | font-size |
| tableBorderWidth | border-bottom-width |
| tableBorderColor | border-bottom-color |
| tableBorderWidth | border-right-width |
| tableBorderColor | border-right-color |

Table 6.126. Skin parameters for footer rows and cells

| Skin parameters | CSS properties |
|-------------------------------|--------------------|
| tableSubfooterBackgroundColor | background-color |
| generalFamilyFont | font-family |
| generalSizeFont | font-size |
| tableBorderColor | border-right-color |
| generalFamilyFont | font-family |
| generalSizeFont | font-size |

Table 6.127. Skin parameters for column cells

| Skin parameters | CSS properties |
|------------------|---------------------|
| tableBorderColor | border-right-color |
| tableBorderColor | border-bottom-color |

Table 6.128. Skin parameters for active rows

| Skin parameters | CSS properties |
|----------------------|----------------|
| tabDisabledTextColor | color |

Table 6.129. Skin parameters for selected rows

| Skin parameters | CSS properties |
|---------------------------|------------------|
| additionalBackgroundColor | background-color |

6.6.14.10. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.



Figure 6.75. Classes names

Table 6.130. Classes names that define a component appearance

| Class name | Description |
|------------|---|
| rich-sdt | Defines styles for a component appearance |

Table 6.131. Classes names that define footer and header elements

| Class name | Description |
|----------------------|--------------------------------------|
| rich-sdt-header-cell | Defines styles for header cells |
| rich-sdt-header-row | Defines styles for a header row |
| rich-sdt-column-cell | Defines styles for column cells |
| rich-sdt-footer-cell | Defines styles for footer cells |
| rich-sdt-footer-row | Defines styles for a footer row |
| rich-sdt-hsep | Defines styles for header separators |

Table 6.132. Classes names that define different states

| Class name | Description |
|---------------------|----------------------------------|
| rich-sdt-row-active | Defines styles for an active row |

| Class name | Description |
|---------------------------|---|
| rich-sdt-row-selected | Defines styles for a selected row |
| rich-sdt-column-sort-up | Defines styles for ascending sorted column |
| rich-sdt-column-sort-down | Defines styles for descending sorted column |

In order to redefine styles for all **<rich:scrollableDataTable>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-sdt-header-cell{  
    font-style:italic;  
}  
...
```

This is a result:

| <i>State</i> | <i>Flag</i> | <i>Capital</i> |
|--------------|---|----------------|
| Alabama |  | Montgomery |
| Alaska |  | Juneau |
| Arizona |  | Phoenix |
| Arkansas |  | Little Rock |
| California |  | Sacramento |
| Colorado |  | Denver |
| Connecticut |  | Hartford |
| Delaware |  | Dover |
| Florida |  | Tallahassee |
| Georgia |  | Atlanta |
| Hawaii |  | Honolulu |
| Idaho |  | Boise |
| Illinois |  | Springfield |
| Iowa |  | Des Moines |
| Kansas |  | Topeka |
| Kentucky |  | Frankfort |

Figure 6.76. Redefinition styles with predefined classes

In the example the font style for header cell was changed.

Also it's possible to change styles of particular `<rich:scrollableDataTable>` component. In this case you should create own style classes and use them in corresponding `<rich:scrollableDataTable>` `styleClass` attributes. An example is placed below:

Example:

```
...  
.myClass{  
    background-color:#ffead9;  
}  
...
```

The `selectedClass` attribute for `<rich:scrollableDataTable>` is defined as it's shown in the example below:

Example:

```
<rich:scrollableDataTable ... selectedClass="myClass"/>
```

This is a result:

| State | Flag | Capital |
|-------------|---|-------------|
| Alabama |  | Montgomery |
| Alaska |  | Juneau |
| Arizona |  | Phoenix |
| Arkansas |  | Little Rock |
| California |  | Sacramento |
| Colorado |  | Denver |
| Connecticut |  | Hartford |
| Delaware |  | Dover |
| Florida |  | Tallahassee |
| Georgia |  | Atlanta |
| Hawaii |  | Honolulu |
| Idaho |  | Boise |
| Illinois |  | Springfield |
| Iowa |  | Des Moines |
| Kansas |  | Topeka |
| Kentucky |  | Frankfort |

Figure 6.77. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, background color for selected item was changed.

6.6.14.11. Relevant Resources Links

On [the component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/scrollableDataTable.jsf?c=scrollableDataTable) [http://livedemo.exadel.com/richfaces-demo/richfaces/scrollableDataTable.jsf?c=scrollableDataTable] you can see the example of `<rich:scrollableDataTable>` usage.

Cookbook article [Scrollable dataTable Selection Usage](http://www.jboss.org/community/docs/DOC-11857) [http://www.jboss.org/community/docs/DOC-11857] provides a simple example of how you can use the "selection" attribute in order to get row selection in rich:scrollableDataTable.

6.7. Drag-Drop Support

In this section you will find components that help you build drag-and-drop controls, manage their behaviour and define the area on the page to be used as a drop zone.

6.7.1. `< rich:dragIndicator >` available since 3.0.0

6.7.1.1. Description

This is a component for defining what appears under the mouse cursor during drag-and-drop operations. The displayed drag indicator can show information about the dragged elements.



Figure 6.78. `<rich:dragIndicator>` component

6.7.1.2. Key Features

- Customizable look and feel
- Customizable marker according to the type of draggable elements

Table 6.133. rich : dragIndicator attributes

| Attribute Name | Description |
|----------------|--|
| acceptClass | Assigns one or more space-separated CSS class names to the indicator which are applied when a drop is accepted |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| id | JSF: Every component may have a unique id that is automatically created if omitted |

| Attribute Name | Description |
|----------------|---|
| rejectClass | Assigns one or more space-separated CSS class names to the indicator which are applied when a drop is rejected |
| rendered | JSF: If "false", this component is not rendered |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more space-separated CSS class names to the component. Corresponds to the HTML "class" attribute. |

Table 6.134. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.Draggable |
| component-class | org.richfaces.component.html.HtmlDragIndicator |
| component-family | org.richfaces.DragIndicator |
| renderer-type | org.richfaces.DragIndicatorRenderer |
| tag-class | org.richfaces.taglib.DragIndicatorTag |

6.7.1.3. Creating the Component with a Page Tag

Here is a simple example as it could be used on a page:

Example:

```

...
<rich:dragIndicator id="indicator">
  <f:facet name="single">
    <f:verbatim>
      <b>Single item</b> {DragInfo}
    </f:verbatim>
  </f:facet>
</rich:dragIndicator>
...
<rich:dragSupport dragType="text" dragIndicator="indicator"/>
...

```

6.7.1.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlDragIndicator;
...
HtmlDragIndicator myDragIndicator = new HtmlDragIndicator();
...
```

6.7.1.5. Details of Usage

In the simplest way the component could be defined empty - in that case a default indicator is shown like this:




Figure 6.79. The simplest <rich:dragIndicator>

For indicator customization you need to define one of the following facets:

- *"single"* — indicator shown when dragging a single item;
- *"multiple"* — indicator shown when dragging several items.

Note:

The current implementation of the `<rich:dragIndicator>` component does not support multiple items selection. The feature is described for future releases.

Thus for specify a look-and-feel you have to define one of these facets and include into it a content that should be shown in indicator.

6.7.1.5.1. Macro definitions

To place some data from drag or drop zones into component you can use macro definitions. They are being defining in the following way:

- `<rich:dndParam>` component with a specific name and value is being included into a drag/drop support component (an image can be defined as placed inside `<rich:dndParam>` without defining a value).

- in needed place a parameter value is included into the marking of indicator using syntax (name of parameter)

For instance, this:

```
...
<rich:dropSupport...>
  <rich:dndParam name="testDrop">
    <h:graphicImage value="/images/file-manager.png" />
  </rich:dndParam>
</rich:dropSupport>
...
```

Is placed into indicator as follows:

```
...
<f:facet name="single">
  {testDrop}
</f:facet>
...
```

6.7.1.5.2. Predefined macro definitions

Indicator can accept two default macro definitions:

- marker
- label

Thus including one of these elements in the marking of indicator, in other words after setting up appropriate parameters in DnD components and defining only default indicator - without specifying facets - a developer gets these parameters values displayed in indicator in the order "marker - label".

6.7.1.5.3. Marker customization

The macro definition "*marker*" can be customized depending on what a draggable element is located over. For that you should define one of these three parameters (specify a parameter with one of three names):

- accept

Parameter will be set instead of {marker} into indicator when a draggable element is positioned over drop zone that accept this type of elements

- reject

Parameter is set instead of {marker} into indicator when a draggable element is positioned over drop zone that doesn't accept this type of elements

- default

Parameter is set instead of {marker} into indicator when a draggable element is positioned over all the rest of page elements

Note:

If you use `<rich:dragIndicator>` inside a form do not forget to use id like `formId:indicatorID` defined in `<rich:dragSupport>` indicator attribute.

6.7.1.6. Look-and-Feel Customization

The `<rich:dragIndicator>` component has no skin parameters and special *style classes*, as it consists of one element generated with a your method on the server. To define some style properties such as an indent or a border, it's possible to use `"style"` and `"styleClass"` attributes on the component.

6.7.1.7. Relevant Resources Links

[On the component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/dragSupport.jsf?c=dragIndicator) [http://livedemo.exadel.com/richfaces-demo/richfaces/dragSupport.jsf?c=dragIndicator] you can see the example of `<rich:dragIndicator>` usage and sources for the given example.

6.7.2. < rich:dragSupport > available since 3.0.0

6.7.2.1. Description

This component defines a subtree of the component tree as draggable for drag-and-drop operations. Within such a "drag zone," you can click the mouse button on an item and drag it to any component that supports drop operations (a "drop zone"). It encodes all the necessary JavaScript for supporting drag-and-drop operations.



Figure 6.80. `<rich:dragSupport>` component

6.7.2.2. Key Features

- Encodes all necessary JavaScript to perform drag actions
- Can be used within any component type that provides the required properties for drag operations
- Supports drag-and-drop between different forms

Table 6.135. rich : dragSupport attributes

| Attribute Name | Description |
|----------------|--|
| action | MethodBinding pointing at the application action to be invoked, if this UIComponent is activated by you, during the Apply Request Values or Invoke Application phase of the request processing lifecycle, depending on the value of the immediate property |
| actionListener | MethodBinding pointing at method accepting an ActionEvent with return type void |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |

| Attribute Name | Description |
|--------------------|--|
| disableDefault | Disable default action for target event (append "return false;" to JavaScript) |
| dragIndicator | Id of a component that is used as drag pointer during the drag operation |
| dragListener | MethodBinding representing an action listener method that will be notified after drag operation |
| dragType | A drag zone type that is used for zone definition, which elements can be accepted by a drop zone |
| dragValue | Data to be sent to a drop zone after a drop event |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| focus | ID of an element to set focus after request is completed on client side |
| grabbingCursors | list of comma separated cursors that indicates then the you has grabbed something |
| grabCursors | List of comma separated cursors that indicates then you can grab and drag an object |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now |
| immediate | True means, that the default ActionListener should be executed immediately (i.e. during Apply Request Values phase of the request processing lifecycle), rather than waiting until the Invoke Application phase |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" |

| Attribute Name | Description |
|----------------------|---|
| | attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| onbeforedomupdate | The client-side script method to be called before DOM is updated |
| oncomplete | The client-side script method to be called after the request is completed |
| ondragend | The client-side script method to be called when the dragging operation is finished |
| ondragstart | The client-side script method to be called when the dragging operation is started |
| ondropout | The client-side script method to be called when the draggable object is moved away from the drop zone |
| ondropover | The client-side script method to be called when the draggable object is over the drop zone |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, rendered in case of AjaxRequest caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| timeout | Response waiting time on a particular request. If a response is not received during this time, the request is aborted |
| value | JSF: The current value for this component |

Table 6.136. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.DragSupport |
| component-class | org.richfaces.component.html.HtmlDragSupport |
| component-family | org.richfaces.DragSupport |
| renderer-type | org.richfaces.DragSupportRenderer |
| tag-class | org.richfaces.taglib.DragSupportTag |

6.7.2.3. Creating the Component with a Page Tag

Here is a simple example as it could be used on a page:

Example:

```
...  
<h:panelGrid id="drag1">  
  <rich:dragSupport dragType="item"/>  
  <!--Some content to be dragged-->  
</h:panelGrid>  
...
```

6.7.2.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlDragSupport;  
...  
HtmlDragSupport myDragZone = new HtmlDragSupport();  
...
```

6.7.2.5. Details of Usage

The dragSupport tag inside a component completely specifies the events and JavaScript required to use the component and it's children for dragging as part of a drag-and-drop operation. In order to work, though, dragSupport must be placed inside a wrapper component that outputs child components and that has the right events defined on it. Thus, this example won't work, because the **<h:column>** tag doesn't provide the necessary properties for redefining events on the client:

Example:

```
...
```

```
<h:column>
  <rich:dragSupport dragIndicator=":form:iii" dragType="text">
    <a4j:actionparam value="#{caps.name}" name="name"/>
  </rich:dragSupport>
  <h:outputText value="#{caps.name}"/>
</h:column>
...
```

However, using `a4j:outputPanel` as a wrapper inside `<h:column>`, the following code could be used successfully:

Example:

```
...
<h:column>
  <a4j:outputPanel>
    <rich:dragSupport dragIndicator=":form:iii" dragType="text">
      <a4j:actionparam value="#{caps.name}" name="name"/>
    </rich:dragSupport>
    <h:outputText value="#{caps.name}"/>
  </a4j:outputPanel>
</h:column>
...
```

This code makes all rows of this column draggable.

One of the main attributes for `dragSupport` is `dragType`, which associates a name with the drag zone. Only drop zones with this name as an acceptable type can be used in drag-and-drop operations. Here is an example:

Example:

```
...
<h:panelGrid id="drag1">
  <rich:dragSupport dragType="singleItems" .../>
  <!--Some content to be dragged-->
</h:panelGrid>
...
<h:panelGrid id="drag2">
  <rich:dragSupport dragType="groups" .../>
  <!--Some content to be dragged-->
</h:panelGrid>
...
```

```
<h:panelGrid id="drop1">
  <rich:dropSupport acceptedTypes="singleItems" .../>
  <!--Drop zone content-->
</h:panelGrid>
...

```

In this example, the `drop1` panel grid is a drop zone that invokes drag-and-drop for drops of items from the first `drag1` panel grid, but not the second `drag2` panel grid. In the section about `dropSupport`, you will find an example that shows more detailed information about moving data between tables with drag and drop.

The `dragSupport` component also has a *"value"* attribute for passing data into the processing after a drop event.

One more important attribute for **<rich:dragSupport>** is the *"dragIndicator"* attribute that point to the component id of the **<rich:dragIndicator>** component to be used for dragged items from this drag zone. If it isn't defined, a default indicator for drag operations is used.

Finally, the component has the following extra attributes for event processing on the client:

- *"ondragstart"*
- *"ondragend"*

You can use your own custom JavaScript functions to handle these events.

Note:

If you define width for a `outputPanel`, in Internet Explorer 6 you can perform a drag and drop operation, placing the mouse cursor on the text in the `outputPanel` only.

6.7.2.6. Look-and-Feel Customization

<rich:dragSupport> has no skin parameters and custom style classes, as the component isn't visual.

6.7.2.7. Relevant Resources Links

[On the component Live Demo page](http://livedemo.exadel.com/richfaces-demo/richfaces/dragSupport.jsf?c=dragSupport) [http://livedemo.exadel.com/richfaces-demo/richfaces/dragSupport.jsf?c=dragSupport] you can see the example of **<rich:dragSupport>** usage and sources for the given example.

6.7.3. < rich:dragListener > available since 3.1.0

3.1.0

6.7.3.1. Description

The `<rich:dragListener>` represents an action listener method that is notified after a drag operation.

6.7.3.2. Key Features

- Allows to define some drag listeners for the components with "Drag and Drop" support

Table 6.137. rich : dragListener attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| type | HTML: The fully qualified Java class name for the listener |

Table 6.138. Component identification parameters

| Name | Value |
|----------------|--------------------------------------|
| listener-class | org.richfaces.event.DragListener |
| event-class | org.richfaces.event.DragEvent |
| tag-class | org.richfaces.taglib.DragListenerTag |

6.7.3.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...
<rich:dragListener type="demo.Bean"/>
...
```

6.7.3.4. Creating the Component Dynamically Using Java

Example:

```
package demo;
```

```
public class ImplBean implements org.richfaces.event.DragListener{
    ...
}
```

```
import demo.ImplBean;
...
ImplBean myDragListener = new ImplBean();
...
```

6.7.3.5. Details of Usage

The `<rich:dragListener>` is used as a nested tag with components like `<rich:dragSupport>`, `<rich:tree>` and `<rich:treeNode>`.

Attribute `"type"` defines the fully qualified Java class name for a listener. This class should implement [org.richfaces.event.DropListener](http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/apidoc_framework/org/richfaces/event/DropListener.html) [http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/apidoc_framework/org/richfaces/event/DropListener.html] interface.

The typical variant of using:

```
...
<h:panelGrid id="dragPanel">
  <rich:dragSupport dragType="item">
    <rich:dragListener type="demo.ListenerBean"/>
  </rich:dragSupport>
  <!--Some content to be dragged-->
</h:panelGrid>
...
```

Java bean source:

```
package demo;

import org.richfaces.event.DragEvent;

public class ListenerBean implements org.richfaces.event.DragListener{
    ...
    public void processDrag(DragEvent arg0){
```

```

//Custom Developer Code
}
...
}

```

6.7.3.6. Look-and-Feel Customization

`<rich:dragListener>` has no skin parameters and custom style classes , as the component isn't visual.

6.7.4. `< rich:dropListener >` available since 3.1.0

3.1.0

6.7.4.1. Description

The `<rich:dropListener>` represents an action listener method that is notified after a drop operation.

6.7.4.2. Key Features

- Allows to define some drop listeners for the components with "Drag and Drop" support

Table 6.139. rich : dropListener attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| type | HTML: The fully qualified Java class name for the listener |

Table 6.140. Component identification parameters

| Name | Value |
|----------------|--------------------------------------|
| listener-class | org.richfaces.event.DropListener |
| event-class | org.richfaces.event.DropEvent |
| tag-class | org.richfaces.taglib.DropListenerTag |

6.7.4.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...  
<rich:dropListener type="demo.Bean"/>  
...
```

6.7.4.4. Creating the Component Dynamically Using Java

Example:

```
package demo;  
  
public class ImplBean implements org.richfaces.event.DropListener{  
    ...  
}
```

```
import demo.ImplBean;  
...  
ImplBean myListener = new ImplBean();  
...
```

6.7.4.5. Details of Usage

The `<rich:dropListener>` is used as a nested tag with components like `<rich:dropSupport>`, `<rich:tree>` and `<rich:treeNode>`.

Attribute `"type"` defines the fully qualified Java class name for the listener. This class should implement [org.richfaces.event.DropListener](http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/apidoc_framework/org/richfaces/event/DropListener.html) [http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/apidoc_framework/org/richfaces/event/DropListener.html] interface. .

The typical variant of using:

```
...  
<rich:panel style="width:100px;height:100px;">  
    <f:facet name="header">Drop Zone</f:facet>  
    <rich:dropSupport acceptedTypes="text">  
        <rich:dropListener type="demo.ListenerBean"/>  
    </rich:dropSupport>  
</rich:panel>
```

...

Java bean source:

```
package demo;

import org.richfaces.event.DropEvent;

public class ListenerBean implements org.richfaces.event.DropListener{
...
    public void processDrop(DropEvent arg0){
        //Custom Developer Code
    }
...
}
```

6.7.4.6. Look-and-Feel Customization

`<rich:dropListener>` has no skin parameters and custom style classes , as the component isn't visual.

6.7.5. `< rich:dropSupport >` available since 3.0.0

6.7.5.1. Description

This component transforms a parent component into a target zone for drag-and-drop operations. When a draggable element is moved and dropped onto the area of the parent component, Ajax request processing for this event is started.




Figure 6.81. <rich:dropSupport> component

6.7.5.2. Key Features

- Encodes all necessary JavaScript to perform drop actions
- Can be used within any component type that provides the required properties for drop operations
- Built-in Ajax processing
- Supports drag-and-drop between different forms

Table 6.141. rich : dropSupport attributes

| Attribute Name | Description |
|----------------|--|
| acceptCursors | List of comma separated cursors that indicates when acceptable draggable over dropzone |
| acceptedTypes | A list of drag zones types, which elements are accepted by a drop zone |
| action | MethodBinding pointing at the application action to be invoked, if this UIComponent is activated by you, during the Apply Request Values or Invoke Application phase of the request processing lifecycle, depending on the value of the immediate property |
| actionListener | MethodBinding pointing at method accepting an ActionEvent with return type void |

| Attribute Name | Description |
|--------------------|--|
| ajaxSingle | Limits JSF tree processing (decoding, conversion, validation and model updating) only to a component that sends the request. Boolean |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| cursorTypeMapping | Mapping between drop types and acceptable cursors |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| disableDefault | Disable default action for target event (append "return false;" to JavaScript) |
| dropListener | MethodBinding representing an action listener method that will be notified after drop operation. |
| dropValue | Data to be processed after a drop event |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| focus | ID of an element to set focus after request is completed on client side |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now |

| Attribute Name | Description |
|-------------------|---|
| immediate | True means, that the default ActionListener should be executed immediately (i.e. during Apply Request Values phase of the request processing lifecycle), rather than waiting until the Invoke Application phase |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| onbeforedomupdate | The client-side script method to be called before DOM is updated |
| oncomplete | The client-side script method to be called after the request is completed |
| ondragenter | The client-side script method to be called when a draggable object enters the zone |
| ondragexit | The client-side script method to be called after a draggable object leaves the zone |
| ondrop | The client-side script method to be called when a draggable object is dropped into the available zone |
| ondropend | The client-side script method to be called when a draggable object is dropped into any zone |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, processed at the phases 2-5 in case of AjaxRequest caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rejectCursors | List of comma separated cursors that indicates when rejectable draggable over dropzone |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |

| Attribute Name | Description |
|----------------------|---|
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, rendered in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| timeout | Response waiting time on a particular request. If a response is not received during this time, the request is aborted |
| typeMapping | The attribute associates a type of draggable zone (<code>dragType</code>) with <code><rich:dndParam></code> defined for <code><rich:dropSupport></code> for passing parameter value to <code><rich:dragIndicator></code> . It uses JSON format: (<code>drag_type: parameter_name</code>). |
| value | JSF: The current value for this component |

Table 6.142. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | <code>org.richfaces.DropSupport</code> |
| component-class | <code>org.richfaces.component.html.HtmlIDropSupport</code> |
| component-family | <code>org.richfaces.DropSupport</code> |
| renderer-type | <code>org.richfaces.DropSupportRenderer</code> |
| tag-class | <code>org.richfaces.taglib.DropSupportTag</code> |

6.7.5.3. Creating the Component with a Page Tag

This simple example shows how to make a panel component a potential drop target for drag-and-drop operations using "text" elements as the dragged items.

Example:

```
...
<rich:panel>
```

```
<rich:dropSupport acceptedTypes="text"/>
</rich:panel>
...
```

6.7.5.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlDropSupport;
...
HtmlDropSupport myDragZone = new HtmlDropSupport();
...
```

6.7.5.5. Details of Usage

The key attribute for **<rich:dropSupport>** is *acceptedTypes* . It defines, which types of draggable items (zones) could be accepted by the current drop zone. Check the example below:

```
...
<rich:panel styleClass="dropTargetPanel">
  <f:facet name="header">
    <h:outputText value="PHP Frameworks" />
  </f:facet>
  <rich:dropSupport acceptedTypes="PHP" value="PHP" listener="#{eventBean.processDrop}" render="phptable,
  src">
  </rich:dropSupport>
  ...
</rich:panel>
...
```

and here is what happens on the page:




Figure 6.82. Drop zone accepts draggable item with "PHP" type only

Using the *"typeMapping"* attribute. Previous example shows that a drop zone could accept a draggable item or not. Special markers, which are placed at `<rich:dragIndicator>`, inform user about drop zone's possible behaviors: "checkmark" appears if drop is accepted and "No" symbol if it is not. Moreover, some extra information (e.g. text message) could be put into the Indicator to reinforce the signal about drop zone's behavior or pass some other additional sense. This reinforcement could be programmed and attributed to drop zone via *"typeMapping"* attribute using JSON syntax. The type of dragged zone (`dragType`) should be passed as "key" and name of `<rich:dndParam>` that gives needed message to Indicator as "value":

```

...
<rich:panel styleClass="dropTargetPanel">
  <f:facet name="header">
    <h:outputText value="PHP Frameworks" />
  </f:facet>
  <rich:dropSupport
    acceptedTypes="PHP" value="Drop" listener="#{eventBean.processDrop}"
    src"
    typeMapping="{PHP: text_for_accepting, DNET: text_for_rejecting}">
    <rich:dndParam name="text_for_accepting" value="Drop accepted!" />
    <rich:dndParam name="text_for_rejecting" value="Drop is not accepted!" />
  </rich:dropSupport>
  ...
</rich:panel>
...

```

What happens on the page:




Figure 6.83. *"typeMapping"* helps to add some extra information to `<rich:dragIndicator>`

In examples above dropping a draggable item triggers the use a parameter in the event processing; Ajax request is sent and dropListener defined for the component is called.

Here is an example of moving records between tables. The example describes all the pieces for drag-and-drop. (To get extra information on these components, read the sections for these components.)

As draggable items, this table contains a list of such items designated as being of type "text" :

Example:

```
...
<rich:dataTable value="#{capitalsBean.capitals}" var="caps">
  <f:facet name="caption">Capitals List</f:facet>
  <h:column>
    <a4j:outputPanel>
      <rich:dragSupport dragIndicator=":form:ind" dragType="text">
        <a4j:actionparam value="#{caps.name}" name="name"/>
      </rich:dragSupport>
      <h:outputText value="#{caps.name}"/>
    </a4j:outputPanel>
  </h:column>
</rich:dataTable>
...
```

As a drop zone, this panel will accept draggable items of type `text` and then rerender an element with the ID of `box` :

Example:

```
...
<rich:panel style="width:100px;height:100px;">
  <f:facet name="header">Drop Zone</f:facet>
  <rich:dropSupport acceptedTypes="text" reRender="box"
    dropListener="#{capitalsBean.addCapital2}"/>
</rich:panel>
...
```

As a part of the page that can be updated in a partial page update, this table has an ID of `box` :

Example:

```
...
<rich:dataTable value="#{capitalsBean.capitals2}" var="cap2" id="box">
  <f:facet name="caption">Capitals chosen</f:facet>
  <h:column>
    <h:outputText value="#{cap2.name}"/>
  </h:column>
</rich:dataTable>
...
```

And finally, as a listener, this listener will implement the dropped element:

Example:

```
...
public void addCapital2(DropEvent event) {
    FacesContext context = FacesContext.getCurrentInstance();
    Capital cap = new Capital();
    cap.setName(context.getExternalContext().getRequestParameterMap().get("name").toString());
    capitals2.add(cap);
}
...
```

Here is the result after a few drops of items from the first table:

| Capitals List | Drop Zone | Capitals chosen |
|---------------|-----------|-----------------|
| Montgomery | | Little Rock |
| Juneau | | Denver |
| Phoenix | | |
| Little Rock | | |
| Sacramento | | |
| Denver | | |
| Hartford | | |
| Dover | | |
| Tallahassee | | |
| Atlanta | | |
| Honolulu | | |

Figure 6.84. Results of drop actions

In this example, items are dragged element-by-element from the rendered list in the first table and dropped on a panel in the middle. After each drop, a drop event is generated and a common Ajax request is performed that renders results in the third table.

As with every Ajax action component, **<rich:dropSupport>** has all the common attributes (*"timeout"*, *"limitToList"*, *"reRender"*, etc.) for Ajax request customization.

Finally, the component has the following extra attributes for event processing on the client:

- *"ondragenter"*
- *"ondragexit"*
- *"ondrop"*
- *"ondropend"*

Developers can use their own custom JavaScript functions to handle these events.

Information about the *"process"* attribute usage you can find in the ["Decide what to process"](#) guide section .

6.7.5.6. Look-and-Feel Customization

<rich:dropSupport> has no skin parameters and custom *style classes* , as the component isn't visual.

6.7.5.7. Relevant Resources Links

[On the component Live Demo page](#) [http://livedemo.exadel.com/richfaces-demo/richfaces/dragSupport.jsf?c=dropSupport] you can see the example of **<rich:dropSupport>** usage and sources for the given example.

6.7.6. < rich:dndParam > available since 3.0.0

6.7.6.1. Description

This component is used for passing parameters during drag-and-drop operations.

Table 6.143. rich : dndParam attributes

| Attribute Name | Description |
|----------------|---|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| name | A name of this parameter |
| rendered | JSF: If "false", this component is not rendered |
| type | HTML: This attribute defines parameter functionality. Possible values are "drag", "drop" and "default". Default value is "default". |
| value | JSF: The current value for this component |

Table 6.144. Component identification parameters

| Name | Value |
|-----------------|---|
| component-type | org.richfaces.DndParam |
| component-class | org.richfaces.component.html.HtmlDndParam |
| tag-class | org.richfaces.taglib.DndParamTag |

6.7.6.2. Creating the Component with a Page Tag

Here is a simple example as it could be used on a page, nested in one of the drag-and-drop components:

Example:

```

...
<rich:dragSupport dragType="file">
  <rich:dndParam name="testDrag" value="testDragValue"
    type="drag"/>
</rich:dragSupport>
...

```

6.7.6.3. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlDndParam;
...
HtmlDndParam myDparam = new HtmlDndParam();
...
```

6.7.6.4. Details of Usage

dndParam is used during drag-and-drop operations to pass parameters to an indicator. At first, a parameter type is defined with the type attribute (to specify parameter functionality), then a parameter name could be defined with the name and value attribute. Although, it's possible to use nested content defined inside dndParam for value definition, instead of the attribute.

Variants of usage:

- Parameters passing for a drag icon when an indicator is in drag.

In this case, dndParam is of a drag type and is defined in the following way:

Example:

```
...
<rich:dragSupport ... >
  <rich:dndParam type="drag" name="dragging">
    <h:graphicImage value="/img/product1_small.png"/>
  </rich:dndParam>
  <h:graphicImage value="product1.png"/>
</rich:dragSupport>
...
```

Here dndParam defines an icon that is used by an indicator when a drag is on the place of a default icon (e.g. a minimized image of a draggable element)

- Parameters passing for an indicator informational part during a drag.

In this case dndParam is of a drag type and is defined in the following way:

Example:

```
...
<rich:dragSupport ... >
    <rich:dndParam type="drag" name="label" value="#{msg.subj}"/>
    ...
</rich:dragSupport>
...
```

The parameter is transmitted into an indicator for usage in an informational part of the dragIndicator component (inside an indicator a call to {label} happens)

- Parameters passing happens when dragged content is brought onto some zone with dropSupport

In this case dndParam is of a drop type and is defined in the following way:

Example:

```
...
<rich:dropSupport ... >
    <rich:dndParam type="drop" name="comp" >
        <h:graphicImage height="16" width="16" value="/images/comp.png"/>
    </rich:dndParam>
    ...
</rich:dropSupport >
...
```

Here, dndParam passes icons into an indicator, if dragged content of a comp type is above the given drop zone that processes it on the next drop event.

6.7.6.5. Look-and-Feel Customization

<rich:dndParam> has no skin parameters and custom style classes, as the component isn't visual.

6.7.6.6. Relevan Resources Links

On the component LiveDemo page [<http://livedemo.exadel.com/richfaces-demo/richfaces/dragSupport.jsf?c=dndParam>] you can see the example of **<rich:dndParam>** usage and sources for the given example.

6.8. Rich Menu

This section tells how you can create menus on your page: either navigational ones or context.

6.8.1. < rich:contextMenu > available since 3.0.0

6.8.1.1. Description

The **<rich:contextMenu>** component is used for creation of multilevelled context menus that are activated after defined events like *"onmouseover"*, *"onclick"* etc. The component could be applied to any element on the page.



Figure 6.85. <rich:contextMenu> component

6.8.1.2. Key Features

- Highly customizable look and feel
- *"oncontextmenu"* event support
- Disablement support
- Pop-up appearance event customization
- Usage of shared instance of a menu on a page

Table 6.145. rich : contextMenu attributes

| Attribute Name | Description |
|----------------|---|
| attached | If the value of the "attached" attribute is true, the component is attached to the component, specified in the "attachTo" attribute or to the parent component, if "attachTo" is not defined. Default value is "true". |
| attachTiming | Defines the timing when the menu is attached to the target element. Possible values "onload", "immediate", "onavailable" (default). Default value is "onavailable". |
| attachTo | Client identifier of the component or id of the existing DOM element that is a source for a given event. If attachTo is defined, the event is attached on the client according to the AttachTiming attribute. If both attached and attachTo attributes are defined, and attribute |

| Attribute Name | Description |
|--------------------|---|
| | attached has value 'false', it is considered to have higher priority. |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| disableDefaultMenu | Forbids default handling for adjusted event. Default value "false". |
| disabledItemClass | Assigns one or more space-separated CSS class names to the component disabled item |
| disabledItemStyle | CSS style rules to be applied to the component disabled item |
| event | Defines an event on the parent element to display the menu. Default value is "oncontextmenu". |
| hideDelay | Delay between losing focus and menu closing. Default value is "800". |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| itemClass | Assigns one or more space-separated CSS class names to the component item |
| itemStyle | CSS style rules to be applied to the component item |
| oncollapse | The client-side script method to be called before the menu is collapsed |
| onexpand | The client-side script method to be called before the menu is expanded |
| ongroupactivate | The client-side script method to be called when some context menu group is activated |
| onitemselect | The client-side script method to be called when some item is selected |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |

| Attribute Name | Description |
|-----------------|--|
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| popupWidth | Set minimal width for the all of the lists that will appear |
| rendered | JSF: If "false", this component is not rendered |
| selectItemClass | Assigns one or more space-separated CSS class names to the component selected item |
| selectItemStyle | CSS style rules to be applied to the component selected item |
| showDelay | Delay between event and menu showing. Default value is "50". |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| submitMode | Sets the submission mode for all menu items of the menu except those where this attribute redefined. Possible value are "ajax", "server", "none". Default value is "server". |

Table 6.146. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.ContextMenu |
| component-class | org.richfaces.component.html.ContextMenu |
| component-family | org.richfaces.ContextMenu |
| renderer-type | org.richfaces.DropDownMenuRenderer |
| tag-class | org.richfaces.taglib.ContextMenuTagHandler |

6.8.1.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

```
...  
<rich:contextMenu event="oncontextmenu" attached="true">  
...  
</rich:contextMenu >
```

6.8.1.4. Creating the Component Dynamically Using Java

```
import org.richfaces.component.html.ContextMenu;
...
html.ContextMenu myContextMenu = new html.ContextMenu();
...
```

6.8.1.5. Details of Usage

<rich:contextMenu> is a support-like component. Context menu itself is an invisible panel that appears after a particular client-side event (*"onmouseover"*, *"onclick"*, etc.) occurred on a parent component. The event is defined with an *"event"* attribute. The component uses *"oncontextmenu"* event by default to call a context menu by clicking on the right mouse button.

<rich:menuGroup>, **<rich:menuItem>** and **<rich:menuSeparator>** components are used as nested elements for **<rich:contextMenu>** in the same way as for **<rich:dropDownMenu>**.

By default, the **<rich:contextMenu>** completely disables right mouse click on a page in the context menu area only. But if you want to disable browser's context menu completely you should set the *"disableDefaultMenu"* attribute value to "true".

If *"attached"* value is "true" (default value), component is attached to the parent component or to the component, which *"id"* is specified in the *"attachTo"* attribute.

Example:

```
...
<rich:contextMenu event="oncontextmenu" attachTo="pic1" submitMode="none">
  <rich:menuItem value="Zoom In" onclick="enlarge();" id="zin"/>
  <rich:menuItem value="Zoom Out" onclick="decrease();" id="zout"/>
</rich:contextMenu>
<h:panelGrid columns="1" columnClasses="cent">
  <h:panelGroup id="picture">
    <h:graphicImage value="/richfaces/jquery/images/pic1.png" id="pic"/>
  </h:panelGroup>
</h:panelGrid>
<h:panelGrid columns="1" columnClasses="cent">
  <h:panelGroup id="picture1">
    <h:graphicImage value="/richfaces/jquery/images/pic2.png" id="pic1"/>
  </h:panelGroup>
</h:panelGrid>
...
```

The "enlarge()" and "decrease()" functions definition is placed below.

```
...
<script type="text/javascript">
    function enlarge(){
        document.getElementById('pic').width=document.getElementById('pic').width*1.1;
        document.getElementById('pic').height=document.getElementById('pic').height*1.1;
    }
    function decrease(){
        document.getElementById('pic').width=document.getElementById('pic').width*0.9;
        document.getElementById('pic').height=document.getElementById('pic').height*0.9;
    }
</script>
...
```

In the example a picture zooming possibility with **<rich:contextMenu>** component usage was shown. The picture is placed on the **<h:panelGroup>** component. The **<rich:contextMenu>** component is not nested to **<h:panelGroup>** and has a value of the "attachTo" attribute defined as "pic1". Thus, the context menu is attached to the component, which "id" is "pic1". The context menu has two items to zoom in (zoom out) a picture by "onclick" event. For each item corresponding JavaScript function is defined to provide necessary action as a result of the clicking on it. For the menu is defined an "oncontextmenu" event to call the context menu on a right click mouse event.

In the example the context menu is defined for the parent **<h:panelGroup>** component with a value of "id" attribute equal to "picture" You should be careful with such definition, because a client context menu is looked for a DOM element with a client Id of a parent component on a server. If a parent component doesn't encode an Id on a client, it can't be found by the **<rich:contextMenu>** and it's attached to its closest parent in a DOM tree.

If the "attached" attribute has "false" value, component activates via JavaScript API with assistance of **<rich:componentControl>** . An example is placed below.

Example:

```
<h:form id="form">
    <rich:contextMenu attached="false" id="menu" submitMode="ajax">
        <rich:menuItem ajaxSingle="true">
            <b>{car} {model}</b> details
            <a4j:actionparam name="det" assignTo="#{ddmenu.current}" value="{car} {model}
details"/>
        </rich:menuItem>
        <rich:menuGroup value="Actions">
            <rich:menuItem ajaxSingle="true">
```

```

        Put <b>{car} {model}</b> To Basket

    <a4j:actionparam name="bask" assignTo="#{ddmenu.current}" value="Put {car} {model} To
    Basket"/>
    </rich:menuItem>
    <rich:menuItem value="Read Comments" ajaxSingle="true">
        <a4j:actionparam name="bask" assignTo="#{ddmenu.current}" value="Read
    Comments"/>
    </rich:menuItem>
    <rich:menuItem ajaxSingle="true">
        Go to <b>{car}</b> site
        <a4j:actionparam name="bask" assignTo="#{ddmenu.current}" value="Go
    to {car} site"/>
    </rich:menuItem>
</rich:menuGroup>
</rich:contextMenu>

<h:panelGrid columns="2">

<rich:dataTable value="#{dataTableScrollerBean.tenRandomCars}" var="car" id="table" onRowMouseOver="this"
    <rich:column>
        <f:facet name="header">Make</f:facet>
        <h:outputText value="#{car.make}"/>
    </rich:column>
    <rich:column>
        <f:facet name="header">Model</f:facet>
        <h:outputText value="#{car.model}"/>
    </rich:column>
    <rich:column>
        <f:facet name="header">Price</f:facet>
        <h:outputText value="#{car.price}"/>
    </rich:column>
    <rich:column>
        <f:facet name="header">Price</f:facet>
        <h:outputText value="#{car.price}"/>
    </rich:column>
    <rich:componentControl event="onRowClick" for="menu" operation="show">
        <f:param value="#{car.model}" name="model"/>
        <f:param value="#{car.make}" name="car"/>
    </rich:componentControl>
</rich:dataTable>
<a4j:outputPanel ajaxRendered="true">
    <rich:panel>
        <f:facet name="header">Last Menu Action</f:facet>
        <h:outputText value="#{ddmenu.current}"></h:outputText>
    </rich:panel>
</a4j:outputPanel>
</h:panelGrid>

```

</h:form>

This is a result:

| Make | Model | Price |
|-----------|----------|-------|
| GMC | Sierra | 18636 |
| Chevrolet | Malibu | 30412 |
| GMC | Yukon | 39719 |
| Ford | Explorer | 44998 |
| Infiniti | G35 | 47579 |
| GMC | Yukon | 28771 |
| Toy | | 15337 |
| For | | |
| Toyota | Camry | |
| Nissan | Maxima | 54636 |

Last Menu Action

Read Comments

GMC Yukon details

Actions ▶

Put **GMC Yukon** To Basket

Read Comments

Go to **GMC** site

Figure 6.86. The "attached" attribute usage

In the example the context menu is activated (by clicking on the left mouse button) on the table via JavaScript API with assistance of `<rich:componentControl>`. The attribute "for" contains a value of the `<rich:contextMenu>` Id. For menu appearance Java Script API function "show()" is used. It is defined with "operation" attribute for the `<rich:componentControl>` component. Context menu is recreated after the every call on a client and new {car} and {model} values are inserted in it. In the example for a menu customization macrosubstitutions were used.

The `<rich:contextMenu>` component can be defined once on a page and can be used as shared for different components (this is the main difference from the `<rich:dropDownMenu>` component). It's necessary to define it once on a page (as it was shown in the example above [369]) and activate it on required components via JavaScript API with assistance of `<rich:componentControl>`.

The `<rich:contextMenu>` "submitMode" attribute can be set to three possible parameters:

- Server (default)

Regular form submission request is used

- Ajax

Ajax submission is used for switching

- None

The *"action"* and *"actionListener"* item's attributes are ignored. Menu items don't fire any submits themselves. The behavior is fully defined by the components nested inside items.

Notes:

- When nesting `<rich:contextMenu>` into JSF `<h:outputText>`, specify an `id` for `<h:outputText>`, otherwise, do not nest the `<rich:contextMenu>` to make it work properly.
- As the `<rich:contextMenu>` component doesn't provide its own form, use it between `<h:form>` and `</h:form>` tags.

6.8.1.6. JavaScript API

Table 6.147. JavaScript API

| Function | Description | Apply to |
|----------------------|--------------------------|------------------|
| hide() | Hides component or group | Component, group |
| show(event, context) | Shows component or group | Component, group |

6.8.1.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:contextMenu>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets style classes used by a `<rich:contextMenu>` component

6.8.1.8. Skin Parameters Redefinition

Table 6.148. Skin parameters redefinition for a border

| Skin parameters | CSS properties |
|------------------|----------------|
| panelBorderColor | border-color |

| Skin parameters | CSS properties |
|---------------------------|------------------|
| additionalBackgroundColor | background-color |

Table 6.149. Skin parameters redefinition for a background

| Skin parameters | CSS properties |
|---------------------------|--------------------|
| additionalBackgroundColor | border-top-color |
| additionalBackgroundColor | border-left-color |
| additionalBackgroundColor | border-right-color |

6.8.1.9. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.87. Style classes

Table 6.150. Classes names that define the contextMenu element

| Class name | Description |
|-----------------------|--|
| rich-menu-list-border | Defines styles for borders |
| rich-menu-list-bg | Defines styles for a general background list |
| rich-menu-list-strut | Defines styles for a wrapper <div> element for a strut of a popup list |

In order to redefine styles for all `<rich:contextMenu>` components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-menu-item{  
    font-style:italic;  
}  
...
```

This is a result:



Figure 6.88. Redefinition styles with predefined classes

In the example the font style for row items was changed.

Also it's possible to change styles of particular `<rich:contextMenu>` component. In this case you should create own style classes and use them in corresponding `<rich:contextMenu>` `styleClass` attributes. An example is placed below:

Example:

```
...  
.myClass{  
    font-weight:bold;  
}  
...
```

The `"rowClasses"` attribute for `<h:panelGrid>` is defined as it's shown in the example below:

Example:

```
<h:panelGrid ... rowClasses="myClass"/>
```

This is a result:



Figure 6.89. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, the font weight for row items was changed.

6.8.1.10. Relevant Resources Links

Visit the [ContextMenu page](http://livedemo.exadel.com/richfaces-demo/richfaces/contextMenu.jsf?c=contextMenu) [http://livedemo.exadel.com/richfaces-demo/richfaces/contextMenu.jsf?c=contextMenu] at RichFaces LiveDemo for examples of component usage and their sources.

6.8.2. < rich:dropDownMenu > available since 3.0.0

6.8.2.1. Description

The <rich:dropDownMenu> component is used for creating multilevel drop-down menus.



Figure 6.90. <rich:dropDownMenu> component

6.8.2.2. Key Features

- Highly customizable look-and-feel
- Pop-up appearance event customization
- Different submission modes
- Ability to define a complex representation for elements
- Support for disabling

- Smart user-defined positioning

Table 6.151. rich : dropDownMenu attributes

| Attribute Name | Description |
|--------------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| direction | Defines direction of the popup list to appear. Possible values are "top-right", "top-right", "top-left", "bottom-right", "bottom-left", "auto". Default value is "auto". |
| disabled | HTML: Attribute 'disabled' provides possibility to make the whole menu disabled if its value equals to "true". Default value is "false" |
| disabledItemClass | Assigns one or more space-separated CSS class names to the component disabled item |
| disabledItemStyle | CSS style rules to be applied to the component disabled item |
| disabledLabelClass | Assigns one or more space-separated CSS class names to the component label when it is disabled |
| event | Defines the event on the representation element that triggers the menu's appearance. |
| hideDelay | Delay between losing focus and menu closing. Default value is "800". |
| horizontalOffset | Sets the horizontal offset between popup list and label element. Default value is "0". conjunction point |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| itemClass | Assigns one or more space-separated CSS class names to the component item |
| itemStyle | CSS style rules to be applied to the component item |
| jointPoint | Sets the corner of the label for the pop-up to be connected with. Possible values are "tr", "tl", "bl", "br", "bottom-left", "auto". Default value is "auto". "tr" stands for top-right. |
| labelClass | Assigns one or more space-separated CSS class names to the component label |

| Attribute Name | Description |
|--------------------|--|
| oncollapse | The client-side script method to be called when a menu is collapsed |
| onexpand | The client-side script method to be called when a menu is expanded |
| ongroupactivate | The client-side script method to be called when some menu group is activated |
| onitemselect | The client-side script method to be called when a menu item is selected |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the menu |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the menu |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the menu |
| popupWidth | Sets minimal width for all lists that will appear. |
| rendered | JSF: If "false", this component is not rendered |
| selectedLabelClass | Assigns one or more space-separated CSS class names to the component label when it is selected |
| selectItemClass | Assigns one or more space-separated CSS class names to the component selected item |
| selectItemStyle | CSS style rules to be applied to the component selected item |
| showDelay | Delay between event and menu showing. Default value is "50". |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| submitMode | Sets the submission mode for all menu items of the menu except ones where this attribute redefined. Possible values are "ajax", "server", "none". Default value is "server". |
| value | JSF: Defines representation text for Label used for menu calls. |

| Attribute Name | Description |
|----------------|--|
| verticalOffset | Sets the vertical offset between popup list and label element. Default value is "0". conjunction point |

Table 6.152. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.DropDownMenu |
| component-class | org.richfaces.component.html.HtmlDropDownMenu |
| component-family | org.richfaces.DropDownMenu |
| renderer-type | org.richfaces.DropDownMenuRenderer |
| tag-class | org.richfaces.taglib.DropDownMenuTag |

6.8.2.3. Creating the Component with a Page Tag

Here is a simple example as it could be used on a page:

Example:

```
...
<rich:dropDownMenu value="Item1">
  <!--Nested menu components-->
</rich:dropDownMenu>
...
```

6.8.2.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlDropDownMenu;
...
HtmlDropDownMenu myDropDownMenu = new HtmlDropDownMenu();
...
```

6.8.2.5. Details of Usage

All attributes except *"value"* are optional. The *"value"* attribute defines text to be represented. If you can use the *"label"* facet, you can even not use the *"value"* attribute.

Here is an example:

Example:

```
...
<f:facet name="label">
  <h:graphicImage value="/images/img1.png"/>
</f:facet>
...
```

Use the "event" attribute to define an event for the represented element that triggers a menu appearance. An example of a menu appearance on a click can be seen below.

Example:

```
...
<rich:dropDownMenu event="onclick" value="Item1">
  <!--Nested menu components-->
</rich:dropDownMenu>
...
```

The <rich:dropDownMenu> "submitMode" attribute can be set to three possible parameters:

- Server (default)

Regular form submission request is used.

- Ajax

Ajax submission is used for switching.

- None

The "action" and "actionListener" item's attributes are ignored. Menu items don't fire any submits themselves. The behavior is fully defined by the components nested into items.

Note:

As the <rich:dropDownMenu> component doesn't provide its own form, use it between <h:form> and </h:form> tags.

The "direction" and "jointPoint" attributes are used for defining aspects of menu appearance.

Possible values for the *"direction"* attribute are:

- "top-left" - a menu drops to the top and left
- "top-right" - a menu drops to the top and right
- "bottom-left" - a menu drops to the bottom and left
- "bottom-right" - a menu drops to the bottom and right
- "auto" - smart positioning activation

Possible values for the *"jointPoint"* attribute are:

- "tr" - a menu is attached to the top-right point of the button element
- "tl" - a menu is attached to the top-left point of the button element
- "br" - a menu is attached to the bottom-right point of the button element
- "bl" - a menu is attached to the bottom-left point of the button element
- "auto" - smart positioning activation

By default, the *"direction"* and *"jointPoint"* attributes are set to "auto".

Here is an example:

Example:

```
...
<rich:dropDownMenu value="File" direction="bottom-right" jointPoint="bl">
  <rich:menuItem submitMode="ajax" value="New" action="#{ddmenu.doNew}"/>
  <rich:menuItem submitMode="ajax" value="Open" action="#{ddmenu.doOpen}"/>
  <rich:menuGroup value="Save As...">
    <rich:menuItem submitMode="ajax" value="Text File" action="#{ddmenu.doSaveText}"/>
    <rich:menuItem submitMode="ajax" value="PDF File" action="#{ddmenu.doSavePDF}"/>
  </rich:menuGroup>
  <rich:menuItem submitMode="ajax" value="Close" action="#{ddmenu.doClose}"/>
  <rich:menuSeparator id="menuSeparator11"/>
  <rich:menuItem submitMode="ajax" value="Exit" action="#{ddmenu.doExit}"/>
</rich:dropDownMenu>
...
```

This is the result:




Figure 6.91. Using the "direction" and "joinPoint" attributes

You can correct an offset of the pop-up list relative to the label using the following attributes: "horizontalOffset" and "verticalOffset".

Here is an example:

Example:

```
...
<rich:dropDownMenu value="File" direction="bottom-
right" jointPoint="tr" horizontalOffset="-15" verticalOffset="0">
  <rich:menuItem submitMode="ajax" value="New" action="#{ddmenu.doNew}"/>
  <rich:menuItem submitMode="ajax" value="Open" action="#{ddmenu.doOpen}"/>
  <rich:menuGroup value="Save As...">
    <rich:menuItem submitMode="ajax" value="Text File" action="#{ddmenu.doSaveText}"/>
    <rich:menuItem submitMode="ajax" value="PDF File" action="#{ddmenu.doSavePDF}"/>
  </rich:menuGroup>
  <rich:menuItem submitMode="ajax" value="Close" action="#{ddmenu.doClose}"/>
  <rich:menuSeparator id="menuSeparator11"/>
  <rich:menuItem submitMode="ajax" value="Exit" action="#{ddmenu.doExit}"/>
</rich:dropDownMenu>
...
```

This is the result:



Figure 6.92. Using the "horizontalOffset" and "verticalOffset" attributes

The "disabled" attribute is used for disabling whole <rich:dropDownMenu> component. In this case it is necessary to define "disabled" attribute as "true". An example is placed below.

Example:

```

...
<rich:dropDownMenu value="File" disabled="true">
  ...
</rich:dropDownMenu>
...

```

6.8.2.6. Facets**Table 6.153. Facets**

| Facet | Description |
|---------------|---|
| label | Redefines the content set of label |
| labelDisabled | Redefines the content set of disabled label |

6.8.2.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:dropDownMenu>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a `<rich:dropDownMenu>` component

6.8.2.8. Skin Parameters Redefinition**Table 6.154. Skin parameters redefinition for a label `<div>` element**

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalFamilyFont | font-family |
| generalSizeFont | font-size |

Table 6.155. Skin parameters redefinition for a selected label

| Skin parameters | CSS properties |
|------------------------|-----------------------|
| panelBorderColor | border-color |
| controlBackgroundColor | background-color |
| generalTextColor | background-colorcolor |

Table 6.156. Skin parameters redefinition for a border

| Skin parameters | CSS properties |
|---------------------------|------------------|
| panelBorderColor | border-color |
| additionalBackgroundColor | background-color |

Table 6.157. Skin parameters redefinition for a background

| Skin parameters | CSS properties |
|---------------------------|--------------------|
| additionalBackgroundColor | border-top-color |
| additionalBackgroundColor | border-left-color |
| additionalBackgroundColor | border-right-color |

6.8.2.9. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.93. Classes names

Table 6.158. Classes names that define a label

| Class name | Description |
|----------------------------|--|
| rich-label-text-decor | Defines text style for a representation element |
| rich-ddmenu-label | Defines styles for a wrapper <div> element of a representation element |
| rich-ddmenu-label-select | Defines styles for a wrapper <div> element of a selected representation element |
| rich-ddmenu-label-unselect | Defines styles for a wrapper <div> element of an unselected representation element |
| rich-ddmenu-label-disabled | Defines styles for a wrapper <div> element of a disabled representation element |

On the screenshot there are classes names that define styles for component elements.




Figure 6.94. Classes names

Table 6.159. Classes names that define a popup element

| Class name | Description |
|-----------------------|--|
| rich-menu-list-border | Defines styles for borders |
| rich-menu-list-bg | Defines styles for a general background list |
| rich-menu-list-strut | Defines styles for a wrapper <div> element for a strut of a popup list |

In order to redefine styles for all `<rich:dropDownMenu>` components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the table [above](#)) and define necessary properties in them. An example is placed below:

Example:

```

...
.rich-ddmenu-label-select{
    background-color: #fae6b0;
    border-color: #e5973e;
}
...
    
```

This is a result:



Figure 6.95. Redefinition styles with predefined classes

In the example a label select background color and border color were changed.

Also it's possible to change styles of particular **<rich:dropDownMenu>** component. In this case you should create own style classes and use them in corresponding **<rich:dropDownMenu>** *styleClass* attributes. An example is placed below:

Example:

```
...  
.myClass{  
    font-style: italic;  
}  
...
```

The *"itemClass"* attribute for **<rich:dropDownMenu>** is defined as it's shown in the example below:

Example:

```
<rich:dropDownMenu ... itemClass="myClass"/>
```

This is a result:




Figure 6.96. Redefinition styles with own classes and *styleClass* attributes

As it could be seen on the picture above, the font style for items was changed.

6.8.2.10. Relevant Resources Links

On the component LiveDemo page [<http://livedemo.exadel.com/richfaces-demo/richfaces/dropDownMenu.jsf?c=dropDownMenu>] you can see the example of **<rich:dropDownMenu>** usage and sources for the given example.

6.8.3. <rich:menuGroup> available since 3.0.0

6.8.3.1. Description

The <rich:menuGroup> component is used to define an expandable group of items inside a pop-up list or another group.




Figure 6.97. <rich:menuGroup> component

6.8.3.2. Key Features

- Highly customizable look-and-feel
- Grouping of any menu's items
- Pop-up appearance event customization
- Support for disabling
- Smart user-defined positioning

Table 6.160. rich : menuGroup attributes

| Attribute Name | Description |
|----------------|---|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| converter | JSF: Id of Converter to be used or reference to a Converter |
| direction | Defines direction of the popup sublist to appear ("right", "left", "auto"(Default), "left-down", "left-up", "right-down", "right-up") |
| disabled | HTML: If "true" sets state of the item to disabled state. Default value is "false". |
| event | Defines the event on the representation element that triggers the menu's appearance. Default value is "onmouseover". |

| Attribute Name | Description |
|--------------------|--|
| icon | Path to the icon to be displayed for the enabled item state |
| iconClass | Assigns one or more space-separated CSS class names to the component icon element |
| iconDisabled | Path to the icon to be displayed for the disabled item state |
| iconFolder | Path to the folder icon to be displayed for the enabled item state |
| iconFolderDisabled | Path to the folder icon to be displayed for the disabled item state |
| iconStyle | CSS style rules to be applied to the component icon element |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| labelClass | Assigns one or more space-separated CSS class names to the component label element |
| onclose | The client-side script method to be called when a group is closed |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the menu group |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the menu group |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the menu group |
| onopen | The client-side script method to be called when a group is opened |
| rendered | JSF: If "false", this component is not rendered |
| selectClass | Assigns one or more space-separated CSS class names to the component selected items |
| selectStyle | CSS style rules to be applied to the component selected items |
| showDelay | Delay between event and menu showing. Default value is "300". |
| style | HTML: CSS style rules to be applied to the component |

| Attribute Name | Description |
|----------------|---|
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| value | JSF: Defines representation text for menuitem |

Table 6.161. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.MenuGroup |
| component-class | org.richfaces.component.html.HtmlMenuGroup |
| component-family | org.richfaces.DropDownMenu |
| renderer-type | org.richfaces.MenuGroupRenderer |
| tag-class | org.richfaces.taglib.MenuGroupTag |

6.8.3.3. Creating the Component with a Page Tag

Here is a simple example as it could be used on a page:

Example:

```

...
<rich:dropDownMenu value="Active">
    ...
    <rich:menuGroup value="Active">
        <!--Nested menu components-->
    </rich:menuGroup>
    ...
</rich:dropDownMenu >
...

```

6.8.3.4. Creating the Component Dynamically Using Java

Example:

```

import org.richfaces.component.html.HtmlMenuGroup;
...
HtmlMenuGroup myMenuGroup = new HtmlMenuGroup();
...

```

6.8.3.5. Details of Usage

The *"value"* attribute defines the text representation of a group element in the page.

The *"icon"* attribute defines an icon for the component. The *"iconDisabled"* attribute defines an icon for when the group is disabled. Also you can use the *"icon"* and *"iconDisabled"* facets. If the facets are defined, the corresponding *"icon"* and *"iconDisabled"* attributes are ignored and the facets' contents are used as icons. This could be used for an item check box implementation.

Here is an example:

```
...
<f:facet name="icon">
  <h:selectBooleanCheckbox value="#{bean.property}"/>
</f:facet>
...
```

The *"iconFolder"* and *"iconFolderDisabled"* attributes are defined for using icons as folder icons. The *"iconFolder"* and *"iconFolderDisabled"* facets use their contents as folder icon representations in place of the attribute values.

The *"direction"* attribute is used to define which way to display the menu as shown in the example below:

Possible values are:

- "left - down" - a submenu is attached to the left side of the menu and is dropping down
- "left - up" - a submenu is attached to the left side of the menu and is dropping up
- "right - down" - a submenu is attached to the right side of the menu and is dropping down
- "right - up" - a submenu is attached to the right side of the menu and is dropping up
- "auto - smart" positioning activation

By default, the *"direction"* attribute is set to "auto".

Here is an example:

```
...
<rich:menuGroup value="Save As..." direction="left-down">
  <rich:menuItem submitMode="ajax" value="Text File" action="#{ddmenu.doSaveText}"/>
  <rich:menuItem submitMode="ajax" value="PDF File" action="#{ddmenu.doSavePDF}"/>
</rich:menuGroup>
...
```

This would be the result:




Figure 6.98. Using the *"direction"* attribute

Note:

The `<rich:menuGroup>` component was designed to be used only for pop-up menu list creation.

6.8.3.6. Facets

Table 6.162. Facets

| Facet | Description |
|------------|---|
| icon | Redefines the icon for the enabled item state. Related attribute is "icon" |
| iconFolder | Redefines the folder icon for the enabled item state. Related attribute is "iconFolder" |

6.8.3.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:menuGroup>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a `<rich:menuGroup>` component

6.8.3.8. Skin Parameters Redefinition

Table 6.163. Skin parameters redefinition for a group

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalFamilyFont | font-family |

| Skin parameters | CSS properties |
|-----------------|----------------|
| generalSizeFont | font-size |

Table 6.164. Skin parameters redefinition for a disabled group

| Skin parameters | CSS properties |
|----------------------|----------------|
| tabDisabledTextColor | color |

Table 6.165. Skin parameters redefinition for a label

| Skin parameters | CSS properties |
|------------------|----------------|
| generalTextColor | color |

6.8.3.9. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.



Figure 6.99. Classes names

Table 6.166. Classes names that define an appearance of group elements

| Class name | Description |
|-----------------------|--|
| rich-menu-group | Defines styles for a wrapper <div> element for a group |
| rich-menu-item-label | Defines styles for a label of an item |
| rich-menu-item-icon | Defines styles for the left icon of an item |
| rich-menu-item-folder | Defines styles for the right icon of an item |

Table 6.167. Classes names that define different states

| Class name | Description |
|--------------------------------|--|
| rich-menu-item-label-disabled | Defines styles for a label of a disabled item |
| rich-menu-item-icon-disabled | Defines styles for the left icon of a disabled item |
| rich-menu-item-folder-disabled | Defines styles for the right icon of a disabled item |

| Class name | Description |
|------------------------------|---|
| rich-menu-group-hover | Defines styles for a wrapper <div> element of a hover group |
| rich-menu-item-icon-enabled | Defines styles for the left icon of an enabled item |
| rich-menu-item-icon-selected | Defines styles for the left icon of a selected item |

In order to redefine styles for all **<rich:menuGroup>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...
.rich-menu-item-label-disabled{
    font-style: italic;
}
...
```

This is a result:




Figure 6.100. Redefinition styles with predefined classes

In the example a disabled label font style was changed.

Also it's possible to change styles of particular **<rich:menuGroup>** component. In this case you should create own style classes and use them in corresponding **<rich:menuGroup>** *styleClass* attributes. An example is placed below:

Example:

```
...
```

```
.myClass{  
  background-color: #acbece;  
  border: none;  
}  
...
```

The "selectClass" attribute for <rich:menuGroup> is defined as it's shown in the example below:

Example:

```
<rich:menuGroup value="Save As..." selectClass="myClass">
```

This is a result:




Figure 6.101. Redefinition styles with own classes and *styleClass* attributes

As it could be seen on the picture above, the background color for selected class was changed. Also selected class has no border.

6.8.3.10. Relevant Resources Links

On the [component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/dropDownMenu.jsf?c=menuGroup) [http://livedemo.exadel.com/richfaces-demo/richfaces/dropDownMenu.jsf?c=menuGroup] you can see the example of <rich:menuGroup> usage and sources for the given example.

6.8.4. < rich:menuItem > available since 3.0.0

6.8.4.1. Description

The <rich:menuItem> component is used for the definition of a single item inside a pop-up list.

This component can be used not only within <rich:dropDownMenu> and <rich:contextMenu> , but also it can be used as a standalone component. For example, you can use it as a nested component of the <rich:toolBar> .



Figure 6.102. <rich:menulitem> component

6.8.4.2. Key Features

- Highly customizable look-and-feel
- Different submission modes
- Support for disabling
- Custom content support

Table 6.168. rich : menulitem attributes

| Attribute Name | Description |
|----------------|--|
| action | MethodBinding pointing at the application action to be invoked, if this UIComponent is activated by you, during the Apply Request Values or Invoke Application phase of the request processing lifecycle, depending on the value of the immediate property |
| actionListener | MethodBinding pointing at method accepting an ActionEvent with return type void |
| ajaxSingle | Limits JSF tree processing (decoding, conversion, validation and model updating) only to a component that sends the request. Boolean |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |

| Attribute Name | Description |
|--------------------|--|
| disabled | HTML: If "true" sets state of the item to disabled state. Default value is "false". |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| focus | ID of an element to set focus after request is completed on client side |
| icon | Path to the icon to be displayed for the enabled item state |
| iconClass | Assigns one or more space-separated CSS class names to the component icon element |
| iconDisabled | Path to the icon to be displayed for the disabled item state. |
| iconStyle | CSS style rules to be applied to the component icon element |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now |
| immediate | True means, that the default ActionListener should be executed immediately (i.e. during Apply Request Values phase of the request processing lifecycle), rather than waiting until the Invoke Application phase |
| labelClass | Assigns one or more space-separated CSS class names to the component label element |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |

| Attribute Name | Description |
|-------------------|--|
| onbeforeDOMupdate | The client-side script method to be called before DOM is updated |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| oncomplete | The client-side script method to be called after the request is completed |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| onselect | The client-side script method to be called when a menu item is selected |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, processed at the phases 2-5 in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, rendered in case of <code>AjaxRequest</code> caused by this component. Can be single id, |

| Attribute Name | Description |
|----------------------|---|
| | comma-separated list of Id's, or EL Expression with array or Collection |
| selectClass | Assigns one or more space-separated CSS class names to the selected item |
| selectStyle | CSS style rules to be applied to the selected item |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| submitMode | Sets the submission mode. Possible values are "ajax", "server", "none". Default value is "server". |
| target | HTML: Name of a frame where the resource retrieved via this hyperlink is to be displayed |
| timeout | Response waiting time on a particular request. If a response is not received during this time, the request is aborted |
| value | JSF: The current value for this component |

Table 6.169. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.MenuItem |
| component-class | org.richfaces.component.html.HtmlMenuItem |
| component-family | org.richfaces.DropDownMenu |
| renderer-type | org.richfaces.MenuItemRenderer |
| tag-class | org.richfaces.taglib.MenuItemTag |

6.8.4.3. Creating the Component with a Page Tag

Here is a simple example as it could be used on a page:

Example:

```
...
<rich:dropDownMenu>
    ...
    <rich:menuItem value="Active"/>
    ...
</rich:dropDownMenu>
...
```

6.8.4.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlMenuItem;
...
HtmlMenuItem myMenuItem = new HtmlMenuItem();
...
```

6.8.4.5. Details of Usage

The *"value"* attribute defines the text representation for an item element.

There are two icon-related attributes. The *"icon"* attribute defines an icon. The *"iconDisabled"* attribute defines an icon for a disabled item. Also you can use the *"icon"* and *"iconDisabled"* facets. If the facets are defined, the corresponding *"icon"* and *"iconDisabled"* attributes are ignored and the facets content is shown as an icon. It could be used for an item check box implementation.

Here is an example:

```
...
<f:facet name="icon">
    <h:selectBooleanCheckbox value="#{bean.property}"/>
</f:facet>
...
```

The **<rich:menuItem>** *"submitMode"* attribute can be set to three possible parameters:

- `server` (default)

Regular form submission request is used.

- Ajax

Ajax submission is used for switching.

- None

The *"action"* and *"actionListener"* item's attributes are ignored. Menu items don't fire any submits themselves. The behavior is fully defined by the components nested into items.

For example, you can put any content into an item, but, in this case, you should set the *"submitMode"* attribute as *"none"*.

Here is an example:

```
...
<rich:dropDownMenu>
  ...
  <rich:menuItem submitMode="none">
    <h:outputLink value="www.jboss.org"/>
  </rich:menuItem>
  ...
</rich:dropDownMenu>
...
```

You can use the *"disabled"* attribute to set the item state.

Here is an example:

```
...
<rich:dropDownMenu>
  <rich:menuItem value="Disable" disabled="true"/>
</rich:dropDownMenu>
...
```

Note:

The `<rich:menuItem>` component was designed to be used only for pop-up menu list creation.

Information about the *"process"* attribute usage you can find [RichFaces Developer Guide section about "process" attribute](#).

6.8.4.6. Facets

Table 6.170. Facets

| Facet | Description |
|--------------|--|
| icon | Redefines the icon for the enabled item state. Related attribute is "icon" |
| iconDisabled | Redefines the folder icon the disabled item state. Related attribute is "iconDisabled" |

6.8.4.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:menulitem>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a `<rich:menulitem>` component

6.8.4.8. Skin Parameters Redefinition

Table 6.171. Skin parameters redefinition for an item

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalFamilyFont | font-family |
| generalSizeFont | font-size |

Table 6.172. Skin parameters redefinition for a hovered item

| Skin parameters | CSS properties |
|--------------------|------------------|
| tipBorderColor | border-color |
| tipBackgroundColor | background-color |

Table 6.173. Skin parameters redefinition for a disabled item

| Skin parameters | CSS properties |
|----------------------|----------------|
| tabDisabledTextColor | color |

Table 6.174. Skin parameters redefinition for a label

| Skin parameters | CSS properties |
|------------------|----------------|
| generalTextColor | color |

6.8.4.9. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.103. Classes names

Table 6.175. Classes names that define an appearance of item elements

| Class name | Description |
|----------------------|--|
| rich-menu-item | Defines styles for a wrapper <div> element for an item |
| rich-menu-item-label | Defines styles for a label of an item |
| rich-menu-item-icon | Defines styles for the left icon of an item |

Table 6.176. Classes names that define different states

| Class name | Description |
|-------------------------------|---|
| rich-menu-item-disabled | Defines styles for a wrapper <div> element of an item |
| rich-menu-item-enabled | Defines styles for a wrapper <div> element of an enabled item |
| rich-menu-item-hover | Defines styles for a wrapper <div> element of a hover item |
| rich-menu-item-label-disabled | Defines styles for a label of a disabled item |
| rich-menu-item-icon-disabled | Defines styles for the left icon of a disabled item |
| rich-menu-item-label-enabled | Defines styles for a label of an enabled item |
| rich-menu-item-icon-enabled | Defines styles for the left icon of an enabled item |
| rich-menu-item-label-selected | Defines styles for a label of a selected item |
| rich-menu-item-icon-selected | Defines styles for the left icon of a selected item |

In order to redefine styles for all <rich:menuItem> components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-menu-item-disabled{  
    font-style: italic;  
}  
...
```

This is a result:




Figure 6.104. Redefinition styles with predefined classes

In the example a disabled item font style was changed.

Also it's possible to change styles of particular `<rich:menuitem>` component. In this case you should create own style classes and use them in corresponding `<rich:menuitem>` `styleClass` attributes. An example is placed below:

Example:

```
...  
.myClass{  
    border-color: #bed6f8;  
    background-color: #ffffff;  
}  
...
```

The `"styleClass"` attribute for `<rich:menuitem>` is defined as it's shown in the example below:

Example:

```
<rich:menuitem ... selectStyle="myClass">
```

This is a result:



Figure 6.105. Redefinition styles with own classes and *styleClass* attributes

As it could be seen on the picture above, the background color and border color for selected item were changed.

6.8.4.10. Relevant Resources Links

On the component [LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/dropDownMenu.jsf?c=menulitem) [http://livedemo.exadel.com/richfaces-demo/richfaces/dropDownMenu.jsf?c=menulitem] you can see the example of `<rich:menulitem>` usage and sources for the given example.

6.8.5. `< rich:menuSeparator >` available since 3.0.0

6.8.5.1. Description

The `<rich:menuSeparator>` component is used for the definition of a horizontal separator that can be placed between groups or items.



Figure 6.106. `<rich:menuSeparator>` component

Table 6.177. rich : menuSeparator attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |

| Attribute Name | Description |
|----------------|--|
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| rendered | JSF: If "false", this component is not rendered |

Table 6.178. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.MenuSeparator |
| component-class | org.richfaces.component.html.HtmlMenuSeparator |
| component-family | org.richfaces.DropDownMenu |
| renderer-type | org.richfaces.MenuSeparatorRenderer |
| tag-class | org.richfaces.taglib.MenuSeparatorTag |

6.8.5.2. Creating the Component with a Page Tag

Here is a simple example as it could be used on a page:

Example:

```
...
<rich:dropDownMenu/>
    ...
    <rich:menuSeparator/>
    ...
</rich:dropDownMenu/>
...
```

6.8.5.3. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlMenuSeparator;
...
HtmlMenuSeparator myMenuSeparator = new HtmlMenuSeparator();
...
```

6.8.5.4. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all **<rich:menuSeparator>** components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a **<rich:menuSeparator>** component

6.8.5.5. Skin Parameters Redefinition

Table 6.179. Skin parameters redefinition for an item

| Skin parameters | CSS properties |
|------------------|------------------|
| panelBorderColor | border-top-color |

6.8.5.6. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.



Figure 6.107. Classes names

Table 6.180. Classes names that define separator element appearance.

| Class name | Description |
|---------------------|--|
| rich-menu-separator | Defines styles for a wrapper <div> element for a separator |

In order to redefine styles for all **<rich:menuSeparator>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

...

```
.rich-menu-separator{  
    border-color: #acbece;  
}  
...  
}
```

This is a result:




Figure 6.108. Redefinition styles with predefined classes

In the example a menu separator border color was changed.

6.8.5.7. Relevant Resources Links

On the [component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/dropDownMenu.jsf?c=menuSeparator) [http://livedemo.exadel.com/richfaces-demo/richfaces/dropDownMenu.jsf?c=menuSeparator] you can see the example of `<rich:menuSeparator>` usage and sources for the given example.

6.9. Rich Trees

In this section you will learn how to build hierarchical data presentation using the `<rich:tree>` component.

6.9.1. `< rich:tree >` available since 3.0.0

6.9.1.1. Description

The component is designed for hierarchical data presentation and is applied for building a tree structure with a drag-and-drop capability.




Figure 6.109. Expanded <rich:tree> with child elements

6.9.1.2. Key Features

- Highly customizable look-and-feel
- Built-in drag and drop capability, than enable relocating tree nodes within the tree
- Built-in Ajax processing
- Possibility to define a visual representation by node type
- Support of several root elements in a tree

Table 6.181. rich : tree attributes

| Attribute Name | Description |
|------------------|---|
| acceptCursors | List of comma separated cursors that indicates when acceptable draggable over dropzone |
| acceptedTypes | A list of drag zones types, which elements are accepted by a drop zone |
| adviseNodeOpened | MethodBinding pointing at a method accepting an org.richfaces.component.UITree with return of java.lang.Boolean type. If returned value is: java.lang.Boolean.TRUE, a particular treeNode is expanded; java.lang.Boolean.FALSE, a particular treeNode is collapsed; null, a particular treeNode saves the current state |

| Attribute Name | Description |
|-----------------------------------|--|
| adviseNodeSelected | MethodBinding pointing at a method accepting an org.richfaces.component.UITree with return of java.lang.Boolean type. If returned value is: java.lang.Boolean.TRUE, a particular treeNode is selected; java.lang.Boolean.FALSE, a particular treeNode is unselected; null, a particular treeNode saves the current state |
| ajaxChildActivationEncodeBehavior | Defines which nodes keys will be added to AjaxNodeKeys automatically on the request from the children of the node. Values: "none" - nothing, "node" - only current node, "subtree" - node and all its children. |
| ajaxKeys | This attribute defines row keys that are updated after an AJAX request. |
| ajaxNodeKeys | Keys of the nodes (without subtree) to be updated for ajax request risen by the node itself |
| ajaxNodeSelectionEncodeBehavior | Defines which nodes keys will be added to AjaxNodeKeys automatically on selecting ajax request from the node. Values: "none" - nothing, "node" - only current node, "subtree" - node and all its children. |
| ajaxSingle | Limits JSF tree processing (decoding, conversion, validation and model updating) only to a component that sends the request. Boolean |
| ajaxSubmitSelection | If "true", an Ajax request to be submit when selecting node. Default value is "false". |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| changeExpandListener | Listener called on expand/collapse event on the node |
| componentState | It defines EL-binding for a component state for saving or redefinition |

| Attribute Name | Description |
|---------------------------|---|
| cursorTypeMapping | Mapping between drop types and acceptable cursors |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| disableKeyboardNavigation | Disables keyboard navigation. Default value is "false" |
| dragIndicator | Id of a component that is used as drag pointer during the drag operation |
| dragListener | MethodBinding representing an action listener method that will be notified after drag operation |
| dragType | A drag zone type that is used for zone definition, which elements can be accepted by a drop zone |
| dragValue | Data to be sent to the drop zone after a drop event. Default value is "getRowKey()". |
| dropListener | MethodBinding representing an action listener method that will be notified after drop operation |
| dropValue | Data to be processed after a drop event. Default value is "getRowKey()". |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| focus | ID of an element to set focus after request is completed on client side |
| grabbingCursors | List of comma separated cursors that indicates when you has grabbed something |
| grabCursors | List of comma separated cursors that indicates when you can grab and drag an object |
| highlightedClass | Assigns one or more space-separated CSS class names to the component highlighted node |
| icon | The icon for node |
| iconCollapsed | The icon for collapsed node |
| iconExpanded | The icon for expanded node |
| iconLeaf | An icon for component leaves |

| Attribute Name | Description |
|--------------------|--|
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now |
| immediate | A flag indicating that this component value must be converted and validated immediately (during an Apply Request Values phase), rather than waiting until a Process Validations phase |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| nodeFace | Node face facet name |
| nodeSelectListener | MethodBinding representing an action listener method that will be notified after selection of node. |
| onbeforedomupdate | The client-side script method to be called before DOM is updated |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| oncollapse | The client-side script method to be called when a node is collapsed |
| oncomplete | The client-side script method to be called after the request is completed |
| oncontextmenu | The client-side script method to be called when the right mouse button is clicked over the component. Returning false prevents a default browser context menu from being displayed. |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |

| Attribute Name | Description |
|----------------|--|
| ondragend | The client-side script method to be called when the dragging operation is finished |
| ondragenter | The client-side script method to be called when a draggable object enters the zone |
| ondragexit | The client-side script method to be called after a draggable object leaves the zone |
| ondragstart | The client-side script method to be called when the dragging operation is started |
| ondrop | The client-side script method to be called when something is dropped into the drop zone |
| ondropend | The client-side script method to be called when a draggable object is dropped into any zone |
| ondropout | The client-side script method to be called when the draggable object is moved away from the drop zone |
| ondropover | The client-side script method to be called when the draggable object is over the drop zone |
| onexpand | The client-side script method to be called when a node is expanded |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |

| Attribute Name | Description |
|-----------------------|--|
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| onselected | The client-side script method to be called when a node is selected |
| preserveDataInRequest | If "true", data is preserved in a request. Default value is "true". |
| preserveModel | Possible values are "state", "request", "none". Default value is "request" |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, processed at the phases 2-5 in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rejectCursors | List of comma separated cursors that indicates when rejectable draggable over dropzone |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, rendered in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rightClickSelection | Allow to select tree item using mouse right click |
| rowKeyConverter | Converter for a row key object |
| rowKeyVar | The attribute provides access to a row key in a Request scope |
| selectedClass | Assigns one or more space-separated CSS class names to the component selected node |
| showConnectingLines | If "true", connecting lines are show |

| Attribute Name | Description |
|----------------------|---|
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| stateAdvisor | ValueBinding pointing at instance of class implementing <code>org.richfaces.component.state.TreeStateAdvisor</code> interface. |
| stateVar | The attribute provides access to a component state on the client side |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| switchType | Tree Nodes switch mode: "client", "server", "ajax" |
| timeout | Response waiting time on a particular request. If a response is not received during this time, the request is aborted |
| toggleOnClick | If "false" do not toggle node state on click. If "true", than node will be toggles on click on ether node content, or node icon. Default value is "false". |
| treeNodeVar | The attribute provides access to a <code>TreeNode</code> instance in a Request scope |
| typeMapping | The attribute associates a type of draggable zone (<code>dragType</code>) with <code><rich:dndParam></code> defined for <code><rich:dropSupport></code> for passing parameter value to <code><rich:dragIndicator></code> . It uses JSON format: (<code>drag_type: parameter_name</code>). |
| value | JSF: The current value for this component |
| var | Attribute contains a name providing an access to data defined with value |

Table 6.182. Component identification parameters

| Name | Value |
|------------------|---------------------------------------|
| component-type | org.richfaces.Tree |
| component-class | org.richfaces.component.html.HtmlTree |
| component-family | org.richfaces.Tree |
| renderer-type | org.richfaces.TreeRenderer |
| tag-class | org.richfaces.taglib.TreeTag |

6.9.1.3. Creating the Component with a Page Tag

There are two ways to set up a tree

- Using model (`org.richfaces.model.TreeNode` OR `javax.swing.tree.TreeNode`)

Example:

```
...
<rich:tree value="#{library.data}" var="item" >
  <rich:treeNode icon="/images/tree/singer.png" >
    <h:outputText value="#{item.name}" />
  </rich:treeNode>
  ...
</rich:tree>
...
```

- Using model tags `<rich:recursiveTreeNodesAdaptor>` , `<rich:treeNodesAdaptor>` .

Example:

```
...
<rich:tree>
<rich:recursiveTreeNodesAdaptor roots="#{fileSystemBean.sourceRoots}" var="item" nodes="#{(item.nodes)}"
>
</rich:tree>
...
```

6.9.1.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlTree;
...
HtmlTree myTree = new HtmlTree();
...
```

6.9.1.5. Details of Usage

As it has been mentioned *above* the **<rich:tree>** component allows rendering any tree-like data model.

You can build your **<rich:tree>** using model (`org.richfaces.model.TreeNode` or `javax.swing.tree.TreeNode`). In this case the **<rich:tree>** component interacts with data model via "TreeNode" interface ([org.richfaces.model.TreeNode](http://labs.jboss.com/file-access/default/members/jbossrichfaces/freezone/docs/apidoc_framework/org/richfaces/model/TreeNode.html) [http://labs.jboss.com/file-access/default/members/jbossrichfaces/freezone/docs/apidoc_framework/org/richfaces/model/TreeNode.html]) that is used for the **<rich:tree>** nodes representation.

Actually you can develop and use your own implementation of the "TreeNode" interface or use a default one, which is defined with a default class "TreeNodeImpl" ([org.richfaces.model.TreeNodeImpl](http://labs.jboss.com/file-access/default/members/jbossrichfaces/freezone/docs/apidoc_framework/org/richfaces/model/TreeNodeImpl.html) [http://labs.jboss.com/file-access/default/members/jbossrichfaces/freezone/docs/apidoc_framework/org/richfaces/model/TreeNodeImpl.html]).

The "value" attribute of the **<rich:tree>** component contains a nodes structure defined in a bean property.

When the **<rich:tree>** component is being rendered it iterates over the model nodes and renders them using one of its immediate **<rich:treeNode>** children. Data property of the current model `TreeNode` is exposed using "var" attribute, so if `var="station"` you can refer to that data using `{station}` syntax.

In the following example the **<rich:tree>** is built from a simple `org.richfaces.model.TreeNode` model:

```
...
private TreeNodeImpl<String> stationRoot = new TreeNodeImpl<String>();
private TreeNodeImpl<String> stationNodes = new TreeNodeImpl<String>();
private String[] kickRadioFeed = { "Hall & Oates - Kiss On My List",
    "David Bowie - Let's Dance", "Lyn Collins - Think (About It)",
    "Kim Carnes - Bette Davis Eyes",
    "KC & the Sunshine Band - Give It Up" };
...
stationRoot.setData("KickRadio");
stationNodes.addChild(0, stationRoot);
for (int i = 0; i < kickRadioFeed.length; i++){
    TreeNodeImpl<String> child = new TreeNodeImpl<String>();
```

```

child.setData(kickRadioFeed[i]);
stationRoot.addChild(i, child);
}
...

```

As it is mentioned before you need to pass `#{stations.stationNodes}` property to the `"value"` attribute and define the `"var"` attribute in order to refer to the data:

```

...
<rich:tree value="#{stations.stationNodes}" var="station">
  <rich:treeNode>
    <h:outputText value="#{station}" />
  </rich:treeNode>
</rich:tree>
...

```

This is a result:




Figure 6.110. A simple `<rich:tree>` from a `org.richfaces.model.TreeNode`

Implementation of the `<rich:tree>` component provides another way to build a tree. This approach implies using a `"XmlTreeDataBuilder"` class ([org.richfaces.component.xml.XmlTreeDataBuilder](http://labs.jboss.com/file-access/default/members/jbossrichfaces/freezone/docs/apidoc/org/richfaces/component/xml/XmlTreeDataBuilder.html) [http://labs.jboss.com/file-access/default/members/jbossrichfaces/freezone/docs/apidoc/org/richfaces/component/xml/XmlTreeDataBuilder.html]) that allows to transform XML into structures of objects containing `"XmlNodeData"` ([org.richfaces.component.xml.XmlNodeData](http://labs.jboss.com/file-access/default/members/jbossrichfaces/freezone/docs/apidoc_framework/org/richfaces/component/xml/XmlNodeData.html) [http://labs.jboss.com/file-access/default/members/jbossrichfaces/freezone/docs/apidoc_framework/org/richfaces/component/xml/XmlNodeData.html]) instances as data, which could be represented by the `<rich:tree>` component.

Let's try to build a simple `<rich:tree>` from a local XML file. In the following example a simple XML file (`stations.xml`) is used as a radio station playlist:

```

<?xml version="1.0"?>
<station name="KickRadio">
  <feed date="today">

```

```
<song time="07:00">Hall & Oates - Kiss On My List</song>
<song time="07:03">David Bowie - Let's Dance</song>
<song time="07:06">Lyn Collins - Think (About It)</song>
<song time="07:10">Kim Carnes - Bette Davis Eyes</song>
<song time="07:15">KC & the Sunshine Band - Give It Up</song>
</feed>
</station>
```

Now you need to create a bean that holds a model nodes:

```
...
private TreeNode data;
...
FacesContext context = FacesContext.getCurrentInstance();
data = XmlTreeDataBuilder.build(new InputSource(getClass().getResourceAsStream("stations.xml")));
...
```

Finally you should set the "value" attribute to the data bean property and define the "var" attribute in order to refer to the data of nodes:

```
...
<rich:tree id="treeXML" value="#{stations.data}" var="vardata">
  <rich:treeNode>
    <h:outputText value="#{vardata.attributes['name']}" />
    <h:outputText value="#{vardata.attributes['date']}" />
    <h:outputText value="#{vardata.attributes['time']}" />
    <h:outputText value=" #{vardata.text}" />
  </rich:treeNode>
</rich:tree>
...
```

This is a result:




Figure 6.111. A simple <rich:tree> from a local XML file

It's possible to define a visual representation of a node data model (to define a node icon) and its behavior in correspondence with the data contained in this node (with a value of the `var` attribute). The node behavior is defined by the components nested into the `<rich:treeNode>` (e.g. links or buttons). For these purposes you should use `nodeFace` attribute. For each tree node a value of `nodeFace` attribute is evaluated and `<rich:treeNode>` with a value of `type` attribute equal to a value of `nodeFace` is used for node representation. See an example below.

Example:

```

...
<h:form>
  <rich:tree style="width:300px" value="#{library.data}" var="item" nodeFace="#{item.type}">
    <rich:treeNode type="artist" iconLeaf="/images/tree/singer.png" icon="/images/tree/singer.png">
      <h:outputText value="#{item.name}" />
    </rich:treeNode>
    <rich:treeNode type="album" iconLeaf="/images/tree/disc.png" icon="/images/tree/disc.png">
      <h:outputText value="#{item.title}" />
    </rich:treeNode>
    <rich:treeNode type="song" iconLeaf="/images/tree/song.png" icon="/images/tree/song.png">
      <h:outputText value="#{item.title}" />
    </rich:treeNode>
  </rich:tree>
</h:form>
...

```

This is a result:



Figure 6.112. The `nodeFace` attribute usage

In the example above, when each node of data model is processed, data contained in the `data` property of `TreeNode` interface is assigned to a request scope variable, which name is defined

with *var* attribute. The value of the *nodeFace* attribute is evaluated in correspondence with the data assigned to the *var* attribute. The corresponding **<rich:treeNode>** component (with a value of *type* attribute equal to a value of *nodeFace*) is used for the node representation. For example, during data model processing, an object with a name "Chris Rea" was inserted in the *var* attribute. Then the value of *nodeFace* attribute was evaluated as "artist". Thus, for the node representation the **<rich:treeNode>** with *type* equal to "artist" was used.

You can also assign an EL-expression as value of the *nodeFace* attribute. See an example below:

Example:

```
nodeFace="#{data.name != 'param-value' ? 'artist' : 'album'}"
```

There are some essential points in a *nodeFace* attribute usage: you need to define notions for typeless and a default nodes.

The typeless node is the first **<rich:treeNode>** component (from all children nodes nested to the **<rich:tree>** component) with not defined *type* attribute and defined *rendered* attribute. The typeless node is used for representation when *nodeFace* attribute is null.

Default node has the following interior presentation:

Example:

```
...  
<h:outputText value="#{varAttributeName}">  
...
```

varAttributeName is a value for *var* attribute.

Default node is used in the following cases:

- *nodeFace* attribute is defined, but its value isn't equal to any *type* attribute value from all children nodes;
- *nodeFace* attribute is defined and its value is equal to a value of some *type* attribute from all children nodes, but the value of *rendered* attribute for this node is "false".

There is also one thing that has to be remembered using *type* and *rendered* attributes: it's possible to define several **<rich:treeNode>** components with equal values of *type* attribute and different values of *rendered* attribute. It provides a possibility to define different representation

styles for the same node types. In the example with artists and their albums (see [above \[418\]](#)) it's possible to represent albums that are available for sale and albums that are not available. Please study the example below:

Example:

```

...
<h:form>
  <rich:tree style="width:300px" value="#{library.data}" var="item" nodeFace="#{item.type}">
    ...
    <rich:treeNode type="album" iconLeaf="/images/tree/album.gif" icon="/images/tree/album.gif"
  rendered="#{item.exist}">
      <h:outputText value="#{item.name}" />
    </rich:treeNode>
    <rich:treeNode type="album" iconLeaf="/images/tree/album_absent.gif" icon="/images/tree/album_absent.gif"
  rendered="#{not item.exist}">
      <h:outputText value="#{item.name}" />
    </rich:treeNode>
    ...
  </rich:tree>
</h:form>
...

```

This is a result of the code:



Figure 6.113. The "type" and the "rendered" attributes usage

In the example the `<rich:treeNode>` components has equal values of the "type" attribute. Depending on value of the "rendered" attribute the corresponding `<rich:treeNode>` component

is selected for node representation. If an album is available for sale the value of the *"rendered"* for the first `<rich:treeNode>` component is "true", for the second one is "false". Thus, the first `<rich:treeNode>` is selected for node representation.

Tree node can be run in tree modes. Modes can be specified with *"switchType"* attribute for `<rich:tree>` component.

- `Ajax` (default value) - Ajax submission is used performing the functionality. Note, that for collapse/expand operations an Ajax request is sent to the server and it can cause a short delay.
- `Server` - regular form of submission request is used.
- `Client` - all operations are performed totally on the client; no interaction with a server is involved. Full page content is reloaded after every action.

The *"icon"*, *"iconCollapsed"*, *"iconExpanded"*, *"iconLeaf"* attributes set the icons' images for the component. You can also define icons using facets with the same names. If the facets are defined, the corresponding attributes are ignored and facets' content is used as icons. By default the width of a rendered facet area is 16px.

Example:

```
...
<rich:tree value="#{library.data}" var="item">
  ...
  <f:facet name="icon">
    <h:graphicImage value="/images/tree/singer.png" />
  </f:facet>
  <f:facet name="iconCollapsed">
    <h:graphicImage value="/images/tree/singer.png" />
  </f:facet>
  <f:facet name="iconExpanded">
    <h:graphicImage value="/images/tree/singer.png" />
  </f:facet>
  <f:facet name="iconLeaf">
    <h:graphicImage value="/images/tree/song.png" />
  </f:facet>
  ...
</rich:tree>
...
```

The `<rich: tree>` component can be used together with `<rich: treeNodeAdaptor>`. In this case there is no need to specify the attributes *"value"* and *"var"*. Besides, visual representation shouldn't be defined right in the tree. In this case a `<rich: tree>` tag is applied mainly for defining common attributes such as *"ajaxSubmitSelection"* etc.

Information about the *"process"* attribute usage you can find in the *"Decide what to process"* guide section.

As it's mentioned before, the `<rich:tree>` component uses a data model to represent the tree-like nodes structure on the page. To identify a particular node during a client request, the model provides a set of unique keys for tree nodes. The `<rich:tree>` can use strings as keys values which may contain special characters not allowed by browsers, such as the left angle bracket (`<`), ampersand (`&`), ant etc. Thus, to have a possibility to use unallowed characters in the tree nodes keys, the following converters are provided:

- `org.richfaces.TreeRowKeyConverter` that is used for "TreeNode" based trees. The key should be of a `java.lang.String` type.
- `org.richfaces.TreeAdaptorRowKeyConverter` that is used for adaptor-based trees (see [<rich:treeNodesAdaptor>](#) , [<rich:recursiveTreeNodesAdaptor>](#)). The key should be of a `java.lang.String` type.
- `org.richfaces.TreeAdaptorIntegerRowKeyConverter` which is provided for adaptor-based trees. The key should be of a `java.lang.Integer` type.

The converters can be extended in order to have a possibility for implementing custom converters.

To apply a converter to the `<rich:tree>` component, you should define it as a value of the *"rowKeyConverter"* attribute.

Have a look at the example of a tree which contains the RichFaces components as its nodes and the components attributes as the nodes child elements. As the components have unallowed characters (`<` and `>`) in their names, the `org.richfaces.TreeRowKeyConverter` is used here.

Example:

```
...
<rich:tree value="#{treeBean.data}" var="node" switchType="ajax" rowKeyConverter="org.richfaces.TreeRowKeyConverter">
  <rich:treeNode ajaxSingle="true">
    <h:outputText value="#{node}"/>
  </rich:treeNode>
</rich:tree>
...
```

In the example the tree uses the following data model:

```
...
String[] components = {"< a4j:ajaxListener >", "< a4j:keepAlive >", "< a4j:actionparam >"};
String[][] attributes = {"type"},
                        {"ajaxOnly", "beanName"},
```

```

{"actionListener", "assignTo", "binding", "converter", "id", "name", "noEscape", "value"}};

data = new TreeNodeImpl<String>();

for (int i = 0; i < components.length; i++) {
    TreeNode<String> child = new TreeNodeImpl<String>();
    child.setData(components[i]);
    data.addChild(components[i], child);

    for (int j = 0; j < attributes[i].length; j++) {
        TreeNode<String> grandChild = new TreeNodeImpl<String>();
        grandChild.setData(attributes[i][j]);
        child.addChild(attributes[i][j], grandChild);
    }
}
...

```

6.9.1.6. Built-In Drag and Drop

Words "built-in" in this context mean, that **<rich:tree>** component has its own attributes, that provide drag-and-drop capability. These attributes can be divided into two groups: those ones which provide drag and those which provide drop operations (see the tables below).

Table 6.183. Drag group

| Attribute Name | Description |
|----------------|---|
| dragValue | Element value drag passed into processing after a Drop event |
| dragListener | A listener that processes a Drag event |
| dragIndicator | Id of a component that is used as a drag pointer during the drag operation |
| dragType | Defines a drag zone type that is used for definition of a dragged element, which can be accepted by a drop zone |

Table 6.184. Drop group

| Attribute Name | Description |
|----------------|--|
| dropValue | Element value drop passed into processing after Drop events |
| dropListener | A listener that processes a Drop event. |
| acceptedTypes | Drag zone names are allowed to be processed with a Drop zone |

| Attribute Name | Description |
|----------------|--|
| typeMapping | Drag zones names mapping on the corresponding drop zone parameters |

Consider drag-and-drop inside a tree. All zones, which are assumed to be dragged, must be marked. In terms of `<rich:tree>` these zones completely correspond to tree nodes. So, all dragging nodes should be marked with `"dragType"` attribute. Then, to mark zone(-s), where the dragging node could be dropped, pass the type of dragging node to the `"acceptedTypes"` attribute of the drop zone. It would be good to itemize, that each tree node in the `<rich:tree>` component's structure has its own *key*. Depending on how the component is used, these keys can be generated by the component itself or can be taken from the component's data model. Keys help to identify each node in a tree; key is what exactly being passing from one node to another in drag-and-drop operations. Finally, the method binding, that will process drag-and-drop operation, should be pointed via `"dropListener"` attribute of the `<rich:tree>`.

Chapters "6.40 `<dragIndicator>`" and "6.39 `<dndParam>`" describes how to apply visual element, that show some additional information (e.g. dragging item name) while operating with drag-and-drop.

Page code, that describes a tree with built in drag-and-drop in the way it is considered, is shown below.

Example:

```

...
<h:form>

  <rich:tree style="width:300px" value="#{libraryAjaxTree.data}" nodeFace="#{item.type}" var="item" dragIndicato
    <rich:treeNode type="artist" icon="/images/tree/group.png" iconLeaf="/images/tree/
group.png" acceptedTypes="album">
      <h:outputText value="#{item.name}" />
    </rich:treeNode>
    <rich:treeNode type="album" icon="/images/tree/cd.png" iconLeaf="/images/tree/
cd.png" dragType="album" acceptedTypes="song">
      <h:outputText value="#{item.title}" />
      <rich:dndParam name="label" type="drag" value="Album: #{item.title}" />
    </rich:treeNode>
    <rich:treeNode type="song" icon="/images/tree/music.png" iconLeaf="/images/tree/
music.png" dragType="song">
      <h:outputText value="#{item.title}" />
      <rich:dndParam name="label" type="drag" value="Song: #{item.title}" />
    </rich:treeNode>
  </rich:tree>
</h:form>

```

...

This code renders following tree:



Figure 6.114. Drag-and-drop operations

6.9.1.7. Events handling

Listeners classes that process events on the server side are defined with the help of:

- `changeExpandListener` processes expand/collapse event of a `treeNode`
- `dropListener` processes a Drop event
- `dragListener` processes a Drag event
- `nodeSelectListener` is called during request sending on a node selecting event (if request sending on this event is defined)

Listener methods can be defined using the *following attributes* or using nested tags.

Client event attributes are:

- `"onexpand"` is a script expression to invoke when a node is expanded
- `"oncollapse"` is a script expression to invoke when a node is collapsed
- `"ondragexit"` is a script expression to invoke when an element passing out from a tree zone
- `"ondragstart"` is a script expression to invoke when dragging starts
- `"ondragend"` is a script expression to invoke when dragging ends (a drop event)
- `"ondragenter"` is a script expression to invoke when a dragged element appears on a tree

They can be used to add some JavaScript effects.

Standart HTML event attributes like `"onclick"`, `"onmousedown"`, `"onmouseover"` etc. can be also used. Event handlers of a `<rich:tree>` component capture events occurred on any tree part. But event handlers of `treeNode` capture events occurred on `treeNode` only, except for children events.

6.9.1.8. Facets

Table 6.185. Facets

| Facet name | Description |
|---------------|---|
| icon | Redefines the icon for node. Related attribute is "icon" |
| iconCollapsed | Redefines the icon for collapsed node. Related attribute is "iconCollapsed" |
| iconExpanded | Redefines the icon for expanded node. Related attribute is "iconExpanded" |
| iconLeaf | Redefines the icon for component leaves. Related attribute is "iconLeaf" |

6.9.1.9. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:tree>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a `<rich:tree>` component

6.9.1.10. Skin Parameters Redefinition:

There is only one skin parameter for `<rich:tree>`. As it's a wrapper component for `<rich:treeNode>` components, look and feel customization is described in the [corresponding section](#).

Table 6.186. Skin parameters for a wrapper element

| Skin parameters | CSS properties |
|-------------------|------------------|
| overAllBackground | background-color |

6.9.1.11. Definition of Custom Style Classes

Table 6.187. Classes names that define a component appearance

| Class name | Description |
|------------|---|
| rich-tree | Defines styles for a wrapper <code><div></code> element of a tree |

In order to redefine styles for all `<rich:tree>` components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the table [above](#)) and define necessary properties in them. An example is placed below:

Example:

```
...  
.rich-tree{  
  font-weight:bold;  
}  
...
```

This is a result:



Figure 6.115. Redefinition styles with predefined classes

In the example a tree font weight was changed to bold.

Also it's possible to change styles of a particular `<rich:tree>` component. In this case you should create own style classes and use them in corresponding `<rich:tree>` `styleClass` attributes. An example is placed below:

Example:

```
...  
.myClass{  
  font-weight:bold;  
}  
...
```

The `"highlightedClass"` attribute for `<rich:tree>` is defined as it's shown in the example below:

Example:

```
<rich:tree ... styleClass="myClass"/>
```

This is a result:




Figure 6.116. Redefinition styles with own classes and styleClass attributes

As it's shown on the picture above, font weight of highlighted text node of a tree was changed to bold.

6.9.1.12. Relevant Resources Links

On *the component LiveDemo page* [<http://livedemo.exadel.com/richfaces-demo/richfaces/tree.jsf?c=tree>] you can see the example of `<rich:tree>` usage and sources for the given example.

How to Expand/Collapse Tree Nodes from code, see in this *wiki article* [<http://labs.jboss.com/wiki/ExpandCollapseTreeNodes>].

6.9.2. `< rich:treeNode >` available since 3.0.0

6.9.2.1. Description

The `<rich:treeNode>` component is designed for creating sets of tree elements within a `<rich:tree>` component.




Figure 6.117. `<rich:treeNode>` component

6.9.2.2. Key Features

- Possibility to assign different icon images for each node within a tree
- Drag and Drop support
- Look-and-Feel customization

Table 6.188. rich : treeNode attributes

| Attribute Name | Description |
|----------------------|---|
| acceptCursors | List of comma separated cursors that indicates when acceptable draggable over dropzone |
| acceptedTypes | A list of drag zones types, which elements are accepted by a drop zone |
| ajaxSingle | Limits JSF tree processing (decoding, conversion, validation and model updating) only to a component that sends the request. Boolean |
| ajaxSubmitSelection | An algorithm of AJAX request submission. Possible values are "inherit", "true", "false". Default value is "inherit". |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| changeExpandListener | Listener called on expand/collapse event on the node |
| cursorTypeMapping | Mapping between drop types and acceptable cursors |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| dragIndicator | Id of a component that is used as drag pointer during the drag operation |
| dragListener | MethodBinding representing an action listener method that will be notified after drag operation |

| Attribute Name | Description |
|--------------------|--|
| dragType | A drag zone type that is used for zone definition, which elements can be accepted by a drop zone |
| dragValue | Data to be sent to the drop zone after a drop event. Default value is "getUITree().getDragValue()". |
| dropListener | MethodBinding representing an action listener method that will be notified after drop operation |
| dropValue | Data to be processed after a drop event. Default value is "getUITree().getDropValue()". |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| focus | ID of an element to set focus after request is completed on client side |
| grabbingCursors | List of comma separated cursors that indicates when you has grabbed something |
| grabCursors | List of comma separated cursors that indicates when you can grab and drag an object |
| highlightedClass | Assigns one or more space-separated CSS class names to the component highlighted node |
| icon | The icon for node |
| iconCollapsed | The icon for collapsed node |
| iconExpanded | The icon for expanded node |
| iconLeaf | An icon for component leaves |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now |

| Attribute Name | Description |
|--------------------|---|
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| nodeClass | Assigns one or more space-separated CSS class names to the component node |
| nodeSelectListener | MethodBinding representing an action listener method that will be notified after selection of node. |
| onbeforedomupdate | The client-side script method to be called before DOM is updated |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| oncollapse | The client-side script method to be called when a node is collapsed |
| oncomplete | The client-side script method to be called after the request is completed |
| oncontextmenu | The client-side script method to be called when the right mouse button is clicked over the component. Returning false prevents a default browser context menu from being displayed. |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| ondragend | The client-side script method to be called when the dragging operation is finished. The default attribute value is "getDefaultOndragend()". |
| ondragenter | The client-side script method to be called when a draggable object enters the zone. The default attribute value is "getDefaultOndragenter()". |
| ondragexit | The client-side script method to be called after a draggable object leaves the zone. The default attribute value is "getDefaultOndragexit()". |
| ondragstart | The client-side script method to be called when the dragging operation is started. The default attribute value is "getDefaultOndragstart()". |

| Attribute Name | Description |
|----------------|--|
| ondrop | The client-side script method to be called when something is dropped into the drop zone. The default attribute value is "getDefaultOndrop()". |
| ondropend | The client-side script method to be called when a draggable object is dropped into any zone. The default attribute value is "getDefaultOndropend()". |
| ondropout | The client-side script method to be called when the draggable object is moved away from the drop zone |
| ondropover | The client-side script method to be called when the draggable object is over the drop zone |
| onexpand | The client-side script method to be called when a node is expanded |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| onselected | The client-side script method to be called when a node is selected |

| Attribute Name | Description |
|----------------------|---|
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, processed at the phases 2-5 in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rejectCursors | List of comma separated cursors that indicates when rejectable draggable over dropzone |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, rendered in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection. Default value is " <code>getDefaultReRender()</code> ". |
| selectedClass | Assigns one or more space-separated CSS class names to the component selected node |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| timeout | Gets timeout in ms. Default value is " <code>getDefaultTimeout()</code> ". |
| type | HTML: A node type |
| typeMapping | The attribute associates a type of draggable zone (<code>dragType</code>) with <code><rich:dndParam></code> defined for <code><rich:dropSupport></code> for passing parameter value to <code><rich:dragIndicator></code> . It uses JSON format: (<code>drag_type: parameter_name</code>). |

Table 6.189. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.TreeNode |
| component-class | org.richfaces.component.html.HtmlTreeNode |
| component-family | org.richfaces.TreeNode |
| renderer-type | org.richfaces.TreeNodeRenderer |
| tag-class | org.richfaces.taglib.TreeNodeTag |

6.9.2.3. Creating the Component with a Page Tag

Here is a simple example as it can be used on a page:

Example:

```
...
<rich:tree ... faceNode="simpleNode">
  <rich:treeNode type="simpleNode">
    <!--Tree node data displaying template-->
  </rich:treeNode>
</rich:tree>
...
```

6.9.2.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlTreeNode;
...
HtmlTreeNode myPanel = new HtmlTreeNode();
...
```

6.9.2.5. Details of Usage

The *"icon"*, *"iconCollapsed"*, *"iconExpanded"*, *"iconLeaf"* attributes define icons for the component. Also you can define icons using facets with the same names. If the facets are defined, the corresponding attributes are ignored and facets contents are used as icons. The width of a rendered facet area is 16px.

```
...
<rich:tree ...>
```

```
...
<rich:treeNode ...>
  <f:facet name="icon">
    <outputText value="A"/>
  </f:facet>
  <f:facet name="iconCollapsed">
    <outputText value="B"/>
  </f:facet>
  <f:facet name="iconExpanded">
    <outputText value="C"/>
  </f:facet>
  <f:facet name="iconLeaf">
    <outputText value="D"/>
  </f:facet>
</rich:treeNode>
...
</rich:tree>
...
```

As it has been mentioned [above](#), **<rich:treeNode>** defines a template for nodes rendering in a tree. Thus, during XML document rendering (a web.xml application) as a tree, the following nodes output (passed via `var="data"` on a tree) happens:

Example:

```
...
<rich:tree ... faceNode="simpleNode" ... value="#{bean.data}" var="data">
  <rich:treeNode type="simpleNode">
    <h:outputText value="context-param:"/>
    <h:inputText value="#{data.name}"/>
  </rich:treeNode>
</rich:tree>
...
```




Figure 6.118. Nodes output

Hence, **<h:outputText />** tag outputs the "context-param" string and then the **<h:inputText />** outputs the `data.name` element of this node.

Different nodes for rendering could be defined depending on some conditions on the tree level. Each condition represents some rendering template. To get more information on various treeNodesAdaptorAdaptor definition for nodes, [see the tree component chapter](#).

Switching between expanded/collapsed modes is also managed on the tree level and defined in [the corresponding section](#).

Default nodes of the tree level as well as the ones defined with the treeNodesAdaptorAdaptor component could send Ajax requests when selected with the mouse, it's managed with the "ajaxSubmitSelection" attribute (true/false).

Information about the "process" attribute usage you can find "[Decide what to process](#)" guide section.

6.9.2.6. Built-in Drag and Drop

The main information on Drag and Drop operations is given in [the corresponding paragraph](#) of the tree component chapter. It's only necessary to mention that each node could also be a Drag element as well as a Drop container, i.e. the container and the element have all attributes, listeners and ways of behavior similar to the ones of the `<rich:dragSupport >` and `<rich:dropSupport >` components simultaneously.

6.9.2.7. Events Handling

Just as Drag and Drop operations it corresponds to the one described on [the tree component level](#) for a default Node.

6.9.2.8. Facets

Table 6.190. Facets

| Facet name | Description |
|---------------|---|
| icon | Redefines the icon for node. Related attribute is "icon" |
| iconCollapsed | Redefines the icon for collapsed node. Related attribute is "iconCollapsed" |
| iconExpanded | Redefines the icon for expanded node. Related attribute is "iconExpanded" |
| iconLeaf | Redefines the icon for component leaves. Related attribute is "iconLeaf" |

6.9.2.9. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all **<rich:treeNode>** components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a **<rich:treeNode>** component

6.9.2.10. Skin Parameters Redefinition

Table 6.191. Skin parameters for a node element

| Skin parameters | CSS properties |
|--------------------------|----------------|
| panelTextColor | color |
| preferableDataSizeFont | font-size |
| preferableDataFamilyFont | font-family |

Table 6.192. Skin parameters for a selected element

| Skin parameters | CSS properties |
|-----------------------|----------------|
| headerBackgroundColor | border-color |
| panelTextColor | color |
| selectControlColor | color |

Table 6.193. Skin parameters for a mouseovered element

| Skin parameters | CSS properties |
|--------------------|----------------|
| selectControlColor | color |

6.9.2.11. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.119. Classes names

Table 6.194. Classes names that define a node element

| Class name | Description |
|---------------------------|--|
| rich-tree-node | Defines styles for a tree node |
| rich-tree-node-handle | Defines styles for a tree node handle |
| rich-tree-node-handleicon | Defines styles for a tree node handle icon |
| rich-tree-node-children | Defines styles for all tree node subnodes |
| rich-tree-node-text | Defines styles for a tree node text |
| rich-tree-node-icon | Defines styles for a tree node icon |
| rich-tree-h-ic-img | Defines styles for an image of a tree node |
| rich-tree-node-icon-leaf | Defines styles for a tree node icon leaf |

Table 6.195. Classes names that define states for a node element

| Class name | Description |
|-------------------------------------|---|
| rich-tree-node-selected | Defines styles for a selected tree node |
| rich-tree-node-highlighted | Defines styles for a highlighted tree node |
| rich-tree-node-handleicon-collapsed | Defines styles for a collapsed tree node handleicon |
| rich-tree-node-handleicon-expanded | Defines styles for a expanded tree node handleicon |

In order to redefine the style for all **<rich:treeNode>** components on a page using CSS, it's enough to create classes with the same names and define the necessary properties in them.

For instance, if you need to change the size of a tree node image, you should redefine the `.rich-tree-h-ic-img` class properties:

```
...  
.rich-tree-h-ic-img{  
    width:30px;  
    height:30px;  
}  
...
```

To change the style of particular **<rich:treeNode>** components define your own style classes in the corresponding **<rich:treeNode>** attributes.

It is also possible to change look and feel of specific **<rich:treeNode>** with the help of defining for them `"selectedClass"` and `"highlightedClass"` attributes by their specific classes.

6.9.2.12. Relevant Resources Links

How to Expand/Collapse Tree Nodes from code see in this [wiki article](http://labs.jboss.com/wiki/ExpandCollapsetreeNodesAdaptor) [http://labs.jboss.com/wiki/ExpandCollapsetreeNodesAdaptor].

6.9.3. < rich:treeNodesAdaptor > available since 3.1.0

3.1.0

6.9.3.1. Description

The **<rich:treeNodesAdaptor>** provides the possibility to define data models and create representations for them.




Figure 6.120. Expanded tree with <rich:treeNodesAdaptor>

6.9.3.2. Key Features

- Allows to define combined data models
- Possibility to define nodes for processing via attributes

Table 6.196. rich : treeNodesAdaptor attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| includedNode | This boolean expression is used to define which elements are processed. Default value is "true". |
| nodes | Defines collection to use at the other (non-top) levels of iteration |
| rendered | JSF: If "false", this component is not rendered |
| var | A request-scope attribute via which the data object for the current collection element will be used when iterating |

Table 6.197. Component identification parameters

| Name | Value |
|----------------|--------------------------------|
| component-type | org.richfaces.TreeNodesAdaptor |

| Name | Value |
|------------------|---|
| component-class | org.richfaces.component.html.HtmlTreeNodesAdaptor |
| component-family | org.richfaces.TreeNodesAdaptor |
| tag-class | org.richfaces.taglib.TreeNodesAdaptorTag |

6.9.3.3. Creating the Component with a Page Tag

Example:

```
...
<rich:treeNodesAdaptor var="issue" nodes="#{model.issues}">
  <rich:treeNode>
    <h:commandLink action="#{project.click}" value="Project: #{project.name}" />
  </rich:treeNode>
  ...
  <!-- Others nodes -->
  ...
</rich:treeNodesAdaptor>
...
```

6.9.3.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlTreeNodesAdaptor;
...
HtmlTreeNodesAdaptor myTreeNodesAdaptor = new HtmlTreeNodesAdaptor();
...
```

6.9.3.5. Details of Usage

The **<rich:treeNodesAdaptor>** component has a *"nodes"* attribute that defines a collection of elements to iterate through.

Collections are allowed to include lists, arrays, maps, XML NodeList and NamedNodeMap either as a single object.

The *"var"* attribute is used to access to the current collection element.

The **<rich:treeNodesAdaptor>** component can be nested without any limitations. See the following example.

Example:

```

...
<rich:tree adviseNodeOpened="#{treeModelBean.adviseNodeOpened}" switchType="client">
  <rich:treeNodesAdaptor id="project" nodes="#{loaderBean.projects}" var="project">
    <rich:treeNode>
      <h:commandLink action="#{project.click}" value="Project: #{project.name}" />
    </rich:treeNode>
  </rich:treeNodesAdaptor>
  <rich:treeNodesAdaptor id="srcDir" var="srcDir" nodes="#{project.srcDirs}">
    <rich:treeNode>
      <h:commandLink action="#{srcDir.click}" value="Source directory: #{srcDir.name}" />
    </rich:treeNode>
  </rich:treeNodesAdaptor>
  <rich:treeNodesAdaptor id="pkg" var="pkg" nodes="#{srcDir.packages}">
    <rich:treeNode>
      <h:commandLink action="#{pkg.click}" value="Package: #{pkg.name}" />
    </rich:treeNode>
  </rich:treeNodesAdaptor>
  <rich:treeNodesAdaptor id="class" var="class" nodes="#{pkg.classes}">
    <rich:treeNode>
      <h:commandLink action="#{class.click}" value="Class: #{class.name}" />
    </rich:treeNode>
  </rich:treeNodesAdaptor>
</rich:tree>
...

```

6.9.3.6. Relevant Resources Links

On the [component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/treeNodesAdaptor.jsf?c=treeNodesAdaptor) [http://livedemo.exadel.com/richfaces-demo/richfaces/treeNodesAdaptor.jsf?c=treeNodesAdaptor] you can see the example of **<rich:treeNodesAdaptor >** usage and sources for the given example.

6.9.4. < rich:recursiveTreeNodesAdaptor > available since 3.1.0

3.1.0

6.9.4.1. Description

The **<rich:recursiveTreeNodesAdaptor >** is an extension of a **<rich:treeNodesAdaptor >** component that provides the possibility to define data models and process nodes recursively.




Figure 6.121. Expanded tree with <rich:recursiveTreeNodesAdaptor>

6.9.4.2. Key Features

- Allows to define combined data models
- Possibility to define nodes for processing via attributes
- Allows to process nodes recursively

Table 6.198. rich : recursiveTreeNodesAdaptor attributes

| Attribute Name | Description |
|----------------|---|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| included | This boolean expression is used to define which elements of both collections are processed. Default value is "true". |
| includedNode | This boolean expression is used to define which elements are processed. Default value is "true". |
| includedRoot | This boolean expression is used to define which elements are processed applying to "roots" collection. Default value is "true". |
| nodes | Defines collection to use at the other (non-top) levels of iteration |
| recursionOrder | The attribute is used to control a recursion order. Possible values are "first", "last", "[id |

| Attribute Name | Description |
|----------------|--|
| | of adaptor]" ("first" and "last" are reserved values). When "[id of the adaptor]" is set it means that recursion occurs after these adaptor component nodes are processed. The default value is "last" |
| rendered | JSF: If "false", this component is not rendered |
| roots | Defines collection to use at the top of iteration |
| var | A request-scope attribute via which the data object for the current collection element will be used when iterating |

Table 6.199. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.RecursiveTreeNodesAdaptor |
| component-class | org.richfaces.component.html.HtmlRecursiveTreeNodesAdaptor |
| component-family | org.richfaces.RecursiveTreeNodesAdaptor |
| tag-class | org.richfaces.taglib.RecursiveTreeNodesAdaptorTag |

6.9.4.3. Creating the Component with a Page Tag

Example:

```

...
<rich:tree switchType="ajax" stateAdvisor="#{treeDemoStateAdvisor}">
<rich:recursiveTreeNodesAdaptor roots="#{fileSystemBean.sourceRoots}" var="item" nodes="#{item.nodes}"
>
</rich:tree>
...

```

6.9.4.4. Creating the Component Dynamically Using Java

Example:

```

import org.richfaces.component.html.HtmlRecursiveTreeNodesAdaptor;
...
HtmlRecursiveTreeNodesAdaptor myRecursiveTreeNodesAdaptor = new HtmlRecursiveTreeNodesAdaptor();
...

```

6.9.4.5. Details of Usage

The **<rich:recursiveTreeNodesAdaptor>** component has a *"roots"* attribute that defines collection to use at the top of recursion.

The *"nodes"* attribute defines collection to use on another recursion levels.

The *"var"* attribute is used to access to the current collection element.

The **<rich:recursiveTreeNodesAdaptor>** component can be nested without any limitations. See the following example.

Example:

```
...
<rich:tree adviseNodeOpened="#{treeModelBean.adviseNodeOpened}" switchType="client">
  <rich:treeNodesAdaptor id="project" nodes="#{loaderBean.projects}" var="project">
    <rich:treeNode>
      <h:commandLink action="#{project.click}" value="Project: #{project.name}" />
    </rich:treeNode>

  <rich:recursiveTreeNodesAdaptor id="dir" var="dir" root="#{project.dirs}" nodes="#{dir.directories}">
    <rich:treeNode>
      <h:commandLink action="#{dir.click}" value="Directory: #{dir.name}" />
    </rich:treeNode>
    <rich:treeNodesAdaptor id="file" var="file" nodes="#{dir.files}">
      <rich:treeNode>
        <h:commandLink action="#{file.click}" value="File: #{file.name}" />
      </rich:treeNode>
    </rich:treeNodesAdaptor>
    <rich:treeNodesAdaptor id="file1" var="file" nodes="#{dir.files}">
      <rich:treeNode>
        <h:commandLink action="#{file.click}" value="File1: #{file.name}" />
      </rich:treeNode>
    </rich:treeNodesAdaptor>
    <rich:recursiveTreeNodesAdaptor id="archiveEntry" var="archiveEntry"
      roots="#{dir.files}" nodes="#{archiveEntry.archiveEntries}"
      includedRoot="#{archiveEntry.class.simpleName == 'ArchiveFile'}"
      includedNode="#{archiveEntry.class.simpleName == 'ArchiveEntry'}">
      <rich:treeNode id="archiveEntryNode">
        <h:commandLink action="#{archiveEntry.click}" value="Archive entry:
#{archiveEntry.name}" />
      </rich:treeNode>
    </rich:recursiveTreeNodesAdaptor>
  </rich:recursiveTreeNodesAdaptor>
</rich:tree>
```

```

    </rich:treeNodesAdaptor>
</rich:tree>
...

```

6.9.4.6. Relevant resources links

On the [component Live Demo page](http://livedemo.exadel.com/richfaces-demo/richfaces/treeNodesAdaptor.jsf?c=recursiveTreeNodesAdaptor) [http://livedemo.exadel.com/richfaces-demo/richfaces/treeNodesAdaptor.jsf?c=recursiveTreeNodesAdaptor] you can see the example of `<rich:recursiveTreeNodesAdaptor>` usage.

6.9.5. `< rich:changeExpandListener >` available since 3.1.0

3.1.0

6.9.5.1. Description

The `<rich:changeExpandListener>` represents an action listener method that is notified on an expand/collapse event on the node.

6.9.5.2. Key Features

- Allows to define some "changeExpand" listeners for the component

Table 6.200. rich : changeExpandListener attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| type | HTML: The fully qualified Java class name for the listener |

Table 6.201. Component identification parameters

| Name | Value |
|----------------|--|
| listener-class | org.richfaces.event.NodeExpandedListener |
| event-class | org.richfaces.event.NodeExpandedEvent |
| tag-class | org.richfaces.taglib.ChangeExpandListenerTag |

6.9.5.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...  
<rich:changeExpandListener type="demo.Bean"/>  
...
```

6.9.5.4. Creating the Component Dynamically Using Java

Example:

```
package demo;  
public class ImplBean implements org.richfaces.event.NodeExpandedListener{  
    ...  
}
```

```
import demo.ImplBean;  
...  
ImplBean myListener = new ImplBean();  
...
```

6.9.5.5. Details of Usage

The `<rich:changeExpandListener>` is used as a nested tag with `<rich:tree>` and `<rich:treeNode>` components.

Attribute `"type"` defines the fully qualified Java class name for the listener. This class should implement [org.richfaces.event.NodeExpandedListener](http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/apidoc_framework/org/richfaces/event/TreeListenerEventsProducer.html#addChangeExpandListener(org.richfaces.event.NodeExpandedListener)]interface) [http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/apidoc_framework/org/richfaces/event/TreeListenerEventsProducer.html#addChangeExpandListener(org.richfaces.event.NodeExpandedListener)]interface

The typical variant of using:

```
...  
<rich:tree switchType="server" value="#{project.data}" var="item" nodeFace="#{item.type}">  
    <rich:changeExpandListener type="demo.ListenerBean"/>  
    ...  
    <!-- Tree nodes -->  
    ...  
</rich:tree>  
...
```

Java bean source:

```

package demo;
import org.richfaces.event.NodeExpandedEvent;
public class ListenerBean implements org.richfaces.event.NodeExpandedListener{
    ...
    public void processExpansion(NodeExpandedEvent arg0){
        //Custom Developer Code
    }
    ...
}
...

```

6.9.5.6. Look-and-Feel Customization

`<rich:changeExpandListener>` has no skin parameters and custom style classes, as the component isn't visual.

6.9.6. `< rich:nodeSelectListener >` available since 3.1.0

3.1.0

6.9.6.1. Description

The `<rich:nodeSelectListener>` represents an action listener method that is notified after selection of a node.

6.9.6.2. Key Features

- Allows to define some "nodeSelect" listeners for the component

Table 6.202. rich : nodeSelectListener attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| type | HTML: The fully qualified Java class name for the listener |

Table 6.203. Component identification parameters

| Name | Value |
|----------------|--|
| listener-class | org.richfaces.event.NodeSelectedListener |

| Name | Value |
|-------------|--|
| event-class | org.richfaces.event.NodeSelectedEvent |
| tag-class | org.richfaces.taglib.NodeSelectListenerTag |

6.9.6.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...  
<rich:nodeSelectListener type="demo.Bean"/>  
...
```

6.9.6.4. Creating the Component Dynamically Using Java

Example:

```
package demo;  
public class ImplBean implements org.richfaces.event.NodeSelectListener{  
    ...  
}
```

```
import demo.ImplBean;  
...  
ImplBean myListener = new ImplBean();  
...
```

6.9.6.5. Details of Usage

The `<rich:nodeSelectListener>` is used as a nested tag with `<rich:tree>` and `<rich:treeNode>` components.

Attribute `"type"` defines the fully qualified Java class name for listener. This class should implement [org.richfaces.event.NodeSelectedListener](http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/apidoc_framework/org/richfaces/event/NodeSelectedListener.html) [http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/apidoc_framework/org/richfaces/event/NodeSelectedListener.html]. interface

The typical variant of using:

```
...
<rich:tree switchType="server" value="#{project.data}" var="item" nodeFace="#{item.type}">
  <rich:nodeSelectListener type="demo.ListenerBean"/>
  ...
  <!-- Tree nodes -->
  ...
</rich:tree>
...
```

Java bean source:

```
package demo;
import org.richfaces.event.NodeSelectedEvent;
public class ListenerBean implements org.richfaces.event.NodeSelectedListener{
  ...
  public void processSelection(NodeSelectedEvent arg0){
    //Custom Developer Code
  }
  ...
}
```

6.9.6.6. Look-and-Feel Customization

<rich:nodeSelectListener> has no skin parameters and custom style classes, as the component isn't visual.

6.10. Rich Output

This section covers the components that are designed to be used as output and UI elements.

6.10.1. < rich:modalPanel > available since 3.0.0

6.10.1.1. Description

The component implements a modal dialog window. All operations in the main application window are locked out while this window is active. Opening and closing the window is done through client JavaScript code.



Figure 6.122. The `<rich:modalPanel>` component opens in closest to observer layer. All other layers are dimmed by blocking `<div>` element (gray on the picture).

6.10.1.2. Key Features

- Highly customizable look and feel
- Support of draggable operations and size changes by you
- Easy positioning for the modal dialog window
- Possibility to restore of the previous component state on a page (including position on the screen) after submitting and reloading

Table 6.204. rich : modalPanel attributes

| Attribute Name | Description |
|----------------|--|
| autosized | If "true" modalPanel should be autosizeable. Default value is "false". |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| controlsClass | Assigns one or more space-separated CSS class names to the component controls |

| Attribute Name | Description |
|----------------------|---|
| domElementAttachment | Defines the DOM element, which stacking context will assimilate the modalPanel. Possible values: "body", "form", "parent". Default value is "body". |
| headerClass | Assigns one or more space-separated CSS class names to the component header |
| height | Attribute defines height of component. Default value is "300". |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| keepVisualState | If "true" modalPanel should save state after submission. Default value is "false". |
| label | A localized user presentable name for this component. |
| left | Attribute defines X position of component left-top corner. Default value is "auto". |
| minHeight | Attribute defines min height of component. Default value is "10". If the value is less than 10, a "IllegalArgumentException" exception is thrown. |
| minWidth | Attribute defines min width of component. Default value is "10". If the value is less than 10, a "IllegalArgumentException" exception is thrown. |
| moveable | If "true" there is possibility to move component. Default value is "true". |
| onbeforehide | The client-side script method to be called before the modal panel is hidden |
| onbeforeshow | The client-side script method to be called before the modal panel is opened |
| onhide | The client-side script method to be called after the modal panel is hidden |
| onmaskclick | The client-side script method to be called when a left mouse button is clicked outside the modal panel |
| onmaskcontextmenu | The client-side script method to be called when a right mouse button is clicked outside the modal panel |

| Attribute Name | Description |
|---------------------|---|
| onmaskdblclick | The client-side script method to be called when a left mouse button is double-clicked outside the modal panel |
| onmaskmousedown | The client-side script method to be called when a mouse button is pressed down outside the modal panel |
| onmaskmousemove | The client-side script method to be called when a pointer is moved outside the modal panel |
| onmaskmouseout | The client-side script method to be called when a pointer is moved away from the modal panel |
| onmaskmouseover | The client-side script method to be called when a pointer is moved onto the modal panel |
| onmaskmouseup | The client-side script method to be called when a mouse button is released outside the modal panel |
| onmove | The client-side script method to be called before the modal panel is moved |
| onresize | The client-side script method to be called when the modal panel is resized |
| onshow | The client-side script method to be called when the modal panel is displayed |
| overlapEmbedObjects | If "true" modalPanel creates iframe to overlap embed objects like PDF on a page. Default value is "false". |
| rendered | JSF: If "false", this component is not rendered |
| resizeable | If "true" there is possibility to change component size. Default value is "true". |
| shadowDepth | Pop-up shadow depth for suggestion content |
| shadowOpacity | HTML CSS class attribute of element for pop-up suggestion content |
| showWhenRendered | If "true" value for this attribute makes a modal panel opened as default. Default value is "false" |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |

| Attribute Name | Description |
|------------------------------|--|
| top | Attribute defines Y position of component left-top corner. Default value is "auto". |
| tridentVEngineSelectBehavior | How to handle HTML SELECT-based controls in IE 6? - "disable" - default, handle as usual, use disabled="true" to hide SELECT controls - "hide" - use visibility="hidden" to hide SELECT controls |
| trimOverlaidElements | Defines whether to trim or not elements inside modalPanel. Default value is "true" |
| visualOptions | Defines options that were specified on the client side |
| width | HTML: Attribute defines width of component. Default value is "200". |
| zindex | Attribute is similar to the standard HTML attribute and can specify window. Default value is "100". placement relative to the content |

Table 6.205. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.ModalPanel |
| component-class | org.richfaces.component.html.HtmlModalPanel |
| component-family | org.richfaces.ModalPanel |
| renderer-type | org.richfaces.ModalPanelRenderer |
| tag-class | org.richfaces.taglib.ModalPanelTag |

6.10.1.3. Creating the Component with a Page Tag

Here is a simple example as it could be used on a page:

Example:

```

...
<rich:modalPanel id="panel">
  <f:facet name="header">
    <h:outputText value="header" />
  </f:facet>
  ...
  <!--Any Content inside-->
  ...
  <a onclick="Richfaces.hideModalPanel('modalPanelID');" href="#">Hide</a>

```

```
</rich:modalPanel>  
<a onclick="Richfaces.showModalPanel('modalPanelID');" href="#">Show</a>  
...
```

6.10.1.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlModalPanel;  
...  
HtmlModalPanel myPanel = new HtmlModalPanel();  
...
```

6.10.1.5. Details of Usage

The component is defined as a panel with some content inside that displays its content as a modal dialog. To call it and to close it, the client API for the window is used.

Table 6.206. Functions description

| Function | Description |
|--------------------------------------|--|
| Richfaces.showModalPanel (client Id) | Opens a window with a specified client Id |
| Richfaces.hideModalPanel (client Id) | Closes a window with a specified client Id |
| Richfaces.hideTopModalPanel () | Closes the current visible window at the top |

Important:

To work properly the <rich:modalPanel> should always be placed outside the original <h:form> and must include its own <h:form> for such cases like performing submissions from within the <rich:modalPanel>.

Note:

In order to avoid a bug in IE, the root node of the dialog is moved on the top of a DOM tree.

It's possible to add a "header" facet to the component to set the content for the header.

Example:

```

<a onclick="Richfaces.showModalPanel('pnl');" href="#">Show ModalPanel</a>
<a4j:form>
  <rich:modalPanel id="pnl">
    <f:facet name="header">
      <h:outputText value="This is a panel header" />
    </f:facet>
    <p>The <rich:modalPanel> accepts different types of information:
    from simple text to iterative components such as <rich:dataTable>, etc.
    </p>
    <a onclick="Richfaces.hideModalPanel('pnl');" href="#">Hide</a>
  </rich:modalPanel>
</a4j:form>

```

Here is what happening on the page:




Figure 6.123. `<rich:modalPanel>` with links

A facet named *"controls"* can be added to the component to place control elements on a header.

Example:

```

<a onclick="Richfaces.showModalPanel('pnl');" href="#">Show ModalPanel</a>
<a4j:form>
  <rich:modalPanel id="pnl">
    <f:facet name="header">
      <h:outputText value="This is a panel header" />
    </f:facet>
  </rich:modalPanel>
</a4j:form>

```

```
</f:facet>
<f:facet name="controls">
    <h:graphicImage value="/pages/
close.png" style="cursor:pointer" onclick="Richfaces.hideModalPanel('pnl')"/>
</f:facet>
<p>The <rich:modalPanel> accepts different types of information:
from simple text to iterative components such as <rich:dataTable>, etc.
</p>
</rich:modalPanel>
</a4j:form>
```

The result:




Figure 6.124. <rich:modalPanel> with 'Close' control

To understand the sense of " *domElementAttachment* " attribute you should understand the *stacking context* in the division element (<div>) HTML makeup. Since each positioned or z-indexed element (in CSS `position: absolute` or `relative` or `z-index: [any integer value different from 0]`) form their own stacking context the <rich:modalPanel> nested into such element may be overlapped with another elements, which appear later in HTML hierarchy and assimilated with basic stacking context (HTML <body>). To make the panel rendered in closest to the observer layer and avoid such overlapping, the component was designed in way when it is always being automatically assimilated with <body> and with a very high rendering layer (`z-index`). Due to some side effects the <rich:modalPanel> should not always be assimilated with <body> stacking context. The " *domElementAttachment* " attribute helps to reassign the panel to it '*parent*' or '*form*' element. If '*form*' is used and no parent form is available the panel is functioning as if it is assimilated with <body>.

Note:

If " *domElementAttachment* " value is not 'body' then some overlapping may occur.

To manage window placement relative to the component, there are "left" and "top" attributes defining a window shifting relative to the top-left corner of the window.

Modal windows can also support resize and move operations on the client side. To allow or disallow these operations, set the "resizeable" and "moveable" attributes to "true" or "false" values. Window resizing is also limited by "minWidth" and "minHeight" attributes specifying the minimal window sizes.

Also you can use "minWidth" and "minHeight" attributes used as `showModalPanel()` arguments in JavaScript options.

You can pass your parameters during modalPanel opening or closing. This passing could be performed in the following way:

Example:

```
Richfaces.showModalPanel('panelId', {left: auto, param1: value1});
```

Thus, except the standard modalPanel parameters you can pass any of your own parameters.

Also modalPanel allows to handle its own opening and closing events on the client side. The "onshow" attribute is used in this case.

The following example shows how on the client side to define opening and closing event handling in such a way that your own parameters could also be obtained:

Example:

```
onshow="alert(event.parameters.param1)"
```

Here, during modalPanel opening the value of a passing parameter is output.

More information about this problem could be found on the [RichFaces Development Forum](http://www.jboss.com/index.html?module=bb&op=viewtopic&t=111804) [http://www.jboss.com/index.html?module=bb&op=viewtopic&t=111804].

There is a possibility to restore of the previous component state on a page (including position on the screen) after submitting and reloading. The modalPanel has some special attributes like "showWhenRendered" and "keepVisualState".

"showWhenRendered" - This boolean attribute is used if modalPanel should be rendered after first page loading.

"keepVisualState" - Used if modalPanel should save state after submission. If keepVisualState="true" then parameters which modalPanel has during opening should be submitted and passed to new page.

Example:

```
<a href="javascript:Richfaces.showModalPanel('pnl', {top:'10px', left:'10px', height:'400'});">Show</a>
```

Here, if you open modal dialog window using current link and after submits data then modalPanel destination and height on new loaded page is restored.

if you need the content of the modalPanel to be submitted - you need to remember two important rules:

- modalPanel must have its own form if it has form elements (input or/and command components) inside (as it was shown in the example above)
- modalPanel must not be included into the form (on any level up) if it has the form inside.

Simple example of using commandButton within modalPanel is placed below.

Example:

```
<a4j:form>
<rich:modalPanel>
  <f:facet name="header">
    <h:outputText value="Test" />
  </f:facet>
  <f:facet name="controls">
<h:commandLink value="Close" style="cursor:pointer" onclick="Richfaces.hideModalPanel('mp')"/>
  >
    </f:facet>
    <h:form>
      <h:commandButton value="Test" action="#{TESTCONTROLLER.test}" />
    </h:form>
  </rich:modalPanel>
```

See also discussion about this problem on the [RichFaces Users Forum](http://www.jboss.com/index.html?module=bb&op=viewtopic&p=4064191) [http://www.jboss.com/index.html?module=bb&op=viewtopic&p=4064191].

The "label" attribute is a generic attribute. The "label" attribute provides an association between a component, and the message that the component (indirectly) produced. This attribute defines

the parameters of localized error and informational messages that occur as a result of conversion, validation, or other application actions during the request processing lifecycle. With the help of this attribute you can replace the last parameter substitution token shown in the messages. For example, {1} for "DoubleRangeValidator.MAXIMUM", {2} for "ShortConverter.SHORT".

In RichFaces Cookbook article about [Modal Panel](http://wiki.jboss.org/auth/wiki/RichFacesCookbook/DetailModalPanelFromTable) [http://wiki.jboss.org/auth/wiki/RichFacesCookbook/DetailModalPanelFromTable] there is information for those of you who would like to click on a details link in table and have it show a modal panel with information loaded from the server.

To avoid overlapping of the `<rich:modalPanel>` component on the page by any embed objects (inserted with HTML `<EMBED>` tag) set the `"overlapEmbedObjects"` attribute to "true".

6.10.1.6. JavaScript API

Table 6.207. JavaScript API

| Function | Description |
|----------|-------------------------------------|
| show() | Opens the corresponding modalPanel |
| hide() | Closes the corresponding modalPanel |

6.10.1.7. Facets

Table 6.208. Facets

| Facet | Description |
|----------|--|
| header | Define the header content |
| controls | Defines the control elements on the header |

6.10.1.8. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:modalPanel>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a `<rich:modalPanel>` component

6.10.1.9. Skin Parameters Redefinition

Table 6.209. Skin parameters for a component

| Skin parameters | CSS properties |
|------------------------|------------------|
| generalBackgroundColor | background-color |
| panelBorderColor | border-color |

Table 6.210. Skin parameters redefinition for a header element

| Skin parameters | CSS properties |
|-----------------------|------------------|
| headerBackgroundColor | background-color |
| headerBackgroundColor | border-color |

Table 6.211. Skin parameters redefinition for a header content

| Skin parameters | CSS properties |
|------------------|------------------|
| headerSizeFont | background-color |
| headerTextColor | font-size |
| headerWeightFont | color |
| headerFamilyFont | font-family |

Table 6.212. Skin parameters redefinition for a body element

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalSizeFont | font-size |
| generalTextColor | color |
| generalFamilyFont | font-family |

6.10.1.10. Definition of Custom Style Classes



Figure 6.125. <rich:modalPanel> class name

The screenshot shows the classes names for defining different elements.

Table 6.213. Classes names that define a component appearance

| Class name | Description |
|-----------------------|--|
| rich-modalpanel | Defines styles for a wrapper <div> element of a modalPanel |
| rich-mpnl-mask-div | Defines styles for a wrapper <div> element of a mask |
| rich-mpnl_panel | Defines styles for a modalPanel |
| rich-mp-container | Defines styles for a modalPanel container |
| rich-mpnl-resizer | Defines styles for a wrapper <div> element of a resizing element |
| rich-mpnl-shadow | Defines styles for a modalPanel shadow |
| rich-mp-content-table | Defines styles for a <table> element of a modalPanel |
| rich-mpnl-header | Defines styles for a modalPanel header |
| rich-mpnl-header-cell | Defines styles for a header cell |
| rich-mpnl-text | Defines styles for a wrapper <div> element of a header text |
| rich-mpnl-body | Defines styles for a content inside a modalPanel |
| rich-mpnl-controls | Defines styles for a wrapper <div> element of a modalPanel control |

In order to redefine styles for all **<rich:modalPanel>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...
.rich-mpnl-mask-div{
    background-color:#fae6b0;
}
...
```

This is a result:



Figure 6.126. Redefinition styles with predefined classes

In the example the background color for mask was changed.

Also it's possible to change styles of particular `<rich:modalPanel>` component. In this case you should create own style classes and use them in corresponding `<rich:modalPanel styleClass` attributes. An example is placed below:

Example:

```
...  
.myClass{  
    font-style:italic;  
}  
...
```

The `"headerClass"` attribute for `<rich:modalPanel>` is defined as it's shown in the example below:

Example:

```
<rich:modalPanel ... headerClass="myClass"/>
```

This is a result:



Figure 6.127. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, the font style for header was changed.

6.10.1.11. Relevant Resources Links

Vizit [ModalPanel page](http://livedemo.exadel.com/richfaces-demo/richfaces/modalPanel.jsf?c=modalPanel) [http://livedemo.exadel.com/richfaces-demo/richfaces/modalPanel.jsf?c=modalPanel] at RichFaces Livedemo for examples of component usage and their sources.

Read the "[An Introduction To JBoss RichFaces](http://eclipse.dzone.com/articles/an-introduction-to-jboss-richf?page=0%2C0)" tutorial by Max Katz to find out how the `<rich:modalPanel>` helps to edit and save changes for table entries.

Some articles at JBoss portal describing different aspects of `<rich:modalPanel>` usage:

- "[ModalPanelWizards](http://www.jboss.org/community/docs/DOC-11436)" [http://www.jboss.org/community/docs/DOC-11436] article describes how to create a typical wizard with the help of `<rich:modalPanel>` component (the same could also be found in the "[How to organize wizards using the <rich:modalPanel> component?](http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/devguide/en/faq/faq.html#Organizewizards)" [http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/devguide/en/faq/faq.html#Organizewizards] chapter of RichFaces FAQ guide);
- Refer to the "[How to do a detail view modalPanel in a table](http://www.jboss.org/community/docs/DOC-11853)" [http://www.jboss.org/community/docs/DOC-11853] article in the RichFaces cookbook at JBoss Portal to find out how to build a table with details link clicking on which will display a modal panel with information loaded from the server.

- "[ModalPanelValidation](http://www.jboss.org/community/docs/DOC-11435) [http://www.jboss.org/community/docs/DOC-11435]" article gives examples of validation in `<rich:modalPanel>` (the same in the [corresponding topic](http://www.jboss.com/index.html?module=bb&op=viewtopic&p=4061517) [http://www.jboss.com/index.html?module=bb&op=viewtopic&p=4061517] at RichFaces Users Forum);
- "[RichFacesPleaseWaitBox](http://www.jboss.org/community/docs/DOC-11863) [http://www.jboss.org/community/docs/DOC-11863]" article describes how to show a "Please wait" box and block the input while the Ajax request is being processed using combination of `<a4j:status>` and `<rich:modalPanel>` components.

6.10.2. < rich:paint2D > available since 3.0.0

6.10.2.1. Description

Create image by painting from a managed bean method, same as *"paint"* (Graphics2D) in "SWING" components.



Figure 6.128. `<rich:paint2D>` component

6.10.2.2. Key Features

- Simple Graphics2D - painting style directly on the Web page
- Supports client/server caching for generated images
- Fully supports "JPEG" (24-bit, default), "GIF" (8-bit with transparency), and "PNG" (32-bit with transparency) formats for sending generated images
- Easily customizable borders and white space to wrap the image
- Dynamically settable paint parameters using tag attributes

Table 6.214. rich : paint2D attributes

| Attribute Name | Description |
|----------------|---|
| align | Deprecated. This attribute specifies the position of an IMG, OBJECT, or APPLET with respect to its context. The possible values are "bottom", "middle", "top", "left" and "right". The default value is "middle". |

| Attribute Name | Description |
|----------------|---|
| alt | HTML: For compatibility with XHTML 1.1 standart |
| bgcolor | Background color of painted image. Default value is 'transparent' which means no background fill. Hex colors can be used, as well as common color names. Invalid values are treated as transparent. Note, that JPEG format doesn't support transparency, and transparent background is painted black. Also note, that several browsers (e.g. IE6) do not support PNG transparency. Default value is "transparent" |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| border | HTML: Deprecated. This attribute specifies the width of an IMG or OBJECT border, in pixels. The default value for this attribute depends on the user agent |
| cacheable | Supported (or not) client/server caching for generated images. Caching on client supported by properly sending and processing of HTTP headers (Last-Modified, Expires, If-Modified-Since, etc.) Server-side caching is supported by application-scope object cache. For build of cache key use "value" attribute, serialized to URI |
| data | Value calculated at render time and stored in Image URI (as part of cache Key), at paint time passed to a paint method. It can be used for updating cache at change of image generating conditions, and for creating paint beans as "Lightweight" pattern components (request scope). IMPORTANT: Since serialized data stored in URI, avoid using big objects |
| format | format Name of format for sending a generated image. It currently supports "jpeg" (24 bit, default), "gif" (8 bit with transparency), "png" (32 bit with transparency) |
| height | Height in pixels of image (for paint canvas and HTML attribute). Default value is "10". |

| Attribute Name | Description |
|----------------|---|
| hspace | Deprecated. This attribute specifies the amount of white space to be inserted to the left and right of an IMG, APPLET, or OBJECT. The default value is not specified, but is generally a small, non-zero length |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| lang | HTML: Code describing the language used in the generated markup for this component |
| paint | The method calls expression to paint Image on prepared Buffered image. It must have two parameters with a type of java.awt.Graphics2D (graphics to paint) and Object (restored from URI "data" property). For painting used 32-bit RGBA color model (for 8-bit images used Diffusion filtration before sending) |
| rendered | JSF: If "false", this component is not rendered |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| title | HTML: Advisory title information about markup elements generated for this component |
| value | JSF: The current value of this component |
| vspace | Deprecated. This attribute specifies the amount of white space to be inserted above and below an IMG, APPLET, or OBJECT. The default value is not specified, but is generally a small, non-zero length |
| width | HTML: Width in pixels of image (for paint canvas and HTML attribute). Default value is "10". |

Table 6.215. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.Paint2D |
| component-class | org.richfaces.component.html.HtmlPaint2D |
| component-family | javax.faces.Output |

| Name | Value |
|---------------|---------------------------------|
| renderer-type | org.richfaces.Paint2DRenderer |
| tag-class | org.richfaces.taglib.Paint2DTag |

6.10.2.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...  
<rich:paint2D paint="#{paint2D.paint}" data="#{paint2DModel}"/>  
...
```

Here *"paint"* specifies the method performing drawing and *"data"* specifies Managed Bean property keeping the data used by the method.

6.10.2.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlPaint2D;  
...  
HtmlPaint2D myImage = new HtmlPaint2D();  
...
```

6.10.2.5. Details of Usage

The example shows two main attributes of the component:

- *"paint"*
Specify a method receiving an object specified in data as a parameter and sending graphical information into the stream
- *"data"*
Specifies a bean class keeping your data for rendering

Note:

Data object should implement serializable interface

The *"format"* attribute of the component defines a format of visual data passing to the server.

Generated data can be used as a cacheable or non-cacheable resource. It's defined with *"cacheable"* attribute. If cache support is turned on, a key is created in URI with a mix of size (width/height), *"paint"* method, *"format"* and *"data"* attributes.

Example:

paintBean.java:

```
public void paint(Graphics2D g2, Object obj) {
    // code that gets data from the data Bean (PaintData)
    PaintData data = (PaintData) obj;
    ...
    // a code drawing a rectangle
    g2.drawRect(0, 0, data.Width, data.Height);
    ...
    // some more code placing graphical data into g2 stream below
}
```

dataBean.java:

```
public class PaintData implements Serializable{
    private static final long serialVersionUID = 1L;
    Integer Width=100;
    Integer Height=50;
    ...
}
```

page.xhtml:

```
...
<rich:paint2D paint="#{paint2D.paint}" data="#{paint2DModel.data}"/>
...
```

6.10.2.6. Look-and-Feel Customization

Paint2D has no skin parameters and special *style classes*, as it consists of one element generated with a your method on the server.

To define some style properties such as an indent or a border, it's possible to use *"style"* and *"styleClass"* attributes on the component.

6.10.2.7. Relevant Resources Links

On the [component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/paint2D.jsf?c=paint2d) [http://livedemo.exadel.com/richfaces-demo/richfaces/paint2D.jsf?c=paint2d] you can see the example of `<rich:paint2D>` usage and sources for the given example.

6.10.3. `< rich:panel >` available since 3.0.0

6.10.3.1. Description

A skinnable panel that is rendered as a bordered rectangle with or without a header.




Figure 6.129. `<rich:panel>` component

6.10.3.2. Key Features

- Highly customizable look and feel
- Support for any content inside
- Header adding feature

Table 6.216. rich : panel attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bodyClass | Assigns one or more space-separated CSS class names to the component content |
| header | Label text appears on a panel header |
| headerClass | Assigns one or more space-separated CSS class names to the component header |
| id | JSF: Every component may have a unique id that is automatically created if omitted |

| Attribute Name | Description |
|----------------|--|
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| rendered | JSF: If "false", this component is not rendered |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |

Table 6.217. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.panel |
| component-class | org.richfaces.component.html.HtmlPanel |
| component-family | org.richfaces.panel |

| Name | Value |
|---------------|-------------------------------|
| renderer-type | org.richfaces.PanelRenderer |
| tag-class | org.richfaces.taglib.PanelTag |

6.10.3.3. Creating the Component with a Page Tag

Here is a simple example as it could be used on a page:

Example:

```
...
<rich:panel header="Panel Header">
    ...
    <!--Any Content inside-->
    ...
</rich:panel>
...
```

6.10.3.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlPanel;
...
HtmlPanel myPanel = new HtmlPanel();
...
```

6.10.3.5. Details of Usage

The *"header"* attribute defines text to be represented. If you can use the *"header"* facet, you can even not use the *"header"* attribute.

Example:

```
...
<rich:panel>
    <f:facet name="header">
        <h:graphicImage value="/images/img1.png"/>
    </f:facet>
    ...
    <!--Any Content inside-->

```

```
...
</rich:panel>
...
```

<rich:panel> components are used to group page content pieces on similarly formatted rectangular panels.

Example:

```
...
<rich:panel>
  ...
</rich:panel>
...
```

It's generating on a page in the following way:

```
8 Megapixels - SLR / Large Digital Camera - 2.5 in LCD Screen -
Storage: Compact Flash, xD-Picture Card, Compact Flash Type II -
Built In Flash Perfect for producing elaborate photography from the
professional or the beginner , this Olympus digital camera packs tons
of features into its compact body.
```

Figure 6.130. <rich:panel> without header

The example shows that similar rectangular areas are formed with a particular style.

When creating a panel with a header element, one more **<div>** element is added with content defined for a header.

Example:

```
...
<rich:panel>
  <f:facet name="header">
    <h:outputText value="Olympus EVOLT E-500 "/>
  </f:facet>
  ...
</rich:panel>
...
```

It's displayed on a page in the following way:




Figure 6.131. `<rich:panel>` with header

As it has been mentioned *above*, the component is mostly used for a page style definition, hence the main attributes are style ones.

- `"styleClass"`
- `"headerClass"`
- `"bodyClass"`

Moreover, to add e.g. some JavaScript effects, events defined on it are used.

- `"onmouseover"`
- `"onclick"`
- `"onmouseout"`
- etc.

6.10.3.6. Facets

Table 6.218. Facets

| Facet name | Description |
|------------|----------------------------|
| header | Defines the header content |

6.10.3.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:panel>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a `<rich:panel>` component

6.10.3.8. Skin Parameters Redefinition

Table 6.219. Skin parameters redefinition for a whole component

| Skin parameters | CSS properties |
|------------------------|------------------|
| generalBackgroundColor | background-color |
| panelBorderColor | border-color |

Table 6.220. Skin parameters redefinition for a header element

| Skin parameters | CSS properties |
|-----------------------|------------------|
| headerBackgroundColor | background-color |
| headerBorderColor | border-color |
| headerSizeFont | font-size |
| headerTextColor | color |
| headerWeightFont | font-weight |
| headerFamilyFont | font-family |

Table 6.221. Skin parameters redefinition for a body element

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalSizeFont | font-size |
| generalTextColor | color |
| generalFamilyFont | font-family |

6.10.3.9. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.132. Style classes

Table 6.222. Classes names that define a component appearance


| Class name | Class description |
|-------------------|---|
| rich-panel | Defines styles for a wrapper <div> element of a component |
| rich-panel-header | Defines styles for a header element |
| rich-panel-body | Defines styles for a body element |

In order to redefine styles for all **<rich:panel>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the table [above](#)) and define necessary properties in them. An example is placed below:

Example:

```
...
.rich-panel-body{
    background-color: #ebf3fd;
}
...
```

This is a result:

**Figure 6.133. Redefinition styles with predefined classes**

In the example a body background color was changed.

Also it's possible to change styles of particular **<rich:panel>** component. In this case you should create own style classes and use them in corresponding **<rich:panel>** *styleClass* attributes. An example is placed below:

Example:

```
...
.myClass{
    text-align: justify;
}
...
```

The "bodyClass" attribute for <rich:panel> is defined as it's shown in the example below:

Example:

```
<h:panel... bodyClass="myClass"/>
```

This is a result:




Figure 6.134. Redefinition styles with own classes and styleClass attributes

As it could be seen on the picture above, text align of body was changed.

6.10.3.10. Relevant Resources Links

On the component [LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/panel.jsf?c=panel) [http://livedemo.exadel.com/richfaces-demo/richfaces/panel.jsf?c=panel] you can see the example of <rich:panel> usage and sources for the given example.

6.10.4. < rich:panelBar > available since 3.0.0

6.10.4.1. Description

panelBar is used for grouping any content which is loaded on the client side and appears as groups divided on child panels after the header is clicked.



Figure 6.135. <rich:panelBar> with content inside

6.10.4.2. Key Features

- Skinnable slide panel and child items
- Groups any content inside each panel

Table 6.223. rich : panelBar attributes

| Attribute Name | Description |
|-------------------|---|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| contentClass | Assigns one or more space-separated CSS class names to the component content |
| contentStyle | CSS style rules to be applied to the component content |
| headerClass | Assigns one or more space-separated CSS class names to the component header |
| headerClassActive | Assigns one or more space-separated CSS class names to the header of the active component item |
| headerStyle | CSS style rules to be applied to the component header |
| headerStyleActive | CSS style rules to be applied to the header of the active component item |
| height | The height of the slide panel. Might be defined as pixels or as percentage. Default value is "100%". |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| immediate | A flag indicating that this component value must be converted and validated immediately (that is, during Apply Request Values phase), rather than waiting until a Process Validations phase |
| onclick | DHTML: The client-side script method to be called when a panel bar is clicked |
| onitemchange | The client-side script method to be called when a panel bar item is changed |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the component |

| Attribute Name | Description |
|---------------------|---|
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the component |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the component |
| rendered | JSF: If "false", this component is not rendered |
| selectedPanel | Attribute defines name of selected item |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more space-separated CSS class names to the component. Corresponds to the HTML "class" attribute. |
| value | JSF: The current value of this component |
| valueChangeListener | JSF: Listener for value changes |
| width | HTML: The width of the slide panel. Might be defined as pixels or as percentage. Default value is "100%". |

Table 6.224. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.PanelBar |
| component-class | org.richfaces.component.html.HtmlPanelBar |
| component-family | org.richfaces.PanelBar |
| renderer-type | org.richfaces.PanelBarRenderer |
| tag-class | org.richfaces.taglib.PanelBarTag |

6.10.4.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...
<rich:panelBar>
  ...
  <rich:panelBarItem label="Canon">
    ...
  </rich:panelBarItem>
</rich:panelBar>
```

```

<rich:panelBarItem label="Nikon">
    ...
</rich:panelBarItem>
</rich:panelBar>
...

```

6.10.4.4. Creating the Component Dynamically Using Java

Example:

```

import org.richfaces.component.html.HtmlPanelBar;
...
HtmlPanelBar myBar = new HtmlPanelBar();
...

```

6.10.4.5. Details of Usage

As it was mentioned [above](#), panelBar is used for grouping any content on the client, thus its customization deals only with specification of sizes and styles for rendering.

"width" and "height" (both are 100% on default) attributes stand apart.

Style attributes are described further.

panelBar could contain any number of child panelBarItem components inside, which content is uploaded onto the client and headers are controls to open the corresponding child element.

6.10.4.6. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:panelBar>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a `<rich:panelBar>` component

6.10.4.7. Skin Parameters Redefinition

Table 6.225. Skin parameter redefinition for a whole component

| Skin parameter | CSS properties |
|-----------------------|----------------|
| headerBackgroundColor | border-color |

6.10.4.8. Definition of Custom Style Classes

There is one predefined class for the **<rich:panelBar>** , which is applicable to a whole component, specifying padding, borders, and etc.



Figure 6.136. Style classes

Table 6.226. Class name that define a component appearance

| Class name | Class description |
|---------------|---|
| rich-panelbar | Defines styles for a wrapper <div> element of a component |

Other classes responsible for elements rendering are described for child **<rich:panelBarItem>** elements and could be found in the components chapters.

Table 6.227. Style component classes

| A class attribute | A component element defined by an attribute |
|-------------------|---|
| styleClass | Applicable to a whole component (together with headers) |
| headerClass | Applicable to a header element |
| contentClass | Applicable to a content |

In order to redefine styles for all **<rich:panelBar>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```

...
.rich-panelbar{
    font-style: italic;
}
...

```

This is a result:




Figure 6.137. Redefinition styles with predefined classes

In the example header and content font style was changed.

Also it's possible to change styles of particular `<rich:panelBar>` component. In this case you should create own style classes and use them in corresponding `<rich:panelBar>` `styleClass` attributes. An example is placed below:

Example:

```

...
.myClass{
    font-family: Tahoma;
}
...

```

The `"contentClass"` attribute for `<rich:panelBar>` is defined as it's shown in the example below:

Example:

```
<rich:panelBar ... contentClass="myClass"/>
```

This is a result:




Figure 6.138. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, the font family for content were changed.

6.10.4.9. Relevant Resources Links

On the [component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/panelBar.jsf?c=panelBar) [http://livedemo.exadel.com/richfaces-demo/richfaces/panelBar.jsf?c=panelBar] you can see the example of `<rich:panelBar>` usage and sources for the given example.

6.10.5. < rich:panelBarItem > available since 3.0.0

6.10.5.1. Description

panelBarItem is used for grouping any content inside within one panelBar which is loaded on client side and appears as groups divided on child panels after header is clicked.



Figure 6.139. `<rich:panelBarItem>` component

6.10.5.2. Key Features

- Highly customizable look and feel
- Groups any content inside each Panels

Table 6.228. rich : panelBarItem attributes

| Attribute Name | Description |
|-------------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| contentClass | Assigns one or more space-separated CSS class names to the component content |
| contentStyle | CSS style rules to be applied to the component content |
| headerClass | Assigns one or more space-separated CSS class names to the component header |
| headerClassActive | Assigns one or more space-separated CSS class names to the header of the active item |
| headerStyle | CSS style rules to be applied to the component header |
| headerStyleActive | CSS style rules to be applied to the header of the active item |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| label | Label text appears on a panel item header. Default value is "auto generated label" |
| name | Attribute defines item name. Default value is "getId()". |
| onenter | The client-side script method to be called when a panel bar item is opened |
| onleave | The client-side script method to be called when a panel bar item is leaved |
| rendered | JSF: If "false", this component is not rendered |

Table 6.229. Component identification parameters

| Name | Value |
|-----------------|---|
| component-type | org.richfaces.PanelBarItem |
| component-class | org.richfaces.component.html.HtmlPanelBarItem |

| Name | Value |
|------------------|--------------------------------------|
| component-family | org.richfaces.PanelBarItem |
| renderer-type | org.richfaces.PanelBarItemRenderer |
| tag-class | org.richfaces.taglib.PanelBarItemTag |

6.10.5.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...
<rich:panelBar>
  <rich:panelBarItem label="Canon">
    ...
  </rich:panelBarItem>
  <rich:panelBarItem label="Nikon">
    ...
  </rich:panelBarItem>
</rich:panelBar>
...
```

6.10.5.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlPanelBarItem;
...
HtmlPanelBarItem myBarItem = new HtmlPanelBarItem();
...
```

6.10.5.5. Details of Usage

The *"label"* attribute defines text to be represented. If you can use the *"label"* facet, you can even not use the *"label"* attribute.

Example:

```
...
<rich:panelBarItem...>
  <f:facet name="label">
    <h:graphicImage value="/images/img1.png"/>
  </f:facet>
</rich:panelBarItem...>
```

```

    </f:facet>
    ...
    <!--Any Content inside-->
    ...
</rich:panelBarItem>
...

```

As it was mentioned [above](#), `panelBarItem` is used for grouping any content inside within one `panelBar`, thus its customization deals only with specification of sizes and styles for rendering.

`panelBar` could contain any number of child `panelBarItem` components inside, which content is uploaded onto the client and headers are controls to open the corresponding child element.

6.10.5.6. Facets

Table 6.230. Facets

| Facet name | Description |
|------------|---|
| label | defines the label text on the panel item header |

6.10.5.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:panelBarItem>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a `<rich:panelBarItem>` component

6.10.5.8. Skin Parameters Redefinition

Table 6.231. Skin parameters redefinition for a content

| Skin parameters | CSS properties |
|--------------------------|----------------|
| generalTextColor | color |
| preferableDataSizeFont | font-size |
| preferableDataFamilyFont | font-family |

Table 6.232. Skin parameters redefinition for a header element (active or inactive)

| Skin parameters | CSS properties |
|-----------------------|------------------|
| headerTextColor | color |
| headerBackgroundColor | background-color |

| Skin parameters | CSS properties |
|------------------|----------------|
| headerSizeFont | font-size |
| headerWeightFont | font-weight |
| headerFamilyFont | font-family |

6.10.5.9. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.140. Style classes

Table 6.233. Classes names that define a component appearance

| Class name | Class description |
|--------------------------|--|
| rich-panelbar-header | Defines styles for a wrapper <div> element of a header element |
| rich-panelbar-header-act | Defines styles for a wrapper <div> element of an active header element |
| rich-panelbar-content | Defines styles for a content |

Table 6.234. Style component classes

| A class attribute | A component element defined by an attribute |
|-------------------|---|
| headerClass | Applicable to a header element |

| A class attribute | A component element defined by an attribute |
|-------------------|---|
| contentClass | Applicable to a content |

In order to redefine styles for all `<rich:panelBarItem>` components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...
.rich-panelbar-content{
    background-color: #ecf4fe;
}
...
```

This is a result:




Figure 6.141. Redefinition styles with predefined classes

In the example a content background color was changed.

Also it's possible to change styles of particular `<rich:panelBarItem>` component. In this case you should create own style classes and use them in corresponding `<rich:panelBarItem>` `styleClass` attributes. An example is placed below:

Example:

```
...
.myClass{
    font-family: monospace;
}
```

```
}  
...
```

The "headerClass" attribute for `<rich:panelBarItem>` is defined as it's shown in the example below:

Example:

```
<rich:panelBarItem ... headerClass="myClass"/>
```

This is a result:




Figure 6.142. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, the font family for header of active item was changed.

6.10.6. < rich:panelMenu > available since 3.1.0

3.1.0

6.10.6.1. Description

The `<rich:panelMenu>` component is used to define an in line vertical menu on a page.




Figure 6.143. `<rich:panelMenu>` component

6.10.6.2. Key Features

- Highly customizable look and feel
- Different submission modes
- Collapsing/expanding sublevels with optional request sending
- Custom and predefined icons support
- Disablement support

Table 6.235. `rich : panelMenu` attributes

| Attribute Name | Description |
|--------------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| converter | JSF: Id of Converter to be used or reference to a Converter |
| converterMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the converter message, replacing any message that comes from the converter |
| disabled | HTML: If true sets state of the item to disabled state. Default value is "false". |
| disabledGroupClass | Assigns one or more space-separated CSS class names to the component disabled groups |
| disabledGroupStyle | CSS style rules to be applied to the component disabled groups |

| Attribute Name | Description |
|-----------------------|---|
| disabledItemClass | Assigns one or more space-separated CSS class names to the component disabled items |
| disabledItemStyle | CSS style rules to be applied to the component disabled items |
| event | Defines the event on the representation element that triggers the submenu's expand/collapse. Default value is "onclick". |
| expandMode | Set the submission mode for all panel menu groups after expand/collapse except ones where this attribute redefined. Possible values are "ajax", "server", "none". Default value is "none". |
| expandSingle | Whether only one panel menu node on top level can be opened at a time. If the value of this attribute is true, the previously opened node on the top level is closed. If the value is false, the node is left opened. Default value is "false". |
| groupClass | Assigns one or more space-separated CSS class names to any component group except top groups |
| groupStyle | CSS style rules to be applied to any component group except top groups |
| hoveredGroupClass | Assigns one or more space-separated CSS class names to the component hovered group |
| hoveredGroupStyle | CSS style rules to be applied to the component hovered group |
| hoveredItemClass | Assigns one or more space-separated CSS class names to the component hovered item |
| hoveredItemStyle | CSS style rules to be applied to the component hovered item |
| iconCollapsedGroup | Path to the icon to be displayed for the collapsed Group state. You can also use predefined icons, setting the attribute to one of these possible values: "triangle", "triangleUp", "triangleDown", "disc", "chevron", "chevronUp", "chevronDown", "grid". Default value is "grid". |
| iconCollapsedTopGroup | Path to the icon to be displayed for the collapsed top group state.\ You can also |

| Attribute Name | Description |
|----------------------|--|
| | use predefined icons, setting the attribute to one of these possible values: "triangle", "triangleUp", "triangleDown", "disc", "chevron", "chevronUp", "chevronDown", "grid". Default value is "grid". |
| iconDisabledGroup | Path to the icon to be displayed for the disabled group state. You can also use predefined icons, setting the attribute to one of these possible values: "triangle", "triangleUp", "triangleDown", "disc", "chevron", "chevronUp", "chevronDown", "grid". Default value is "grid". |
| iconDisabledItem | Path to the icon to be displayed for the disabled item state. You can also use predefined icons, setting the attribute to one of these possible values: "triangle", "triangleUp", "triangleDown", "disc", "chevron", "chevronUp", "chevronDown", "grid". Default value is "grid". |
| iconExpandedGroup | Path to the icon to be displayed for the expanded Group state. You can also use predefined icons, setting the attribute to one of these possible values: "triangle", "triangleUp", "triangleDown", "disc", "chevron", "chevronUp", "chevronDown", "grid". Default value is "grid". |
| iconExpandedTopGroup | Path to the icon to be displayed for the expanded top group state. You can also use predefined icons, setting the attribute to one of these possible values: "triangle", "triangleUp", "triangleDown", "disc", "chevron", "chevronUp", "chevronDown", "grid". Default value is "grid". |
| iconGroupPosition | Position of the icon for the group icon. Possible values are "left", "right", "none". Default value is "left". |
| iconGroupTopPosition | Position of the icon for the top group icon. Possible values are "left", "right", "none". Default value is "left". |
| iconItem | Path to the icon to be displayed for the enabled item state. You can also use |

| Attribute Name | Description |
|---------------------|--|
| | predefined icons, setting the attribute to one of these possible values: "triangle", "triangleUp", "triangleDown", "disc", "chevron", "chevronUp", "chevronDown", "grid". Default value is "grid". |
| iconItemPosition | Position of the icon for the item icon. Possible values are "left","right","none". Default value is "left". |
| iconItemTopPosition | Position of the icon for the top item icon. Possible values are "left","right","none". Default value is "left". |
| iconTopDisabledItem | Path to the icon to be displayed for the disabled top item state. You can also use predefined icons, setting the attribute to one of these possible values: "triangle", "triangleUp", "triangleDown", "disc", "chevron", "chevronUp", "chevronDown", "grid". Default value is "grid". |
| iconTopDisableGroup | Path to the icon to be displayed for the disabled top Group state. You can also use predefined icons, setting the attribute to one of these possible values: "triangle", "triangleUp", "triangleDown", "disc", "chevron", "chevronUp", "chevronDown", "grid". Default value is "grid". |
| iconTopItem | Path to the icon to be displayed for the enabled top item state. You can also use predefined icons, setting the attribute to one of these possible values: "triangle", "triangleUp", "triangleDown", "disc", "chevron", "chevronUp", "chevronDown", "grid". Default value is "grid". |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| immediate | A flag indicating that this component value must be converted and validated immediately (that is, during Apply Request Values phase), rather than waiting until a Process Validations phase |

| Attribute Name | Description |
|-----------------|---|
| itemClass | Assigns one or more space-separated CSS class names to any component item except top items |
| itemStyle | CSS style rules to be applied to the component item except top items |
| label | A localized user presentable name for this component. |
| mode | Set the submission mode for all panel menu items on the panel menu except ones where this attribute redefined. Possible values are "ajax", "server", "server". Default value is "server". |
| onclick | DHTML: The client-side script method to be called when the component is clicked |
| ondblclick | DHTML: HTML: a script expression; a pointer button is double-clicked |
| ongroupcollapse | The client-side script method to be called when some group is closed |
| ongroupexpand | The client-side script method to be called when some group is activated |
| onitemhover | The client-side script method to be called when a panel menu item is hovered |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the component |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the component |

| Attribute Name | Description |
|---------------------|--|
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the component |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| rendered | JSF: If "false", this component is not rendered |
| required | JSF: If "true", this component is checked for non-empty input |
| requiredMessage | A ValueExpression enabled attribute which defines text of validation message to show, if a required field is missing |
| selectedChild | contain the name or the clientId of any of the item or group, the child defined in this attribute should be highlighted on PanelMenu rendering |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more space-separated CSS class names to the component. Corresponds to the HTML "class" attribute. |
| topGroupClass | Assigns one or more space-separated CSS class names to the component top groups |
| topGroupStyle | CSS style rules to be applied to the component top groups |
| topItemClass | Assigns one or more space-separated CSS class names to the component top items |
| topItemStyle | CSS style rules to be applied to the component top items |
| validator | JSF: MethodBinding pointing at a method that is called during Process Validations phase of the request processing lifecycle, to validate the current value of this component |
| validatorMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the validator message, replacing any message that comes from the validator |
| value | JSF: The current value of this component |
| valueChangeListener | JSF: Listener for value changes |

| Attribute Name | Description |
|----------------|--|
| width | HTML: Set minimal width for the menu. Default value is "100%". |

Table 6.236. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.PanelMenu |
| component-class | org.richfaces.component.html.HtmlPanelMenu |
| component-family | org.richfaces.PanelMenu |
| renderer-type | org.richfaces.PanelMenuRenderer |
| tag-class | org.richfaces.taglib.PanelMenuTag |

6.10.6.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...
<rich:panelMenu event="onmouseover">
    <!--Nested panelMenu components-->
</rich:panelMenu>
...
```

6.10.6.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlPanelMenu;
...
HtmlPanelMenu myPanelMenu = new HtmlPanelMenu();
...
```

6.10.6.5. Details of Usage

All attributes are not required.

Use *"event"* attribute to define an event for appearance of collapsing/expanding sublevels. Default value is "onclick". An example could be seen below.

Example:

```
...
<rich:panelMenu event="onmouseover">
  <!--Nested panelMenu components-->
</rich:panelMenu>
...
```

Switching mode could be chosen with the *"mode"* attribute for all panelMenu items except ones where this attribute was redefined. By default all items send traditional request.

The *"expandMode"* attribute defines the submission modes for all collapsing/expanding panelMenu groups except ones where this attribute was redefined.

The *"mode"* and *"expandMode"* attributes could be used with three possible parameters. The *"mode"* attribute defines parameters for all included **<rich:panelMenuItem>** elements.

- `Server` (default)

The common submission of the form is performed and a page is completely refreshed.

Example:

```
...
<rich:panelMenu mode="server">
  <rich:panelMenuGroup label="test Group" action="#{bean.action}">
    <rich:panelMenuItem label="test" action="#{capitalsBean.action}">
      <f:param value="test value" name="test"/>
    </rich:panelMenuItem>
  </rich:panelMenuGroup>
</rich:panelMenu>
...
```

- `Ajax`

An Ajax form submission is performed, and additionally specified elements in the *"reRender"* attribute are reRendered.

Example:

```
...
<rich:panelMenu mode="ajax">
  <rich:panelMenuGroup label="test Group" action="#{bean.action}">
    <rich:panelMenuItem label="test" reRender="test" action="#{capitalsBean.action}">
      <f:param value="test value" name="test"/>
    </rich:panelMenuItem>
  </rich:panelMenuGroup>
</rich:panelMenu>
...
```

```
</rich:panelMenuGroup>  
</rich:panelMenu>  
...
```

- None

"Action" and "ActionListener" item's attributes are ignored. Items don't fire any submits itself. Behavior is fully defined by the components nested into items.

Example:

```
...  
<rich:panelMenu event="onclick" submitMode="none">  
  <rich:panelMenuItem label="Link to external page">  
    <h:outputLink ... >  
  <rich:panelMenuItem>  
</rich:panelMenu>  
...
```

Note:
As the `<rich:panelMenu>` component doesn't provide its own form, use it between `<h:form>` and `</h:form>` tags.

The `expandSingle` attribute is defined for expanding more than one submenu on the same level. The default value is `false`. If it's true the previously opened group on the top level closes before opening another one. See the picture below.




Figure 6.144. Using the "expandSingle" attribute

The *"selectedChild"* attribute is used for defining the name of the selected group or item. An example for group is placed below:

Here is an example:

Example:

```
...
<rich:panelMenu selectedChild="thisChild">
  <rich:panelMenuGroup label="Group1" name="thisChild">
    <!--Nested panelMenu components-->
  </rich:panelMenuGroup>
</rich:panelMenu>
...
```

The *"label"* attribute is a generic attribute. The *"label"* attribute provides an association between a component, and the message that the component (indirectly) produced. This attribute defines the parameters of localized error and informational messages that occur as a result of conversion, validation, or other application actions during the request processing lifecycle. With the help of this attribute you can replace the last parameter substitution token shown in the messages. For example, {1} for "DoubleRangeValidator.MAXIMUM", {2} for "ShortConverter.SHORT".

6.10.6.6. JavaScript API

In Java Script code for expanding/collapsing group element creation it's necessary to use `expand()/collapse()` function.

Table 6.237. JavaScript API

| Function | Description |
|-------------------------|-------------------------|
| <code>expand()</code> | Expands group element |
| <code>collapse()</code> | Collapses group element |

6.10.6.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*.

There are no skin parameters. To redefine the appearance of all **<rich:panelMenu>** components at once, you should add to your style sheets the *style class* used by a **<rich:panelMenu>** component.

6.10.6.8. Definition of Custom Style Classes

Table 6.238. Classes names that define a component appearance

| Class name | Class description |
|----------------------|---|
| rich-pmenu | Defines styles for a wrapper <div> element of a component |
| rich-pmenu-top-group | Defines styles for a top group element of a component |

In order to redefine styles for all **<rich:panelMenu>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...
.rich-pmenu{
  font-style:italic;
}
...
```

This is a result:

**Figure 6.145. Redefinition styles with predefined classes**

In the example the font style was changed.

Also it's possible to change styles of particular **<rich:panelMenu>** component. In this case you should create own style classes and use them in corresponding **<rich:panelMenu>** styleClass attributes. An example is placed below:

Example:

```
...
```

```
.myClass{
  background-color: #ecf4fe;
}
...
```

The *"hoveredItemClass"* attribute for **<rich:panelMenu>** is defined as it's shown in the example below:

Example:

```
<rich:panelMenu ... hoveredItemClass="myClass"/>
```

This is a result:




Figure 6.146. Redefinition styles with own classes and *"styleClass"* attributes

As it could be seen on the picture above, background color for hovered item was changed.

6.10.6.9. Relevant Resources Links

On the [component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/panelMenu.jsf?c=panelMenu) [http://livedemo.exadel.com/richfaces-demo/richfaces/panelMenu.jsf?c=panelMenu] you can see the example of **<rich:panelMenu>** usage and sources for the given example.

6.10.7. < rich:panelMenuGroup > available since 3.1.0

3.1.0

6.10.7.1. Description

The **<rich:panelMenuGroup>** component is used to define an expandable group of items inside the panel menu or other group.




Figure 6.147. `<rich:panelMenuGroup>` component

6.10.7.2. Key Features

- Highly customizable look-and-feel
- Different submission modes inside every group
- Optional submissions on expand collapse groups
- Custom and predefined icons supported
- Support for disabling

Table 6.239. rich : `panelMenuGroup` attributes

| Attribute Name | Description |
|----------------|--|
| accesskey | HTML: This attribute assigns an access key to an element. An access key is a single character from the document character set. Note: Authors should consider the input method of the expected reader when specifying an accesskey |
| action | MethodBinding pointing at the application action to be invoked, if this UIComponent is activated by you, during the Apply Request Values or Invoke Application phase of the request processing lifecycle, depending on the value of the immediate property |
| actionListener | MethodBinding pointing at method accepting an ActionEvent with return type void |
| ajaxSingle | Limits JSF tree processing (decoding, conversion, validation and model updating) |

| Attribute Name | Description |
|------------------|---|
| | only to a component that sends the request. Boolean |
| align | Deprecated. This attribute specifies the horizontal alignment of its element with respect to the surrounding context. The possible values are "left", "center", "right" and "justify". The default depends on the base text direction. For left to right text, the default is align="left", while for right to left text, the default is align="right". |
| alt | HTML: For a user agents that cannot display images, forms, or applets, this attribute specifies alternate text. The language of the alternate text is specified by the lang attribute |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| converter | JSF: Id of Converter to be used or reference to a Converter |
| converterMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the converter message, replacing any message that comes from the converter |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| disabled | HTML: When set for a form control, this boolean attribute disables the control for your input |
| disabledClass | Assigns one or more space-separated CSS class names to the group disabled items |
| disabledStyle | CSS style rules to be applied to the group disabled items |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of |

| Attribute Name | Description |
|--------------------|--|
| | requests of frequently events (key press, mouse move etc.) |
| expanded | If true group will be displayed expanded initially. Default value is "false". |
| expandMode | Set the submission mode for all panel menu groups after expand/collapse except ones where this attribute redefined. Possible value are "ajax", "server", "none". Default value is "none". |
| focus | ID of an element to set focus after request is completed on client side |
| hoverClass | Assigns one or more space-separated CSS class names to the group hovered item |
| hoverStyle | CSS style rules to be applied to the group hovered item |
| iconClass | Assigns one or more space-separated CSS class names to the group icon element |
| iconCollapsed | Path to the icon to be displayed for the collapsed item state. You can also use predefined icons, setting the attribute to one of these possible values: "triangle", "triangleUp", "triangleDown", "disc", "chevron", "chevronUp", "chevronDown", "grid". Default value is "grid". |
| iconDisabled | Path to the icon to be displayed for the disabled item state. |
| iconExpanded | Path to the icon to be displayed for the expanded item state. You can also use predefined icons, setting the attribute to one of these possible values: "triangle", "triangleUp", "triangleDown", "disc", "chevron", "chevronUp", "chevronDown", "grid". Default value is "grid". |
| iconStyle | CSS style rules to be applied to the group icon element |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. |

| Attribute Name | Description |
|-------------------|---|
| | ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now |
| immediate | True means, that the default ActionListener should be executed immediately (i.e. during Apply Request Values phase of the request processing lifecycle), rather than waiting until the Invoke Application phase |
| label | Displayed node's text |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| maxlength | HTML: Specifies the maximum number of digits that could be entered into the input field. The maximum number is unlimited by default. If entered value exceeds the value specified in "maxValue" attribute than the slider takes a maximum value position. |
| onbeforedomupdate | The client-side script method to be called before DOM is updated |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| oncollapse | The client-side script method to be called when a pane menu group is closed |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onexpand | The client-side script method to be called when a pane menu group is opened |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |

| Attribute Name | Description |
|----------------------|--|
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, processed at the phases 2-5 in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| required | JSF: If "true", this component is checked for non-empty input |
| requiredMessage | A <code>ValueExpression</code> enabled attribute which defines text of validation message to show, if a required field is missing |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, rendered in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| size | HTML: This attribute tells the user agent the initial width of the control. The width is given in pixels except when type attribute has the value |

| Attribute Name | Description |
|---------------------|--|
| | "text" or "password". In that case, its value refers to the (integer) number of characters |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more space-separated CSS class names to the component. Corresponds to the HTML "class" attribute. |
| tabindex | HTML: This attribute specifies the position of the current element in the tabbing order for the current document. This value must be a number between 0 and 32767. User agents should ignore leading zeros |
| target | HTML: Target frame for action to execute. |
| timeout | Response waiting time on a particular request. If a response is not received during this time, the request is aborted |
| validator | JSF: MethodBinding pointing at a method that is called during Process Validations phase of the request processing lifecycle, to validate the current value of this component |
| validatorMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the validator message, replacing any message that comes from the validator |
| value | JSF: The current value for this component |
| valueChangeListener | JSF: Listener for value changes |

Table 6.240. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.PanelMenuGroup |
| component-class | org.richfaces.component.html.HtmlPanelMenuGroup |
| component-family | org.richfaces.PanelMenuGroup |
| renderer-type | org.richfaces.PanelMenuGroupRenderer |
| tag-class | org.richfaces.taglib.PanelMenuGroupTag |

6.10.7.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...
<rich:panelMenu>
  <rich:panelMenuGroup label="Group1">
    <!--Nested panelMenu components-->
  </rich:panelMenuGroup>
</rich:panelMenu>
...
```

6.10.7.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlPanelMenuGroup;
...
HtmlPanelMenuGroup myPanelMenuGroup = new HtmlPanelMenuGroup();
...
```

6.10.7.5. Details of Usage

All attributes except *"label"* are optional. The *"label"* attribute defines text to be represented.

Switching mode could be chosen with the *"expandMode"* attribute for the concrete panelMenu group.

The *"expandMode"* attribute could be used with three possible parameters:

- `ServerM` (default)

Regular form submission request is used.

- `Ajax`

Ajax submission is used for switching.

- `None`

"Action" and "actionListener" attributes are ignored. Items don't fire any submits itself. Behavior is fully defined by the components nested into items.

There are three icon-related attributes. The "iconExpanded" attribute defines an icon for an expanded state. The "iconCollapsed" attribute defines an icon for a collapsed state. The "iconDisabled" attribute defines an icon for a disabled state.

Default icons are shown on the picture below:




Figure 6.148. Default icons

Here is an example:

Example:

```
...
<rich:panelMenu>
  <rich:panelMenuGroup label="Group1" iconExpanded="disc" iconCollapsed="chevron">
    <!--Nested panelMenu components-->
  </rich:panelMenuGroup>
</rich:panelMenu>
...
```

As the result the pictures are shown below. The first one represents the collapsed state, the second one - expanded state:




Figure 6.149. Collapsed state




Figure 6.150. Expanded state

It's also possible to define a path to the icon. Simple code is placed below.

```
...
<rich:panelMenu>
    <rich:panelMenuGroup label="Group1" iconExpanded="images
    \img1.png" iconCollapsed="images\img2.png">
        <!--Nested menu components-->
        <rich:panelMenuGroup>
    </rich:panelMenu>
...

```

Information about the *"process"* attribute usage you can find "[Decide what to process](#)" guide section.

6.10.7.6. JavaScript API

In Java Script code for expanding/collapsing group element creation it's necessary to use `expand()`/`collapse()` function.

Table 6.241. JavaScript API

| Function | Description |
|-------------------------|------------------------|
| <code>expand()</code> | Expand group element |
| <code>collapse()</code> | Collapse group element |

6.10.7.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:panelMenuGroup>` components at once:

- Redefine the corresponding skin parameters

- Add to your style sheets *style classes* used by a **<rich:panelMenuGroup>** component

6.10.7.8. Skin Parameters Redefinition

Table 6.242. Skin parameters redefinition for a table element of the first level group

| Skin parameters | CSS properties |
|-----------------------|------------------|
| headerWeightFont | font-weight |
| generalFamilyFont | font-family |
| headerSizeFont | font-size |
| headerTextColor | color |
| headerBackgroundColor | background-color |

Table 6.243. Skin parameters redefinition for a table element of second and next level groups

| Skin parameters | CSS properties |
|------------------|------------------|
| headerWeightFont | font-weight |
| headerFamilyFont | font-family |
| headerSizeFont | font-size |
| generalTextColor | color |
| tableBorderColor | border-top-color |

Table 6.244. Skin parameters redefinition for wrapper div element of the first level group

| Skin parameters | CSS properties |
|------------------|----------------|
| panelBorderColor | border-color |

Table 6.245. Skin parameters redefinition for a hovered group element

| Skin parameters | CSS properties |
|---------------------------|------------------|
| additionalBackgroundColor | background-color |

Table 6.246. Skin parameters redefinition for a disabled group element

| Skin parameters | CSS properties |
|----------------------|----------------|
| tabDisabledTextColor | color |

6.10.7.9. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.151. Classes names



Figure 6.152. Classes names

Table 6.247. Classes names that define an upper level groups

| Class name | Description |
|---------------------------------|--------------------------------------|
| rich-pmenu-top-group-self-icon | Defines styles for a top group icon |
| rich-pmenu-top-group-self-label | Defines styles for a top group label |

Table 6.248. Classes names that define a second and lower level groups

| Class name | Description |
|-----------------------------|----------------------------------|
| rich-pmenu-group | Defines styles for a group |
| rich-pmenu-group-self-icon | Defines styles for a group icon |
| rich-pmenu-group-self-label | Defines styles for a group label |

Table 6.249. Classes names that define a group state

| Class name | Description |
|-----------------------------|---|
| rich-pmenu-hovered-element | Defines styles for a hovered group element |
| rich-pmenu-disabled-element | Defines styles for a disabled group element |

In order to redefine styles for all **<rich:panelMenuGroup>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-pmenu-disabled-element{  
    color: #87b9ff;  
}  
...
```

This is a result:




Figure 6.153. Redefinition styles with predefined classes

In the example a disabled element font style and color were changed.

Also it's possible to change styles of particular **<rich:panelMenuGroup>** component. In this case you should create own style classes and use them in corresponding **<rich:panelMenuGroup>** *styleClass* attributes. An example is placed below:

Example:

```
...  
.myClass{  
    background-color: #ecf4fe;  
}  
...
```

The *"hoverClass"* attribute for **<rich:panelMenuGroup>** is defined as it's shown in the example below:

Example:

```
<rich:panelMenuGroup ... hoverClass="myClass"/>
```

This is a result:



Figure 6.154. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, the background color for hovered item was changed.

6.10.7.10. Relevant resources links

Some additional information about usage of component can be found [on the component Live Demo page](http://livedemo.exadel.com/richfaces-demo/richfaces/panelMenu.jsf?c=panelMenu&tab=usage) [http://livedemo.exadel.com/richfaces-demo/richfaces/panelMenu.jsf?c=panelMenu&tab=usage].

6.10.8. < rich:panelMenuItem > available since 3.1.0

3.1.0

6.10.8.1. Description

The <rich:panelMenuItem> component is used to define a single item inside popup list.




Figure 6.155. <rich:panelMenuItem> component

6.10.8.2. Key Features

- Highly customizable look-and-feel
- Different submission modes
- Optionally supports any content inside
- Custom and predefined icons supported
- Support for disabling

Table 6.250. rich : panelMenuItem attributes

| Attribute Name | Description |
|----------------|--|
| action | MethodBinding pointing at the application action to be invoked, if this UIComponent is activated by you, during the Apply Request Values or Invoke Application phase of the request processing lifecycle, depending on the value of the immediate property |
| actionListener | MethodBinding pointing at method accepting an ActionEvent with return type void |
| ajaxSingle | Limits JSF tree processing (decoding, conversion, validation and model updating) only to a component that sends the request. Boolean |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| disabled | HTML: If true sets state of the item to disabled state. Default value is "false". |
| disabledClass | Assigns one or more space-separated CSS class names to the disabled item |
| disabledStyle | CSS style rules to be applied to the disabled item |

| Attribute Name | Description |
|--------------------|--|
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| focus | ID of an element to set focus after request is completed on client side |
| hoverClass | Assigns one or more space-separated CSS class names to the hovered item |
| hoverStyle | CSS style rules to be applied to the hovered item |
| icon | Path to the icon or the default one name to be displayed for the enabled item state. You can also use predefined icons, setting the attribute to one of these possible values: "triangle", "triangleUp", "triangleDown", "disc", "chevron", "chevronUp", "chevronDown", "grid". Default value is "grid". |
| iconClass | Assigns one or more space-separated CSS class names to the item icon element |
| iconDisabled | Path to the icon to be displayed for the disabled item state. You can also use predefined icons, setting the attribute to one of these possible values: "triangle", "triangleUp", "triangleDown", "disc", "chevron", "chevronUp", "chevronDown", "grid". Default value is "grid". |
| iconStyle | CSS style rules to be applied to the item icon element |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now |

| Attribute Name | Description |
|-------------------|---|
| immediate | True means, that the default ActionListener should be executed immediately (i.e. during Apply Request Values phase of the request processing lifecycle), rather than waiting until the Invoke Application phase |
| label | Defines representation text for menuItem. |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| mode | Set the submission mode. Possible values are "ajax", "server", "none". Default value is "none". |
| name | 'selectedChild' attribute of PanelMenu refers to group/item with the same name. Default value is "getId()". |
| onbeforeDOMupdate | The client-side script method to be called before DOM is updated |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| oncomplete | The client-side script method to be called after the request is completed |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |

| Attribute Name | Description |
|----------------------|--|
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, processed at the phases 2-5 in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, rendered in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| target | HTML: Target frame for action to execute. |

| Attribute Name | Description |
|----------------|---|
| timeout | Response waiting time on a particular request. If a response is not received during this time, the request is aborted |
| value | JSF: The current value for this component |

Table 6.251. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.PanelMenuItem |
| component-class | org.richfaces.component.html.HtmlPanelMenuItem |
| component-family | org.richfaces.PanelMenuItem |
| renderer-type | org.richfaces.PanelMenuItemRenderer |
| tag-class | org.richfaces.taglib.PanelMenuItemTag |

6.10.8.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...  
<rich:panelMenu>  
  ...  
  <rich:panelMenuItem value="Item1"/>  
  ...  
</rich:panelMenu>  
...
```

6.10.8.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlPanelMenuItem;  
...  
HtmlPanelMenuItem myPanelMenuItem = new HtmlPanelMenuItem();  
...
```

6.10.8.5. Details of Usage

All attributes except *"label"* are optional. The *"label"* attribute defines text to be represented.

The *mode* attribute could be used with three possible parameters:

- `Server` (default)

Regular form submission request is used.

- `Ajax`

Ajax submission is used for switching.

- `None`

Action and *actionListener* attributes are ignored. Items don't fire any submits itself. Behavior is fully defined by the components nested into items.

Here is an example for value "none":

Example:

```
...
<rich:panelMenu>
  ...
  <rich:panelMenuItem mode="none" onclick="document.location.href='http://labs.jboss.com/
jbossrichfaces/'>
    <h:outputLink value="http://labs.jboss.com/jbossrichfaces/">
      <h:outputText value="RichFaces Home Page"></h:outputText>
    </h:outputLink>
  </rich:panelMenuItem>
  ...
</rich:panelMenu>
...
```

There are two icon-related attributes. The *icon* attribute defines an icon. The *iconDisabled* attribute defines an icon for a disabled item.

Default icons are shown on the picture below:




Figure 6.156. Default icons

Here is an example:

Example:

```
...  
<rich:panelMenu>  
  ...  
  <rich:panelMenuItem value="Item 1.1" icon="chevronUp" />  
  ...  
</rich:panelMenu>  
...
```

As the result the picture is shown below:




Figure 6.157. Using an "icon" attribute

It's also possible to define a path to the icon. Simple code is placed below.

```
...  
<rich:panelMenu>  
  ...  
  <rich:panelMenuItem value="Item 1.1" icon="\images\img1.png" />  
  ...  
</rich:panelMenu>  
...
```

Information about the "process" attribute usage you can find in the ["Decide what to process"](#) guide section.

6.10.8.6. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:panelMenuItem>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a `<rich:panelMenuItem>` component

6.10.8.7. Skin Parameters Redefinition

Table 6.252. Skin parameters redefinition for a table element of the first level item

| Skin parameters | CSS properties |
|-------------------|------------------|
| generalFamilyFont | font-family |
| generalWeightFont | font-weight |
| generalSizeFont | font-size |
| generalTextColor | color |
| panelBorderColor | border-top-color |

Table 6.253. Skin parameter redefinition for a disabled item

| Parameter for disabled item | CSS properties |
|-----------------------------|----------------|
| tabDisabledTextColor | color |

6.10.8.8. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.158. Classes names




Figure 6.159. Classes names

Table 6.254. Classes names that define the first level items

| Class name | Description |
|---------------------------|--|
| rich-pmenu-top-item | Defines styles for a top panel menu item |
| rich-pmenu-top-item-icon | Defines styles for a top panel menu item icon |
| rich-pmenu-top-item-label | Defines styles for a top panel menu item label |

Table 6.255. Classes names that define the second and lower level items

| Class name | Description |
|-----------------------|--|
| rich-pmenu-item | Defines styles for a panel menu item |
| rich-pmenu-item-icon | Defines styles for a panel menu item icon |
| rich-pmenu-item-label | Defines styles for a panel menu item label |

Table 6.256. Classes names that define items state

| Class name | Description |
|-----------------------------|---|
| rich-pmenu-item-selected | Defines styles for a panel menu selected item |
| rich-pmenu-disabled-element | Defines styles for a disabled panel menu item |
| rich-pmenu-hovered-element | Defines styles for a hovered panel menu item |

In order to redefine styles for all **<rich:panelMenuItem>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-pmenu-hovered-element {  
  background-color: #ff7800;  
}
```

...

This is a result:




Figure 6.160. Redefinition styles with predefined classes

In the example a hovered element background color was changed.

Also it's possible to change styles of particular `<rich:panelMenuItem>` component. In this case you should create own style classes and use them in corresponding `<rich:panelMenuItem>` `styleClass` attributes. An example is placed below:

Example:

```
...  
.myClass {  
    color: #a0a0a0;  
}  
...
```

The `"disabledClass"` attribute for `<rich:panelMenuItem>` is defined as it's shown in the example below:

Example:

```
<rich:panelMenuItem ... disabledClass="myClass"/>
```

This is a result:



Figure 6.161. Redefinition styles with own classes and *styleClass* attributes

As it could be seen on the picture above, the text color for disabled item was changed.

6.10.8.9. Relevant resources links

Some additional information about usage of component can be found on this [LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/panelMenu.jsf?c=panelMenu&tab=usage) [http://livedemo.exadel.com/richfaces-demo/richfaces/panelMenu.jsf?c=panelMenu&tab=usage].

6.10.9. < rich:progressBar > available since 3.2.0

3.2.0

6.10.9.1. Description

The <rich:progressBar> component is designed for displaying a progress bar which shows the current status of the process.



Figure 6.162. <rich:progressBar> component

6.10.9.2. Key Features

- Ajax or Client modes
- Option to control re-rendering frequency
- Customizable status information label
- Highly customizable look and feel

Table 6.257. rich : progressBar attributes

| Attribute Name | Description |
|----------------|--|
| actionListener | MethodBinding pointing at method accepting an ActionEvent with return type void |
| ajaxSingle | Limits JSF tree processing (decoding, conversion, validation and model updating) |

| Attribute Name | Description |
|--------------------|--|
| | only to a component that sends the request. Boolean |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| completeClass | Assigns one or more space-separated CSS class names to the component progress line rendering |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| enabled | Enables/disables polling. Default value is "true". |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| finishClass | Assigns one or more space-separated CSS class names to the progress bar complete state |
| focus | ID of an element to set focus after request is completed on client side |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now |
| immediate | True means, that the default ActionListener should be executed immediately (i.e. during Apply Request Values phase of the request |

| Attribute Name | Description |
|-------------------|---|
| | processing lifecycle), rather than waiting until the Invoke Application phase |
| initialClass | Assigns one or more space-separated CSS class names to the progress bar initial state |
| interval | Interval (in ms) for call poll requests. Default value 1000 ms (1 sec) |
| label | Attribute defines a simple label instead of rendering children component |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| maxValue | Max value, after which complete state should be rendered. Default value is "100". |
| minValue | Min value when initial state should be rendered. Default value is "0". |
| mode | Attributes defines AJAX or CLIENT modes for component. Possible values are "ajax", "client". Default value is "ajax". |
| onbeforedomupdate | The client-side script method to be called before DOM is updated |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| oncomplete | The client-side script method to be called after the request is completed |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |

| Attribute Name | Description |
|-----------------------|--|
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| onsubmit | DHTML: The client-side script method to be called before an ajax request is submitted |
| parameters | Parameters for macrosubstitution in the label |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, processed at the phases 2-5 in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| progressVar | DEPRECATED. Provides access to value of the component on the client |
| remainClass | Assigns one or more space-separated CSS class names to the remained part of the progress bar |
| rendered | JSF: If "false", this component is not rendered |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, rendered in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| reRenderAfterComplete | Set of componets to rerender after completion |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code> of Request status component |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more space-separated CSS class names to the component. Corresponds to the HTML "class" attribute. |

| Attribute Name | Description |
|----------------|---|
| timeout | Response waiting time on a particular request. If a response is not received during this time, the request is aborted |
| title | HTML: Advisory title information about markup elements generated for this component |
| value | JSF: Sets the current value of the progress |

Table 6.258. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.ProgressBar |
| component-class | org.richfaces.component.html.HtmlProgressBar |
| component-family | org.richfaces.ProgressBar |
| renderer-type | org.richfaces.renderkit.ProgressBarRenderer |
| tag-class | org.richfaces.taglib.ProgressBarTag |

6.10.9.3. Creating the Component with a Page Tag

Here is a simple example of how the component can be used on a page:

Example:

```
...  
<rich:progressBar value="#{bean.incValue1}"/>  
...
```

6.10.9.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.progressBar;  
...  
HtmlProgressBar myProgressBar = new progressBar();  
...
```

6.10.9.5. Details of Usage

As it was mentioned above, the **<rich:progressBar>** component displays the status of the ongoing process.

The `<rich:progressBar>` component can run in two modes: `Ajax` (default) and `Client`.

- `Ajax` - In this mode the component works the same way as `<a4j:poll/>` which gets the current progress value from the sever, repeating after a set time interval.
- `Client` - The current progress value in Client mode is set using JavaScript API

In order to define the mode you need to use `"mode"` attribute.

One of the key attributes of the component is `"interval"` which defines the frequency of status polling and rerenders the component when the value is updated.

Polling is active while the `"enabled"` attribute is `"true"`.

Example:

```
...
<rich:progressBar value="#{bean.incValue}" id="progrs" interval="900" enabled="true"/>
...
```

With the help of `"timeout"` attribute you can define the waiting time on a particular request. If a response is not received during this time the request is aborted.

Status of the process is calculated basing on values of the following attributes:

- `"value"` is a value binding to the current progress value
- `"minValue"` (default value is `"0"`) sets minimal progress value
- `"maxValue"` (default value is `"100"`) sets maximum progress value

Example:

```
...
<rich:progressBar value="#{bean.incValue}" minValue="50" maxValue="400"/>
...
```

This is the result



Figure 6.163. Progress bar

There are two ways to display information on a progress bar:

- Using `"label"` attribute

Example:

```
...  
<rich:progressBar value="#{bean.incValue}" id="progrs" label="#{bean.incValue}"/>  
...
```

- Using any child(nested) components. One of the components that can be used is **<h:outputText />**

Example:

```
...  
<rich:progressBar value="#{bean.incValue}">  
  <h:outputText value="#{bean.incValue} %"/>  
</rich:progressBar>  
...
```

The **<rich:progressBar>** component provides 3 predefined macrosubstitution parameters:

- {value} contains the current value
- {minValue} contains min value
- {maxValue} contains max value

You can use them as follows:

Example:

```
...  
<rich:progressBar value="#{bean.incValue1}" minValue="400" maxValue="900">  
  <h:outputText value="Min value is {minValue}, current value is {value}, max value  
  is {maxValue}"/>  
</rich:progressBar>  
...
```

This is the result:

Min value is 400, current value is 600, max value is 900

Figure 6.164. Macrosubstitution

The *"parameters"* is also a special attribute which defines parameters that can be to get additional data from server (e.g. additional info about process status). All you need is to define the value of your own parameter (e.g `parameters="param: '#{bean.incValue1}' "`) and you can use it to pass the data.

Example:

```

...
<rich:progressBar value="#{bean.incValue}" parameters="param:#{bean.dwnlSpeed}">
  <h:outputText value="download speed {param} KB/s"/>
</rich:progressBar>
...

```

This is the result:

**Figure 6.165. Usage of parameters**

The *"progressVar"* attribute (deprecated) defines request scoped variable that could be used for substitution purpose. This variable contains the data taken from *"value"* attribute. Please, study carefully the following example.

Example:

```

...
<rich:progressBar value="#{bean.incValue1}" enabled="#{bean.enabled1}" id="progrs1" progressVar="progress">
  <h:outputText value="{progress}%" />
</rich:progressBar>
...

```

In the shown example *"progressVar"* attribute defines a variable "progress" with the value taken from *"value"* attribute of the **<rich:progressBar>** component. The "progress" variable performs substitution passing the current progress value to the *"value"* attribute of the **<h:outputText>**. This is how the current value of a progress appears on the label of **<rich:progressBar>**.

As the *"progressVar"* attribute is deprecated, it's better to use the predefined macrosubstitution parameter {value} instead. See how you can rewrite the above example with the help of {value}.

Example:

```

...
<rich:progressBar value="#{bean.incValue1}" enabled="#{bean.enabled1}" id="progrs1">
  <h:outputText value="{value}%" />
</rich:progressBar>
...

```

The component can also employ *"initial"* and *"complete"* facets to display the states of the process: *"initial"* facet is displayed when the progress value is less or equal to *"minValue"*, and the *"complete"* facet is shown when the value is greater or equal to *"maxValue"*. Please see an example below.

Example:

```
...
<rich:progressBar value="#{bean.incValue1}">
  <f:facet name="initial">
    <h:outputText value="Process not started"/>
  </f:facet>
  <f:facet name="complete">
    <h:outputText value="Process completed"/>
  </f:facet>
</rich:progressBar>
...
```

Information about the *"process"* attribute usage you can find "[Decide what to process](#)" guide section.

6.10.9.6. JavaScript API

Table 6.259. JavaScript API

| Function | Description |
|-----------------|-------------------------------------|
| enable() | Begins polling for Ajax mode |
| disable() | Stops polling for Ajax mode |
| setValue(value) | Updates the progress of the process |
| setLabel(label) | Update the label for the process |

6.10.9.7. Facets

Table 6.260. Facets

| Facet name | Description |
|------------|---|
| initial | Defines the information content about the state of the process if the progress value is less or equal to "minValue" |
| complete | Defines the information content about the state of the process if the value is greater or equal to "maxValue" |

6.10.9.8. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:progressBar>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets style classes used by a `<rich:progressBar>` component

6.10.9.9. Skin Parameters Redefinition

Table 6.261. Skin parameters redefinition for the progressBar without a label

| Skin parameters | CSS properties |
|------------------------|------------------|
| controlBackgroundColor | background-color |
| panelBorderColor | border-color |

Table 6.262. Skin parameters redefinition for the completed progress area of the progressBar without a label

| Skin parameters | CSS properties |
|--------------------|------------------|
| selectControlColor | background-color |

Table 6.263. Skin parameters redefinition for the progressBar with a label

| Skin parameters | CSS properties |
|-------------------|----------------|
| panelBorderColor | border-color |
| generalFamilyFont | font-family |
| generalSizeFont | font-size |
| controlTextColor | color |

Table 6.264. Skin parameters redefinition for the label of the progressBar

| Skin parameters | CSS properties |
|------------------|----------------|
| panelBorderColor | border-color |

Table 6.265. Skin parameters redefinition for the completed progress area of the progressBar with a label

| Skin parameters | CSS properties |
|--------------------|------------------|
| selectControlColor | background-color |

| Skin parameters | CSS properties |
|------------------------|----------------|
| controlBackgroundColor | color |

Table 6.266. Skin parameters redefinition for the remained progress area of the progressBar with a label

| Skin parameters | CSS properties |
|------------------------|------------------|
| controlBackgroundColor | background-color |
| controlTextColor | color |

6.10.9.10. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.166. Classes names

Table 6.267. Classes names for the progressBar without a label

| Class name | Description |
|----------------------------|---|
| rich-progress-bar-shell | Defines styles for a wrapper <div> element of a progressBar |
| rich-progress-bar-uploaded | Defines styles for the completed progress area |
| rich-progress-bar-height | Defines height for a progressBar |
| rich-progress-bar-width | Defines width for a progressBar |

Table 6.268. Classes names for the progressBar with a label

| Class name | Description |
|-----------------------------|---|
| rich-progress-bar-shell-dig | Defines styles for a wrapper <div> element of a progressBar |

| Class name | Description |
|--------------------------------|--|
| rich-progress-bar-uploaded-dig | Defines styles for the label |
| rich-progress-bar-remained | Defines styles for the remained progress area |
| rich-progress-bar-completed | Defines styles for the completed progress area |
| rich-progress-bar-height-dig | Defines height for a progressBar |
| rich-progress-bar-width | Defines width for a progressBar |

Note:

It's necessary to define width of the component in pixels only.

In order to redefine styles for all `<rich:progressBar>` components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...
.richfacesSkin .mceButton {
    border: 1px #FF0000 solid;
}
...
```

This is the result:



Figure 6.167. Redefinition styles with predefined classes

In the example above background color of the remained part of progress area was changed.

It's also possible to change styles of a particular `<rich:progressBar>` component. In this case you should create own style classes and use them in corresponding `<rich:progressBar>` `styleClass` attributes. An example is placed below:

Example:

```
...
.myClass{
    background-color: #ebf3fd;
}
...
```

...

The "styleClass" attribute for <rich:progressBar> is defined as it's shown in the example below:

Example:

```
<rich:progressBar value="#{bean.incValue1}" styleClass="myClass"/>
```

This is the result:



Figure 6.168. Modification of a look and feel with own classes and styleClass attributes

As it could be seen on the picture above, background color of the remained part of progress area was changed.

In order to change background image for the <rich:progressBar> it is necessary to create a CSS class with the same name as predefined one (see the tables [above](#)) and change background-image CSS property for it:

```
...  
.rich-progress-bar-uploaded {  
  background-image : url(images/accept.gif);  
}  
...
```

This is the result:



Figure 6.169. Redefining background image for the <rich:progressBar>

6.10.9.11. Relevant Resources Links

On the component Live Demo page [<http://livedemo.exadel.com/richfaces-demo/richfaces/progressBar.jsf?c=progressBar>] you can see the example of <rich:progressBar> usage and sources for the given example.

6.10.10. < rich:separator > available since 3.0.0

6.10.10.1. Description

A horizontal line to use as a separator in a layout. The line type can be customized with the "lineType" parameter.



Figure 6.170. <rich:separator> component

6.10.10.2. Key Features

- Highly customizable look and feel
- Leveraging layout elements creation

Table 6.269. rich : separator attributes

| Attribute Name | Description |
|----------------|--|
| align | This attribute specifies a position of the separator according to the document. The possible values are "left", "center" and "right". Default value is "left". |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| height | The separator height. Default value is "6px". |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| lineType | A line type. The possible values are "beveled", "dotted", "dashed", "double", "solid" and "none". Default value is "beveled" |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |

| Attribute Name | Description |
|----------------|--|
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| rendered | JSF: If "false", this component is not rendered |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| title | HTML: HTML: An advisory title for this element. Often displayed as a tooltip |
| width | HTML: The separator width that can be defined in pixels or in percents. Default value is "100%". |

Table 6.270. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.separator |
| component-class | org.richfaces.component.html.HtmlSeparator |
| component-family | org.richfaces.separator |

| Name | Value |
|---------------|-----------------------------------|
| renderer-type | org.richfaces.SeparatorRenderer |
| tag-class | org.richfaces.taglib.SeparatorTag |

6.10.10.3. Creating the Component with a Page Tag

Here is a simple example as it could be used on a page:

Example:

```
...  
<rich:separator/>  
...
```

6.10.10.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlSeparator;  
...  
HtmlSeparator mySeparator = new HtmlSeparator();  
...
```

6.10.10.5. Details of Usage

<rich:separator> is a simple layout component, which represents a separator stylized as a skin. Thus, the main attributes that define its style are *"style"* and *"styleClass"*. In addition there are *"width"* and *"height"* attributes that should be specified in pixels. On the HTML page the component is transposed into HTML **<div>** tag.

The line type can be customized with the *"lineType"* parameter. For example, different line types are shown after rendering with the following initial settings *lineType="double"* and *lineType="solid"*.




Figure 6.171. Different line types of `<rich:separator>`

Except style attributes, there are also event definition attributes:

- `"onmouseover"`
- `"onclick"`
- `"onmouseout"`
- etc.

6.10.10.6. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*.

To redefine the appearance of all `<rich:separator>` components at once, you should add to your style sheets the *style class* used by a `<rich:separator>` component.

6.10.10.7. Definition of Custom Style Classes

Table 6.271. Classes names that define a component appearance

| Class name | Description |
|----------------|---|
| rich-separator | Defines styles for a component appearance |

In order to redefine styles for all `<rich:separator>` components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-separator{  
  background-color:#ff7700;  
}  
...
```

This is a result:



Figure 6.172. Redefinition styles with predefined classes

In the example background color for separator was changed.

Also it's possible to change styles of particular `<rich:separator>` component. In this case you should create own style classes and use them in corresponding `<rich:separator>` `styleClass` attributes. An example is placed below:

Example:

```
...  
.myClass{  
  background-color:#ffe4d9;  
}  
...
```

The `"styleClass"` attribute for `<rich:separator>` is defined as it's shown in the example below:

Example:

```
<rich:separator ... styleClass="myClass"/>
```

This is a result:



Figure 6.173. Redefinition styles with own classes and styleClass attributes

As it could be seen on the picture above, background color for separator was changed.

6.10.10.8. Relevant Resources Links

On the [component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/separator.jsf?c=separator) [http://livedemo.exadel.com/richfaces-demo/richfaces/separator.jsf?c=separator] you can see the example of <rich:separator> usage and sources for the given example.

6.10.11. < rich:simpleTogglePanel > available since 3.0.0

6.10.11.1. Description

A collapsible panel, which content shows/hides after activating a header control.



Figure 6.174. <rich:simpleTogglePanel> component

6.10.11.2. Key Features

- Highly customizable look and feel
- Support for any content inside
- Collapsing expanding content
- Three modes of collapsing/expanding
 - Server
 - Client
 - Ajax

Table 6.272. rich : simpleTogglePanel attributes

| Attribute Name | Description |
|----------------|---|
| action | MethodBinding pointing at the application action to be invoked, if this UIComponent is activated by you, during the Apply Request Values or Invoke Application phase of the |

| Attribute Name | Description |
|--------------------|--|
| | request processing lifecycle, depending on the value of the immediate property |
| actionListener | MethodBinding pointing at method accepting an ActionEvent with return type void |
| ajaxSingle | Limits JSF tree processing (decoding, conversion, validation and model updating) only to a component that sends the request. Boolean |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bodyClass | Assigns one or more space-separated CSS class names to the panel content |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| focus | ID of an element to set focus after request is completed on client side |
| headerClass | Assigns one or more space-separated CSS class names to the panel header |
| height | Height of a simple toggle panel content area might be defined as pixels or in percents. By default height is not defined |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates |

| Attribute Name | Description |
|-------------------|---|
| | on the client side if the response isn't actual now |
| immediate | True means, that the default ActionListener should be executed immediately (i.e. during Apply Request Values phase of the request processing lifecycle), rather than waiting until the Invoke Application phase |
| label | Marker to be rendered on a panel header |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| onbeforedomupdate | The client-side script method to be called before DOM is updated |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| oncollapse | The client-side script method to be called before a panel is collapsed |
| oncomplete | The client-side script method to be called after the request is completed |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onexpand | The client-side script method to be called before a panel is expanded |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |

| Attribute Name | Description |
|----------------------|--|
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| opened | A "false" value for this attribute makes the panel closed by default. Default value is "true". |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, processed at the phases 2-5 in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, rendered in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |

| Attribute Name | Description |
|----------------|---|
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| switchType | Panels switch mode: "client", "server"(default), "ajax" |
| timeout | Response waiting time on a particular request. If a response is not received during this time, the request is aborted |
| value | JSF: The current value for this component |
| width | HTML: Width of a simple toggle panel might be defined as pixels or in percents. By default width is not defined |

Table 6.273. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.SimpleTogglePanel |
| component-class | org.richfaces.component.html.HtmlSimpleTogglePanel |
| component-family | org.richfaces.SimpleTogglePanel |
| renderer-type | org.richfaces.SimpleTogglePanelRenderer |
| tag-class | org.richfaces.taglib.SimpleTogglePanelTag |

6.10.11.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...  
<rich:simpleTogglePanel>  
  ...  
</rich:simpleTogglePanel>  
...
```

6.10.11.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlSimpleTogglePanel;
...
HtmlSimpleTogglePanel myPanel = new HtmlSimpleTogglePanel();
...
```

6.10.11.5. Details of Usage

The component is a simplified version of toggle panel that initially has a defined layout as a panel with a header playing a role of a mode switching control. On a component header element, it's possible to define a label using an attribute with the same name.

Switching mode could be defined with the *"switchType"* attribute with three possible parameters.

- `Server` (DEFAULT)

The common submission is performed around `simpleTogglePanel` and a page is completely rendered on a called panel. Only one at a time panel is uploaded onto the client side.

- `Ajax`

AJAX form submission is performed around the panel, content of the called panel is uploaded on Ajax request and additionally specified elements in the *"reRender"* attribute are rendered. Only one at a time panel is uploaded on the client side.

- `Client`

All panels are uploaded on the client side. Switching from the active to the hidden panel is performed with client JavaScript.

The `<rich:simpleTogglePanel>` component also has an *"opened"* attribute responsible for keeping a panel state. It gives an opportunity to manage state of the component from a model. If the value of this attribute is "true" the component is expanded.

- *"onmouseover "*
- *"onclick "*
- *"onmouseout "*
- etc.




Figure 6.175. <rich:simpleTogglePanel> states

With help of "openMarker" and "closeMarker" facets you can set toggle icon for simpleTogglePanel .

Information about the "process" attribute usage you can find " [Decide what to process](#) " guide section.

6.10.11.6. Facets

Table 6.274. Facets

| Facet name | Description |
|-------------|---|
| openMarker | Redefines the icon for expanding the panel |
| closeMarker | Redefines the icon for collapsing the panel |

6.10.11.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all <rich:simpleTogglePanel> components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a <rich:simpleTogglePanel> component

6.10.11.8. Skin Parameters Redefinition

Table 6.275. Skin parameters for a whole component

| Skin parameters | CSS properties |
|------------------------|------------------|
| generalBackgroundColor | background-color |

| Skin parameters | CSS properties |
|------------------|----------------|
| panelBorderColor | border-color |

Table 6.276. Skin parameters for a header element

| Skin parameters | CSS properties |
|-----------------------|------------------|
| headerBackgroundColor | background-color |
| headerBackgroundColor | border-color |
| headerSizeFont | font-size |
| headTextColor | color |
| headerWeightFont | font-weight |
| headerFamilyFont | font-family |

Table 6.277. Skin parameters for a body element

| Skin parameters | CSS properties |
|------------------------|------------------|
| generalBackgroundColor | background-color |
| generalSizeFont | font-size |
| panelTextColor | color |
| generalFamilyFont | font-family |

6.10.11.9. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.176. Style classes

Table 6.278. Classes names that define a component appearance

| Class name | Class description |
|-----------------------|---|
| rich-stglpanel | Defines styles for a wrapper <div> element of a component |
| rich-stglpanel-header | Defines styles for header element of a component |
| rich-stglpnl-marker | Defines styles for a wrapper <div> element of a marker |
| rich-stglpanel-body | Defines styles for a component content |

Table 6.279. Style component classes

| Class name | Class description |
|-------------|--|
| styleClass | The class defines panel common style. It's used in the outside <div> element |
| bodyClass | applicable to panels body elements |
| headerClass | applicable to header elements |

In order to redefine styles for all <rich:simpleTogglePanel> components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-stglpanel-header{  
  font-style:italic;  
}  
...
```

This is a result:




Figure 6.177. Redefinition styles with predefined classes

In the example the font style for header was changed.

Also it's possible to change styles of particular `<rich:simpleTogglePanel>` component. In this case you should create own style classes and use them in corresponding `<rich:simpleTogglePanel>` `styleClass` attributes. An example is placed below:

Example:

```
...  
.myClass{  
    background-color:#ffead9;  
}  
...
```

The `"bodyClass"` attribute for `<rich:simpleTogglePanel>` is defined as it's shown in the example below:

Example:

```
<rich:simpleTogglePanel ... bodyClass="myClass"/>
```

This is a result:




Figure 6.178. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, background color for body was changed.

6.10.11.10. Relevant Resources Links

On [the component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/simpleTogglePanel.jsf?c=simpleTogglePanel) [http://livedemo.exadel.com/richfaces-demo/richfaces/simpleTogglePanel.jsf?c=simpleTogglePanel] you can see the example of `<rich:simpleTogglePanel>` usage and sources for the given example.

6.10.12. `< rich:spacer >` available since 3.0.0

6.10.12.1. Description

A spacer that is used in layout and rendered as a transparent image.




Figure 6.179. <rich:spacer> component

6.10.12.2. Key Features

- Easily used as a transparent layout spacer
- Horizontal or vertical spacing is managed by an attribute
- Easily customizable sizes parameters

Table 6.280. rich : spacer attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| height | The height of the spacer defined in pixels. Default value is "1px". |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |

| Attribute Name | Description |
|----------------|---|
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| rendered | JSF: If "false", this component is not rendered |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| title | HTML: HTML: An advisory title for this element. Often used by the user agent as a tooltip |
| width | HTML: The width of the spacer defined in pixels. Default value is "1px". |

Table 6.281. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.spacer |
| component-class | org.richfaces.component.html.HtmlSpacer |
| component-family | org.richfaces.spacer |
| renderer-type | org.richfaces.SpacerRenderer |
| tag-class | org.richfaces.taglib.SpacerTag |

6.10.12.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax::

Example:

```
...
<rich:spacer/>
```

...

6.10.12.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlSpacer;
...
HtmlSpacer mySpacer = new HtmlSpacer();
...
```

6.10.12.5. Details of Usage

<rich:spacer> is a simple layout component which represents a transparent spacer. Thus, the main attributes that define its style are *"style"* and *"styleClass"*.

In addition, the attributes are responsible for the component size: *"width"* and *"height"*.

Moreover, to add e.g. some JavaScript effects, events defined on it are used.

- *"onmouseover "*
- *"onclick "*
- *"onmouseout "*
- etc.

6.10.12.6. Look-and-Feel Customization

On the component generation, the framework presents a default rich-spacer class in *"styleClass"* of a generated component, i.e. in order to redefine appearance of all spacers at once, it's necessary to redefine this class in your own CSS (replacing in the result properties defined in a skin with your own).

To define appearance of the particular spacer, it's possible to write your own CSS classes and properties in the component style attributes (*"style"*, *"styleClass"*) modifying component property.

6.10.12.7. Relevant Resources Links

[On the component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/spacer.jsf?c=spacer) [http://livedemo.exadel.com/richfaces-demo/richfaces/spacer.jsf?c=spacer] you can see the example of **<rich:spacer>** usage and sources for the given example.

6.10.13. < rich:tabPanel > available since 3.0.0

6.10.13.1. Description

A tab panel displaying tabs for grouping content of the panel.




Figure 6.180. <rich:tabPanel> component

6.10.13.2. Key Features

- Skinnable tab panel and child items
- Disabled/enabled tab options
- Customizable headers
- Group any content inside a tab
- Each tab has a unique name for direct access (e.g. for switching between tabs)
- Switch methods can be easily customized with attribute to:
 - Server
 - Client
 - AJAX
- Switch methods can be selected for the whole tab panel and for the each tab separately

Table 6.282. rich : tabPanel attributes

| Attribute Name | Description |
|----------------|--|
| activeTabClass | Assigns one or more space-separated CSS class names to the component active tab |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |

| Attribute Name | Description |
|------------------|---|
| contentClass | CSS style rules to be applied to the panel content |
| contentStyle | Assigns one or more space-separated CSS class names to the panel content |
| converter | JSF: Id of Converter to be used or reference to a Converter |
| converterMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the converter message, replacing any message that comes from the converter |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| disabledTabClass | Assigns one or more space-separated CSS class names to the component disabled tab |
| headerAlignment | Sets tab headers alignment. It can be "left" or "right". Default value is "left". |
| headerClass | Assigns one or more space-separated CSS class names to the panel header |
| headerSpacing | Sets tab headers spacing. It should be a valid size unit expression. Default value is "1px". |
| height | Height of a tab panel defined in pixels or in percents |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| immediate | A flag indicating that this component value must be converted and validated immediately (that is, during Apply Request Values phase), rather than waiting until a Process Validations phase |
| inactiveTabClass | Assigns one or more space-separated CSS class names to the component inactive (but not disabled) tabs |
| label | A localized user presentable name for this component. |
| lang | HTML: Code describing the language used in the generated markup for this component |
| onclick | DHTML: The client-side script method to be called when the element is clicked |

| Attribute Name | Description |
|-----------------|--|
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| ontabchange | The client-side script method to be called before a tab is changed |
| rendered | JSF: If "false", this component is not rendered |
| required | JSF: If "true", this component is checked for non-empty input |
| requiredMessage | A ValueExpression enabled attribute which defines text of validation message to show, if a required field is missing |
| selectedTab | Attribute defines name of selected tab |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |

| Attribute Name | Description |
|---------------------|--|
| switchType | Tabs switch mode: "client", "server"(default), "ajax" |
| tabClass | Assigns one or more space-separated CSS class names to the component tabs |
| title | HTML: Advisory title information about markup elements generated for this component |
| validator | JSF: MethodBinding pointing at a method that is called during Process Validations phase of the request processing lifecycle, to validate the current value of this component |
| validatorMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the validator message, replacing any message that comes from the validator |
| value | JSF: The current value of this component |
| valueChangeListener | JSF: Listener for value changes |
| width | HTML: Width of a tab panel defined in pixels or in percents. The default value is 100% |

Table 6.283. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.tabPanel |
| component-class | org.richfaces.component.html.HtmltabPanel |
| component-family | org.richfaces.tabPanel |
| renderer-type | org.richfaces.tabPanelRenderer |
| tag-class | org.richfaces.taglib.tabPanelTag |

6.10.13.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...
<rich:tabPanel>
  <!--Set of Tabs inside-->
  <rich:tab>
    ...
  </rich:tab>
</rich:tabPanel>
```

```
</rich:tabPanel>  
...
```

6.10.13.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmltabPanel;  
...  
HtmltabPanel mytabPanel = new HtmltabPanel();  
...
```

6.10.13.5. Details of Usage

As it was mentioned [above](#), tabPanel groups content on panels and performs switching from one to another. Hence, modes of switching between panels are described first of all.

Note:

All tabPanels should be wrapped into a form element so as content is correctly submitted inside. If a form is placed into each tab, the Action elements of Tab controls appear to be out of the form and content submission inside the panels could be performed only for Action components inside tabs.

Switching mode could be chosen with the tabPanel attribute *"switchType"* with three possible parameters.

- `Server` (DEFAULT)

The common submission is performed around tabPanel and a page is completely rendered on a called panel. Only one at a time tabPanel is uploaded onto the client side.

- `Ajax`

AJAX form submission is performed around the tabPanel, content of the called tabPanel is uploaded on Ajax request. Only one at a time tabPanel is uploaded on the client.

- `Client`

All tabPanels are uploaded on the client side. The switching from the active to the hidden panel is performed with client JavaScript.

As a result, the tabPanel is switched to the second tab according to the action returning outcome for moving onto another page and switching from the second to the first tab is performed.

There is also the *"selectedTab"* attribute. The attribute keeps an active tab name; therefore, an active tabPanel could be changed with setting a name of the necessary tab to this attribute.

There is also the *"headerAlignment"* attribute responsible for rendering of tabPanel components. The attribute has several values: "left" (Default), "right", "center", which specify Tabs components location on the top of the tabPanel.

Example:

```
...  
<rich:tabPanel width="40%" headerAlignment="right">  
  <rich:tab label="Canon">  
    ...  
  </rich:tab>  
  <rich:tab label="Nikon">  
    ...  
  </rich:tab>  
  <rich:tab label="Olympus">  
    ...  
  </rich:tab>  
</rich:tabPanel>  
...
```




Figure 6.181. <rich:tabPanel> with right aligned tabs

The *"label"* attribute is a generic attribute. The *"label"* attribute provides an association between a component, and the message that the component (indirectly) produced. This attribute defines the parameters of localized error and informational messages that occur as a result of conversion, validation, or other application actions during the request processing lifecycle. With the help of this attribute you can replace the last parameter substitution token shown in the messages. For example, {1} for "DoubleRangeValidator.MAXIMUM", {2} for "ShortConverter.SHORT".

Except the specific attributes, the component has all necessary attributes for JavaScript events definition.

- "onmouseover"
- "onmouseout"
- etc.

6.10.13.6. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:tabPanel>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a `<rich:tabPanel>` component

6.10.13.7. Skin Parameters Redefinition

Table 6.284. Skin parameters redefinition for a header

| Skin parameters | CSS properties |
|------------------|------------------|
| panelBorderColor | border-top-color |

Table 6.285. Skin parameters redefinition for an internal content

| Skin parameters | CSS properties |
|------------------------|---------------------|
| generalBackgroundColor | background-color |
| generalTextColor | color |
| panelBorderColor | border-bottom-color |
| panelBorderColor | border-right-color |
| panelBorderColor | border-left-color |
| generalSizeFont | font-size |
| generalFamilyFont | font-family |

6.10.13.8. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.182. Style classes

Table 6.286. Classes names that define a component appearance

| Class name | Description |
|--------------------------------|--|
| rich-tabpanel | Defines styles for all tabPanel |
| rich-tabpanel-content | Defines styles for an internal content |
| rich-tabpanel-content-position | Defines styles for a wrapper element of a tabPanel content. It should define a shift equal to borders width in order to overlap panel tabs |
| rich-tabhdr-side-border | Defines styles for side elements of a tabPanel header |
| rich-tabhdr-side-cell | Defines styles for a header internal element |
| rich-tab-bottom-line | Defines styles for a tab bottom line element of a tabPanel |

Table 6.287. Classes names that define different tab header states (corresponds to rich-tabhdr-side-cell)

| Class name | Description |
|---------------------------|---|
| rich-tabhdr-cell-active | Defines styles for an internal element of an active header |
| rich-tabhdr-cell-inactive | Defines styles for an internal element of an inactive label |
| rich-tabhdr-cell-disabled | Defines styles for an internal element of a disabled label |

In order to redefine styles for all `<rich:tabPanel>` components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the table [above](#)) and define necessary properties in them. An example is placed below:

Example:

```
...  
.rich-tabhdr-cell-active{  
    font-weight: bold;  
}  
...
```

This is a result:




Figure 6.183. Redefinition styles with predefined classes

In the example a tab active font weight and text color were changed.

Also it's possible to change styles of particular `<rich:tabPanel>` component. In this case you should create own style classes and use them in corresponding `<rich:tabPanel styleClass` attributes. An example is placed below:

Example:

```
...  
.myClass{  
    font-style: italic;  
}  
...
```

The *styleClass* attribute for `<rich:tabPanel>` is defined as it's shown in the example below:

Example:

```
<rich:tabPanel ... activeTabClass="myClass"/>
```

This is a result:




Figure 6.184. Redefinition styles with own classes and *styleClass* attributes

As it could be seen on the picture above, font style on inactive tab was changed.

6.10.13.9. Relevant Resources Links

On the [component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/tabPanel.jsf?c=tabPanel) [http://livedemo.exadel.com/richfaces-demo/richfaces/tabPanel.jsf?c=tabPanel] you can see the example of `<rich:tabPanel>` usage and sources for the given example.

6.10.14. < rich:tab > available since 3.0.0

6.10.14.1. Description

A tab section within a tab panel.




Figure 6.185. <rich:tab> component

6.10.14.2. Key Features

- Fully skinnable tabs content
- Disabled/enabled tab options
- Groups any content inside a tab
- Each tab has a unique name for a direct access (e.g. for switching between tabs)
- Switch methods can be easily customized for every tab separately with attribute to:
 - Server
 - Client
 - AJAX

Table 6.288. rich : tab attributes

| Attribute Name | Description |
|----------------|--|
| action | MethodBinding pointing at the application action to be invoked, if this UIComponent is activated by you, during the Apply Request Values or Invoke Application phase of the request processing lifecycle, depending on the value of the immediate property |
| actionListener | MethodBinding pointing at method accepting an ActionEvent with return type void |
| ajaxSingle | Limits JSF tree processing (decoding, conversion, validation and model updating) only to a component that sends the request. Boolean |

| Attribute Name | Description |
|--------------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| disabled | HTML: Disables a tab in a tab panel |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| focus | ID of an element to set focus after request is completed on client side |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now |
| immediate | True means, that the default ActionListener should be executed immediately (i.e. during Apply Request Values phase of the request processing lifecycle), rather than waiting until the Invoke Application phase |
| label | Text for the actual "tab" in a tab section |
| labelWidth | Length for the actual "tab" in a tab section defined in pixels. If it is not defined, the length is calculated basing on a tab label text length |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |

| Attribute Name | Description |
|-------------------|--|
| name | Attribute defines tab name. Default value is "getId()". |
| onbeforeDOMupdate | The client-side script method to be called before DOM is updated |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| oncomplete | The client-side script method to be called after the request is completed |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onlabelclick | The client-side script method to be called when a tab label is clicked |
| onlabeldblclick | The client-side script method to be called when a tab label is double-clicked |
| onlabelkeydown | The client-side script method to be called when a key is pressed down together with the pointer hovered over a tab label |
| onlabelkeypress | The client-side script method to be called when a key is pressed and released together with the pointer hovered over a tab label |
| onlabelkeyup | The client-side script method to be called when a key is released together with the pointer hovered over a tab label |
| onlabelmousedown | The client-side script method to be called when a mouse button is pressed down over a tab label |
| onlabelmousemove | The client-side script method to be called when a pointer is moved within a tab label |
| onlabelmouseup | The client-side script method to be called when a mouse button is released over a tab label |

| Attribute Name | Description |
|----------------|--|
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| ontabenter | The client-side script method to be called when the tab is switched |
| ontableave | The client-side script method to be called when the tab is left |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, processed at the phases 2-5 in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, rendered in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |

| Attribute Name | Description |
|----------------------|---|
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| switchType | Tabs switch mode. Possible values are "client", "server", "ajax", "page". |
| timeout | Response waiting time on a particular request. If a response is not received during this time, the request is aborted |
| title | HTML: HTML: An advisory title for this element. Often displayed as a tooltip |

Table 6.289. Component identification parameters

| Name | Value |
|------------------|--------------------------------------|
| component-type | org.richfaces.Tab |
| component-class | org.richfaces.component.html.HtmlTab |
| component-family | org.richfaces.Tab |
| renderer-type | org.richfaces.TabRenderer |
| tag-class | org.richfaces.taglib.TabTag |

6.10.14.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```

...
<rich:tabPanel>
  <!--Set of Tabs inside-->
  <rich:tab>
    ...
  </rich:tab>

```

```
</rich:tabPanel>
```

```
...
```

6.10.14.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlTab;
```

```
...
```

```
HtmlTab myTab = new HtmlTab();
```

```
...
```

6.10.14.5. Details of Usage

The main component function is to define a content group that is rendered and processed when the tab is active, i.e. click on a tab causes switching onto a tab containing content corresponded to this tab.

The *"label"* attribute defines text to be represented. If you can use the *"label"* facet, you can even not use the *"label"* attribute.

Example:

```
...
```

```
<rich:tab>
```

```
  <f:facet name="label">
```

```
    <h:graphicImage value="/images/img1.png"/>
```

```
  </f:facet>
```

```
  ...
```

```
  <!--Any Content inside-->
```

```
  ...
```

```
</rich:tab>
```

```
...
```

A marker on a tab header defined with the *"label"* attribute. Moreover, each tab could be disabled (switching on this tab is impossible) with the *"disable"* attribute.

Example:

```
...
```

```
<rich:tabPanel width="20%">
```

```
  <tabs:tab label="Canon">
```

```

    <h:outputText value="Canon EOS Digital Rebel XT" />
    ...
  </tabs:tab>
  <tabs:tab label="Nikon">
    <h:outputText value="Nikon D70s" />
    ...
  </tabs:tab>
  <tabs:tab label="Olympus">
    <h:outputText value="Olympus EVOLT E-500" />
    ...
  </tabs:tab>
  <tabs:tab disabled="true" name="disabled" label="Disabled"/>
</rich:tabPanel>
...

```

With this example it's possible to generate the tab panel with the last disabled and three active tabs (see the picture).




Figure 6.186. `<rich:tabPanel>` with disabled `<rich:tab>`

Switching mode could be defined not only for the whole panel tab, but also for each particular tab, i.e. switching onto one tab could be performed right on the client with the corresponding JavaScript and onto another tab with an Ajax request on the server. Tab switching modes are the same as `tabPanel` ones.

Each tab also has an attribute name (alias for "id" attribute). Using this attribute value it's possible e.g. to set an active tab on a model level specifying this name in the corresponding attribute of the whole tab.

Except the specific component attributes it has all necessary attributes for JavaScript event definition.

- "onmouseover"
- "onmouseout"
- etc.

Some event could be performed on the tab which has been entered/left using "ontabenter" / "ontableave" attributes. See the example below.

Example:

```
...
<rich:tabPanel>
  <rich:tab label="Tab1" ontabenter="alert()">
    ...
  </rich:tab>
  ...
</rich:tabPanel>
...
```

The following example shows how on the client side to get the names of entered/left tabs.

```
ontabenter="alert(leftTabName)"
```

Information about the "process" attribute usage you can find in the ["Decide what to process"](#) guide section.

6.10.14.6. Facets

Table 6.290. Facets

| Facet name | Description |
|------------|--|
| label | Defines the text for the actual "tab" in a tab section |

6.10.14.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

Note:

A panel appearance and content is defined with a tab panel i.e. on the tab level it's possible to define only an appearance of this tab header.

There are two ways to redefine the appearance of all `<rich:tab>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a `<rich:tab>` component

6.10.14.8. Skin Parameters Redefinition

Table 6.291. Skin parameters redefinition for a tab header

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalTextColor | color |
| generalSizeFont | font-size |
| generalFamilyFont | font-family |

Table 6.292. Skin parameters redefinition for an active tab

| Skin parameters | CSS properties |
|------------------------|------------------|
| generalTextColor | color |
| subBorderColor | border-color |
| generalBackgroundColor | background-color |

Table 6.293. Skin parameters redefinition for an inactive tab

| Skin parameters | CSS properties |
|--------------------|------------------|
| tabBackgroundColor | background-color |
| subBorderColor | border-color |

Table 6.294. Skin parameters redefinition for a disabled tab

| Skin parameters | CSS properties |
|--------------------|------------------|
| tabBackgroundColor | background-color |

| Skin parameters | CSS properties |
|----------------------|----------------|
| subBorderColor | border-color |
| tabDisabledTextColor | color |

6.10.14.9. Definition of Custom Style Classes




Figure 6.187. Classes names

Table 6.295. Classes names that define a tab

| Class name | Description |
|-----------------|---------------------------------|
| rich-tab-header | Defines styles for a tab header |
| rich-tab-label | Defines styles for a tab label |

Table 6.296. Classes names that define a tab states

| Class name | Description |
|-------------------|------------------------------------|
| rich-tab-active | Defines styles for an active tab |
| rich-tab-inactive | Defines styles for an inactive tab |
| rich-tab-disabled | Defines styles for a disabled tab |

In order to redefine styles for all `<rich:tab>` components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-tab-header{  
    font-weight: bold;  
}  
...
```

This is a result:




Figure 6.188. Redefinition styles with predefined classes

In the example a header font weight was changed.

Also it's possible to change styles of particular `<rich:tab>` component. In this case you should create own style classes and use them in corresponding `<rich:tab styleClass>` attributes. An example is placed below:

Example:

```
...
```

```
.myClass{  
    border-color: #5d9ffc;  
}  
...
```

The "styleClass" attribute for <rich:tab> is defined as it's shown in the example below:

Example:

```
<rich:tab ... styleClass="myClass"/>
```

This is a result:




Figure 6.189. Redefinition styles with own classes and styleClass attributes

As it could be seen on the picture above, the border color was changed.

6.10.15. < rich:togglePanel > available since 3.0.0

6.10.15.1. Description

A wrapper component with named facets, where every facet is shown after activation of the corresponding toggleControl (the other is hidden).



Figure 6.190. <rich:togglePanel> component

6.10.15.2. Key Features

- Support for any content inside
- Three modes of facets switching
 - Server
 - Client
 - Ajax
- Controls for togglePanel can be everywhere in layout

Table 6.297. rich : togglePanel attributes

| Attribute Name | Description |
|------------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| converter | JSF: Id of Converter to be used or reference to a Converter |
| converterMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the converter message, replacing any message that comes from the converter |
| id | JSF: Every component may have a unique id that is automatically created if omitted |

| Attribute Name | Description |
|----------------|---|
| immediate | A flag indicating that this component value must be converted and validated immediately (that is, during Apply Request Values phase), rather than waiting until a Process Validations phase |
| initialState | It contains a name of the first active facet |
| label | A localized user presentable name for this component. |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| rendered | JSF: If "false", this component is not rendered |
| stateOrder | Names of the facets in the switching order. If ToggleControl doesn't contain information about a next facet to be shown it is switched corresponding to this attribute |

| Attribute Name | Description |
|---------------------|--|
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| switchType | Facets switch mode: "client", "server"(default), "ajax". |
| validator | JSF: MethodBinding pointing at a method that is called during Process Validations phase of the request processing lifecycle, to validate the current value of this component |
| validatorMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the validator message, replacing any message that comes from the validator |
| value | JSF: The initial value to set when rendered for the first time. It contains information about an active facet |
| valueChangeListener | JSF: Listener for value changes |

Table 6.298. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.TogglePanel |
| component-class | org.richfaces.component.html.HtmlTogglePanel |
| component-family | org.richfaces.TogglePanel |
| renderer-type | org.richfaces.TogglePanelRenderer |
| tag-class | org.richfaces.Taglib.togglePanelTag |

6.10.15.3. Creating the Component with a Page Tag

Here is a simple example as it could be used in a page:

Example:

```

...
<rich:togglePanel>
  <f:facet name="first">
    ...
  </f:facet>

```

```
<f:facet name="second">
    ...
</f:facet>
...
</rich:togglePanel>
...
<!--Set of the toggleControls somewhere on a page-->
...
```

6.10.15.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmltogglePanel;
...
HtmltogglePanel myPanel = new HtmltogglePanel();
...
```

6.10.15.5. Details of Usage

As it was mentioned *above*, togglePanel splits content into named facets that become rendered and processed when a click performed on controls linked to this togglePanel (either switched on the client or send requests on the server for switching).

The initial component state is defined with *"initialState"* attribute, where a facet name that is shown at first is defined.

Note:

It's also possible to define an *"empty"* facet to implement the functionality as drop-down panels have and make the facet active when no content is required to be rendered.

Switching mode could be defined with the *"switchType"* attribute with three possible parameters:

- *Server* (DEFAULT)

The common submission is performed around togglePanel and a page is completely rendered on a called panel. Only one at a time the panel is uploaded onto the client side.

- *Ajax*

AJAX form submission is performed around the panel, content of the called panel is uploaded on an Ajax request . Only one at a time the panel is uploaded on the client side.

- Client

All panels are uploaded on the client side. The switching from the active to the hidden panel is performed with client JavaScript.

"Facets" switching order could be defined on the side of `<rich:toggleControl>` component or on the panel. On the side of the `togglePanel` it's possible to define facets switching order with the `"stateOrder"` attribute. The facets names are enumerated in such an order that they are rendered when a control is clicked, as it's not defined where to switch beforehand.

Example:

```
...
<rich:togglePanel id="panel" initialState="panelB" switchType="client"
    stateOrder="panelA,panelB,panelC">
    <f:facet name="panelA">
        ...
    </f:facet>
    <f:facet name="panelB">
        ...
    </f:facet>
    <f:facet name="panelC">
        ...
    </f:facet>
</rich:togglePanel>
<rich:toggleControl for="panel" value="Switch"/>
...
```

The example shows a `togglePanel` initial state when the second facet (`panelB`) is rendered and successive switching from the first to the second happens.

The `"label"` attribute is a generic attribute. The `"label"` attribute provides an association between a component, and the message that the component (indirectly) produced. This attribute defines the parameters of localized error and informational messages that occur as a result of conversion, validation, or other application actions during the request processing lifecycle. With the help of this attribute you can replace the last parameter substitution token shown in the messages. For example, `{1}` for `"DoubleRangeValidator.MAXIMUM"`, `{2}` for `"ShortConverter.SHORT"`.

6.10.15.6. Look-and-Feel Customization

The component doesn't have its own representation rendering only content of its facets, thus all look and feel is set only for content.

6.10.15.7. Definition of Custom Style Classes

Table 6.299. Classes names that define a component appearance


| Class name | Description |
|-------------------|-------------------------------------|
| rich-toggle-panel | Defines styles for all component |
| rich-tglctrl | Defines styles for a toggle control |

In order to redefine styles for all **<rich:togglePanel>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-toggle-panel{  
  font-style:italic;  
}  
...
```

This is a result:



Digital Cameras [Next Camera](#)

Figure 6.191. Redefinition styles with predefined classes

In the example the font style for output text was changed.

Also it's possible to change styles of particular **<rich:togglePanel>** component. In this case you should create own style classes and use them in corresponding **<rich:togglePanel>** styleClass attributes. An example is placed below:

Example:

```
...  
.myClass{  
  background-color:#bed6f8;  
}  
...
```

The *"styleClass"* attribute for `<rich:togglePanel>` is defined as it's shown in the example below:

Example:

```
<rich:togglePanel ... styleClass="myClass"/>
```

This is a result:



Figure 6.192. Redefinition styles with own classes and *"styleClass"* attributes

As it could be seen on the picture above, background color for panel was changed.

6.10.15.8. Relevant Resources Links

On the component LiveDemo page [<http://livedemo.exadel.com/richfaces-demo/richfaces/togglePanel.jsf?c=togglePanel>] you can see the example of `<rich:togglePanel>` usage and sources for the given example.

6.10.16. < rich:toggleControl > available since 3.0.0

6.10.16.1. Description

A link type control for switching between togglePanel facets. Target Panel is specified with "for" attribute. It can be located inside or outside the togglePanel. As the result of switching between facets previous facet is hidden and another one (specified with "switchToState" or panel "stateOrder" attributes) is shown.



Figure 6.193. <rich:toggleControl> component

6.10.16.2. Key Features

- Highly customizable look and feel
- Can be located anywhere in a page layout
- Switching is provided in the three modes
 - Server
 - Client
 - Ajax

Table 6.300. rich : toggleControl attributes

| Attribute Name | Description |
|----------------|---|
| accesskey | HTML: Access key that, when pressed, transfers focus to this element |
| action | MethodBinding pointing at the application action to be invoked, if this UIComponent is activated by you, during the Apply Request |

| Attribute Name | Description |
|--------------------|--|
| | Values or Invoke Application phase of the request processing lifecycle, depending on the value of the immediate property |
| actionListener | MethodBinding pointing at method accepting an ActionEvent with return type void |
| ajaxSingle | Boolean attribute which provides possibility to limit JSF tree processing(decoding, conversion/validation, value applying) to the component which send the request only. |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bypassUpdates | If "true", after process validations phase skip updates of model beans and force render response. Can be used for validate components input |
| data | Serialized (on default with JSON) data passed on the client by a developer on AJAX request. It's accessible via "data.foo" syntax |
| dir | HTML: Direction indication for text that does not inherit directionality. Possible values are "LTR" (left-to-right) and "RTL" (right-to-left). |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move, etc.) |
| focus | ID of an element to set focus after request is completed on client side |
| for | String, which contains id (in the format of a UIComponent.findComponent() call) of the target Toggle Panel. |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates |

| Attribute Name | Description |
|-------------------|---|
| | on the client side if the response isn't actual now |
| immediate | True means, that the default ActionListener should be executed immediately (i.e. during Apply Request Values phase of the request processing lifecycle), rather than waiting until the Invoke Application phase |
| lang | HTML: Code describing the language used in the generated markup for this component |
| limitToList | If "true", updates on client side ONLY elements from this 'reRender' property. if "false" (default) updates all rendered by ajax region components |
| onbeforeDOMupdate | The client-side script method to be called before DOM is updated |
| onblur | DHTML: The client-side script method to be called when the element loses the focus |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| oncomplete | The client-side script method to be called after the request is completed |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onfocus | DHTML: The client-side script method to be called when the element gets the focus |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed and released over the element |
| onkeyup | DHTML: The client-side script method to be called when a key is released over the element |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |

| Attribute Name | Description |
|----------------------|--|
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released over the element |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, processed at the phases 2-5 in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, rendered in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more space-separated CSS class names to the component. Corresponds to the HTML "class" attribute. |

| Attribute Name | Description |
|----------------|---|
| switchToState | Contains one of the facets names where target togglePanel is switched to |
| tabindex | HTML: Position of this element in the tabbing order for the current document. This value must be an integer between 0 and 32767 |
| timeout | Response waiting time on a particular request. If a response is not received during this time, the request is aborted |
| title | HTML: Advisory title information about markup elements generated for this component |
| value | JSF: Initial value to set when rendered for the first time |

Table 6.301. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.ToggleControl |
| component-class | org.richfaces.component.html.HtmlToggleControl |
| component-family | org.richfaces.ToggleControl |
| renderer-type | org.richfaces.ToggleControlRenderer |
| tag-class | org.richfaces.taglib.ToggleControlTag |

6.10.16.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...
<rich:toggleControl for="panel"/>
  ...
  <rich:togglePanel id="panel" stateOrder="[facets order to be switched]">
    <!--Set of Facets-->
  </rich:togglePanel>
...
```

6.10.16.4. Creating the Component Dynamically Using Java

Example:

```

import org.richfaces.component.html.HtmlToggleControl;
...
HtmlToggleControl myControl = new HtmlToggleControl();
...

```

6.10.16.5. Details of Usage

As it was mentioned *above*, the control could be in any place in layout and linked to a switching panel that is managed with "for" attribute (in the "for" attribute the full component "id" is specified according to naming containers).

The togglePanel could be also switched from the side of the control instead of being strictly defined in "switchOrder" attribute of `<rich:togglePanel>`.

Example:

```

...
<rich:togglePanel id="panel" initialState="empty" switchType="client">
  <f:facet name="first">
    <h:panelGroup>
      <rich:toggleControl for="helloForm:panel" value="Empty" switchToState="empty"/>
      <rich:toggleControl for="helloForm:panel" value=" Second" switchToState="second"/>
    </h:panelGroup>
    <!--Some content-->
  </h:panelGroup>
</f:facet>
<f:facet name="second">
  <h:panelGroup>
    <rich:toggleControl for="helloForm:panel" value="Empty" switchToState="empty"/>
    <rich:toggleControl for="helloForm:panel" value=" first" switchToState="first"/>
    <!--Some content-->
  </h:panelGroup>
</f:facet>
<f:facet name="empty">
  <h:panelGroup>
    <rich:toggleControl for="helloForm:panel" value="first" switchToState="first"/>
    <rich:toggleControl for="helloForm:panel" value=" second" switchToState="second"/>
  </h:panelGroup>
</f:facet>
</rich:togglePanel>
...

```

In this example the switching is performed on facets specified in the "switchToState" attribute.

Information about the "process" attribute usage you can find "[Decide what to process](#)" guide section.

6.10.16.6. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*.

To redefine the appearance of all <rich:toggleControl> components at once, you should add to your style sheets *style class* used by a <rich:toggleControl> component.

6.10.16.7. Definition of Custom Style Classes

Table 6.302. Classes names that define a component appearance

| Class name | Description |
|--------------|-------------------------------------|
| rich-tglctrl | Defines styles for a toggle control |

In order to redefine styles for all <rich:toggleControl> components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-tglctrl {  
    font-family: monospace;  
}  
...
```

This is a result:



Figure 6.194. Redefinition styles with predefined classes

In the example font family was changed.

Also it's possible to change styles of particular <rich:toggleControl> component. In this case you should create own style classes and use them in corresponding <rich:toggleControl> *styleClass* attributes. An example is placed below:

Example:

```
...
```

```
.myClass {  
    font-style: italic;  
}  
...
```

The `styleClass` attribute for `<rich:toggleControl>` is defined as it's shown in the example below:

Example:

```
<rich:toggleControl ... styleClass="myClass"/>
```

This is a result:



Figure 6.195. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, the font style was changed.

6.10.17. `< rich:toolBar >` available since 3.0.0

6.10.17.1. Description

A horizontal bar with Action items on it that accepts any JSF components as children.



Figure 6.196. `<rich:toolBar>` with action items

6.10.17.2. Key Features

- Skinnable menu panel and child items
- Standard top menu bar that can be used in accordance with a menu component
- Grouping bar content
- Easily place content on any side of a menu bar using predefined group layout
- Predefined separators for menu items and groups
- Any content inside

Table 6.303. rich : toolBar attributes

| Attribute Name | Description |
|-----------------|---|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| contentClass | Assigns one or more space-separated CSS class names to the tool bar content |
| contentStyle | CSS style rules to be applied to the tool bar content |
| height | A height of a bar in pixels. If a height is not defined, a bar height depends of the "headerFontSize" skin parameter. |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| itemSeparator | A separator between items on a bar. Possible values are "none", "line", "square", "disc" and "grid". Default value is "none". |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onitemclick | The client-side script method to be called when an item is clicked |
| onitemdblclick | The client-side script method to be called when an item is double-clicked |
| onitemkeydown | The client-side script method to be called when a key is pressed down over an item |
| onitemkeypress | The client-side script method to be called when a key is pressed and released over an item |
| onitemkeyup | The client-side script method to be called when a key is released over an item |
| onitemmousedown | The client-side script method to be called when a mouse button is pressed down over an item |
| onitemmousemove | The client-side script method to be called when a pointer is moved within an item |
| onitemmouseout | The client-side script method to be called when a pointer is moved away from an item |
| onitemmouseover | The client-side script method to be called when a pointer is moved onto an item |

| Attribute Name | Description |
|----------------|--|
| onitemmouseup | The client-side script method to be called when a mouse button is released over an item |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| rendered | JSF: If "false", this component is not rendered |
| separatorClass | Assigns one or more space-separated CSS class names to the tool bar separators |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| width | HTML: A width of a bar that can be defined in pixels or as percentage. Default value is "100%". |

Table 6.304. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.ToolBar |
| component-class | org.richfaces.component.html.HtmlToolBar |
| component-family | org.richfaces.ToolBar |
| renderer-type | org.richfaces.ToolBarRenderer |
| tag-class | org.richfaces.taglib.ToolBarTag |

6.10.17.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...  
<rich:toolBar>  
    <!--Set of action or other JSF components-->  
</rich:toolBar>  
...
```

6.10.17.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlToolBar;  
...  
HtmlToolBar myToolBar = new HtmlToolBar();  
...
```

6.10.17.5. Details of Usage

A toolBar is a wrapper component that facilitates creation of menu and tool bars. All components defined inside are located on a stylized bar with possibility to group, arrange on the both bar sides, and place predefined separators between them.

Grouping and an input side definition is described for toolBarGroup that defines this functionality.

Separators are located between components with the help of the *"itemSeparator"* attribute with four predefined values:

- "none"
- "line"

- "square"
- "disc"

For example, when setting a separator of a disc type, the following result is produced:



Figure 6.197. `<rich:toolBar>` with a "disc" separator

Moreover, for toolbar style "width" and "height" attributes are placed above all.

A custom separator can be added with the help of "itemSeparator" facet.

Example:

```
...  
<f:facet name="itemSeparator">  
  <rich:separator width="2" height="14" />  
</f:facet>  
...
```

Custom separator can be also specified by URL to the separator image in the attribute "itemSeparator" of the `<rich:toolBar>`.

Example:

```
...  
<rich:toolBar id="toolBar" width="{bean.width}" height="{bean.height}" itemSeparator="/  
images/separator_img.jpg"/>  
...
```

This is a result:




Figure 6.198. `<rich:toolBar>` with "itemSeparator" attribute.

As it could be seen in the picture above, the image for itemSeparator was changed.

6.10.17.6. Facets

Table 6.305. Facets

| Facet name | Description |
|---------------|--|
| itemSeparator | Defines the custom separator. Related attribute is "itemSeparator" |

6.10.17.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:toolBar>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a `<rich:toolBar>` component

6.10.17.8. Skin Parameters Redefinition

Table 6.306. Skin parameters redefinition for a component exterior

| Skin parameters | CSS properties |
|-----------------------|------------------|
| panelBorderColor | border-color |
| headerBackgroundColor | background-color |

Table 6.307. Skin parameters redefinition for a component item

| Skin parameters | CSS properties |
|------------------|----------------|
| headerSizeFont | font-size |
| headerTextColor | color |
| headerWeightFont | font-weight |
| headerFamilyFont | font-family |

6.10.17.9. Definition of Custom Style Classes

Table 6.308. Classes names that define a component appearance

| Class name | Description |
|--------------|--------------------------------------|
| rich-toolbar | Defines styles for a toolbar element |

| Class name | Description |
|-------------------|-----------------------------------|
| rich-toolbar-item | Defines styles for a toolbar item |




Figure 6.199. Classes names

In order to redefine styles for all `<rich:toolBar>` components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```

...
.rich-toolbar-item{
    font-weight:bold;
}
...

```

This is a result:



Figure 6.200. Redefinition styles with predefined classes

In the example font weight for items was changed.

Also it's possible to change styles of particular `<rich:toolBar>` component. In this case you should create own style classes and use them in corresponding `<rich:toolBar>` `styleClass` attributes. An example is placed below:

Example:

```

...
.myClass{
    font-style:italic;
    font-weight:bold;
}
...

```

The "styleClass" attribute for <rich:toolBar> is defined as it's shown in the example below:

Example:

```
<rich:toolBar ... styleClass="myClass"/>
```

This is a result:



Figure 6.201. Redefinition styles with own classes and styleClass attributes

As it could be seen on the picture above, the font style and the font weight for items was changed.

The component also has the standard attributes "style" and "styleClass" that could redefine an appearance of a particular component variants.

6.10.17.10. Relevant Resources Links

On the component [LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/toolBar.jsf?c=toolBar) [http://livedemo.exadel.com/richfaces-demo/richfaces/toolBar.jsf?c=toolBar] you can see the example of <rich:toolBar> usage and sources for the given example.

6.10.18. < rich:toolBarGroup > available since 3.0.0

6.10.18.1. Description

A group of items inside a tool bar.



Figure 6.202. <rich:toolbarGroup> with items on it

6.10.18.2. Key Features

- Fully skinnable with its child items
- Grouping bar content
- Easily place content on either side of tool bar using a predefined group layout

- Predefined separators for menu items and groups
- Any content inside

Table 6.309. rich : toolBarGroup attributes

| Attribute Name | Description |
|-----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| itemSeparator | A separator for the items in a group. Possible values are "none", "line", "square", "disc" and "grid" Default value is "none". |
| location | A location of a group on a tool bar. Possible values are "left" and "right". Default value is "left". |
| onitemclick | The client-side script method to be called when an item is clicked |
| onitemdblclick | The client-side script method to be called when an item is double-clicked |
| onitemkeydown | The client-side script method to be called when a key is pressed down over an item |
| onitemkeypress | The client-side script method to be called when a key is pressed and released over an item |
| onitemkeyup | The client-side script method to be called when a key is released over an item |
| onitemmousedown | The client-side script method to be called when a mouse button is pressed down over an item |
| onitemmousemove | The client-side script method to be called when a pointer is moved within an item |
| onitemmouseout | The client-side script method to be called when a pointer is moved away from an item |
| onitemmouseover | The client-side script method to be called when a pointer is moved onto an item |
| onitemmouseup | The client-side script method to be called when a mouse button is released over an item |
| rendered | JSF: If "false", this component is not rendered |
| separatorClass | Assigns one or more space-separated CSS class names to the tool bar group separators |

| Attribute Name | Description |
|----------------|---|
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |

Table 6.310. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.ToolBarGroup |
| component-class | org.richfaces.component.html.HtmlToolBarGroup |
| component-family | org.richfaces.ToolBarGroup |
| renderer-type | org.richfaces.ToolBarGroupRenderer |
| tag-class | org.richfaces.taglib.ToolBarGroupTag |

6.10.18.4. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...
<rich:toolBar>
  ...
  <rich:toolBarGroup>
    <!--Set of action or other JSF components-->
  </rich:toolBarGroup>
  <rich:toolBarGroup>
    <!--Set of action or other JSF components-->
  </rich:toolBarGroup>
  ...
</rich:toolBar>
...
```

6.10.18.5. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlToolBarGroup;
...
```

```
HtmlToolBarGroup myToolBarGroup = new HtmlToolBarGroup();
...
```

6.10.18.6. Details of Usage

A `ToolBarGroup` is a wrapper component that groups `ToolBar` content and facilitates creation of menu and tool bars. All components defined inside are located on a stylized bar with a possibility to group, arrange on the both bar sides, and place predefined separators between them.

Separators are located between components with the help of the `itemSeparator` attribute with four predefined values:

- "none"
- "line"
- "square"
- "disc"

To control the group location inside, use the `location` attribute with "left" (DEFAULT) and "right" values.

Example:

```
...
<rich:toolbar itemSeparator="disc" width="500">
  <rich:toolbarGroup itemSeparator="line">
    <h:commandLink value="Command 1.1"/>
    <h:commandLink value="Command 2.1"/>
  </rich:toolbarGroup>
  <rich:toolbarGroup itemSeparator="line" location="right">
    <h:commandLink value="Command 1.2"/>
    <h:commandLink value="Command 2.2"/>
  </rich:toolbarGroup>
</rich:toolbar>
...
```

The code result is the following:



Figure 6.203. Stylized `<rich:toolbarGroup>` with `"location"`, `"itemSeparator"` attributes

6.10.18.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all **<rich:toolBarGroup>** components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a **<rich:toolBarGroup>** component

6.10.18.8. Definition of Custom Style Classes

It's possible to change styles of particular **<rich:toolBarGroup>** component. In this case you should create own style classes and use them in corresponding **<rich:toolBarGroup>** *styleClass* attributes. An example is placed below:

Example:

```
...  
.myClass{  
    font-style: italic;  
}  
...
```

The *"styleClass"* attribute for **<rich:toolBarGroup>** is defined as it's shown in the example below:

Example:

```
<rich:toolBarGroup ... styleClass="myClass"/>
```

This is a result:



Group1.1 Group1.2 Group1.3 Group2.1 Group2.2 Group3.1 Group3.2

Figure 6.204. Redefinition styles with own classes and *"styleClass"* attributes

As it could be seen on the picture above,font style for first toolBarGroup was changed.

6.10.18.9. Relevant resources links

Some additional information about usage of component can be found [on the component Live Demo page](http://livedemo.exadel.com/richfaces-demo/richfaces/toolBar.jsf?c=toolBar) [http://livedemo.exadel.com/richfaces-demo/richfaces/toolBar.jsf?c=toolBar].

6.10.19. <rich:toolTip> available since 3.1.0

3.1.0

6.10.19.1. Description

The <rich:toolTip> component is used for creation of event-triggered non modal popup, that contains information regarding the page element, that event was applied to.



Figure 6.205. <rich:toolTip> component

6.10.19.2. Key Features

- Highly customizable look and feel
- Different ways of data loading to toolTip
- Disablement support

Table 6.311. rich : toolTip attributes

| Attribute Name | Description |
|----------------|--|
| action | MethodBinding pointing at the application action to be invoked, if this UIComponent is activated by you, during the Apply Request Values or Invoke Application phase of the request processing lifecycle, depending on the value of the immediate property |
| actionListener | MethodBinding pointing at method accepting an ActionEvent with return type void |
| ajaxSingle | boolean attribute which provides possibility to limit JSF tree processing(decoding, conversion/validation, value applying) to the component which sends the request only. Default value is "true" |
| attached | If the value of the "attached" attribute is "true", a component is attached to the parent component; if "false", component does not listen to activating browser events, but could be activated externally. Default value is "true" |

| Attribute Name | Description |
|------------------|---|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| direction | Defines direction of the popup list to appear. Possible values are "top-right", "top-left", "bottom-right", "bottom-left", "auto". Default value is "bottom-right" |
| disabled | HTML: If false the components is rendered on the client but JavaScript for calling disabled. Default value is "false" |
| event | DEPRECATED. Use showEvent instead. Default value is "mouseover" |
| followMouse | If "true" tooltip should follow the mouse while it moves over the parent element. Default value is "false" |
| for | Id of the target component |
| hideDelay | Delay in milliseconds before tooltip will be hidden. Default value is "0" |
| hideEvent | Event that triggers the tooltip disappearance. Default value is "none" (so, the component does not disappears) |
| horizontalOffset | Sets the horizontal offset between pop-up list and mouse pointer. Default value is "10" |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| immediate | True means, that the default ActionListener should be executed immediately (i.e. during Apply Request Values phase of the request processing lifecycle), rather than waiting until the Invoke Application phase |
| layout | Block/inline mode flag. Possible value are: "inline" or "block". Default value is "inline". Tooltip will contain div/span elements respectively |
| mode | Controls the way of data loading to a tooltip. May have following values: "client" (default) and "ajax" |
| onclick | DHTML: The client-side script method to be called when the tooltip is clicked |

| Attribute Name | Description |
|----------------|--|
| oncomplete | The client-side script method to be called after the tooltip is shown |
| ondblclick | DHTML: The client-side script method to be called when the tooltip is double-clicked |
| onhide | The client-side script method to be called after the tooltip is hidden |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| onshow | The client-side script method to be called before the tooltip is shown |
| rendered | JSF: If "false", this component is not rendered |
| showDelay | Delay in milliseconds before tooltip will be displayed. Default value is "0" |
| showEvent | Event that triggers the tooltip. Default value is "onmouseover" |
| style | HTML: CSS style rules to be applied to the component |

| Attribute Name | Description |
|----------------|---|
| styleClass | JSF: Assigns one or more space-separated CSS class names to the component. Corresponds to the HTML "class" attribute. |
| value | JSF: The current value for this component |
| verticalOffset | Sets the vertical offset between pop-up list and mouse pointer. Default value is "10" |
| zorder | The same as CSS z-index for toolTip. Default value is "99" |

Table 6.312. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.component.toolTip |
| component-class | org.richfaces.component.html.HtmlToolTip |
| component-family | org.richfaces.component.toolTip |
| renderer-type | org.richfaces.renderkit.html.toolTipRenderer |
| tag-class | org.richfaces.taglib.HtmlToolTipTag |

6.10.19.3. Creating the Component with a Page Tag

The simplest way to create the `<rich:toolTip>` component on a page is as following:

```
...  
<rich:panel>  
  <rich:toolTip value="Hello, I am the content of this tooltip!"/>  
</rich:panel>  
...
```

6.10.19.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlToolTip;  
...  
HtmlToolTip mytoolTip = new HtmlToolTip();  
...
```

6.10.19.5. Details of Usage

Text information, labeled on the `<rich:toolTip>`, is specified with `"value"` attribute. Text that is put between tooltip start and end tags will also be rendered as tooltip content and could be marked with HTML tags. Images, links, buttons and other RichFaces components are also may be put and composed inside the `<rich:toolTip>`. The `<rich:toolTip>` borders are stretched automatically to enclose the contents.

There are three ways to attach the `<rich:toolTip>` to a page element. The first and simplest one is when the `<rich:toolTip>` is nested into a page element the tooltip is applied to. This way is shown on example in the [Creating the Component with a Page Tag](#) section. The `"attached"` attribute is `"true"` by default in this case, which means that the tooltip will be invoked automatically when the mouse cursor is hovered above the parent component.

The second one uses `<rich:toolTip>` `"for"` attribute. In this case the `<rich:toolTip>` is defined separately from a component it is applied to.

Example:

```
<rich:panel id="panelId">
...
</rich:panel>
<rich:toolTip value="This is a tooltip." for="panelId"/>
```

These two ways are also applicable for HTML elements that are not presented in components tree built by facelets. Use `"for"` attribute to attach the `<rich:toolTip>` in both cases.

Example:

```
<!-- The <rich:toolTip> is nested into the parent HTML element -->
<div id="para1">
  <p>This paragraph and tooltip are nested into the same <div> element.</p>
  <rich:toolTip for="para1">This is a tooltip.</rich:toolTip>
</div>

<!-- The <rich:toolTip> is defined separately -->
<div id="para2">
  <p>The tooltip for this paragraph is defined separately.</p>
</div>
<rich:toolTip for="para2">This is a tooltip.</rich:toolTip>
```

The third way to invoke the `<rich:toolTip>` uses JS API function. List of JS API functions available for `<rich:toolTip>` is listed [below](#). JS API functions are defined for a component the

<rich:toolTip> is applied to. The <rich:toolTip> *attached* attribute should be set to "false" in this case.

Example:

```
<rich:panel id="panellid" onclick="#{rich:component("tooltipld").show(event);" />
<a4j:form>
  <rich:toolTip id="tooltipld" attached="false" value="This is a tooltip." />
</a4j:form>
```

Notes:

To provide <rich:toolTip> component proper work in complex cases do the following:

- specify *id's* for both <rich:toolTip> and component it is applied to;
- define the <rich:toolTip> as last child, when nesting it into the component the <rich:toolTip> is applied to;
- put the <rich:toolTip> into <a4j:form> when invoking it with JS API function.

The *mode* attribute is provided you to control the way of data loading to <rich:toolTip> . The component works properly in client and Ajax modes. In client mode <rich:toolTip> content is rendered once on the server and could be rerendered only via external submit. In Ajax mode <rich:toolTip> content is requested from server for every activation. For Ajax mode there is possibility to define a facet *defaultContent* , which provides default <rich:toolTip> content to be displayed, while main content is loading into the <rich:toolTip> (see the example below).

Example:

```
...
<h:commandLink value="Simple Link" id="link">
  <rich:toolTip followMouse="true" direction="top-
right" mode="ajax" value="#{bean.toolTipContent}" horizontalOffset="5"
verticalOffset="5" layout="block">
  <f:facet name="defaultContent">
    <f:verbatim>DEFAULT TOOLTIP CONTENT</f:verbatim>
  </f:facet>
</rich:toolTip>
</h:commandLink>
...
```

This is the result:



Figure 6.206. `<rich:toolTip>` component with default content

And after `<rich:toolTip>` loaded it is changed to next one:



Figure 6.207. `<rich:toolTip>` component with loaded content

`<rich:toolTip>` appears attached to the corner dependent on the *"direction"* attribute. By default it is positioned bottom-right. `<rich:toolTip>` activation occurs after an event, defined on the parent component, takes into consideration the *"delay"* attribute or after calling JS API function `show()`. *"hideEvent"* attribute defines the way how `<rich:toolTip>` disappears. Its default value is *"none"*, so the `<rich:toolTip>` does not disappear. Deactivation may be set for example on *mouseout* event on the parent component (excepting the situation when the mouse is hovered onto the `<rich:toolTip>` itself) or after calling JS API function `hide()`.

By default, `<rich:toolTip>` appears smart positioned. But as you can see from the previous example, you can define an appearance direction via the corresponding attribute *"direction"*. And also it's possible to define vertical and horizontal offsets relatively to a mouse position.

Disabled `<rich:toolTip>` is rendered to a page as usual but JS that responds for its activation is disabled until `enable()` is called.

Moreover, to add some JavaScript effects, client events defined on it are used:

Standart:

- *"onclick"*
- *"ondblclick"*
- *"onmouseout"*
- *"onmousemove"*
- *"onmouseover"*

Special:

- "onshow" - Called after the tooltip is called (some element hovered) but before its request
- "oncomplete" - Called just after the tooltip is shown
- "onhide" - Called after the tooltip is hidden

6.10.19.6. JavaScript API

Table 6.313. JavaScript API

| Function | Description |
|-----------|------------------------------------|
| show() | Shows the corresponding toolTip |
| hide() | Hides the corresponding toolTip |
| enable() | Enables the corresponding toolTip |
| disable() | Disables the corresponding toolTip |

6.10.19.7. Facets

Table 6.314. Facets

| Facet name | Description |
|----------------|---|
| defaultContent | Defines the default content for toolTip. It is used only if mode = "ajax" |

6.10.19.8. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all **<rich:toolTip>** components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a **<rich:toolTip>** component

6.10.19.9. Skin Parameters Redefinition

Table 6.315. Skin parameters redefinition for a component

| Skin parameters | CSS properties |
|--------------------|------------------|
| tipBackgroundColor | background-color |
| tipBorderColor | border-color |
| generalSizeFont | font-size |
| generalFamilyFont | font-family |

| Skin parameters | CSS properties |
|------------------|----------------|
| generalFontColor | color |

6.10.19.10. Definition of Custom Style Classes

Table 6.316. Classes names that define a component appearance

| Class name | Description |
|---------------|---|
| rich-tool-tip | Defines styles for a wrapper <code></code> or <code><div></code> element of a tooltip |

It depends on `<rich:toolTip>` layout what a wrapper element `` or `<div>` to choose.

In order to redefine styles for all `<rich:toolTip>` components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the table [above](#)) and define necessary properties in them. An example is placed below:

Example:

```
...
.rich-tool-tip{
  background-color: #eef2f8;
  border-color: #7196c8;
}
...
```

This is a result:



Figure 6.208. Redefinition styles with predefined classes

In the example a tool tip background color, border color and font style were changed.

Also it's possible to change styles of particular `<rich:toolTip>` component. In this case you should create own style classes and use them in corresponding `<rich:toolTip>` `styleClass` attributes. An example is placed below:

Example:

```
...
```

```
.myClass{
  font-style: italic;
}
...
```

The `styleClass` attribute for `<rich:toolTip>` is defined as it's shown in the example below:

Example:

```
<rich:toolTip ... styleClass="myClass"/>
```

This is a result:



Figure 6.209. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, background color and border color of tool tip were changed.

6.10.19.11. Relevant Resources Links

On the component [LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/toolTip.jsf?c=toolTip) [http://livedemo.exadel.com/richfaces-demo/richfaces/toolTip.jsf?c=toolTip] you can see the example of `<rich:toolTip>` usage and sources for the given example.

6.11. Rich Input

In this section you will find the components that help you deal with various kinds of user inputs from picking a date, WYSIWYG text editing to uploading a file.

6.11.1. `< rich:calendar >` available since 3.1.0

3.1.0

6.11.1.1. Description

The `<rich:calendar>` component is used for creating inputs for dates enriched with interactive calendar that allows navigate through monthes and years.



Figure 6.210. <rich:calendar> component

6.11.1.2. Key Features

- Highly customizable look and feel
- Popup representation
- Disablement support
- Smart and user-defined positioning
- Cells customization
- Macro substitution based on tool bars customization

Table 6.317. rich : calendar attributes

| Attribute Name | Description |
|-------------------|--|
| ajaxSingle | boolean attribute which provides possibility to limit JSF tree processing(decoding, conversion/validation, value applying) to the component which send the request only. Default value is "true" |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| boundaryDatesMode | This attribute is responsible for behaviour of dates from the previous and next months which are displayed in the current month. Valid values |

| Attribute Name | Description |
|---------------------------|--|
| | are "inactive" (Default) dates inactive and gray colored, "scroll" boundaries work as month scrolling controls, and "select" boundaries work in the same way as "scroll" but with the date clicked selection. Default value is "inactive". |
| buttonClass | Assigns one or more space-separated CSS class names to the component popup button |
| buttonIcon | Defines icon for the popup button element. The attribute is ignored if the "buttonLabel" is set |
| buttonIconDisabled | Defines disabled icon for the popup button element. The attribute is ignored if the "buttonLabel" is set |
| buttonLabel | Defines label for the popup button element. If the attribute is set "buttonIcon" and "buttonIconDisabled" are ignored |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| cellHeight | attribute to set fixed cells height |
| cellWidth | attribute to set fixed cells width |
| converter | JSF: Id of Converter to be used or reference to a Converter |
| converterMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the converter message, replacing any message that comes from the converter |
| currentDate | Defines current date |
| currentDateChangeListener | MethodExpression representing an action listener method that will be notified after date selection |
| dataModel | Used to provide data for calendar elements. If data is not provided, all Data Model related functions are disabled |
| datePattern | Defines date pattern. Default value is "MMM d, yyyy". |
| dayStyleClass | Should be binded to some JS function that will provide style classes for special sets of days highlighting |

| Attribute Name | Description |
|--------------------|--|
| defaultTime | Defines time that will be used: 1) to set time when the value is empty 2) to set time when date changes and flag "resetTimeOnDateSelect" is true. Default value is "getDefaultValueOfDefaultTime()" |
| direction | Defines direction of the calendar popup ("top-left", "top-right", "bottom-left", "bottom-right" (Default), "auto"). Default value is "bottom-right". |
| disabled | HTML: If "true", rendered is disabled. In "popup" mode both controls are disabled. Default value is "false". |
| enableManualInput | If "true" calendar input will be editable and it will be possible to change the date manually. If "false" value for this attribute makes a text field "read-only", so the value can be changed only from a handle. Default value is "false". |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of requests of frequently events (key press, mouse move etc.) |
| firstWeekDay | Gets what the first day of the week is; e.g., SUNDAY in the U.S., MONDAY in France. Default value is "getDefaultFirstWeekDay()". Possible values should be integers from 0 to 6, 0 corresponds to Sunday |
| focus | ID of an element to set focus after request is completed on client side |
| horizontalOffset | Sets the horizontal offset between button and calendar element conjunction point. Default value is "0". |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates |

| Attribute Name | Description |
|--------------------|---|
| | on the client side if the response isn't actual now |
| immediate | A flag indicating that this component value must be converted and validated immediately (that is, during Apply Request Values phase), rather than waiting until a Process Validations phase |
| inputClass | Assigns one or more space-separated CSS class names to the component input field |
| inputSize | Defines the size of an input field. Similar to the "size" attribute of <h:inputText/> |
| inputStyle | CSS style rules to be applied to the component input field |
| isDayEnabled | Should be binded to some JS function that returns day state |
| jointPoint | Set the corner of the button for the popup to be connected with (top-left, top-right, bottom-left (Default), bottom-right, auto). Default value is "bottom-left". |
| label | A localized user presentable name for this component. |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| locale | Used for locale definition. Default value is "getDefaultLocale()". |
| minDaysInFirstWeek | Gets what the minimal days required in the first week of the year are; e.g., if the first week is defined as one that contains the first day of the first month of a year, this method returns 1. If the minimal days required must be a full week, this method returns 7. Default value is "getDefaultMinDaysInFirstWeek()". |
| mode | Valid values: ajax or client. Default value is "client". |

| Attribute Name | Description |
|-----------------------|---|
| monthLabels | Attribute that allows to customize names of the months. Should accept list with the month names |
| monthLabelsShort | Attribute that allows to customize short names of the months. Should accept list with the month names |
| onbeforeDOMupdate | The client-side script method to be called before DOM is updated |
| onchanged | The client-side script method to be called when the date or time is changed and applied to input |
| oncollapse | The client-side script method to be called before the calendar popup is closed |
| oncomplete | The client-side script method to be called after the request is completed |
| oncurrentdateselect | The client-side script method to be called when the current month or year is changed |
| oncurrentdateselected | The client-side script method to be called after the current month or year is changed |
| ondatemouseout | The client-side script method to be called when a pointer is moved away from the date cell |
| ondatemouseover | The client-side script method to be called when a pointer is moved onto the date cell |
| ondateselect | The client-side script method to be called when some date cell is selected |
| ondateselected | The client-side script method to be called after some date cell is selected |
| onexpand | The client-side script method to be called before the calendar popup is opened |
| oninputblur | The client-side script method to be called when the input field loses the focus |
| oninputchange | The client-side script method to be called when the input field value is changed manually |
| oninputclick | The client-side script method to be called when the input field is clicked |
| oninputfocus | The client-side script method to be called when the input field gets the focus |
| oninputkeydown | The client-side script method to be called when a key is pressed down in the input field |

| Attribute Name | Description |
|-----------------------|--|
| oninputkeypress | The client-side script method to be called when a key is pressed and released in the input field |
| oninputkeyup | The client-side script method to be called when a key is released in the input field |
| oninputmouseout | The client-side script method to be called when a pointer is moved away from the input field |
| oninputmouseover | The client-side script method to be called when a pointer is moved onto the input field |
| oninputselect | The client-side script method to be called when the input field value is selected |
| ontimeselect | The client-side script method to be called before new time is selected |
| ontimeselected | The client-side script method to be called after time is selected |
| popup | If "true", the calendar will be rendered initially as hidden with additional elements for calling as popup. Default value is "true". |
| preloadDateRangeBegin | Define the initial range of date which will be loaded to client from dataModel under rendering. Default value is "getDefaultPreloadBegin(getCurrentDateOrDefault())". |
| preloadDateRangeEnd | Defines the last range of date which will be loaded to client from dataModel under rendering. Default value is "getDefaultPreloadEnd(getCurrentDateOrDefault())". |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code>) of components, processed at the phases 2-5 in case of <code>AjaxRequest</code> caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| readonly | HTML: If "true". Date and time are not selectable. In "popup" mode input is disabled and button is enabled. Default value is "false". |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the |

| Attribute Name | Description |
|-----------------------|--|
| | request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| required | JSF: If "true", this component is checked for non-empty input |
| requiredMessage | A ValueExpression enabled attribute which defines text of validation message to show, if a required field is missing |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, rendered in case of AjaxRequest caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| resetTimeOnDateSelect | If value is true then calendar should change time to defaultTime for newly-selected dates. Default value is "false" |
| showApplyButton | If false ApplyButton should not be shown. Default value is "false". |
| showFooter | If false Calendar's footer should not be shown. Default value is "true". |
| showHeader | If false Calendar's header should not be shown. Default value is "true". |
| showInput | "false" value for this attribute makes text field invisible. It works only if popupMode="true" If showInput is "true" - input field will be shown. Default value is "true". |
| showWeekDaysBar | If false this bar should not be shown. Default value is "true". |
| showWeeksBar | If false this bar should not be shown. Default value is "true". |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code> of Request status component |
| style | HTML: CSS style rules to be applied to the component |

| Attribute Name | Description |
|---------------------|--|
| styleClass | JSF: Assigns one or more space-separated CSS class names to the component. Corresponds to the HTML "class" attribute. |
| tabindex | HTML: This attribute specifies the position of the current element in the tabbing order for the current document. This value must be a number between 0 and 32767. User agents should ignore leading zeros |
| timeout | Response waiting time on a particular request. If a response is not received during this time, the request is aborted |
| timeZone | Used for current date calculations. Default value is "getDefaultTimeZone()". |
| todayControlMode | This attribute defines the mode for "today" control. Possible values are "scroll", "select", "hidden". Default value is "select". |
| validator | JSF: MethodBinding pointing at a method that is called during Process Validations phase of the request processing lifecycle, to validate the current value of this component |
| validatorMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the validator message, replacing any message that comes from the validator |
| value | JSF: The current value of this component |
| valueChangeListener | JSF: Listener for value changes |
| verticalOffset | Sets the vertical offset between button and calendar element conjunction point. Default value is "0". |
| weekDayLabels | List of the day names displays on the days bar in the following way "Sun, Mon, Tue, Wed, " |
| weekDayLabelsShort | Attribute that allows to customize short names of the weeks. Should accept list with the weeks names. |
| zindex | Attribute is similar to the standard HTML attribute and can specify window placement relative to the content. Default value is "3". |

Table 6.318. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.Calendar |
| component-class | org.richfaces.component.html.HtmlCalendar |
| component-family | org.richfaces.Calendar |
| renderer-type | org.richfaces.CalendarRenderer |
| tag-class | org.richfaces.taglib.CalendarTag |

6.11.1.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

```
...  
<rich:calendar popup="false"/>  
...
```

6.11.1.4. Creating the Component Dynamically Using Java

```
import org.richfaces.component.html.HtmlCalendar;  
...  
HtmlCalendar myCalendar = new HtmlCalendar();  
...
```

6.11.1.5. Details of Usage

The *popup* attribute defines calendar representation mode on a page. If it's "true" the calendar is represented on a page as an input field and a button. Clicking on the button calls the calendar popup as it's shown on the picture below. For popup rendering a "lazy" loading is implemented: after the request is completed a client side script method builds the popup. Such improvement speeds up page loading time.



Figure 6.211. Using the "popup" attribute: calendar calls after you click on the button.

Usage "currentDate" attribute isn't available in the popup mode.

With help of the "currentDate" attribute you can define month and year which will be displayed currently.

The "value" attribute stores selected date currently.

The difference between the value and currentDate attributes

The "todayControlMode" attribute defines the mode for "today" control. Possible values are:

- "hidden" - in this mode "Today" button will not be displayed
- "select" - (default) in this state "Today" button activation will scroll the calendar to the current date and it become selected date
- "scroll" - in this mode "Today" activation will simply scroll the calendar to current month without changing selected day.

With the help of the "readonly" attribute you can make date, time and input field unavailable, but you can look through the next/previous month or the next/previous year.

In order to disable the component, use the "disabled" attribute. With its help both controls are disabled in the "popup" mode.




Figure 6.212. Using the "disabled" attribute.

The `<rich:calendar>` component can render pages of days in two modes. A mode could be defined with the `mode` attribute with two possible parameters: `ajax` and `client`. Default value is `client`.

- Ajax

Calendar requests portions of data from Data Model for a page rendering. If `dataModel` attribute has `null` value, data requests are not sent. In this case the `ajax` mode is equal to the `client`.

- Client

Calendar loads an initial portion of data in a specified range and use this data to render months. Additional data requests are not sent.

Note:

`preloadDateRangeBegin` and `preloadDateRangeEnd` attributes were designed only for the `client` mode to load some data initially.

`ondateselect` attribute is used to define an event that is triggered before date selection.

The `ondateselected` attribute is used to define an event that is triggered after date selection.

For example, to fire some event after date selection you should use `<a4j:support>`. And it should be bound to `ondateselected` event as it's shown in the example below:

```
...
<rich:calendar id="date" value="#{bean.dateTest}">
  <a4j:support event="ondateselected" reRender="mainTable"/>
</rich:calendar>
...
```

Note:

When a timePicker was fulfilled, the `ondateselected` attribute does not allow you to submit a selected date. It happens because this event rose when the date is selected but the input hasn't been updated with new value yet.

`ondateselect` could be used for possibility of date selection canceling. See an example below:

```
...
```

```
<rich:calendar id="date" value="#{bean.dateTest}" ondateselect="if (!confirm('Are you sure to change date?')){return false;}/>
```

...

"*oncurrentdateselected*" event is fired when the "next/previous month" or "next/previous year" button is pressed, and the value is applied.

"*oncurrentdateselect*" event is fired when the "next/previous month" or "next/previous year" button is pressed, but the value is not applied yet (you can change the logic of applying the value). Also this event could be used for possibility of "next/previous month" or "next/previous year" selection canceling. See an example below:

Example:

```
...  
<rich:calendar id="date" value="#{bean.dateTest}" oncurrentdateselect="if (!confirm('Are you sure to change month(year)?')){return false;}"  
    oncurrentdateselected="alert('month(year) select:'+event.rich.date.toString());"/>  
...
```

How to use these attributes see also on the [RichFaces Users Forum](http://www.jboss.com/index.html?module=bb&op=viewtopic&p=4092275#4092275) [http://www.jboss.com/index.html?module=bb&op=viewtopic&p=4092275#4092275].

Information about the "*process*" attribute usage you can find [in the corresponding section](#) .

There are three button-related attributes:

- "*buttonLabel*" defines a label for the button. If the attribute is set "*buttonIcon*" and "*buttonIconDisabled*" are ignored
- "*buttonIcon*" defines an icon for the button
- "*buttonIconDisabled*" defines an icon for the disabled state of the button

The "*direction*" and "*jointPoint*" attributes are used for defining aspects of calendar appearance.

The possible values for the "*direction*" are:

- "top-left" - a calendar drops to the top and left
- "top-right" - a calendar drops to the top and right
- "bottom-left" - a calendar drops to the bottom and left
- "bottom-right" - a calendar drops to the bottom and right

- "auto" - smart positioning activation

By default, the *"direction"* attribute is set to "bottom-right".

The possible values for the *"jointPoint"* are:

- "top-left" - a calendar docked to the top-left point of the button element
- "top-right" - a calendar docked to the top-right point of the button element
- "bottom-left" - a calendar docked to the bottom-left point of the button element
- "bottom-right" - a calendar docked to the bottom-right point of the button element
- "auto" - smart positioning activation

By default, the *"jointPoint"* attribute is set to "bottom-left".

The *"label"* attribute is a generic attribute. The *"label"* attribute provides an association between a component, and the message that the component (indirectly) produced. This attribute defines the parameters of localized error and informational messages that occur as a result of conversion, validation, or other application actions during the request processing lifecycle. With the help of this attribute you can replace the last parameter substitution token shown in the messages. For example, {1} for "DoubleRangeValidator.MAXIMUM", {2} for "ShortConverter.SHORT".

The *"defaultTime"* attribute to set the default time value for the current date in two cases:

- If time is not set
- If another date is selected and the value of the *"resetTimeOnDateSelect"* attribute is set to "true"

The *"enableManualInput"* attribute enables/disables input field, so when `enableManualInput = "false"`, user can only pick the date manually and has no possibility to type in the date (default value is "false").

The `<rich:calendar>` component allows to use *"header"*, *"footer"*, *"optionalHeader"*, *"optionalFooter"* facets. The following elements are available in these facets: {currentMonthControl}, {nextMonthControl}, {nextYearControl}, {previousYearControl}, {previousMonthControl}, {todayControl}, {selectedDateControl}. These elements could be used for labels output.

Also you can use *"weekNumber"* facet with available {weekNumber}, {elementId} elements and *"weekDay"* facet with {weekDayLabel}, {weekDayLabelShort}, {weekDayNumber}, {isWeekend}, {elementId} elements. {weekNumber}, {weekDayLabel}, {weekDayLabelShort}, {weekDayNumber} elements could be used for labels output, {isWeekend}, {elementId} - for additional processing in JavaScript code.

These elements are shown on the picture below.



Figure 6.213. Available elements

Simple example of usage is placed below.

Example:

```
...
<!-- Styles for cells -->
<style>
  .width100{
    width:100%;
  }
  .talign{
    text-align:center;
  }
</style>
...
```

```
...
<rich:calendar id="myCalendar" popup="true" locale="#{calendarBean.locale}" value="#{bean.date}"
  preloadRangeBegin="#{bean.date}" preloadRangeEnd="#{bean.date}" cellWidth="40px" cellH...

<!-- Customization with usage of facets and accessible elements -->
<f:facet name="header">
  <h:panelGrid columns="2" width="100%" columnClasses="width100, fake">
```

```
<h:outputText value="{selectedDateControl}" />
<h:outputText value="{todayControl}" style="font-weight:bold; text-align:left"/>
</h:panelGrid>
</f:facet>
<f:facet name="weekDay">
  <h:panelGroup style="width:60px; overflow:hidden;" layout="block">
    <h:outputText value="{weekDayLabelShort}"/>
  </h:panelGroup>
</f:facet>
<f:facet name="weekNumber">
  <h:panelGroup>
    <h:outputText value="{weekNumber}" style="color:red"/>
  </h:panelGroup>
</f:facet>
<f:facet name="footer">
  <h:panelGrid columns="3" width="100%" columnClasses="fake, width100 talign">
    <h:outputText value="{previousMonthControl}" style="font-weight:bold;"/>
    <h:outputText value="{currentMonthControl}" style="font-weight:bold;"/>
    <h:outputText value="{nextMonthControl}" style="font-weight:bold;"/>
  </h:panelGrid>
</f:facet>
<h:outputText value="{day}"></h:outputText>
</rich:calendar>
...
```

This is a result:



Figure 6.214. Facets usage

As it's shown on the picture above `{selectedDateControl}`, `{todayControl}` elements are placed in the "header" facet, `{previousMonthControl}`, `{currentMonthControl}`, `{nextMonthControl}` - in the "footer" facet, `{weekDayLabelShort}` - in the "weekDay" facet, `{nextYearControl}`, `{previousYearControl}` are absent. Numbers of weeks are red colored.

It is possible to show and manage date. Except scrolling controls you can use quick month and year selection feature. It's necessary to click on its field, i.e. current month control, and choose required month and year.




Figure 6.215. Quick month and year selection

Also the `<rich:calendar>` component allows to show and manage time. It's necessary to define time in a pattern (for example, it could be defined as "d/M/yy HH:mm"). Then after you choose some data in the calendar, it becomes possible to manage time for this date. For time editing it's necessary to click on its field (see a picture below). To clean the field click on the "Clean".




Figure 6.216. Timing

It's possible to handle events for calendar from JavaScript code. A simplest example of usage JavaScript API is placed below:

Example:

```
...
<rich:calendar value="#{calendarBean.selectedDate}" id="calendarID"
```

```
locale="#{calendarBean.locale}"
popup="#{calendarBean.popup}"
datePattern="#{calendarBean.pattern}"
showApplyButton="#{calendarBean.showApply}" style="width:200px"/>
<a4j:commandLink onclick="$({'formID:calendarID').component.doExpand(event,value='Expand')/
>
...
```

Also the discussion about this problem can be found on the [RichFaces Users Forum](http://www.jboss.com/index.html?module=bb&op=viewtopic&p=4078301#4078301) [http://www.jboss.com/index.html?module=bb&op=viewtopic&p=4078301#4078301].

The **<rich:calendar>** component provides the possibility to use a special Data Model to define data for element rendering. Data Model includes two major interfaces:

- [CalendarDataModel](http://www.jboss.org/file-access/default/members/jbossrichfaces/freezezone/docs/apidoc_framework/org/richfaces/model/CalendarDataModel.html) [http://www.jboss.org/file-access/default/members/jbossrichfaces/freezezone/docs/apidoc_framework/org/richfaces/model/CalendarDataModel.html]
- [CalendarDataModelItem](http://www.jboss.org/file-access/default/members/jbossrichfaces/freezezone/docs/apidoc_framework/org/richfaces/model/CalendarDataModelItem.html) [http://www.jboss.org/file-access/default/members/jbossrichfaces/freezezone/docs/apidoc_framework/org/richfaces/model/CalendarDataModelItem.html]

CalendarDataModel provides the following function:

- CalendarDataModelItem[] getData(Date[]);

This method is called when it's necessary to represent the next block of CalendarDataModelItem. It happens during navigation to the next (previous) month or in any other case when calendar renders. This method is called in "Ajax" mode when the calendar renders a new page.

CalendarDataModelItem provides the following function:

- Date getDate() - returns date from the item. Default implementation returns date.
- Boolean isEnabled() - returns "true" if date is "selectable" on the calendar. Default implementation returns "true".
- String getStyleClass() - returns string appended to the style class for the date span. For example it could be "relevant holyday". It means that the class could be defined like the "rich-cal-day-relevant-holyday" one. Default implementation returns empty string.
- Object getData() - returns any additional payload that must be JSON-serializable object. It could be used in the custom date representation on the calendar (inside the custom facet).

The **<rich:calendar>** component provides the possibility to use internationalization method to redefine and localize the labels. You could use application resource bundle and define RICH_CALENDAR_APPLY_LABEL, RICH_CALENDAR_TODAY_LABEL, RICH_CALENDAR_CLOSE_LABEL, RICH_CALENDAR_OK_LABEL, RICH_CALENDAR_CLEAN_LABEL, RICH_CALENDAR_CANCEL_LABEL there.

You could also pack `org.richfaces.renderkit.calendar` [resource](http://labs.jboss.com/file-access/default/members/jbossrichfaces/freezone/docs/apidoc/org/richfaces/renderkit/CalendarRendererBase.html#CALENDAR_BUNDLE) [http://labs.jboss.com/file-access/default/members/jbossrichfaces/freezone/docs/apidoc/org/richfaces/renderkit/CalendarRendererBase.html#CALENDAR_BUNDLE] bundle with your JARs defining the same properties.

Note:

Only for Internet Explorer 6 and later. To make `<rich:calendar>` inside `<rich:modalPanel>` rendered properly, enable the standards-compliant mode. Explore [!DOCTYPE reference at MSDN](http://msdn.microsoft.com/en-us/library/ms535242(VS.85).aspx) [http://msdn.microsoft.com/en-us/library/ms535242(VS.85).aspx] to find out how to do this.

6.11.1.6. JavaScript API

Table 6.319. JavaScript API

| Function | Description |
|-----------------------------------|---|
| <code>selectDate(date)</code> | Selects the date specified. If the date isn't in current month - performs request to select |
| <code>isDateEnabled(date)</code> | Checks if given date is selectable (to be implemented) |
| <code>enableDate(date)</code> | Enables date cell control on the calendar (to be implemented) |
| <code>disableDate(date)</code> | Disables date cell control on the calendar (to be implemented) |
| <code>enableDates(date[])</code> | Enables dates cell controls set on the calendar (to be implemented) |
| <code>disableDates(date[])</code> | Disables dates cell controls set on the calendar (to be implemented) |
| <code>nextMonth()</code> | Navigates to next month |
| <code>nextYear()</code> | Navigates to next year |
| <code>prevMonth()</code> | Navigates to previous month |
| <code>prevYear()</code> | Navigates to previous year |
| <code>today()</code> | Selects today date |
| <code>getSelectedDate()</code> | Returns currently selected date |
| <code>Object getData()</code> | Returns additional data for the date |
| <code>getCurrentMonth()</code> | Returns number of the month currently being viewed |
| <code>getCurrentYear()</code> | Returns number of the year currently being viewed |

| Function | Description |
|---------------------|--|
| doCollapse() | Collapses calendar element |
| doExpand() | Expands calendar element |
| resetSelectedDate() | Clears a selected day value |
| doSwitch() | Inverts a state for the popup calendar |

6.11.1.7. Facets

Table 6.320. Facets

| Facet | Description |
|----------------|---|
| header | Redefines calendar header. Related attribute is "showHeader" |
| footer | Redefines calendar footer. Related attribute is "showFooter" |
| optionalHeader | Defines calendar's optional header |
| optionalFooter | Defines calendar's optional footer |
| weekNumber | Redefines week number |
| weekDay | Redefines names of the week days. Related attributes are "weekDayLabels" and "weekDayLabelsShort" |

6.11.1.8. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all **<rich:calendar>** components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a **<rich:calendar>** component

6.11.1.9. Skin Parameters Redefinition

Table 6.321. Skin parameters redefinition for a popup element

| Skin parameters | CSS properties |
|------------------|----------------|
| panelBorderColor | border-color |

Table 6.322. Skin parameters redefinition for headers (header, optional header)

| Skin parameters | CSS properties |
|---------------------------|---------------------|
| panelBorderColor | border-bottom-color |
| additionalBackgroundColor | background-color |
| generalSizeFont | font-size |
| generalFamilyFont | font-family |

Table 6.323. Skin parameters redefinition for footers (footer, optional footer) and names of working days

| Skin parameters | CSS properties |
|---------------------------|--------------------|
| panelBorderColor | border-top-color |
| panelBorderColor | border-right-color |
| additionalBackgroundColor | background |
| generalSizeFont | font-size |
| generalFamilyFont | font-family |

Table 6.324. Skin parameters redefinition for weeks numbers

| Skin parameters | CSS properties |
|-----------------------------|---------------------|
| panelBorderColor | border-bottom-color |
| panelBorderColor | border-right-color |
| additionalBackgroundColor | background |
| calendarWeekBackgroundColor | background-color |
| generalSizeFont | font-size |
| generalFamilyFont | font-family |

Table 6.325. Skin parameters redefinition for a toolBar and names of months

| Skin parameters | CSS properties |
|-----------------------|------------------|
| headerBackgroundColor | background-color |
| headerSizeFont | font-size |
| headerFamilyFont | font-family |
| headerWeightFont | font-weight |
| headerTextColor | color |

Table 6.326. Skin parameters redefinition for cells with days

| Skin parameters | CSS properties |
|------------------------|---------------------|
| panelBorderColor | border-bottom-color |
| panelBorderColor | border-right-color |
| generalBackgroundColor | background-color |
| generalSizeFont | font-size |
| generalFamilyFont | font-family |

Table 6.327. Skin parameters redefinition for holiday

| Skin parameters | CSS properties |
|---------------------------------|------------------|
| calendarHolidaysBackgroundColor | background-color |
| calendarHolidaysTextColor | color |

Table 6.328. Skin parameters redefinition for cell with a current date

| Skin parameters | CSS properties |
|--------------------------------|------------------|
| calendarCurrentBackgroundColor | background-color |
| calendarCurrentTextColor | color |

Table 6.329. Skin parameters redefinition for a selected day

| Skin parameters | CSS properties |
|-----------------------|------------------|
| headerBackgroundColor | background-color |
| headerTextColor | color |
| headerWeightFont | font-weight |

Table 6.330. Skin parameters redefinition for a popup element during quick month and year selection

| Skin parameters | CSS properties |
|----------------------|----------------|
| tableBackgroundColor | background |
| panelBorderColor | border-color |

Table 6.331. Skin parameters redefinition for a shadow

| Skin parameters | CSS properties |
|-----------------------|------------------|
| shadowBackgroundColor | background-color |

Table 6.332. Skin parameters redefinition for a selected month and year

| Skin parameters | CSS properties |
|--------------------------------|------------------|
| calendarCurrentBackgroundColor | background-color |
| calendarCurrentTextColor | color |

Table 6.333. Skin parameters redefinition for a hovered month and year

| Skin parameters | CSS properties |
|-----------------------------|----------------|
| panelBorderColor | border-color |
| calendarSpecBackgroundColor | background |

Table 6.334. Skin parameters redefinition for a month items near split line

| Skin parameters | CSS properties |
|------------------|--------------------|
| panelBorderColor | border-right-color |

Table 6.335. Skin parameters redefinition for a hovered toolbar items

| Skin parameters | CSS properties |
|-----------------------------|---------------------|
| calendarWeekBackgroundColor | background-color |
| generalTextColor | color |
| tableBackgroundColor | border-color |
| panelBorderColor | border-right-color |
| panelBorderColor | border-bottom-color |

Table 6.336. Skin parameters redefinition for a pressed toolbar items

| Skin parameters | CSS properties |
|----------------------|---------------------|
| panelBorderColor | border-color |
| tableBackgroundColor | border-right-color |
| tableBackgroundColor | border-bottom-color |

Table 6.337. Skin parameters redefinition for "ok" and "cancel" buttons

| Skin parameters | CSS properties |
|---------------------------|------------------|
| additionalBackgroundColor | background |
| panelBorderColor | border-top-color |

Table 6.338. Skin parameters redefinition for a popup element during time selection

| Skin parameters | CSS properties |
|---------------------------|----------------|
| additionalBackgroundColor | background |
| panelBorderColor | border-color |

Table 6.339. Skin parameters redefinition for a wrapper <td> element for an input field

| Skin parameters | CSS properties |
|------------------------|---------------------|
| controlBackgroundColor | background-color |
| panelBorderColor | border-color |
| subBorderColor | border-bottom-color |
| subBorderColor | border-right-color |

Table 6.340. Skin parameters redefinition for an input field

| Skin parameters | CSS properties |
|------------------|----------------|
| buttonSizeFont | font-size |
| buttonFamilyFont | font-family |

Table 6.341. Skin parameters redefinition for a wrapper <td> element for spinner buttons

| Skin parameters | CSS properties |
|-----------------------|------------------|
| headerBackgroundColor | background-color |
| headerBackgroundColor | border-color |

6.11.1.10. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.217. Style classes




Figure 6.218. Style classes




Figure 6.219. Style classes




Figure 6.220. Style classes

Table 6.342. Classes names that define an input field and a button appearance

| Class name | Description |
|----------------------|-----------------------------------|
| rich-calendar-input | Defines styles for an input field |
| rich-calendar-button | Defines styles for a popup button |

Table 6.343. Classes names that define a days appearance

| Class name | Description |
|------------------------|--|
| rich-calendar-days | Defines styles for names of working days in a header |
| rich-calendar-weekends | Defines styles for names of weekend in a header |
| rich-calendar-week | Defines styles for weeks numbers |
| rich-calendar-today | Defines styles for cell with a current date |
| rich-calendar-cell | Defines styles for cells with days |
| rich-calendar-holly | Defines styles for holiday |
| rich-calendar-select | Defines styles for a selected day |
| rich-calendar-hover | Defines styles for a hovered day |

Table 6.344. Classes names that define a popup element

| Class name | Description |
|-------------------------------|--|
| rich-calendar-popup | Defines styles for a popup element |
| rich-calendar-exterior | Defines styles for a popup element exterior |
| rich-calendar-tool | Defines styles for toolbars |
| rich-calendar-month | Defines styles for names of months |
| rich-calendar-header-optional | Defines styles for an optional header |
| rich-calendar-footer-optional | Defines styles for an optional footer |
| rich-calendar-header | Defines styles for a header |
| rich-calendar-footer | Defines styles for a footer |
| rich-calendar-boundary-dates | Defines styles for an active boundary button |
| rich-calendar-btn | Defines styles for an inactive boundary date |
| rich-calendar-toolfooter | Defines styles for a today control date |

Table 6.345. Classes names that define a popup element during quick month and year selection

| Class name | Description |
|------------------------------------|---|
| rich-calendar-date-layout | Defines styles for a popup element during quick year selection |
| rich-calendar-editor-layout-shadow | Defines styles for a shadow |
| rich-calendar-editor-btn | Defines styles for an inactive boundary date |
| rich-calendar-date-layout-split | Defines styles for a wrapper <td> element for month items near split line |
| rich-calendar-editor-btn-selected | Defines styles for an selected boundary date |
| rich-calendar-editor-btn-over | Defines styles for a boundary date when pointer was moved onto |
| rich-calendar-editor-tool-over | Defines styles for a hovered toolbar items |
| rich-calendar-editor-tool-press | Defines styles for a pressed toolbar items |
| rich-calendar-date-layout-ok | Defines styles for a "ok" button |
| rich-calendar-date-layout-cancel | Defines styles for a "cancel" button |

Table 6.346. Classes names that define a popup element during time selection

| Class name | Description |
|---------------------------------------|--|
| rich-calendar-time-layout | Defines styles for a popup element during time selection |
| rich-calendar-editor-layout-shadow | Defines styles for a shadow |
| rich-calendar-time-layout-fields | Defines styles for a wrapper <td> element for input fields and buttons |
| rich-calendar-spinner-input-container | Defines styles for a wrapper <td> element for an input field |
| rich-calendar-spinner-input | Defines styles for an input field |
| rich-calendar-spinner-buttons | Defines styles for a wrapper <td> element for spinner buttons |
| rich-calendar-spinner-up | Defines styles for a "up" button |
| rich-calendar-spinner-down | Defines styles for a "down" button |
| rich-calendar-time-layout-ok | Defines styles for a "ok" button |
| rich-calendar-time-layout-cancel | Defines styles for a "cancel" button |

In order to redefine styles for all **<rich:calendar>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-calendar-today {  
    background-color: #FF0000;  
}  
...
```

This is a result:



Figure 6.221. Redefinition styles with predefined classes

In the example an active cell background color was changed.

Also it's possible to change styles of particular **<rich:calendar>** component. In this case you should create own style classes and use them in corresponding **<rich:calendar>** *styleClass* attributes. An example is placed below:

Example:

```
...  
.myFontClass{  
    font-style: italic;  
}  
...
```

The *"inputClass"* attribute for **<rich:calendar>** is defined as it's shown in the example below:

Example:

```
<rich:calendar ... inputClass="myFontClass"/>
```

This is a result:



Figure 6.222. Redefinition styles with own classes and *styleClass* attributes

As it could be seen on the picture above, the font style for output text was changed.

6.11.1.11. Relevant Resources Links

On the [component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/calendar.jsf?c=calendar) [http://livedemo.exadel.com/richfaces-demo/richfaces/calendar.jsf?c=calendar] you can see the example of `<rich:calendar>` usage and sources for the given example.

How to use JavaScript API see on the [RichFaces Users Forum](http://www.jboss.com/index.html?module=bb&op=viewtopic&p=4078301#4078301) [http://www.jboss.com/index.html?module=bb&op=viewtopic&p=4078301#4078301].

6.11.2. `< rich:colorPicker >` available since 3.3.1

3.3.1

6.11.2.1. Description

The `<rich:colorPicker>` component lets you visually choose a color or define it in hex, RGB, or HSB input fields.




Figure 6.223. Simple <rich:colorPicker> component

6.11.2.2. Key Features

- Possibility to get color in hex, or RGB color models
- Flat/inline representation
- Highly customizable look and feel

Table 6.347. rich : colorPicker attributes

| Attribute Name | Description |
|------------------|---|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| colorMode | Defines a color mode for the component input. Possible values are hex, rgb. |
| converter | JSF: Id of Converter to be used or reference to a Converter |
| converterMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the converter message, replacing any message that comes from the converter |
| flat | Defines whether the component will be rendered flat. |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| immediate | A flag indicating that this component value must be converted and validated immediately (that is, during Apply Request Values phase), rather than waiting until a Process Validations phase |

| Attribute Name | Description |
|----------------|--|
| inputSize | inputSize - way to set the size of the edit box |
| onbeforeshow | The client-side script method to be called before the component widget is opened |
| onchange | DHTML: The client-side script method to be called when the element value is changed |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onhide | The client-side script method to be called before the component widget is hidden |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| onselect | The client-side script method to be called when the color is selected |
| onshow | The client-side script method to be called when the component widget is displayed |
| rendered | JSF: If "false", this component is not rendered |

| Attribute Name | Description |
|---------------------|--|
| required | JSF: If "true", this component is checked for non-empty input |
| requiredMessage | A ValueExpression enabled attribute which defines text of validation message to show, if a required field is missing |
| showEvent | Defines the event that triggers the colorPicker. Default value is "onclick". |
| validator | JSF: MethodBinding pointing at a method that is called during Process Validations phase of the request processing lifecycle, to validate the current value of this component |
| validatorMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the validator message, replacing any message that comes from the validator |
| value | JSF: The current value of this component |
| valueChangeListener | JSF: Listener for value changes |

Table 6.348. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.ColorPicker |
| component-class | org.richfaces.component.html.HtmlColorPicker |
| component-family | org.richfaces.ColorPicker |
| renderer-type | org.richfaces.ColorPickerRenderer |
| tag-class | org.richfaces.taglib.ColorPickerTag |

6.11.2.3. Creating the Component with a Page Tag

Here is a simple example of how the component can be used on a page:

Example:

```
...  
<rich:colorPicker value="#{bean.color}" />  
...
```

6.11.2.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.colorPicker;
...
HtmlColorPicker myColorPicker = new ColorPicker();
...
```

6.11.2.5. Details of Usage

The `<rich:colorPicker>` component allows you easily select a color or define it in hex, RGB, or HSB input fields. There are two squares in the widget that help you to compare the currently selected color and the already selected color.

The `"value"` attribute stores the selected color.

The value of the `<rich:colorPicker>` component could be saved in hex or RGB color models. You can explicitly define a color model in the `"colorMode"` attribute.

Example:

```
...
<rich:colorPicker value="#{bean.color}" colorMode="rgb" />
...
```

This is the result:



Figure 6.224. Usage of the `"colorMode"` attribute.

The `<rich:colorPicker>` component has two representation states: flat and inline. With the help of the `"flat"` attribute you can define whether the component is rendered flat.

Example:

```
...
<rich:colorPicker value="#{bean.color}" flat="true" />
...
```

The component specific event handler *"onbeforeshow"* captures the event which occurs before the **<rich:colorPicker>** widget is opened. The *"onbeforeshow"* attribute could be used in order to cancel this event. See the example below:

```
...
<rich:colorPicker value="#{bean.color}" onbeforeshow="if (!confirm('Are you sure you want to
change a color?')){return false;}" />
...
```

The *"showEvent"* attribute defines the event that shows **<rich:colorPicker>** widget. The default value is "onclick".

The **<rich:colorPicker>** component allows to use the *"icon"* facet.

You can also customize **<rich:colorPicker>** rainbow slider ( ) with the help of the *"arrows"* facet.

```
...
<rich:colorPicker value="#{bean.color}">
  <f:facet name="icon">
    <h:graphicImage value="/pages/colorPicker_ico.png" />
  </f:facet>
  <f:facet name="arrows">
    <f:verbatim>
      <div style="width: 33px; height: 5px; border: 1px solid #bed6f8; background:none;" />
    </f:verbatim>
  </f:facet>
</rich:colorPicker>
...
```

This is the result:




Figure 6.225. Usage of the "icon", and "arrows" facets

6.11.2.6. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:colorPicker>` components at once:

- Redefine the corresponding skin parameters
- Add style classes used by a `<rich:colorPicker>` component to your style sheets

6.11.2.7. Skin Parameters Redefinition

Table 6.349. Skin parameters redefinition for the input field that contains selected color

| Skin parameters | CSS properties |
|-------------------|----------------|
| panelBorderColor | border-color |
| generalSizeFont | font-size |
| generalFamilyFont | font-family |

Table 6.350. Skin parameters redefinition for the wrapper `<div>` element of a widget

| Skin parameters | CSS properties |
|------------------------|------------------|
| panelBorderColor | border-color |
| generalBackgroundColor | background-color |
| generalFamilyFont | font-family |

Table 6.351. Skin parameters redefinition for the icon, color palette, current color, and new color

| Skin parameters | CSS properties |
|------------------|----------------|
| panelBorderColor | border-color |

Table 6.352. Skin parameters redefinition for the hex, RGB, and HSB input fields

| Skin parameters | CSS properties |
|------------------------|------------------|
| generalSizeFont | font-size |
| generalFamilyFont | font-family |
| generalTextColor | color |
| panelBorderColor | border-color |
| controlBackgroundColor | background-color |

Table 6.353. Skin parameters redefinition for the "Apply" and "Cancel" button

| Skin parameters | CSS properties |
|-----------------------|------------------|
| buttonFontSize | font-size |
| buttonFamilyFont | font-family |
| headerTextColor | color |
| headerBackgroundColor | border-color |
| panelBorderColor | border-color |
| generalSizeFont | font-size |
| generalFamilyFont | font-family |
| headerBackgroundColor | background-color |

6.11.2.8. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.226. Classes names

Table 6.354. Classes names for the representation of the input field and icon containing selected color

| Selector name | Description |
|------------------------------|---|
| .rich-colorpicker-span input | Defines styles for the input field that contains selected color |
| .rich-colorpicker-icon | Defines styles for the icon |

Table 6.355. Classes names for the widget

| Class name | Description |
|---------------------------------|--|
| .rich-colorpicker-ext | Defines styles for the wrapper <div> element of a widget |
| .rich-colorpicker-color | Defines styles for the color palette |
| .rich-colorpicker-current-color | Defines styles for the currently selected color |
| .rich-colorpicker-new-color | Defines styles for the already selected color |
| .rich-colorpicker-colors-input | Defines styles for the hex, RGB, and HSB input fields |

Table 6.356. Classes names for the buttons representation

| Class name | Description |
|--------------------------|--|
| .rich-colorpicker-submit | Defines styles for the "Apply" button |
| .rich-colorpicker-cancel | Defines styles for the "Cancel" button |

In order to redefine styles for all **<rich:colorPicker>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-colorPicker-ext{  
    background-color: #ecf4fe;  
}  
...
```

This is the result:




Figure 6.227. Redefinition styles with predefined classes

In the shown example the background color for the widget is changed.

6.11.2.9. Relevant Resources Links

On the component LiveDemo page [<http://livedemo.exadel.com/richfaces-demo/richfaces/colorPicker.jsf?c=colorPicker>] you can see the example of **<rich:colorPicker>** component usage and sources for the given example.

6.11.3. < rich:comboBox > available since 3.2.0

3.2.0

6.11.3.1. Description

The **<rich:comboBox>** is a component creates combobox element with built-in Ajax capability.



Figure 6.228. <rich:comboBox> component

6.11.3.2. Key Features

- Client-side suggestions
- Browser like selection
- Smart user-defined positioning
- Seam entity converter support
- Highly customizable look and feel
- Disablement support

Table 6.357. rich : comboBox attributes

| Attribute Name | Description |
|---------------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| buttonClass | Assigns one or more space-separated CSS class names to the component button |
| buttonDisabledClass | Assigns one or more space-separated CSS class names to the component button disabled |
| buttonDisabledStyle | CSS style rules to be applied to the component button disabled |
| buttonIcon | Defines icon for the button element |
| buttonIconDisabled | Defines disabled icon for the button element |
| buttonIconInactive | Defines inactive icon for the button element |
| buttonInactiveClass | Assigns one or more space-separated CSS class names to the component inactive button |
| buttonInactiveStyle | CSS style rules to be applied to the component inactive button |
| buttonStyle | CSS style rules to be applied to the component button |

| Attribute Name | Description |
|------------------------|---|
| converter | JSF: Id of Converter to be used or reference to a Converter |
| converterMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the converter message, replacing any message that comes from the converter |
| defaultLabel | Defines default label for the input field element |
| directInputSuggestions | Defines the first value from the suggested in input field. Default value is "false". |
| disabled | HTML: When set for a form control, this boolean attribute disables the control for your input |
| enableManualInput | Enables keyboard input, if "false" keyboard input will be locked. Default value is "true" |
| filterNewValues | Defines the appearance of values in the list. Default value is "true". |
| hideDelay | Delay between losing focus and pop-up list closing. Default value is "0". |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| immediate | A flag indicating that this component value must be converted and validated immediately (that is, during Apply Request Values phase), rather than waiting until a Process Validations phase |
| inputClass | Assigns one or more space-separated CSS class names to the component input field |
| inputDisabledClass | Assigns one or more space-separated CSS class names to the component input field disabled |
| inputDisabledStyle | CSS style rules to be applied to the component input field disabled |
| inputInactiveClass | Assigns one or more space-separated CSS class names to the component inactive input field |
| inputInactiveStyle | CSS style rules to be applied to the component inactive input field |
| inputStyle | CSS style rules to be applied to the component input field |

| Attribute Name | Description |
|-------------------|--|
| itemClass | Assigns one or more space-separated CSS class names to the component items |
| itemSelectedClass | Assigns one or more space-separated CSS class names to the component selected item |
| label | A localized user presentable name for this component. |
| listClass | Assigns one or more space-separated CSS class names to the component popup list |
| listHeight | Defines height of file pop-up list. Default value is "200px". |
| listStyle | CSS style rules to be applied to the component popup list |
| listWidth | Defines width of file popup list |
| onblur | DHTML: The client-side script method to be called when the element loses the focus |
| onchange | DHTML: The client-side script method to be called when the element value is changed |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onfocus | DHTML: The client-side script method to be called when the element gets the focus |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onlistcall | The clientside script method to be called when the list is called |
| onlistclose | The clientside script method to be called when the list is closed |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |

| Attribute Name | Description |
|---------------------|--|
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| onselect | DHTML: The client-side script method to be called when some text is selected in the text field. This attribute can be used with the INPUT and TEXTAREA elements. |
| rendered | JSF: If "false", this component is not rendered |
| required | JSF: If "true", this component is checked for non-empty input |
| requiredMessage | A ValueExpression enabled attribute which defines text of validation message to show, if a required field is missing |
| selectFirstOnUpdate | Defines if the first value from suggested is selected in pop-up list. Default value is "true". |
| showDelay | Delay between event and pop-up list showing. Default value is "0". |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more space-separated CSS class names to the component. Corresponds to the HTML "class" attribute. |
| suggestionValues | Defines the suggestion collection |
| tabindex | HTML: This attribute specifies the position of the current element in the tabbing order for the current document. This value must be a number between 0 and 32767. User agents should ignore leading zeros |
| validator | JSF: MethodBinding pointing at a method that is called during Process Validations phase of |

| Attribute Name | Description |
|---------------------|--|
| | the request processing lifecycle, to validate the current value of this component |
| validatorMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the validator message, replacing any message that comes from the validator |
| value | JSF: The current value of this component |
| valueChangeListener | JSF: Listener for value changes |
| width | HTML: Width of the component. Default value is "150". |

Table 6.358. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.ComboBox |
| component-class | org.richfaces.component.html.HtmlComboBox |
| component-family | org.richfaces.ComboBox |
| renderer-type | org.richfaces.renderkit.ComboBoxRenderer |
| tag-class | org.richfaces.taglib.ComboBoxTag |

6.11.3.3. Creating the Component with a Page Tag

Here is a simple example as it could be used on a page:

```
...
<rich:comboBox value="#{bean.state}" suggestionValues="#{bean.suggestions}" />
...
```

6.11.3.4. Creating the Component Dynamically Using Java

```
import org.richfaces.component.html.HtmlComboBox;
...
HtmlComboBox myComboBox = new HtmlComboBox();
...
```

6.11.3.5. Details of Usage

The `<rich:comboBox>` is a simplified suggestion box component, that provides input with client-side suggestions. The component could be in two states:

- Default - only input and button is shown
- Input, button and a popup list of suggestions attached to input is shown

There are two ways to get values for the popup list of suggestions:

- Using the `"suggestionValues"` attribute, that defines the suggestion collection

```
...  
<rich:comboBox value="#{bean.state}" suggestionValues="#{bean.suggestions}" />  
...
```

- Using the `<f:selectItem />` or `<f:selectItems />` JSF components.

```
...  
<rich:comboBox value="#{bean.state}" valueChangeListener="#{bean.selectionChanged}">  
  <f:selectItems value="#{bean.selectItems}" />  
  <f:selectItem itemValue="Oregon" />  
  <f:selectItem itemValue="Pennsylvania" />  
  <f:selectItem itemValue="Rhode Island" />  
  <f:selectItem itemValue="South Carolina" />  
</rich:comboBox>  
...
```

Note:

These JSF components consider only the `"value"` attribute for this component.

Popup list content loads at page render time. No additional requests could be performed on the popup calling.

The `"value"` attribute stores value from input after submit.

The `"directInputSuggestions"` attribute defines, how the first value from the suggested one appears in an input field. If it's `"true"` the first value appears with the suggested part highlighted.

```
...  
<rich:comboBox value="#{bean.state}" suggestionValues="#{bean.suggestions}" directInputSuggestions="true"  
>  
...  
</rich:comboBox>
```

This is a result:



Figure 6.229. `<rich:comboBox>` with `"directInputSuggestions"` attribute.

The `"selectFirstOnUpdate"` attribute defines if the first value from suggested is selected in a popup list. If it's "false" nothing is selected in the list before a user hovers some item with the mouse.

```
...  
<rich:comboBox value="#{bean.state}" suggestionValues="#{bean.suggestions}" selectFirstOnUpdate="false"  
>  
...  
...
```

This is a result:



Figure 6.230. `<rich:comboBox>` with `"selectFirstOnUpdate"` attribute.

The `"defaultLabel"` attribute defines the default label of the input element. Simple example is placed below.

```
...  
<rich:comboBox value="#{bean.state}" suggestionValues="#{bean.suggestions}" defaultLabel="Select  
a city..." />  
...  
...
```

This is a result:



Figure 6.231. `<rich:comboBox>` with `"defaultLabel"` attribute.

With the help of the *"disabled"* attribute you can disable the whole **<rich:comboBox>** component. See the following example.

```
...  
<rich:comboBox value="#{bean.state}" suggestionValues="#{bean.suggestions}" defaultLabel="Select  
a city..." disabled="true" />  
...
```

This is a result:



Figure 6.232. **<rich:comboBox>** with *"disabled"* attribute.

The *"enableManualInput"* attribute enables/disables input field, so when `enableManualInput = "false"`, user can only pick the value manually and has no possibility to type in the value (default value is "false").

The **<rich:comboBox>** component provides to use specific event attributes:

- *"onlistcall"* which is fired before the list opening and gives you a possibility to cancel list popup/update
- *"onselect"* which gives you a possibility to send Ajax request when item is selected

The **<rich:comboBox>** component allows to use sizes attributes:

- *"listWidth"* and *"listHeight"* attributes specify popup list sizes with values in pixels
- *"width"* attribute customizes the size of input element with values in pixels.

6.11.3.6. JavaScript API

Table 6.359. JavaScript API

| Function | Description |
|------------|--------------------------------|
| showList() | Shows the popup list |
| hideList() | Hides the popup list |
| enable() | Enables the control for input |
| disable() | Disables the control for input |

6.11.3.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:comboBox>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets style classes used by a `<rich:comboBox>` component

6.11.3.8. Skin Parameters Redefinition

Table 6.360. Skin parameters redefinition for a popup list

| Skin parameters | CSS properties |
|----------------------|----------------|
| tableBackgroundColor | background |
| panelBorderColor | border-color |

Table 6.361. Skin parameters redefinition for a button background, inactive button background, button background in pressed and disabled state

| Skin parameters | CSS properties |
|--------------------|------------------|
| tabBackgroundColor | background-color |

Table 6.362. Skin parameters redefinition for a button

| Skin parameters | CSS properties |
|------------------|-------------------|
| panelBorderColor | border-top-color |
| panelBorderColor | border-left-color |

Table 6.363. Skin parameters redefinition for an inactive button

| Skin parameters | CSS properties |
|------------------|-------------------|
| panelBorderColor | border-top-color |
| panelBorderColor | border-left-color |

Table 6.364. Skin parameters redefinition for a disabled button

| Skin parameters | CSS properties |
|------------------|-------------------|
| panelBorderColor | border-top-color |
| panelBorderColor | border-left-color |

Table 6.365. Skin parameters redefinition for a hovered button

| Skin parameters | CSS properties |
|--------------------|----------------|
| selectControlColor | border-color |

Table 6.366. Skin parameters redefinition for a font

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalSizeFont | font-size |
| generalFamilyFont | font-family |
| generalTextColor | color |

Table 6.367. Skin parameters redefinition for a font in inactive state

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalSizeFont | font-size |
| generalFamilyFont | font-family |
| generalTextColor | color |

Table 6.368. Skin parameters redefinition for a font in disabled state

| Skin parameters | CSS properties |
|------------------|----------------|
| headerFamilyFont | font-size |
| headerFamilyFont | font-family |

Table 6.369. Skin parameters redefinition for an input field

| Skin parameters | CSS properties |
|------------------------|---------------------|
| controlBackgroundColor | background-color |
| panelBorderColor | border-bottom-color |
| panelBorderColor | border-right-color |

Table 6.370. Skin parameters redefinition for an inactive input field

| Skin parameters | CSS properties |
|------------------------|---------------------|
| controlBackgroundColor | background-color |
| panelBorderColor | border-bottom-color |
| panelBorderColor | border-right-color |

Table 6.371. Skin parameters redefinition for a disabled input field

| Skin parameters | CSS properties |
|------------------------|---------------------|
| controlBackgroundColor | background-color |
| panelBorderColor | border-bottom-color |
| panelBorderColor | border-right-color |

Table 6.372. Skin parameters redefinition for an item

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalSizeFont | font-size |
| generalFamilyFont | font-family |
| generalTextColor | color |

Table 6.373. Skin parameters redefinition for a selected item

| Skin parameters | CSS properties |
|-----------------------|------------------|
| headerBackgroundColor | background-color |
| headerBackgroundColor | border-color |
| generalTextColor | color |

6.11.3.9. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.233. Classes names




Figure 6.234. Classes names

Table 6.374. Classes names that define popup list representation

| Class name | Description |
|-------------------------------|--|
| rich-combobox-shell | Defines styles for a wrapper <div> element of a list |
| rich-combobox-list-position | Defines position of a list |
| rich-combobox-list-decoration | Defines styles for a list |
| rich-combobox-list-scroll | Defines styles for a list scrolling |

Table 6.375. Classes names that define font representation

| Class name | Description |
|-----------------------------|-------------------------------------|
| rich-combobox-font | Defines styles for a font |
| rich-combobox-font-inactive | Defines styles for an inactive font |
| rich-combobox-font-disabled | Defines styles for a disabled font |

Table 6.376. Classes names that define input field representation

| Class name | Description |
|------------------------------|---|
| rich-combobox-input | Defines styles for an input field |
| rich-combobox-input-disabled | Defines styles for an input field in disabled state |
| rich-combobox-input-inactive | Defines styles for an inactive input field |

Table 6.377. Classes names that define item representation

| Class name | Description |
|-----------------------------|------------------------------------|
| rich-combobox-item | Defines styles for an item |
| rich-combobox-item-selected | Defines styles for a selected item |

Table 6.378. Classes names that define button representation

| Class name | Description |
|--|--|
| rich-combobox-button | Defines styles for a button |
| rich-combobox-button-inactive | Defines styles for an inactive button |
| rich-combobox-button-disabled | Defines styles for a button in disabled state |
| rich-combobox-button-hovered | Defines styles for a hovered button |
| rich-combobox-button-background | Defines styles for a button background |
| rich-combobox-button-background-disabled | Defines styles for a disabled button background |
| rich-combobox-button-background-inactive | Defines styles for an inactive button background |

| Class name | Description |
|---|--|
| rich-combobox-button-pressed-background | Defines styles for a pressed button background |
| rich-combobox-button-icon | Defines styles for a button icon |
| rich-combobox-button-icon-inactive | Defines styles for an inactive button icon |
| rich-combobox-button-icon-disabled | Defines styles for a disabled button icon |

Table 6.379. Classes names that define shadow representation

| Class name | Description |
|-------------------------|--|
| rich-combobox-shadow | Defines styles for a wrapper <div> element of a shadow |
| rich-combobox-shadow-tl | Defines styles for a top-left element of a shadow |
| rich-combobox-shadow-tr | Defines styles for a top-right element of a shadow |
| rich-combobox-shadow-bl | Defines styles for a bottom-left element of a shadow |
| rich-combobox-shadow-br | Defines styles for a bottom-right element of a shadow |

In order to redefine styles for all **<rich:comboBox>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...
.rich-combobox-list-decoration{
    background-color:#ecf4fe;
}
...
```

This is a result:

**Figure 6.235. Redefinition styles with predefined classes**

In the example background color for popup list was changed.

Also it's possible to change styles of particular **<rich:comboBox>** component. In this case you should create own style classes and use them in corresponding **<rich:comboBox>** *styleClass* attributes. An example is placed below:

Example:

```
...  
.myClass{  
    font-weight:bold;  
}  
...
```

The *"listClass"* attribute for **<rich:comboBox>** is defined as it's shown in the example below:

Example:

```
<rich:comboBox ... listClass="myClass"/>
```

This is a result:



Figure 6.236. Redefinition styles with own classes and *"styleClass"* attributes

As it could be seen on the picture above, the font weight for items was changed.

6.11.3.10. Relevant Resources Links

Visit the [ComboBox page](http://livedemo.exadel.com/richfaces-demo/richfaces/comboBox.jsf?c=comboBox) [http://livedemo.exadel.com/richfaces-demo/richfaces/comboBox.jsf?c=comboBox] at RichFaces LiveDemo for examples of component usage and their sources.

6.11.4. < rich:editor > available since 3.3.0

3.3.0

6.11.4.1. Description

The **<rich:editor>** component is used for creating a WYSIWYG editor on a page.




Figure 6.237. <rich:editor> component

6.11.4.2. Key Features

- Seam text support
- Manageable global configurations
- Possibility to use custom plug-ins
- Support of all TinyMCE's parameters through <f:param>

Table 6.380. rich : editor attributes

| Attribute Name | Description |
|------------------|--|
| autoResize | Attribute enables to get the Editor area to resize to the boundaries of the contents. |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| configuration | Attribute defines configuration properties file name |
| converter | JSF: Id of Converter to be used or reference to a Converter |
| converterMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the converter message, replacing any message that comes from the converter |
| customPlugins | Attribute defines property file name witch contains descriptors of custom plugins |
| dialogType | Attribute defines how dialogs/popups should be opened. Default value is "modal" |

| Attribute Name | Description |
|-----------------|---|
| height | Attribute defines height of component. |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| immediate | A flag indicating that this component value must be converted and validated immediately (that is, during Apply Request Values phase), rather than waiting until a Process Validations phase |
| label | A localized user presentable name for this component. |
| language | Attribute defines Editor language |
| onchange | DHTML: The client-side script method to be called when the editor content is modified by TinyMCE |
| oninit | The client-side script method to be called when the initialization of the editor instances is finished |
| onsave | The client-side script method to be called when the editor content is extracted/saved |
| onsetup | The client-side script method to be called before the editor instances get rendered |
| plugins | Attribute defines Editor plugins |
| readonly | HTML: Attribute defines Editor is readonly |
| rendered | JSF: If "false", this component is not rendered |
| required | JSF: If "true", this component is checked for non-empty input |
| requiredMessage | A ValueExpression enabled attribute which defines text of validation message to show, if a required field is missing |
| skin | Attribute defines Editor skin |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more space-separated CSS class names to the component. Corresponds to the HTML "class" attribute. |
| tabindex | HTML: In visual mode the attribute works the same way as "tab_focus" TinyMCE's property the attribute enables you to specify an element |

| Attribute Name | Description |
|---------------------|--|
| | ID to focus, when the TAB key is pressed . You can also use the special ":prev" and ":next" values that will then place the focus on an input element placed before/after the TinyMCE instance in the DOM. While in "source" mode the attribute works like standard HTML tabindex attribute. |
| theme | Attribute defines Editor theme |
| useSeamText | Attribute defines if model value should be converted to Seam Text. Default value is "false" |
| validator | JSF: MethodBinding pointing at a method that is called during Process Validations phase of the request processing lifecycle, to validate the current value of this component |
| validatorMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the validator message, replacing any message that comes from the validator |
| value | JSF: The current value of this component |
| valueChangeListener | JSF: Listener for value changes |
| viewMode | Attribute defines if tinyMCE WYSIWYG should be disabled. Default value is "visual" |
| width | HTML: Attribute defines width of component. |

Table 6.381. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.component.editor |
| component-class | org.richfaces.component.html.HtmlEditor |
| component-family | org.richfaces.component.editor |
| renderer-type | org.richfaces.renderkit.html.editorRenderer |
| tag-class | org.richfaces.taglib.editorTag |

6.11.4.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...  
<rich:editor />  
...
```

6.11.4.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.Htmleditor;  
...  
Htmleditor myeditor = new Htmleditor();  
...
```

6.11.4.5. Details of Usage

The **<rich:editor>** is fully based on TinyMCE web based Javascript HTML WYSIWYG editor control and supports all of the features it has. The **<rich:editor>** adapts the TinyMCE editor for JSF environment and adds some functional capabilities.

The easiest way to place the **<rich:editor>** on a page is as follows:

Example:

```
<rich:editor value="#{bean.editorValue}" />
```

Implementation of **<rich:editor>** provides three ways to define the properties of the component:

1. Using attributes
2. Using using **<f:param>** JSF tag
3. Using configuration files that allow you to set up multiple configurations for all editors in your application and change them in the runtime

The three methods are described in details in the chapter.

The most important properties are implemented as attributes and you can define them as any other attribute. The attributes of the **<rich:editor>** component match the corresponding properties of TinyMCE editor.

For example, a theme for the editor can be defined using the *"theme"* attribute like this:

Example:

```
<rich:editor value="#{bean.editorValue}" theme="advanced" />
```

Setting a different skin for the editor can be done using the *"skin"* attribute.

Another useful property that is implemented at attribute level is *"viewMode"*. The attribute switches between "visual" and "source" modes, toggling between modes is performed setting the attribute to "visual" and "source" respectively. Implementation of `<rich:editor>` also implies that you can change the modes dynamically setting the value of the *"viewMode"* attribute using EL-expression.

Example:

```
...
<rich:editor value="#{editor.submit}" theme="advanced" viewMode="#{editor.viewMode}" >
  ...
  <h:selectOneRadio value="#{editor.viewMode}" onchange="submit();">
    <f:selectItem itemValue="visual" itemLabel="visual" />
    <f:selectItem itemValue="source" itemLabel="source" />
  </h:selectOneRadio>
  ...
</rich:editor>
...
```

Most configuration options that TinyMCE provides can be applied using `<f:param>` JSF tag. The syntax is quite simple: the *"name"* attribute should contain the option, the *"value"* attribute assigns some value to the option.

For example, this code adds some buttons to the editor and positions the toolbar.

Example:

```
...
<rich:editor value="#{bean.editorValue}" theme="advanced" plugins="save,paste" >
  <f:param name="theme_advanced_buttons1" value="bold,italic,underline,
cut,copy,paste,pasteword"/>
  <f:param name="theme_advanced_toolbar_location" value="top"/>
  <f:param name="theme_advanced_toolbar_align" value="left"/>
</rich:editor>
...
```

This is what you get as a result:




Figure 6.238. Setting configuration options with <f:param>

The third way to configure the `<rich:editor>` is to use configuration file (.properties)

This method eases your life if you need to configure multiple instances of the `<rich:editor>` : you configure the editor once and in one spot and the configuration properties can be applied to any `<rich:editor>` in your application.

To implement this type of configuration you need to take a few steps:

- Create a configuration file (.properties) in the classpath folder and add some properties to it. Use standard syntax for the .properties files: `parameter=value`. Here is an example of configuration file:

Example:

```
theme="advanced"
plugins="save,paste"
theme_advanced_buttons1="bold,italic,underline, cut,copy,paste,pasteword"
theme_advanced_toolbar_location="top"
theme_advanced_toolbar_align="left"
```

- The properties stored in configuration file are passed to the `<rich:editor>` via `"configuration"` attribute which takes the name of the configuration file as a value (with out .properties extension).

For example, if you named the configuration file "editorconfig", you would address it as follows:

Example:

```
...
<rich:editor value="#{bean.editorValue}" configuration="editorconfig"/>
...
```

- Alternately, you can use a EL-expression to define a configuration file. This way you can dynamically change the sets of configuration properties.

For example, you have two configuration files "configurationAdvanced" and "configurationSimple" and you want them to be applied under some condition.

To do this you need to bind "configuration" attribute to the appropriate bean property like this.

Example:

```
...
<rich:editor value="#{bean.editorValue}" configuration="#{editor.configuration}" />
...
```

Your Java file should look like this.

```
...
String configuration;

if(some condition){//defines some condition
    configuration = "configurationAdvanced"; //the name on the file with advanced properties
}
else{
    configuration= "configurationSimple"; //the name on the file with simplified properties
}
...
```

You also might want to add some custom plug-ins to your editor. You can read about how to create a plugin in [TinyMCE Wiki article](http://wiki.moxiecode.com/index.php/TinyMCE:Creating_Plugin) [http://wiki.moxiecode.com/index.php/TinyMCE:Creating_Plugin].

Adding a custom plugin also requires a few steps to take. Though, the procedure is very similar to adding a configuration file.

This is what you need to add a plugin:

- Create a .properties file and put the name of the plug-in and a path to it into the file. The file can contain multiple plug-in declarations. Your .properties file should be like this.

Example:

```
...
pluginName=/mytinymceplugins/plugin1Name/editor_plugin.js
...
```

- Use the *"customPlugins"* attribute to specify the .properties file with a plugin name and a path to it.

If your .properties file is named "myPlugins", then your will have this code on the page.

Example:

```
...  
<rich:editor theme="advanced" customPlugins="myPlugins" plugins="pluginName" />  
...
```

Note:

Some plug-ins which available for download might have some dependencies on TinyMCE scripts. For example, dialog pop-ups require tiny_mce_popup.js script file. Assuming that you will not plug custom plugins to the RF jar with editor component (standard TinyMCE plugins creation implies that plugins are put into TinyMCE's corresponding directory) you should manually add required TinyMCE scripts to some project folder and correct the js includes.

The implementation of the **<rich:editor>** component has two methods for handling events.

The attributes take some function name as a value with is triggered on the appropriate event. You need to use standard JavaScript function calling syntax.

- Using attributes (*"onchange"*, *"oninit"*, *"onsave"*, *"onsetup"*)

Example:

```
...  
<rich:editor value="#{bean.editorValue}" onchange="myCustomOnChangeHandler()" />  
...
```

- Using **<f:param>** as a child element defining the *"name"* attribute with one of the TinyMCE's callbacks and the *"value"* attribute takes the function name you want to be called on the corresponding event as the value. Note, that the syntax in this case is a bit different: parentheses are not required.

Example:

```
...  
<rich:editor value="#{bean.editorValue}">
```

```

<f:param name="onchange" value="myCustomOnChangeHandler" />
</rich:editor>
...

```

The `<rich:editor>` component has a build-in converter that renders HTML code generated by the editor to Seam text (you can read more on Seam in [Seam guide](http://docs.jboss.org/seam/1.1.5.GA/reference/en/html/text.html) [http://docs.jboss.org/seam/1.1.5.GA/reference/en/html/text.html].), it also interprets Seam text passed to the `<rich:editor>` and renders it to HTML. The converter can be enable with the `"useSeamText"` attribute.

Example:

This HTML code generated by editor

```

...
<p><a href="http://mysite.com">Lorem ipsum</a> <i>dolor sit</i> amet, ea <u>commodo</u> consequat.</p>
...

```

will be parsed to the following Seam text:

```

...
[Lorem ipsum=>http://mysite.com] *dolor sit* amet, ea _commodo_ consequat.
...

```

Accordingly, if the Seam text is passed to the component it will be parsed to HTML code.

6.11.4.6. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:editor>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets style classes used by a `<rich:editor>` component

6.11.4.7. Skin Parameters Redefinition

Table 6.382. Skin parameters redefinition for containers

| Skin parameters | CSS properties |
|---------------------------|----------------|
| additionalBackgroundColor | background |

Table 6.383. Skin parameters redefinition for external controls

| Skin parameters | CSS properties |
|------------------|----------------|
| panelBorderColor | border-color |

Table 6.384. Skin parameters redefinition for layout

| Skin parameters | CSS properties |
|-----------------------|---------------------|
| panelBorderColor | border-left-color |
| panelBorderColor | border-right-color |
| panelBorderColor | border-top-color |
| panelBorderColor | border-bottom-color |
| generalFamilyFont | font-family |
| generalTextColor | color |
| headerBackgroundColor | background-color |

Table 6.385. Skin parameters redefinition for buttons

| Skin parameters | CSS properties |
|-----------------------|------------------|
| headerBackgroundColor | background-color |

Table 6.386. Skin parameters redefinition for list box

| Skin parameters | CSS properties |
|----------------------|----------------|
| tableBackgroundColor | background |
| panelBorderColor | border-color |
| generalFamilyFont | font-family |

Table 6.387. Skin parameters redefinition for color split button

| Skin parameters | CSS properties |
|---------------------------|------------------|
| tableBackgroundColor | background |
| panelBorderColor | border-color |
| generalFamilyFont | font-family |
| additionalBackgroundColor | background-color |

Table 6.388. Skin parameters redefinition for hovered color split button

| Skin parameters | CSS properties |
|-----------------------|----------------|
| headerBackgroundColor | border-color |

Table 6.389. Skin parameters redefinition for menu

| Skin parameters | CSS properties |
|---------------------------|------------------|
| panelBorderColor | border-color |
| tableBackgroundColor | background |
| generalFamilyFont | font-family |
| generalTextColor | color |
| additionalBackgroundColor | background-color |
| additionalBackgroundColor | background-color |

Table 6.390. Skin parameters redefinition for menu item

| Skin parameters | CSS properties |
|---------------------------|---------------------|
| additionalBackgroundColor | background |
| panelBorderColor | border-bottom-color |
| generalTextColor | color |
| generalTextColor | color |
| tabDisabledTextColor | color |

Table 6.391. Skin parameters redefinition for progress and resize states

| Skin parameters | CSS properties |
|----------------------|----------------|
| tableBackgroundColor | background |
| tableBorderColor | border-color |

Table 6.392. Skin parameters redefinition for dialog box

| Skin parameters | CSS properties |
|------------------------|----------------|
| generalFamilyFont | font-family |
| generalBackgroundColor | background |

Table 6.393. Skin parameters redefinition for link in dialog box

| Skin parameters | CSS properties |
|------------------|----------------|
| generalTextColor | color |
| hoverLinkColor | color |

Table 6.394. Skin parameters redefinition for link in dialog box

| Skin parameters | CSS properties |
|------------------|----------------|
| generalTextColor | color |
| hoverLinkColor | color |

Table 6.395. Skin parameters redefinition for fieldset in dialog box

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalFamilyFont | font-family |
| panelBorderColor | border-color |

Table 6.396. Skin parameters redefinition for fieldset legend in dialog box

| Skin parameters | CSS properties |
|------------------|----------------|
| generalLinkColor | color |

Table 6.397. Skin parameters redefinition for input elements in dialog box

| Skin parameters | CSS properties |
|------------------------|----------------|
| warningColor | color |
| warningColor | border-color |
| controlBackgroundColor | background |
| tableBorderColor | border-color |
| generalFamilyFont | font-family |

Table 6.398. Skin parameters redefinition for panel wrapper in dialog box

| Skin parameters | CSS properties |
|----------------------|----------------|
| panelBorderColor | border-color |
| tableBackgroundColor | background |

Table 6.399. Skin parameters redefinition for headers in dialog box

| Skin parameters | CSS properties |
|------------------|----------------|
| generalLinkColor | color |

Table 6.400. Skin parameters redefinition for links in tabs in dialog box

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalFamilyFont | font-family |
| generalTextColor | color |

Table 6.401. Skin parameters redefinition for main text area

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalFamilyFont | font-family |
| generalTextColor | color |

| Skin parameters | CSS properties |
|----------------------|----------------|
| tableBackgroundColor | background |

6.11.4.8. Definition of Custom Style Selectors

On the screenshot there are CSS selectors that define styles for component elements.




Figure 6.239. Classes names

Table 6.402. CSS selectors for the layout of the editor

| Selector | Description |
|--|---|
| .richfacesSkin table.mceToolbar | Defines styles for the rows of icons within toolbar |
| .richfacesSkin .mceButton | Defines styles for the buttons |
| .richfacesSkin .mceButtonDisabled .mcelcon | Defines styles for the icons |
| .richfacesSkin .mceListBox | Defines styles for the list box |
| .richfacesSkin .mceSeparator | Defines styles for the buttons separator |
| .richfacesSkin .mcelframeContainer | Defines styles for the container |
| .richfacesSkin table.mceLayout | Defines styles for the table layout |
| .richfacesSkin .mceToolbar | Defines styles for the toolbar |

Table 6.403. CSS selectors for the menus

| Selector | Description |
|-------------------------|------------------------------|
| .richfacesSkin .mceMenu | Defines styles for the menus |

| Selector | Description |
|--|--|
| .richfacesSkin .mceMenu .mceMenuItemActive | Defines styles for the active menu items |
| .richfacesSkin .mceMenu .mceMenuItemActive | Defines styles for the active menu items |

In order to redefine styles for all **<rich:editor>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.richfacesSkin .mceButton {  
  border: 1px solid red;  
}  
...
```

This is the result:




Figure 6.240. Redefinition styles with predefined selectors

It's also possible to change styles of a particular **<rich:editor>** component. In this case you should create own style classes and use them in corresponding **<rich:editor>** *"styleClass"* attributes. An example is placed below:

Example:

```
...  
.myClass{  
  margin-top: 20px;  
}  
...
```

The *"styleClass"* attribute for **<rich:editor>** is defined as it's shown in the example below:

Example:

```
<rich:editor value="#{bean.text}" styleClass="myClass"/>
```

6.11.4.9. Relevant Resources Links

The `<rich:editor>` is based on TinyMCE editor and supports almost all its features and properties some of which are not described here since you can find more detailed documentation on them on the official [web site](http://wiki.moxiecode.com/index.php/TinyMCE:Index). [http://wiki.moxiecode.com/index.php/TinyMCE:Index]


On [RichFaces LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/editor.jsf?c=editor) [http://livedemo.exadel.com/richfaces-demo/richfaces/editor.jsf?c=editor] you can see an example of `<rich:editor>` usage and sources for the given example.

6.11.5. < rich:fileUpload > available since 3.2.0

3.2.0

6.11.5.1. Description

The `<rich:fileUpload>` component designed to perform Ajax-ed files upload to server.

**Figure 6.241. <rich:fileUpload> component****6.11.5.2. Key Features**

- ProgressBar shows the status of downloads
- Restriction on File type, file size and number of files to be uploaded
- Multiple files upload support
- Embedded Flash module
- Possibility to cancel the request
- One request for every upload
- Automatic uploads
- Supports standard JSF internationalization

- Highly customizable look and feel
- Disablement support

Table 6.404. rich : fileUpload attributes

| Attribute Name | Description |
|-------------------------|---|
| acceptedTypes | Files types allowed to upload |
| accesskey | HTML: This attribute assigns an access key to an element. An access key is a single character from the document character set. Note: Authors should consider the input method of the expected reader when specifying an accesskey |
| addButtonClass | Assigns one or more space-separated CSS class names to the component 'Add' button |
| addButtonClassDisabled | Assigns one or more space-separated CSS class names to the component 'Add' button disabled |
| addControlLabel | Defines a label for an add button |
| ajaxSingle | Boolean attribute which provides possibility to limit JSF tree processing(decoding, conversion/validation, value applying) to the component which send the request only. Default value is "false" |
| allowFlash | Attribute which allow the component to use the flash module that provides file upload functionality [false, true, auto]. Default value is "false" |
| alt | HTML: For a user agents that cannot display images, forms, or applets, this attribute specifies alternate text. The language of the alternate text is specified by the lang attribute |
| autoclear | If this attribute is "true" files will be immediately removed from list after upload completed. Default value is "false". |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| cancelEntryControlLabel | Defines a label for a cancel control |
| cleanButtonClass | Assigns one or more space-separated CSS class names to the component 'Clean' button |

| Attribute Name | Description |
|-------------------------------|---|
| cleanButtonClassDisabled | Assigns one or more space-separated CSS class names to the component 'Clean' button disabled |
| clearAllControlLabel | Defines a label for a clearAll button |
| clearControlLabel | Defines a label for a clear control |
| disabled | HTML: Attribute 'disabled' provides a possibility to make the whole component disabled if its value equals to "true". Default value is "false". |
| doneLabel | Defines a label for a done label |
| fileEntryClass | Assigns one or more space-separated CSS class names to the file entries |
| fileEntryClassDisabled | Assigns one or more space-separated CSS class names to the file entries disabled |
| fileEntryControlClass | Assigns one or more space-separated CSS class names to the controls of the file entries |
| fileEntryControlClassDisabled | Assigns one or more space-separated CSS class names to the disabled controls of the file entries |
| fileUploadListener | MethodExpression representing an action listener method that will be notified after file uploaded. |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| immediate | A flag indicating that this component value must be converted and validated immediately (that is, during Apply Request Values phase), rather than waiting until a Process Validations phase |
| immediateUpload | If this attribute is true files will be immediately uploaded after they have been added in list. Default value is "false". |
| listHeight | Defines height of file list. Default value is "210px". |
| listWidth | Defines width of file list. Default value is "400px". |
| locale | Used for locale definition |
| maxFilesQuantity | Defines max files count allowed for upload (optional). Default value is "1". |

| Attribute Name | Description |
|----------------------|---|
| noDuplicate | Defines if component should allow to add files that were already in list. Default value is "false". |
| onadd | The client-side script method to be called before a file is added |
| onblur | DHTML: The client-side script method to be called when the element loses the focus |
| onchange | DHTML: The client-side script method to be called when the element value is changed |
| onclear | The client-side script method to be called when a file entry is cleared |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onerror | The client-side script method to be called when a file uploading is interrupted according to any errors |
| onfileuploadcomplete | The client-side script method to be called when a file is uploaded to the server |
| onfocus | DHTML: The client-side script method to be called when the element gets the focus |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |

| Attribute Name | Description |
|-------------------------|--|
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| onselect | DHTML: The client-side script method to be called when some text is selected in the text field. This attribute can be used with the INPUT and TEXTAREA elements. |
| onsizerejected | The client-side script method to be called when a file uploading is rejected by the file size overflow |
| ontyperejected | The client-side script method to be called when a file type is rejected according to the file types allowed |
| onupload | The client-side script method to be called when a file uploading is started |
| onuploadcanceled | The client-side script method to be called when a file uploading is cancelled |
| onuploadcomplete | The client-side script method to be called when uploading of all files from the list is completed |
| progressLabel | Defines a label for a progress label |
| rendered | JSF: If "false", this component is not rendered |
| required | JSF: If "true", this component is checked for non-empty input |
| requiredMessage | A ValueExpression enabled attribute which defines text of validation message to show, if a required field is missing |
| sizeErrorLabel | Defines a label for a size error label |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| stopButtonClass | Assigns one or more space-separated CSS class names to the component 'Cancel' button |
| stopButtonClassDisabled | Assigns one or more space-separated CSS class names to the component 'Cancel' button disabled |
| stopControlLabel | Defines a label for a stop button |

| Attribute Name | Description |
|---------------------------|--|
| stopEntryControlLabel | Defines a label for a stop control |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| tabindex | HTML: This attribute specifies the position of the current element in the tabbing order for the current document. This value must be a number between 0 and 32767. User agents should ignore leading zeros |
| transferErrorLabel | Defines a label for a transfer error label |
| uploadButtonClass | Assigns one or more space-separated CSS class names to the component 'Upload' button |
| uploadButtonClassDisabled | Assigns one or more space-separated CSS class names to the component 'Upload' button disabled |
| uploadControlLabel | Defines a label for an upload button |
| uploadData | Collection of files uploaded |
| uploadListClass | Assigns one or more space-separated CSS class names to the upload list |
| uploadListClassDisabled | Assigns one or more space-separated CSS class names to the upload list disabled |
| validator | JSF: MethodBinding pointing at a method that is called during Process Validations phase of the request processing lifecycle, to validate the current value of this component |
| validatorMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the validator message, replacing any message that comes from the validator |

Table 6.405. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.component.FileUpload |
| component-class | org.richfaces.component.html.HtmlFileUpload |
| component-family | org.richfaces.component.FileUpload |
| renderer-type | org.richfaces.renderkit.html.FileUploadRenderer |

| Name | Value |
|-----------|------------------------------------|
| tag-class | org.richfaces.taglib.FileUploadTag |

6.11.5.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...  
<rich:fileUpload />  
...
```

6.11.5.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlFileUpload;  
...  
HtmlFileUpload myFileUpload = new HtmlFileUpload();  
...
```

6.11.5.5. Details of Usage

The **<rich:fileUpload>** component consists of two parts:

- List of files which contains the list of currently chosen files to upload with possibility to manage every file
- Component controls - the bar with controls for managing the whole component

There are two places where the uploaded files are stored:

- In the temporary folder (depends on OS) if the value of the `createTempFile` parameter in Ajax4jsf Filter (in web.xml) section is "true" (by Default)

```
...  
<init-param>  
  <param-name>createTempFiles</param-name>  
  <param-value>>true</param-value>  
</init-param>
```

...

- In the RAM if the value of the `createTempFile` parameter in Ajax4jsf Filter section is "false". This is a better way for storing small-sized files.

The *"uploadData"* attribute defines the collection of files uploaded. See the example below.

Example:

```
...  
<rich:fileUpload uploadData="#{bean.data}"/>  
...
```

The *"fileUploadedListener"* is called at server side after every file uploaded and used for the saving files from temporary folder or RAM.

Example:

```
...  
<rich:fileUpload uploadData="#{bean.data}" fileUploadListener="#{bean.listener}"/>  
...
```

The following methods for processing the uploaded files are available:

- `isMultiUpload()`. It returns "true" if several files have been uploaded
- `getUploadItems()`. It returns the list of the uploaded files. If one file was uploaded, the `getUploadItems()` method will return the list consisting of one file
- `getUploadItem()`. It returns the whole list in case of uploading one file only. If several files were uploaded, the `getUploadItem()` method will return the first element of the uploaded files list.

Automatically files uploading could be performed by means of the *"immediateUpload"* attribute. If the value of this attribute is "true" files are uploaded automatically once they have been added into the list. All next files in the list are uploaded automatically one by one. If you cancel uploading process next files aren't started to upload till you press the "Upload" button or clear the list.

Example:

```
...  
<rich:fileUpload uploadData="#{bean.data}" fileUploadListener="#{bean.listener}" immediateUpload="true"/>  
...
```

The *"autoclear"* attribute is used to remove automatically files from the list after upload completed. See the simple example below.

Example:

```
...  
<rich:fileUpload uploadData="#{bean.data}" autoclear="true"/>  
...
```

Each file in list waiting for upload has link "Cancel" opposite its name. Clicking this link invokes JS API `remove()` function, which gets `$('#id').component.entries[i]` as a parameter and removes the particular file from list and from the queue for upload. After a file has been uploaded the link "Cancel" changes to "Clear". Clicking "Clear" invokes `clear()` JS API function, which also gets ID of the particular entry and removes it from the list. Uploaded to server file itself is kept untouched.

The **<rich:fileUpload>** component provides following restrictions:

- On file types, use *"acceptedTypes"* attribute to define file types accepted by component. In the example below only files with "html" and "jpg" extensions are accepted to upload.

Example:

```
...  
<rich:fileUpload acceptedTypes="html, jpg"/>  
...
```

- On file size, use the `maxRequestSize` parameter (value in bytes) inside Ajax4jsf Filter section in web.xml:

```
...  
<init-param>  
  <param-name>maxRequestSize</param-name>  
  <param-value>1000000</param-value>  
</init-param>  
...
```

- On max files quantity, use the *"maxFilesQuantity"* attribute to define max number of files allowed to be uploaded. After a number of files in the list equals to the value of this attribute "Add" button is disabled and nothing could be uploaded even if you clear the whole list. In order to upload files again you should re-render the component. As it could be seen in the example below, only 2 files are accepted for uploading.

Example:

```
...  
<rich:fileUpload maxFilesQuantity="2"/>  
...
```

This is the result:



Figure 6.242. <rich:fileUpload> with *"maxFilesQuantity"* attribute

The <rich:fileUpload> component provides a number of specific event attributes:

- The *"onadd"* a event handler called on an add file operation
- The *"onupload"* which gives you a possibility to cancel the upload at client side
- The *"onuploadcomplete"* which is called after all files from the list are uploaded
- The *"onuploadcanceled"* which is called after upload has been canceled via cancel control
- The *"onerror"* which is called if the file upload was interrupted according to any errors

The <rich:fileUpload> component has an embedded Flash module that adds extra functionality to the component. The module is enabled with *"allowFlash"* attribute set to "true".

These are the additional features that the Flash module provides:

- Multiple files choosing;
- Permitted file types are specified in the "Open File" dialog window;
- A number of additional entry object properties are also available, which can be found [RichFaces Developer Guide section on object properties](#).

Apart from uploading files to the sever without using Ajax, the Flash module provides a number of useful API functions that can be used to obtain information about the uploaded file.

There are 2 ways to obtain the data stored in the FileUploadEntry object.

- By means of JavaScript on the client side. Use the following syntax for that `entries[i].propertyName`. For example `entries[0].state` will return the state of the file the is being processed or has just been processed.
- The properties of `FileUploadEntry` object can be retrieved using the `entry.propertyName` expression in the specific event attributes. For example, `onupload="alert(event.memo.entry.fileName);"` will display a message with the name of the file at the very moment when upload operation starts. A full list of properties can be found in [RichFaces Developer Guide section on properties and their attributes](#).

The given bellow code sample demonstrates how the properties can be used. Please study it carefully.

```
...
<head>
  <script>
    function _onaddHandler (e) {
      var i = 0;
      for (; i < e.memo.entries.length; i++) {
        alert(e.memo.entries[i].creator); //Shows creators of the added files
      }
    }

    function _onerrorhandle(e) {
      alert(e.memo.entry.fileName + "file was not uploaded due transfer error");
    }
  </script>
</head>
...
```

Moreover, embedded Flash module provides a smoother representation of progress bar during the uploading process: the polling is performed is not by Ajax, but my means of the flash module.




Figure 6.243. Uploading using Flash module `<rich:fileUpload>`

However, the Flash module doesn't perform any visual representation of the component.

In order to customize the information regarding the ongoing process you could use *"label"* facet with the following macrosubstitution:

- {B}, {KB}, {MB} contains the size of file uploaded in bytes, kilobytes, megabytes respectively
- {_B}, {_KB}, {_MB} contains the remain file size to upload in bytes, kilobytes, megabytes respectively
- {ss}, {mm}, {hh} contains elapsed time in seconds, minutes and hours respectively

Example:

```
...
<rich:fileUpload uploadData="#{bean.data}" fileUploadListener="#{bean.listener}">
  <f:facet name="label">
    <h:outputText value="{_KB}KB from {KB}KB uploaded --- {mm}:{ss}" />
  </f:facet>
</rich:fileUpload>
...
```

This is the result:




Figure 6.244. <rich:fileUpload> with *"label"* facet

You could define labels of the component controls with the help of *"addControlLabel"* , *"clearAllControlLabel"* , *"clearControlLabel"* , *"stopEntryControlLabel"* , *"uploadControlLabel"* attributes. See the following example.

Example:

```
...
<rich:fileUpload      addControlLabel="Add      file..."      clearAllControlLabel="Clear
all" clearControlLabel="Clear"
      stopEntryControlLabel="Stop process" uploadControlLabel="Upload file"/>
```

...

This is the result:



Figure 6.245. `<rich:fileUpload>` with labels

The `<rich:fileUpload>` component allows to use sizes attributes:

- *"listHeight"* attribute specify height for list of files in pixels
- *"listWidth"* attribute specify width for list of files in pixels

In order to disable the whole component you could use the *"disabled"* attribute. See the following example.

Example:

```
...  
<rich:fileUpload disabled="true"/>  
...
```

This is the result:



Figure 6.246. `<rich:fileUpload>` with *"disabled"* attribute

It's possible to handle events for fileUpload using JavaScript code. A simplest example of usage JavaScript API is placed below:

Example:

```
...
<rich:fileUpload id="upload" disabled="false"/>
<h:commandButton onclick="${rich:component('upload')}.disable();" value="Disable" />
...
```

<rich:fileUpload> component also provides a number of JavaScript property, that can be used to process uploaded files, file states etc. The given below example illustrates how the `entries[0].state` property can be used to get access to the file state. Full list of JavaScript properties can be found [below](#).

```
...
<rich:fileUpload fileUploadListener="#{fileUploadBean.listener}"
    maxFilesQuantity="#{fileUploadBean.uploadsAvailable}"
    id="upload"
    immediateUpload="#{fileUploadBean.autoUpload}"
    acceptedTypes="jpg, gif, png, bmp"/>
    <a4j:support event="onuploadcomplete" reRender="info" />
</rich:fileUpload>
<h:commandButton onclick="if($('#j_id232:upload').component.entries[0].state ==
    FileUploadEntry.UPLOAD_SUCCESS) alert ('DONE');" value="Check file state"/>
...
```

The **<rich:fileUpload>** component allows to use internationalization method to redefine and localize the labels. You could use application resource bundle and define `RICH_FILE_UPLOAD_CANCEL_LABEL`, `RICH_FILE_UPLOAD_STOP_LABEL`, `RICH_FILE_UPLOAD_ADD_LABEL`, `RICH_FILE_UPLOAD_UPLOAD_LABEL`, `RICH_FILE_UPLOAD_CLEAR_LABEL`, `RICH_FILE_UPLOAD_CLEAR_ALL_LABEL`, `RICH_FILE_UPLOAD_PROGRESS_LABEL`, `RICH_FILE_UPLOAD_SIZE_ERROR_LABEL`, `RICH_FILE_UPLOAD_TRANSFER_ERROR_LABEL`, `RICH_FILE_UPLOAD_ENTRY_STOP_LABEL`, `RICH_FILE_UPLOAD_ENTRY_CLEAR_LABEL`, `RICH_FILE_UPLOAD_ENTRY_CANCEL_LABEL` there.

The **<rich:fileUpload>** component could work together with Seam framework. [On RichFaces LiveDemo page](#) [<http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/devguide/en/faq/faq.html#fileUploadConf>] you can see how to configure filter for this framework in web.xml file in order to handle **<rich:fileUpload>** requests.

To make **<rich:fileUpload>** component work properly with MyFaces extensions, the order in which filters are defined and mapped in web.xml, is important. See [corresponding FAQ chapter](#) [<http://www.jboss.org/file-access/default/members/jbossrichfaces/freezone/docs/devguide/en/faq/faq.html#richfileUploadforMyFaces>].

6.11.5.6. JavaScript API

Table 6.406. JavaScript API

| Function | Description |
|----------------|--|
| beforeSubmit() | Sets up necessary request parameters for file uploading and submits form to server by command button. This method should be used together with commands. |
| clear() | Removes all files from the list. The function can also get the <code>\$('#id').component.entries[i]</code> as a parameter to remove a particular file. |
| disable() | Disables the component |
| enable() | Enables the component |
| remove() | Cancels the request for uploading a file by removing this file from upload list and upload queue. Gets <code>\$('#id').component.entries[i]</code> as a parameter. |
| stop() | Stops the uploading process |
| submitForm() | Submits form to server. All added files will be put to model and event. |

Table 6.407. Client-side object properties

| Property | Description |
|---------------------|---|
| entries | Returns a array of all files in the list |
| entries.length | Returns the number of files in the list |
| entries[i].fileName | Returns the file name, that is retrieved by the array index |
| entries[i].state | Returns the file state. Possible states are <ul style="list-style-type: none"> "initialized" - the file is added, corresponds to <code>FileUploadEntry.INITIALIZED</code> constant "progress" - the file is being uploaded, corresponds to <code>FileUploadEntry.UPLOAD_IN_PROGRESS</code> constant "ready" - uploading is in process, corresponds to <code>FileUploadEntry.READY</code> |

| Property | Description |
|-----------------------------|---|
| | <p>constant The file will be uploaded on queue order.</p> <ul style="list-style-type: none"> • "canceled" - uploading of the file is canceled, corresponds to FileUploadEntry.UPLOAD_CANCELED constant • "done" - the file is uploaded successfully, corresponds to FileUploadEntry.UPLOAD_SUCCESS constant • "transfer_error" - a file transfer error occurred, corresponds to FileUploadEntry.UPLOAD_TRANSFER_ERROR constant • "size_error" - the file exceeded maximum size, corresponds to FileUploadEntry.UPLOAD_SIZE_ERROR constant |
| entries[i].size | Returns the size of the file. Available in flash enabled version only |
| entries[i].Type | Returns the mime type of the file. Available in flash enabled version only |
| entries[i].creator | Returns the name of the author of the file. Available in flash enabled version only |
| entries[i].creationDate | Returns the date when the file was created. Available in flash enabled version only |
| entries[i].modificationDate | Returns the date of the last file modification. Available in flash enabled version only |

Table 6.408. Client-side object properties available with specific *event attributes* [691]

| Property | Description |
|-------------|---|
| entry.state | <p>Returns the file state. Possible states are</p> <ul style="list-style-type: none"> • "initialized" - the file is added, corresponds to FileUploadEntry.INITIALIZED constant |

| Property | Description |
|------------------------|--|
| | <ul style="list-style-type: none"> • "progress" - the file is being uploaded, corresponds to FileUploadEntry.UPLOAD_IN_PROGRESS constant • "ready" - uploading is in process, corresponds to FileUploadEntry.READY constant The file will be uploaded on queue order. • "canceled" - uploading of the file is canceled, corresponds to FileUploadEntry.UPLOAD_CANCELED constant • "done" - the file is uploaded successfully, corresponds to FileUploadEntry.UPLOAD_SUCCESS constant • "transfer_error" - a file transfer error occurred, corresponds to FileUploadEntry.UPLOAD_TRANSFER_ERROR constant • "size_error" - the file exceeded maximum size, corresponds to FileUploadEntry.UPLOAD_SIZE_ERROR constant |
| entry.fileName | Returns the file's name. This property works with all event handlers except for "onadd". |
| entry.size | Returns the size of the file. Available in flash enabled version only |
| entry.Type | Returns the mime type of the file. Available in flash enabled version only |
| entry.creator | Returns the name of the author of the file. Available in flash enabled version only |
| entry.creationDate | Returns the date when the file was created. Available in flash enabled version only |
| entry.modificationDate | Returns the date of the last file modification. Available in flash enabled version only |

6.11.5.7. Facets

Table 6.409. Facets

| Facet name | Description |
|------------|---|
| label | Defines the information regarding the ongoing process |
| progress | Defines the information regarding the uploading process |

6.11.5.8. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all **<rich:fileUpload>** components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets style classes used by a **<rich:fileUpload>** component

6.11.5.9. Skin Parameters Redefinition

Table 6.410. Skin parameters redefinition for a component

| Skin parameters | CSS properties |
|----------------------|------------------|
| tableBackgroundColor | background-color |
| tableBorderColor | border-color |

Table 6.411. Skin parameters redefinition for a font

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalFamilyFont | font-family |
| generalSizeFont | font-size |

Table 6.412. Skin parameters redefinition for a toolbar

| Skin parameters | CSS properties |
|---------------------------|---------------------|
| additionalBackgroundColor | background-color |
| tableBorderColor | border-bottom-color |
| tableBackgroundColor | border-top-color |
| tableBackgroundColor | border-left-color |

Table 6.413. Skin parameters redefinition for items in the list

| Skin parameters | CSS properties |
|------------------|---------------------|
| tableBorderColor | border-bottom-color |

Table 6.414. Skin parameters redefinition for a "Cancel", "Clear" links

| Skin parameters | CSS properties |
|------------------|----------------|
| generalLinkColor | color |

Table 6.415. Skin parameters redefinition for a button

| Skin parameters | CSS properties |
|-----------------|------------------|
| trimColor | background-color |

Table 6.416. Skin parameters redefinition for a button border

| Skin parameters | CSS properties |
|------------------|----------------|
| tableBorderColor | border-color |

Table 6.417. Skin parameters redefinition for a highlighted button

| Skin parameters | CSS properties |
|--------------------|------------------|
| trimColor | background-color |
| selectControlColor | border-color |

Table 6.418. Skin parameters redefinition for a pressed button

| Skin parameters | CSS properties |
|---------------------------|------------------|
| selectControlColor | border-color |
| additionalBackgroundColor | background-color |

Table 6.419. Skin parameters redefinition for "Upload", "Clean" buttons

| Skin parameters | CSS properties |
|------------------|----------------|
| generalTextColor | color |

Table 6.420. Skin parameters redefinition for a disabled "Start" button icon

| Skin parameters | CSS properties |
|------------------|----------------|
| tableBorderColor | color |

Table 6.421. Skin parameters redefinition for a disabled "Clear" button icon

| Skin parameters | CSS properties |
|------------------|----------------|
| tableBorderColor | color |

6.11.5.10. Definition of Custom Style Classes

The following picture illustrates how CSS classes define styles for component elements.




Figure 6.247. Classes names



Figure 6.248. Classes names

Table 6.422. Classes names that define a component representation

| Class name | Description |
|-------------------------------|--|
| rich-fileupload-list-decor | Defines styles for a wrapper <div> element of a fileUpload |
| rich-fileupload-font | Defines styles for a font of buttons and items |
| rich-fileupload-toolbar-decor | Defines styles for a toolbar |
| rich-fileupload-list-overflow | Defines styles for a list of files |

Table 6.423. Classes names that define buttons representation

| Class name | Description |
|----------------------------------|--|
| rich-fileupload-button | Defines styles for a buttons |
| rich-fileupload-button-border | Defines styles for a border of buttons |
| rich-fileupload-button-light | Defines styles for a highlight of button |
| rich-fileupload-button-press | Defines styles for a pressed button |
| rich-fileupload-button-dis | Defines styles for a disabled button |
| rich-fileupload-button-selection | Defines styles for "Upload", "Clean" buttons |

Table 6.424. Classes names that define the representation of the buttons' icons

| Class name | Description |
|-------------------------------|--|
| rich-fileupload-ico | Defines styles for an icon |
| rich-fileupload-ico-add | Defines styles for a "Add" button icon |
| rich-fileupload-ico-start | Defines styles for a "Upload" button icon |
| rich-fileupload-ico-stop | Defines styles for a "Stop" button icon |
| rich-fileupload-ico-clear | Defines styles for a "Clear" button icon |
| rich-fileupload-ico-add-dis | Defines styles for a disabled "Add" button icon |
| rich-fileupload-ico-start-dis | Defines styles for a disabled "Upload" button icon |
| rich-fileupload-ico-clear-dis | Defines styles for a disabled "Clear" button icon |

Table 6.425. Classes names that define list items representation

| Class name | Description |
|--------------------------|---|
| rich-fileupload-table-td | Defines styles for a wrapper <td> element of a list items |
| rich-fileupload-anc | Defines styles for "Cancel", "Stop", "Clear" links |

In order to redefine styles for all `<rich:fileUpload>` components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...
.rich-fileupload-anc{
```

```
font-weight:bold;
text-decoration:none;
}
...
```

This is the result:



Figure 6.249. Redefinition styles with predefined classes

In the example above the font weight and text decoration for "Cancel" and "Clear" links are changed.

Also it's possible to change styles of particular **<rich:fileUpload>** component. In this case you should create own style classes and use them in the corresponding **<rich:fileUpload>** *styleClass* attributes. An example is placed below:

Example:

```
...
.myClass{
    font-weight:bold;
}
...
```

The *"addButtonClass"* attribute for **<rich:fileUpload>** is defined as it's shown in the example below:

Example:

```
<rich:fileUpload ... addButtonClass="myClass"/>
```

This is the result:



Figure 6.250. Redefinition styles with own classes and *styleClass* attributes

As it could be seen on the picture above, the font style for "Add" button is changed.

6.11.5.11. Relevant Resources Links

On [RichFaces LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/fileUpload.jsf?c=fileUpload) [http://livedemo.exadel.com/richfaces-demo/richfaces/fileUpload.jsf?c=fileUpload] you can see an example of `<rich:fileUpload>` usage and sources for the given example.

6.11.6. `< rich:inplaceInput >` available since 3.2.0

3.2.0

6.11.6.1. Description

The `<rich:inplaceInput>` is an input component used for displaying and editing data inputted.




Figure 6.251. `<rich:inplaceInput>` component

6.11.6.2. Key Features

- View/changed/edit states highly customizable representations
- Changing state event customization
- Possibility to call custom JavaScript function on state changes
- Optional "inline" or "block" element rendering on a page

- Edit mode activation when the component gets focus with the "Tab"
- Sizes synchronizations between modes
- Controls customization

Table 6.426. rich : inplaceInput attributes

| Attribute Name | Description |
|----------------------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| cancelControlIcon | Defines custom cancel icon |
| changedClass | Assigns one or more space-separated CSS class names to the component in the changed state |
| changedHoverClass | Assigns one or more space-separated CSS class names to the component hovered in the changed state |
| controlClass | Assigns one or more space-separated CSS class names to the component controls |
| controlHoverClass | Assigns one or more space-separated CSS class names to the component control hovered |
| controlPressedClass | Assigns one or more space-separated CSS class names to the component control pressed |
| controlsHorizontalPosition | Positions the controls horizontally. Possible values are "left", "center", "right". Default value is "right". |
| controlsVerticalPosition | Positions the controls vertically. Possible values are "bottom", "center" and "top". Default value is "center" |
| converter | JSF: Id of Converter to be used or reference to a Converter |
| converterMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the converter message, replacing any message that comes from the converter |
| defaultLabel | The attribute is used to display text while value is undefined |
| editClass | Assigns one or more space-separated CSS class names to the component in the edit state |

| Attribute Name | Description |
|------------------|---|
| editEvent | Provides an option to assign an JavaScript action that initiates the change of the state. Default value is "onclick". |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| immediate | A flag indicating that this component value must be converted and validated immediately (that is, during Apply Request Values phase), rather than waiting until a Process Validations phase |
| inputWidth | Sets width of the input field |
| label | A localized user presentable name for this component. |
| layout | Defines how the component is displayed in the layout. Possible values are "block", "inline". Default value is "inline". |
| maxInputWidth | Sets the maximum width of the input field. Default value is "500px". |
| maxlength | HTML: Specifies the maximum number of digits that could be entered into the input field. The maximum number is unlimited by default. |
| minInputWidth | Sets the minimum width of the input field. Default value is "40px". |
| onblur | DHTML: The client-side script method to be called when the component loses the focus |
| onchange | DHTML: The client-side script method to be called when the component value is changed |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| oneditactivated | The client-side script method to be called when the component edit state is activated |
| oneditactivation | The client-side script method to be called before the component edit state is activated |
| onfocus | DHTML: The client-side script method to be called when the component gets the focus |

| Attribute Name | Description |
|------------------|--|
| oninputclick | The client-side script method to be called when the input field is clicked |
| oninputdblclick | The client-side script method to be called when the input field is double-clicked |
| oninputkeydown | The client-side script method to be called when a key is pressed down in the input field |
| oninputkeypress | The client-side script method to be called when a key is pressed and released in the input field |
| oninputkeyup | The client-side script method to be called when a key is released in the input field |
| oninputmousedown | The client-side script method to be called when a mouse button is pressed down in the input field |
| oninputmousemove | The client-side script method to be called when a pointer is moved within the input field |
| oninputmouseout | The client-side script method to be called when a pointer is moved away from the input field |
| oninputmouseover | The client-side script method to be called when a pointer is moved onto the input field |
| oninputmouseup | The client-side script method to be called when a mouse button is released in the input field |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |

| Attribute Name | Description |
|---------------------|--|
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| onselect | DHTML: The client-side script method to be called when some text is selected in the input field |
| onviewactivated | The client-side script method to be called when the component view state is activated |
| onviewactivation | The client-side script method to be called before the component view state is activated |
| rendered | JSF: If "false", this component is not rendered |
| required | JSF: If "true", this component is checked for non-empty input |
| requiredMessage | A ValueExpression enabled attribute which defines text of validation message to show, if a required field is missing |
| saveControllIcon | Defines custom save icon |
| selectOnEdit | Makes the input field select when switched to edit state. Default value is "false" |
| showControls | Serves to display "save" and "cancel" controls. Default value is "false". |
| styleClass | JSF: Assigns one or more space-separated CSS class names to the component. Corresponds to the HTML "class" attribute. |
| tabindex | HTML: Serves to define the tabbing order |
| validator | JSF: MethodBinding pointing at a method that is called during Process Validations phase of the request processing lifecycle, to validate the current value of this component |
| validatorMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the validator message, replacing any message that comes from the validator |
| value | JSF: The current value of this component |
| valueChangeListener | JSF: Listener for value changes |

| Attribute Name | Description |
|----------------|--|
| viewClass | Assigns one or more space-separated CSS class names to the component in the view state |
| viewHoverClass | Assigns one or more space-separated CSS class names to the component hovered in the view state |

Table 6.427. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.inplaceInput |
| component-class | org.richfaces.component.html.HtmlInplaceInput |
| component-family | org.richfaces.inplaceInput |
| renderer-type | org.richfaces.renderkit.inplaceInputRenderer |
| tag-class | org.richfaces.taglib.inplaceInputTag |

6.11.6.3. Creating the Component with a Page Tag

Here is a simple example of how the component can be used on a page:

Example:

```
...  
<rich:inplaceInput value="#{bean.value}"/>  
...
```

6.11.6.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.inplaceInput;  
...  
HtmlInpacelInput myInplaceInput = new InplaceInput();  
...
```

6.11.6.5. Details of Usage

The **<rich:inplaceInput>** component was designed to facilitate displaying and inputting(editing) some data.

The *"value"* attribute is a value-binding expression for the current value of the component.

The component has three functional states:

- View state displays default label with the value taken from `"value"` or `"defaultLabel"` attributes.


If the initial value of the `"value"` attribute is `"null"` or empty string the `"defaultLabel"` attribute is used to define default label.

Example:

```
...  
<rich:inplaceInput value="#{bean.value}" defaultLabel="click to edit"/>  
...
```

In the example above the `"value"` attribute is not initialized therefore `"click to edit"` text, that `"defaultLabel"`, contains is displayed.

This is the result:



The opening of a new click to edit by Ford Motor Company involved rehiring personnel.

Figure 6.252. View state

- Edit state - input representation to allow value edit



The opening of a new factory by Ford Motor Company involved rehiring personnel.

Figure 6.253. Edit state

- Changed state - value representation after it was changed



The opening of a new factory by Ford Motor Company involved rehiring personnel.

Figure 6.254. Changed state

The `"editEvent"` attribute provides an option to assign a JavaScript action to initiate the change of the state from view/changed to edit. The default value is `"onclick"`.

Example:

```
...
```

```
<rich:inplaceInput value="#{bean.value}" editEvent="ondblclick"/>
...
```

The **<rich:inplaceInput>** component provides specific event attributes:

- *"oneditactivation"* which is fired on edit state activation
- *"oneditactivated"* which is fired when edit state is activated
- *"onviewactivation"* which is fired on view state activation
- *"onviewactivated"* which is fired after the component is changed to representation state

Example:

```
...
<rich:inplaceInput value="#{bean.value}" oneditactivation="if (!confirm('Are you sure you want
to change the value?')){return false;}" />
...
```

The given code illustrates how *"oneditactivation"* attribute works, namely when the state is being changed from view to edit, a confirmation window with a message "Are you sure you want to change value?" comes up.

Using the boolean *"selectOnEdit"* attribute set to true, the text in the input field will be selected when the change from view/changed state to edit occurs.

This is the result:



Figure 6.255. Usage of the *"selectOnEdit"* attribute

If the **<rich:inplaceInput>** loses focus, input data is saved automatically and the component displays a new value. Additionally, the data is saved when "Enter" is pressed. Nevertheless, you can use the *"showControls"* attribute, which makes "Save" and "Cancel" buttons appear next to the input field. If the controls are used, data is not saved automatically when the form loses focus: user has to confirm that he/she wants to save/discard the data explicitly. In both cases(with controls or without them) the input data can be discarded by pressing "Esc" key.

Example:

```
...
<rich:inplaceInput value="#{bean.value}" showControls="true"/>
...
```




Figure 6.256. Usage "showControls" attribute

You can also position the controls relatively to the input field, by means of

- The "controlsHorizontalPosition" attribute with "left", "right" and "center" definitions
- The "controlsVerticalPosition" attribute with "bottom", "center" and "top" definitions

Example:

```
...
<rich:inplaceInput value="#{bean.value}" showControls="true" controlsVerticalPosition="bottom" controlsHorizontalPosition="left"/>
>
...
```

This is the result:



Figure 6.257. Positioning of "Save" and "Cancel" buttons

It is also possible to use "controls" facet in order to replace the default controls with facets content. See the example below.

Example:

```
...
<rich:inplaceInput defaultLabel="Click here to edit" showControls="true" controlsHorizontalPosition="left" controlsVerticalPosition="bottom" id="inplaceInput"
<f:facet name="controls">
```

```
<h:commandButton value="Save" onclick="#{rich:component('inplaceInput')}.save();" type="button"/>
<h:commandButton value="Cancel" onclick="#{rich:component('inplaceInput')}.cancel();" type="button"/>
</f:facet>
</rich:inplaceInput>
...
```

This is the result:




Figure 6.258. "controls" facet usage

Note:

The "controls" facet also implies using "showControls" attribute and it has to be defined as "true".

Redefinition of the "save" and "cancel" icons can be performed using "saveControlIcon" and "cancelControlIcon" attributes. You need to define the path to where your images are located.

Example:

```
...
<rich:inplaceInput value="#{bean.value}" defaultLabel='click to edit'
  showControls="true"
  controlsHorizontalPosition="left"
  controlsVerticalPosition="top"
  saveControlIcon="/images/cancel.gif"
  cancelControlIcon="/images/save.gif"/>
...
```




Figure 6.259. Redefining of "save" and "cancel" buttons

The `<rich:inplaceInput>` component could be rendered with `` or `<div>` elements to display its value. In order to change default `` output, use `"layout"` attribute with `"block"` value.

The `<rich:inplaceInput>` component supports standard `"tabindex"` attribute. When the component gets focus the edit mode is activated.

The `"inputWidth"`, `"minInputWidth"`, `"maxInputWidth"` attributes are provided to specify the width, minimal width and maximal width for the input element respectively.

Table 6.428. Keyboard usage

| Keys and combinations | Description |
|-----------------------|---|
| ENTER | Saves the input data, and changes the state from edit to changed |
| ESC | Changes the state from edit to view or changed, value is not affected |
| TAB | Switches between the components |

6.11.6.6. JavaScript API

Table 6.429. JavaScript API

| Function | Description |
|--------------------|--|
| edit() | Changes the state to edit |
| cancel() | Changes its state to the previous one before editing (changed or view) |
| save() | Changes its state to changed with a new value |
| getValue() | Gets the current value |
| setValue(newValue) | Sets the current value (to be implemented) |

6.11.6.7. Facets

Table 6.430. Facets

| Facet name | Description |
|------------|---|
| controls | Defines the controls contents. Related attributes are <code>"saveControlIcon"</code> and <code>"cancelControlIcon"</code> |

6.11.6.8. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all **<rich:inplaceInput>** components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets style classes used by a **<rich:inplaceInput>** component

6.11.6.9. Skin Parameters Redefinition

Table 6.431. Skin parameters redefinition for "save" and "cancel" controls

| Skin parameters | CSS properties |
|--------------------|------------------|
| tabBackgroundColor | background-color |
| panelBorderColor | border-color |

Table 6.432. Skin parameters redefinition for view state

| Skin parameters | CSS properties |
|-----------------------|---------------------|
| editorBackgroundColor | background-color |
| generalTextColor | border-bottom-color |

Table 6.433. Skin parameters redefinition for "Changed" state

| Skin parameters | CSS properties |
|-----------------------|---------------------|
| editorBackgroundColor | background-color |
| generalTextColo | border-bottom-color |

Table 6.434. Classes names that define input field look and feel in edit state

| Skin parameters | CSS properties |
|---------------------|------------------|
| editBackgroundColor | background-color |
| panelBorderColor | border-color |

6.11.6.10. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.260. Classes names

Table 6.435. Classes names that define a component appearance

| Class name | Description |
|--------------------|---|
| rich-inplace | Defines styles for a wrapper (or <div>) element of a component |
| rich-inplace-input | Defines styles for the component input field |

Table 6.436. Class name for the view state

| Class name | Description |
|-------------------------------|---|
| rich-inplace-view | Defines styles for the view state |
| rich-inplace-input-view-hover | Defines styles for hovered text in the view state |

Table 6.437. Class name for the input field in edit state

| Class name | Description |
|--------------------|--|
| rich-inplace-field | Defines styles for the input field look and feel in edit state |

Table 6.438. Class name for the "Changed" state

| Class name | Description |
|----------------------------------|--|
| rich-inplace-changed | Defines styles for the "Changed" state |
| rich-inplace-input-changed-hover | Defines styles for the hovered text in the "Changed" state |

Table 6.439. Classes names for "save" and "cancel" controls in Edit state

| Class name | Description |
|----------------------------|---|
| rich-inplace-control | Defines styles for the controls |
| rich-inplace-control-press | Defines styles for the controls when either of the buttons is pressed |
| rich-inplace-shadow-size | Defines size of the shadow |
| rich-inplace-shadow-tl | Defines styles for the shadow in the top left corner |
| rich-inplace-shadow-tr | Defines styles for the shadow in the top right corner |
| rich-inplace-shadow-bl | Defines styles for the shadow in the bottom left corner |
| rich-inplace-shadow-br | Defines styles for the shadow in the bottom right corner |

In order to redefine styles for all **<rich:inplaceInput>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-inplace-field {  
    font-style: italic;  
}  
...
```

This is the result:




Figure 6.261. Redefinition styles with predefined classes

In the shown example the font in edit state is changed to bold.

It's also possible to change styles of a particular **<rich:inplaceInput>** component. In this case you should create own style classes and use them in corresponding **<rich:inplaceInput>** *styleClass* attributes. An example is placed below:

Example:

```
...  
.myClass {  
    color: #008cca;  
}  
...
```

The `viewClass` attribute for the `<rich:inplaceInput>` is defined as it's shown in the example below:

Example:

```
<rich:inplaceInput value="click to edit" styleClass="myClass"/>
```

This is a result:

[click to edit](#)

Figure 6.262. Modification of a look and feel with own classes and `styleClass` attributes

As it could be seen on the picture above, the font color of the text on the component was changed.

6.11.6.11. Relevant Resources Links

On the [component Live Demo page](http://livedemo.exadel.com/richfaces-demo/richfaces/inplaceInput.jsf?c=inplaceInput) [http://livedemo.exadel.com/richfaces-demo/richfaces/inplaceInput.jsf?c=inplaceInput] you can see the example of `<rich:inplaceInput>` usage and sources for the given example.

6.11.7. `< rich:inplaceSelect >` available since 3.2.0

3.2.0

6.11.7.1. Description

The `<rich:inplaceSelect>` is used for creation select based inputs: it shows the value as text in one state and enables editing the value, providing a list of options in another state




Figure 6.263. Three states of <rich:inplaceSelect> component

6.11.7.2. Key Features

- View/changed/edit states highly customizable representations
- Optional "inline" or "block" element rendering on a page
- Changing state event customization
- Possibility to call custom JavaScript function on state changes
- Edit mode activation when the component got focus with the "Tab"
- Sizes synchronizations between modes
- Highly customizable look and feel

Table 6.440. rich : inplaceSelect attributes

| Attribute Name | Description |
|-------------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| cancelControlIcon | Defines custom cancel icon |
| changedClass | Assigns one or more space-separated CSS class names to the component in the changed state |
| controlClass | Assigns one or more space-separated CSS class names to the component controls |
| controlHoverClass | Assigns one or more space-separated CSS class names to the component control hovered |
| controlPressClass | Assigns one or more space-separated CSS class names to the component control pressed |

| Attribute Name | Description |
|----------------------------|---|
| controlsHorizontalPosition | The attribute positions the controls horizontally. Possible values are "right","center","left". Default value is "right". |
| controlsVerticalPosition | The attribute positions the controls vertically. Possible values are "bottom","center" and "top". Default value is "center" |
| converter | JSF: Id of Converter to be used or reference to a Converter |
| converterMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the converter message, replacing any message that comes from the converter |
| defaultLabel | The attribute is used to display text while value is undefined |
| editClass | Assigns one or more space-separated CSS class names to the component in the edit state |
| editEvent | The attribute provides an option to assign an JavaScript action that initiates the change of the state. Default value is "onclick". |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| immediate | A flag indicating that this component value must be converted and validated immediately (that is, during Apply Request Values phase), rather than waiting until a Process Validations phase |
| label | A localized user presentable name for this component. |
| layout | Defines how the component is displayed in the layout. Possible values are "block", "inline". Default value is "inline". |
| listHeight | The attribute defines the height of option list. Default value is "200px". |
| listWidth | The attribute defines the width of option list. Default value is "200px". |
| maxSelectWidth | Sets the maximum width of the select element. Default value is "200px". |
| minSelectWidth | Sets the minimum width of the select element. Default value is "100px". |

| Attribute Name | Description |
|------------------|---|
| onblur | DHTML: The client-side script method to be called when the component loses the focus |
| onchange | DHTML: The client-side script method to be called when the component value is changed |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| oneditactivated | The client-side script method to be called when the component edit state is activated |
| oneditactivation | The client-side script method to be called before the component edit state is activated |
| onfocus | DHTML: The client-side script method to be called when the component gets the focus |
| oninputblur | The client-side script method to be called when the component input field loses the focus |
| oninputclick | The client-side script method to be called when the input field is clicked |
| oninputdblclick | The client-side script method to be called when the input field is double-clicked |
| oninputfocus | The client-side script method to be called when the component input field gets the focus |
| oninputkeydown | The client-side script method to be called when a key is pressed down in the input field |
| oninputkeypress | The client-side script method to be called when a key is pressed and released in the input field |
| oninputkeyup | The client-side script method to be called when a key is released in the input field |
| oninputmousedown | The client-side script method to be called when a mouse button is pressed down in the input field |
| oninputmousemove | The client-side script method to be called when a pointer is moved within the input field |
| oninputmouseout | The client-side script method to be called when a pointer is moved away from the input field |
| oninputmouseover | The client-side script method to be called when a pointer is moved onto the input field |

| Attribute Name | Description |
|------------------|--|
| oninputmouseup | The client-side script method to be called when a mouse button is released in the input field |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| onselect | DHTML: The client-side script method to be called when some text is selected in the input field |
| onviewactivated | The client-side script method to be called when the component view state is activated |
| onviewactivation | The client-side script method to be called before the component view state is activated |
| openOnEdit | The attribute opens the list once edit activated. Default value is "true". |
| rendered | JSF: If "false", this component is not rendered |
| required | JSF: If "true", this component is checked for non-empty input |
| requiredMessage | A ValueExpression enabled attribute which defines text of validation message to show, if a required field is missing |

| Attribute Name | Description |
|---------------------|---|
| saveControllcon | Defines custom save icon |
| selectWidth | Sets width of the select element |
| showControls | The attribute serves to display "save" and "cancel" controls. Default value is "false". |
| showValueInView | If "true", shows the SelectItem labels in the InplaceSelect pull-down list, but displays the value in the field in view mode once an item is selected. Default value is "false" |
| styleClass | JSF: Assigns one or more space-separated CSS class names to the component. Corresponds to the HTML "class" attribute. |
| tabindex | HTML: The attribute serves to define the tabbing order |
| validator | JSF: MethodBinding pointing at a method that is called during Process Validations phase of the request processing lifecycle, to validate the current value of this component |
| validatorMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the validator message, replacing any message that comes from the validator |
| value | JSF: The current value of this component |
| valueChangeListener | JSF: Listener for value changes |
| viewClass | Assigns one or more space-separated CSS class names to the component in the view state |
| viewHoverClass | Assigns one or more space-separated CSS class names to the component hovered in the view state |

Table 6.441. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.InplaceSelect |
| component-class | org.richfaces.component.html.HtmlInplaceSelect |
| component-family | org.richfaces.InplaceSelect |
| renderer-type | org.richfaces.renderkit.InplaceSelectRenderer |
| tag-class | org.richfaces.taglib.InplaceSelectTag |

6.11.7.3. Creating the Component with a Page Tag

Here is a simple example of how the component can be used on a page:

Example:

```
...
<rich:inplaceSelect value="#{bean.inputValue}">
  <f:selectItem itemValue="1" itemLabel="factory"/>
</rich:inplaceSelect>
...
```

6.11.7.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.inplaceSelect;
...
HtmlInplaceSelect myInplaceSelect = new InplaceSelect();
...
```

6.11.7.5. Details of Usage

The *"value"* attribute is a value-binding expression for the current value of the component.

The `<rich:inplaceSelect>` component has three functional states:

- View state displays default label with the value taken from *"value"* or *"defaultLabel"* attributes.

If the initial value of the *"value"* attribute is *"null"* or empty string the *"defaultLabel"* attribute is used to define default label.

Example:

```
...
<rich:inplaceSelect value="#{bean.value}" defaultLabel="click to edit">
  <f:selectItems value="#{bean.selectItems}" />
</rich:inplaceSelect>
...
```

In the example above the *"value"* attribute is not initialized therefore *"click to edit"* text, that *"defaultLabel"*, contains is displayed.


This is the result:



The opening of a new click to edit Ford Company involved rehiring personnel.

Figure 6.264. View state

- Edit state - select representation to allow value edit



The opening of a new click to edit Ford Company involved rehiring personnel.

- oil well
- factory
- newspaper

Figure 6.265. Edit state

- Changed state - value representation after it was changed



The opening of a new factory Ford Company involved rehiring personnel.

Figure 6.266. Changed state

You can form the list of the options using `<f:selectItem/>` and `<f:selectItems/>` JSF components.

Please, see the example below.

Example:

```
...
<rich:inplaceSelect value="#{bean.inputValue}" defaultLabel="click to edit">
  <f:selectItems value="#{bean.selectItems}" />
  <f:selectItem itemValue="1" itemLabel="factory" />
  <f:selectItem itemValue="2" itemLabel="newspaper" />
</rich:inplaceSelect>
```

...

In the example above the value of the selected item is available via `"value"` attribute.

The `"editEvent"` attribute provides an option to assign an JavaScript action that initiates the change of the state from view to edit. The default value is `"onclick"`.

Example:

```
...
<rich:inplaceSelect value="#{bean.inputValue}" defaultLabel="Double Click to
edit" editEvent="ondblclick">
  <f:selectItems value="#{demo.selectItems}" />
</rich:inplaceSelect>
...
```

The `<rich:inplaceSelect>` component provides specific event attributes:

- `"oneditactivation"` fired on edit state activation
- `"oneditactivated"` fired when edit state is activated
- `"onviewactivation"` fired on view state activation
- `"onviewactivated"` fired after the component is changed to representation state

Example:

```
...
<rich:inplaceSelect value="#{bean.inputValue}" oneditactivation="if (!confirm('Are you sure you
want to change the value?')){return false;}">
  <f:selectItems value="#{demo.selectItems}" />
</rich:inplaceSelect>
...
```

The given code illustrates how `"oneditactivation"` attribute works, namely when the state is being changed from view to edit, a confirmation window with a message "Are you sure you want to change value?" comes up.

To prevent opening the drop-down list by default, once edit state is activated, set the `"openOnEdit"` attribute to `"false"`. The default value is `"true"`.

Example:

```
...  
<rich:inplaceSelect value="#{bean.inputValue}" showControls="true" openOnEdit="false">  
  <f:selectItems value="#{bean.selectItems}"/>  
</rich:inplaceSelect>  
...
```

This is the result:




Figure 6.267. The "openOnEdit" attribute usage

Nowever, if you want to confirm the data saving explicitly you can use the *showControls* attribute, which makes "Save" and "Cancel" buttons (displayed as icons) appear next to the input field. Edit state can be deactivated by pressing "Esc" key. An option in the drop-drown list can be also selected by pressing "Enter".

Example:

```
...  
<rich:inplaceSelect value="#{bean.inputValue}" showControls="true">  
  <f:selectItems value="#{bean.selectItems}"/>  
</rich:inplaceSelect>  
...
```

This is the result:




Figure 6.268. The "showControls" attribute usage

You can also position the controls relatively to the input field, by means of

- The *controlsHorizontalPosition* attribute with "left", "right" and "center" definitions
- The *controlsVerticalPosition* attribute with "bottom" and "top" definitions

Example:

```

...
<rich:inplaceSelect value="#{bean.inputValue}" controlsHorizontalPosition="left" controlsVerticalPosition="center">
  <f:selectItems value="#{bean.selectItems}"/>
</rich:inplaceSelect>
...

```

This is the result:




Figure 6.269. Controls positioning

It is also possible to use *"controls"* facet in order to replace the default controls with facets content. See the example below.

Please, see the example.

Example:

```

...
<rich:inplaceSelect value="#{bean.inputValue}" showControls="true">
  <f:facet name="controls">
    <button onclick="#{rich:component('inplaceSelect')}.save();" type="button">Save</button>
    <button onclick="#{rich:component('inplaceSelect')}.cancel();" type="button">Cancel</button>
  </f:facet>
  <f:selectItems value="#{bean.selectItems}"/>
</rich:inplaceSelect>
...

```

This is the result:



Figure 6.270. "controls" facet usage

Note:

The *"controls"* facet also implies using *"showControls"* attribute and it has to be defined as *"true"*.

The **<rich:inplaceSelect>** component could be rendered with **** or **<div>** elements to display its value. In order to change default **** output, use the *"layout"* attribute with *"block"* value.

The **<rich:inplaceSelect>** component supports standard *"tabindex"* attribute. When the component gets focus the edit mode is activated and drop-down list is opened.

The *"selectWidth"*, *"minSelectWidth"* and *"maxSelectWidth"* attributes are provided to specify the width, minimal width and maximal width for the input element respectively.

In order to specify the height and width parameters for the list items of the component, you can use *"listHeight"* and *"listWidth"* attributes.

6.11.7.6. JavaScript API

Table 6.442. JavaScript API

| Function | Description |
|--------------------|--|
| edit() | Changes the state to edit |
| cancel() | Changes its state to the previous one before editing (changed or view) |
| save() | Changes its state to changed with a new value |
| getValue() | Gets the current value |
| setValue(newValue) | Sets the current value and name |

6.11.7.7. Facets

Table 6.443. Facets

| Facet name | Description |
|------------|--|
| controls | Defines the contols contents. Related attributes are <i>"saveControllcon"</i> and <i>"cancelControllcon"</i> |

6.11.7.8. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:inplaceSelect>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets style classes used by a `<rich:inplaceSelect>` component

6.11.7.9. Skin Parameters Redefinition

Table 6.444. Skin parameters redefinition for view state

| Skin parameters | CSS properties |
|-----------------------|---------------------|
| editorBackgroundColor | background-color |
| generaTextColor | border-bottom-color |

Table 6.445. Skin parameters redefinition for input field in edit state

| Skin parameters | CSS properties |
|---------------------|------------------|
| editBackgroundColor | background-color |
| panelBorderColor | border-color |

Table 6.446. Skin parameters redefinition for control

| Skin parameters | CSS properties |
|--------------------|------------------|
| tabBackgroundColor | background-color |
| panelBorderColor | border-color |

Table 6.447. Skin parameters redefinition for pressed control

| Skin parameters | CSS properties |
|--------------------|------------------|
| tabBackgroundColor | background-color |
| panelBorderColor | border-color |

Table 6.448. Skin parameters redefinition for list

| Skin parameters | CSS properties |
|---------------------|------------------|
| editBackgroundColor | background-color |
| panelBorderColor | border-color |

Table 6.449. Skin parameters redefinition for selected item

| Skin parameters | CSS properties |
|-----------------------|------------------|
| headerTextColor | color |
| headerBackgroundColor | background-color |

| Skin parameters | CSS properties |
|-----------------------|----------------|
| headerBackgroundColor | border-color |

6.11.7.10. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.271. Classes names

Table 6.450. Class name for the view state

| Class name | Description |
|--------------------------|------------------------------------|
| rich-inplace-select-view | Defines styles for the select view |

Table 6.451. Class name for the input field in edit state

| Class name | Description |
|---------------------------|-------------------------------------|
| rich-inplace-select-field | Defines styles for the select field |

Table 6.452. Class name for the control

| Class name | Description |
|-----------------------------------|---|
| rich-inplace-select-control | Defines styles for the select control |
| rich-inplace-select-control-press | Defines styles for the pressed select control |

Table 6.453. Class name for the list

| Class name | Description |
|-------------------------------------|--|
| rich-inplace-select-list-decoration | Defines styles for a wrapper <table> element of an inplaceSelect |

Table 6.454. Classes names for the selected item

| Class name | Description |
|-----------------------------------|--------------------------------------|
| rich-inplace-select-selected-item | Defines styles for the selected item |

Table 6.455. Classes names for the shadow


| Class name | Description |
|-------------------------------|--|
| rich-inplace-select-shadow-tl | Defines styles for the top-left shadow |
| rich-inplace-select-shadow-tr | Defines styles for the top-right shadow |
| rich-inplace-select-shadow-bl | Defines styles for the bottom-left shadow |
| rich-inplace-select-shadow-br | Defines styles for the bottom-right shadow |

In order to redefine styles for all **<rich:inplaceSelect>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...
.rich-inplace-select-list-decoration{
    background-color: #ecf4fe;
}
...
```

This is the result:

**Figure 6.272. Redefinition styles with predefined classes**

In the shown example the background color for list is changed.

It's also possible to change styles of a particular **<rich:inplaceSelect>** component. In this case you should create own style classes and use them in corresponding **<rich:inplaceSelect>** styleClass attributes. An example is placed below:

Example:

```
...  
.myClass {  
  background-color:#bed6f8;  
  font-style:italic;  
}  
...
```

The "viewClass" attribute for **<rich:inplaceSelect>** is defined as it's shown in the example below:

Example:

```
<rich:inplaceSelect value="click to edit" viewClass="myClass"/>
```

This is a result:

The opening of a new Click ... by Ford Motor Company involved rehiring personnel.

Figure 6.273. Modificaton of a look and feel with own classes and styleClass attributes

As it could be seen on the picture above, the font style and background color in view state is changed.

6.11.7.11. Relevant Resources Links

On the component Live Demo page [<http://livedemo.exadel.com/richfaces-demo/richfaces/inplaceSelect.jsf?c=inplaceSelect>] you can see the example of **<rich:inplaceSelect>** usage and sources for the given example.

6.11.8. < rich:inputNumberSlider > available since 3.0.0

6.11.8.1. Description

The **<rich:inputNumberSlider>** component is a slider component. A handler's position corresponds to a definite value on the slider track. In order to change the value you can slide a handler or set the necessary value into the input field. You can dispose it horizontally or vertically on the page.




Figure 6.274. `<rich:inputNumberSlider>` component, horizontal and vertical views

6.11.8.2. Key Features

- Fully skinnable control and input elements
- Optional value text field with an attribute-managed position
- Optional disablement of the component on a page
- Optional tooltip to display the current value while a handle is dragged
- Dragged state is stable after the mouse moves
- Optional manual input possible if a text input field is present
- Validation of manual input
- Possibility to display 2 controls that increase/decrease the value by the defined step width, when they will be clicked.
- Attribute "orientation" that can have the values "vertical" and "horizontal" to define in which direction the slider should be movable.

Table 6.456. rich : inputNumberSlider attributes

| Attribute Name | Description |
|----------------|---|
| accesskey | HTML: This attribute assigns an access key to an element. An access key is a single character from the document character set. Note: Authors should consider the input method of the expected reader when specifying an accesskey |
| barClass | Assigns one or more space-separated CSS class names to the component bar element |

| Attribute Name | Description |
|-----------------------|--|
| barStyle | CSS style rules to be applied to the component bar element |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| clientErrorMessage | an error message to use in client-side validation events |
| converter | JSF: Id of Converter to be used or reference to a Converter |
| converterMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the converter message, replacing any message that comes from the converter |
| decreaseClass | Assigns one or more space-separated CSS class names to the decrease arrow element |
| decreaseSelectedClass | Assigns one or more space-separated CSS class names to the decrease arrow element selected |
| decreaseStyle | CSS style rules to be applied to the decrease arrow element |
| delay | Delay in pressed increase/decrease arrows in milliseconds. Default value is "200". |
| disabled | HTML: When set for a form control, this boolean attribute disables the control for your input |
| enableManualInput | If set to "false" this attribute makes the text field "read-only", so the value can be changed only from a handle. Default value is "true". |
| handleClass | Assigns one or more space-separated CSS class names to the handle element |
| handleSelectedClass | Assigns one or more space-separated CSS class names to the handle element selected |
| height | The height of a slider control. Default value is "20px", for orientation="vertical" value is "20px" |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| immediate | A flag indicating that this component value must be converted and validated immediately (that is, during Apply Request Values phase), |

| Attribute Name | Description |
|-----------------------|---|
| | rather than waiting until a Process Validations phase |
| increaseClass | Assigns one or more space-separated CSS class names to the increase arrow element |
| increaseSelectedClass | Assigns one or more space-separated CSS class names to the increase arrow element selected |
| increaseStyle | CSS style rules to be applied to the increase arrow element |
| inputClass | Assigns one or more space-separated CSS class names to the component input field |
| inputPosition | If "right", the InputText Box would be rendered on the right side of the ruler. If "left", the InputText Box would be rendered on the left side of the ruler. If "top", the InputText Box would be rendered on the top of the ruler. If "bottom", the InputText Box would be rendered on the bottom of the ruler. |
| inputSize | Similar to the "Size" attribute of h:inputText. Default value is "3". |
| inputStyle | CSS style rules to be applied to the component input field |
| label | A localized user presentable name for this component. |
| maxLength | HTML: Specifies the maximum number of digits that could be entered into the input field. The maximum number is unlimited by default. If entered value exceeds the value specified in "maxValue" attribute than the slider takes a maximum value position. |
| maxValue | Attribute to set an "end" value. Default value is "100" |
| minValue | Attribute to set the "start" value. Default value is "0". |
| onblur | DHTML: The client-side script method to be called when the element loses the focus |
| onchange | DHTML: The client-side script method to be called when the element value is changed |

| Attribute Name | Description |
|------------------|--|
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onerror | The client-side script method to be called when a non-number value or a number value that is out of the range is input |
| onfocus | DHTML: The client-side script method to be called when the element gets the focus |
| oninputclick | The client-side script method to be called when the component input field is clicked |
| oninputdblclick | The client-side script method to be called when the component input field is double-clicked |
| oninputkeydown | The client-side script method to be called when a key is pressed down in the input field |
| oninputkeypress | The client-side script method to be called when a key is pressed and released in the input field |
| oninputkeyup | The client-side script method to be called when a key is released in the input field |
| oninputmousedown | The client-side script method to be called when a mouse button is pressed down in the input field |
| oninputmousemove | The client-side script method to be called when a pointer is moved within the input field |
| oninputmouseout | The client-side script method to be called when a pointer is moved away from the input field |
| oninputmouseover | The client-side script method to be called when a pointer is moved onto the input field |
| oninputmouseup | The client-side script method to be called when a mouse button is released in the input field |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |

| Attribute Name | Description |
|--------------------|--|
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| onselect | DHTML: The client-side script method to be called when some text is selected in the text field. This attribute can be used with the INPUT and TEXTAREA elements. |
| onslide | The client-side script method to be called when a slider handle is moved |
| orientation | Attribute can have the values "vertical" and "horizontal" to define in which direction the slider should be moveable. |
| rendered | JSF: If "false", this component is not rendered |
| required | JSF: If "true", this component is checked for non-empty input |
| requiredMessage | A ValueExpression enabled attribute which defines text of validation message to show, if a required field is missing |
| showArrows | False value for this attribute makes increase/decrease arrows invisible. Default value is "false". |
| showBoundaryValues | If the min/max values are shown on the right/left borders of a control. Default value is "true". |
| showInput | False value for this attribute makes text a field invisible. Default value is "true". |
| showToolTip | If "true" the current value is shown in the tooltip when a handle control is in a "dragged" state. Default value is "true". |
| step | Parameter that determines a step between the nearest values while using a handle. Default value is "1". |
| style | HTML: CSS style rules to be applied to the component |

| Attribute Name | Description |
|---------------------|--|
| styleClass | JSF: Assigns one or more space-separated CSS class names to the component. Corresponds to the HTML "class" attribute. |
| tabindex | HTML: This attribute specifies the position of the current element in the tabbing order for the current document. This value must be a number between 0 and 32767. User agents should ignore leading zeros |
| tipClass | Assigns one or more space-separated CSS class names to the tool tip element of the handle |
| tipStyle | CSS style rules to be applied to the tool tip element of the handle |
| validator | JSF: MethodBinding pointing at a method that is called during Process Validations phase of the request processing lifecycle, to validate the current value of this component |
| validatorMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the validator message, replacing any message that comes from the validator |
| value | JSF: The current value of this component |
| valueChangeListener | JSF: Listener for value changes |
| width | HTML: The width of a slider control. Default value is "200px", for orientation="vertical" value is "200px" |

Table 6.457. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.inputNumberSlider |
| component-class | org.richfaces.component.html.HtmlInputNumberSlider |
| component-family | org.richfaces.inputNumberSlider |
| renderer-type | org.richfaces.InputNumberSliderRenderer |
| tag-class | org.richfaces.taglib.InputNumberSliderTag |

6.11.8.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...  
<rich:inputNumberSlider minValue="0" maxValue="100" step="1"/>  
...
```

6.11.8.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlInputNumberSlider;  
...  
HtmlInputNumberSlider mySlider = new HtmlInputNumberSlider();  
...
```

6.11.8.5. Details of Usage

`<rich:inputNumberSlider>` is used to facilitate your data input with rich UI Controls.

Here is the simplest variant of a slider definition with `minValue`, `maxValue` and `step` (on default is "1") attributes, which define the beginning and the end of a numerical area and a slider property step.

Example:

```
<rich:inputNumberSlider></rich:inputNumberSlider>
```

It's generated on a page:




Figure 6.275. Generated `<rich:inputNumberSlider>`

Using `showInput` (default is "true") and `enableManualInput` (default value is "true") attributes, it's possible to output the input area near the slider, and make it read-only or editable.

To remove input area use `showInput = "false"` :

Example:

```
<rich:inputNumberSlider minValue="1" maxValue="100" showInput="false"/>
```

It's displayed at a page like:




Figure 6.276. <rich:inputNumberSlider> without input field

It's also possible to switch off displaying of "boundary values" and a tooltip showing on a handle drawing. This could be performed with the help of the component defined attributes: *"showBoundaryValues"* which is responsible for "boundary values" displaying (default is true) and *"showToolTip"* which is responsible for tooltip displaying (default is "true").

Moreover, to add e.g. some JavaScript effects, events defined on it are used.

- *"onchange"*
- *"onmouseover"*
- *"onclick"*
- *"onfocus"*
- *"onmouseout"*
- etc.

The *"label"* attribute is a generic attribute. The *"label"* attribute provides an association between a component, and the message that the component (indirectly) produced. This attribute defines the parameters of a localized error and informational messages that occur as a result of conversion, validation, or other application actions during the request processing lifecycle. With the help of this attribute you can replace the last parameter substitution token shown in the messages. For example, {1} for `"DoubleRangeValidator.MAXIMUM"` , {2} for `"ShortConverter.SHORT"`.

The *"showArrows"* boolean attribute when set to "true" enables additional controls for increasing and decreasing slider value. The controls (arrows by default) are placed in the beginning and in the end of slider track:



Figure 6.277. <rich:inputNumberSlider> with additional controls

Clicking an arrow changes the driven value on the amount defined with *"step"* attribute. Keeping an arrow control pressed changes the value continuous. Time that value takes to change from one step to another is defined with *"delay"* attribute.

6.11.8.6. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:inputNumberSlider>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a `<rich:inputNumberSlider>` component

6.11.8.7. Skin Parameters Redefinition

Table 6.458. Skin parameters redefinition for a bar

| Skin parameters | CSS properties |
|------------------------|------------------|
| controlBackgroundColor | background-color |

Table 6.459. Skin parameters redefinition for numbers

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalFamilyFont | font-family |
| generalSizeFont | font-size |
| generalTextColor | color |
| panelBorderColor | border-color |
| generalSizeFont | line-height |

Table 6.460. Skin parameters redefinition for a text field

| Skin parameters | CSS properties |
|------------------------|---------------------|
| controlBackgroundColor | background-color |
| generalFamilyFont | font-family |
| generalSizeFont | font-size |
| controlTextColor | color |
| panelBorderColor | border-color |
| subBorderColor | border-bottom-color |
| subBorderColor | border-right-color |

Table 6.461. Skin parameters redefinition for a hint

| Skin parameters | CSS properties |
|--------------------|------------------|
| tipBackgroundColor | background-color |

| Class name | Description |
|---------------------------------------|-----------------------------------|
| inputNumberSlider-decrease-horizontal | Defines styles for the left arrow |

In order to redefine styles for all `<rich:inputNumberSlider>` components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the table [above](#)) and define necessary properties in them. An example is placed below:

Example:

```
...
.rich-inslider-tip{
  background-color: #FFDAB9;
  font-family: Arial Black;
}
...
```

This is a result:



Figure 6.279. Redefinition styles with predefined classes

In the example a tip background color and font family was changed.

Also it's possible to change styles of particular `<rich:inputNumberSlider>` component. In this case you should create own style classes and use them in corresponding `<rich:inputNumberSlider>` `styleClass` attributes. An example is placed below:

Example:

```
...
.myClass{
  font-style: italic;
  font-weight:bold;
  font-size:12px;
}
...
```

The `"inputClass"` attribute for `<rich:inputNumberSlider>` is defined as it's shown in the example below:

Example:

```
<rich:inputNumberSlider ... inputClass="myClass"/>
```

This is a result:



Figure 6.280. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, the font style for input text was changed.

6.11.8.9. Relevant Resources Links

On the [component Live Demo page](http://livedemo.exadel.com/richfaces-demo/richfaces/inputNumberSlider.jsf?c=inputNumberSlider) [http://livedemo.exadel.com/richfaces-demo/richfaces/inputNumberSlider.jsf?c=inputNumberSlider] you can see the example of `<rich:inputNumberSlider>` usage and sources for the given example.

6.11.9. < rich:inputNumberSpinner > available since 3.0.0

6.11.9.1. Description

A single line input field that lets selecting a number using controls near a text field. It's possible to change a value using "Up/Down" keyboard keys. The keyboard input in a field is possible if it isn't locked by the `enableManualInput` attribute. When arrow controls are pressed, the cursor can be moved in any way without losing a dragged state.



Figure 6.281. <rich:inputNumberSpinner> component

6.11.9.2. Key Features

- Fully skinnable control and input elements
- 3D look and feel with an easily customizable appearance
- Attribute-managed positions of the controls (inside/outside of the input field)
- Keyboard controls support
- Optional disablement of the component on a page
- Optional `"cycled"` mode of scrolling values
- Optional manual/controls-only input into a value text field
- Validation of manual input

Table 6.463. rich : inputNumberSpinner attributes

| Attribute Name | Description |
|----------------------------|---|
| accesskey | HTML: This attribute assigns an access key to an element. An access key is a single character from the document character set. Note: Authors should consider the input method of the expected reader when specifying an accesskey |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| clientErrorMessage | An error message to use in client-side validation events |
| converter | JSF: Id of Converter to be used or reference to a Converter |
| converterMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the converter message, replacing any message that comes from the converter |
| cycled | If "true" after the current value reaches the border value it is reversed to another border value after next increasing/decreasing. In other case possibilities of next increasing (or decreasing) will be locked. Default value is "true". |
| disableBrowserAutoComplete | Disable browser's auto completion. Default value is "false" |
| disabled | HTML: When set for a form control, this boolean attribute disables the control for your input |
| enableManualInput | if "false" your's input to the text field using keyboard will be locked. Default value is "true" |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| immediate | A flag indicating that this component value must be converted and validated immediately (that is, during Apply Request Values phase), rather than waiting until a Process Validations phase |

| Attribute Name | Description |
|------------------|---|
| inputClass | Assigns one or more space-separated CSS class names to the component input field |
| inputSize | Attribute specifies the initial length of input in characters. Default value is "10". |
| inputStyle | CSS style rules to be applied to the component input field |
| label | A localized user presentable name for this component. |
| maxValue | Maximum value. Default value is "100". |
| minValue | Minimum value. Default value is "0". |
| onblur | DHTML: The client-side script method to be called when the element loses the focus |
| onchange | DHTML: The client-side script method to be called when the element value is changed |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onmousedown | The client-side script method to be called when the 'Down' button is clicked |
| onerror | The client-side script method to be called whenever a JavaScript error occurs |
| onfocus | DHTML: The client-side script method to be called when the element gets the focus |
| oninputclick | The client-side script method to be called when the component input field is clicked |
| oninputdblclick | The client-side script method to be called when the component input field is double-clicked |
| oninputkeydown | The client-side script method to be called when a key is pressed down in the input field |
| oninputkeypress | The client-side script method to be called when a key is pressed and released in the input field |
| oninputkeyup | The client-side script method to be called when a key is released in the input field |
| oninputmousedown | The client-side script method to be called when a mouse button is pressed down in the input field |

| Attribute Name | Description |
|------------------|--|
| oninputmousemove | The client-side script method to be called when a pointer is moved within the input field |
| oninputmouseout | The client-side script method to be called when a pointer is moved away from the input field |
| oninputmouseover | The client-side script method to be called when a pointer is moved onto the input field |
| oninputmouseup | The client-side script method to be called when a mouse button is released in the input field |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| onselect | DHTML: The client-side script method to be called when some text is selected in the text field. This attribute can be used with the INPUT and TEXTAREA elements. |
| onupclick | The client-side script method to be called when the 'Up' button is clicked |
| rendered | JSF: If "false", this component is not rendered |
| required | JSF: If "true", this component is checked for non-empty input |
| requiredMessage | A ValueExpression enabled attribute which defines text of validation message to show, if a required field is missing |
| step | Parameter that determines the step between nearest values while using controls. Default value is "1" |
| style | HTML: CSS style rules to be applied to the component |

| Attribute Name | Description |
|---------------------|--|
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| tabindex | HTML: This attribute specifies the position of the current element in the tabbing order for the current document. This value must be a number between 0 and 32767. User agents should ignore leading zeros |
| validator | JSF: MethodBinding pointing at a method that is called during Process Validations phase of the request processing lifecycle, to validate the current value of this component |
| validatorMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the validator message, replacing any message that comes from the validator |
| value | JSF: The current value of this component |
| valueChangeListener | JSF: Listener for value changes |

Table 6.464. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.inputNumberSpinner |
| component-class | org.richfaces.component.html.HtmlInputNumberSpinner |
| component-family | org.richfaces.inputNumberSpinner |
| renderer-type | org.richfaces.InputNumberSpinnerRenderer |
| tag-class | org.richfaces.taglib.InputNumberSpinnerTag |

6.11.9.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...  
<rich:inputNumberSpinner minValue="0" maxValue="100" step="1"/>  
...
```

6.11.9.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlInputNumberSpinner;  
...  
HtmlInputNumberSpinner mySpinner = new HtmlInputNumberSpinner ();  
...
```

6.11.9.5. Details of Usage

`<rich:inputNumberSpinner>` is used to facilitate your data input with rich UI Controls.

Here is the simplest variant of spinner definition with `minValue`, `maxValue` and `step` (on default is "1") attributes, which define the beginning and the end of numerical area and a spinner step.

Example:

```
...  
<rich:inputNumberSpinner minValue="1" maxValue="100"/>  
...
```

It generates on a page:



Figure 6.282. Generated `<rich:inputNumberSpinner>`

There are also several attributes to define functionality peculiarities:

- `"cycled"` if the attribute is "true" after the current value reaches the border value it's be reversed to another border value after next increasing/decreasing. In other case possibilities of next increasing/decreasing are locked
- `"disabled"` is an attribute that defines whether a component is active on a page
- `"enableManualInput"` is an attribute that defines whether a keyboard input is possible or only UI controls could be used

Moreover, to add e.g. some JavaScript effects, events defined on it are used

- `"onchange"`

- "onmouseover"
- "onclick"
- "onfocus"
- "onmouseout"
- etc.

The "label" attribute is a generic attribute. The "label" attribute provides an association between a component, and the message that the component (indirectly) produced. This attribute defines the parameters of localized error and informational messages that occur as a result of conversion, validation, or other application actions during the request processing lifecycle. With the help of this attribute you can replace the last parameter substitution token shown in the messages. For example, {1} for "DoubleRangeValidator.MAXIMUM" , {2} for "ShortConverter.SHORT" .

6.11.9.6. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all <rich:inputNumberSpinner> components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a <rich:inputNumberSpinner> component

6.11.9.7. Skin Parameters Redefinition

Table 6.465. Skin parameters redefinition for a container

| Skin parameters | CSS properties |
|------------------------|---------------------|
| controlBackgroundColor | background-color |
| panelBorderColor | border-color |
| subBorderColor | border-bottom-color |
| subBorderColor | border-right-color |

Table 6.466. Skin parameters redefinition for an input field

| Skin parameters | CSS properties |
|------------------|----------------|
| buttonSizeFont | font-size |
| buttonFamilyFont | font-family |

6.11.9.8. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.283. Style classes

Table 6.467. Classes names that define a component appearance

| Class name | Description |
|------------------------------|--|
| rich-spinner-c | Defines styles for a wrapper table element of a component |
| rich-spinner-input-container | Defines styles for a container |
| rich-spinner-input | Defines styles for a wrapper <td> element for input fields |
| rich-spinner-button | Defines styles for a button |
| rich-spinner-buttons | Defines styles for all buttons |

In order to redefine styles for all **<rich:inputNumberSpinner>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the table [above](#)) and define necessary properties in them. An example is placed below:

Example:

```
...
.rich-spinner-input{
  font-style:italic;
}
...
```

This is a result:




Figure 6.284. Redefinition styles with predefined classes

In the example an input text font style was changed.

Also it's possible to change styles of particular `<rich:inputNumberSpinner>` component. In this case you should create own style classes and use them in corresponding `<rich:inputNumberSpinner>` `styleClass` attributes. An example is placed below:

Example:

```
...  
.myClass{  
    font-family: Arial Black;  
}  
...
```

The `"inputClass"` attribute for `<rich:inputNumberSpinner>` is defined as it's shown in the example below:

Example:

```
<rich:inputNumberSpinner ... inputClass="myClass"/>
```

This is a result:




Figure 6.285. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, the font family for input text was changed.

6.11.9.9. Relevant Resources Links

On [the component Live Demo page](http://livedemo.exadel.com/richfaces-demo/richfaces/inputNumberSpinner.jsf?c=inputNumberSpinner) [http://livedemo.exadel.com/richfaces-demo/richfaces/inputNumberSpinner.jsf?c=inputNumberSpinner] you can see the example of `<rich:inputNumberSpinner>` usage and sources for the given example.

6.11.10. < rich:suggestionbox > available since 3.0.0

6.11.10.1. Description

The component adds on-keypress suggestions capabilities to any input text component (like `<h:inputText>`). When a key is pressed in the field Ajax request is sent to the server. When the suggestion action returns a list of possible values, it pop ups them inside the `<div>` element below the input.



Figure 6.286. <rich:suggestionbox> component

6.11.10.2. Key Features

- Fully skinnable component
- Adds "onkeypress" suggestions capabilities to any input text component
- Performs suggestion via Ajax requests without any line of JavaScript code written by you
- Possible to render table as a popup suggestion
- Can be pointed to any Ajax request status indicator of the page
- Easily customizable size of suggestion popup
- Setting rules that appear between cells within a table of popup values
- "Event queue" and "request delay" attributes present to divide frequently requests
- Managing area of components submitted on Ajax request
- Flexible list of components to update after Ajax request managed by attributes
- Setting restriction to Ajax request generation
- Easily setting action to collect suggestion data
- Keyboard navigation support

Table 6.468. rich : suggestionbox attributes

| Attribute Name | Description |
|----------------|--|
| ajaxSingle | Boolean attribute which provides possibility to limit JSF tree processing(decoding, conversion/validation, value applying) to the component which send the request only. Default value is "true" |
| bgcolor | Deprecated. This attribute sets the background color for the document body or table cells. This attribute sets the background color of the canvas for the document body (the |

| Attribute Name | Description |
|----------------|--|
| | BODY element) or for tables (the TABLE, TR, TH, and TD elements). Additional attributes for specifying text color can be used with the BODY element. This attribute has been deprecated in favor of style sheets for specifying background color information |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| border | HTML: This attributes specifies the width (in pixels only) of the frame around a table |
| bypassUpdates | If "true", after process validations phase it skips updates of model beans on a force render response. It can be used for validating components input |
| cellpadding | This attribute specifies the amount of space between the border of the cell and its contents. If the value of this attribute is a pixel length, all four margins should be this distance from the contents. If the value of the attribute is percentage length, the top and bottom margins should be equally separated from the content based on percentage of the available vertical space, and the left and right margins should be equally separated from the content based on percentage of the available horizontal space |
| cellspacing | This attribute specifies how much space the user agent should leave between the table and the column on all four sides. The attribute also specifies the amount of space to leave between cells |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| entryClass | Assigns one or more space-separated CSS class names to the suggestion entry elements (table rows) |
| eventsQueue | Name of requests queue to avoid send next request before complete other from same event. Can be used to reduce number of |

| Attribute Name | Description |
|--------------------|---|
| | requests of frequently events (key press, mouse move etc.) |
| fetchValue | A value to set in the target input element on a choice suggestion that isn't shown in the suggestion table. It can be used for descriptive output comments or suggestions. If not set, all text in the suggestion row is set as a value |
| first | A zero-relative row number of the first row to display |
| for | id (or full path of id's) of target components, for which this element must provide support. If a target component inside of the same <code>NamingContainer</code> (UIForm, UIData in base implementations), can be simple value of the "id" attribute. For other cases must include id's of <code>NamingContainer</code> components, separated by ':'. For search from the root of components, must be started with ': |
| frame | This attribute specifies which sides of the frame surrounding a table will be visible. Possible values: "void", "above", "below", "hsides", "lhs", "rhs", "vsides", "box" and "border". The default value is "void". |
| frequency | Delay (in seconds) before activating the suggestion pop-up. Default value is 400ms |
| height | Height of the pop-up window in pixels. Default value is "200". |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| ignoreDupResponses | Attribute allows to ignore an Ajax Response produced by a request if the newest 'similar' request is in a queue already. ignoreDupResponses="true" does not cancel the request while it is processed on the server, but just allows to avoid unnecessary updates on the client side if the response isn't actual now |
| immediate | A flag indicating that this component value must be converted and validated immediately (that is, during Apply Request Values phase), |

| Attribute Name | Description |
|-------------------|---|
| | rather than waiting until a Process Validations phase. |
| lang | HTML: Code describing the language used in the generated markup for this component |
| limitToList | If "true", then of all AJAX-rendered on the page components only those will be updated, which ID's are passed to the "reRender" attribute of the describable component. "false"-the default value-means that all components with ajaxRendered="true" will be updated. |
| minChars | Minimal number of chars in input to activate suggestion pop-up |
| nothingLabel | "nothingLabel" is inserted to popup list if the autocomplete returns empty list. It isn't selectable and list is closed as always after click on it and nothing is put to input. |
| onbeforeDOMupdate | The client-side script method to be called before DOM is updated |
| oncomplete | The client-side script method to be called after the request is completed |
| onobjectchange | The client-side script method to be called before the list of suggested objects is changed |
| onselect | The client-side script method to be called after the value of the target element is updated |
| onsubmit | DHTML: The client-side script method to be called before an ajax event is submitted |
| param | Name the HTTP request parameter with the value of input element token. If not set, it will be sent as an input element name. In this case, input will perform validation and update the value. Default value is "inputvalue". |
| popupClass | Assigns one or more space-separated CSS class names to the content of the pop-up suggestion element |
| popupStyle | CSS style rules to be applied to the content of the pop-up suggestion element |
| process | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, processed at the phases 2-5 |

| Attribute Name | Description |
|----------------|---|
| | in case of AjaxRequest caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rendered | JSF: If "false", this component is not rendered |
| requestDelay | Attribute defines the time (in ms.) that the request will be wait in the queue before it is ready to send. When the delay time is over, the request will be sent to the server or removed if the newest 'similar' request is in a queue already |
| reRender | Id[s] (in format of call <code>UIComponent.findComponent()</code> of components, rendered in case of AjaxRequest caused by this component. Can be single id, comma-separated list of Id's, or EL Expression with array or Collection |
| rowClasses | JSF: Assigns one or more space-separated CSS class names to the rows. If the CSS class names are comma-separated, each class will be assigned to a particular row in the order they follow in the attribute. If you have less class names than rows, the class will be applied to every n-fold row where n is the order in which the class is listed in the attribute. If there are more class names than rows, the overflow ones are ignored. |
| rules | This attribute specifies which rules will appear between cells within a table. The rendering of rules is user agent dependent. Possible values: * none: No rules. This is the default value. * groups: Rules will appear between row groups (see THEAD, TFOOT, and TBODY) and column groups (see COLGROUP and COL) only. * rows: Rules will appear between rows only. * cols: Rules will appear between columns only. * all: Rules will appear between all rows and columns |
| selectedClass | Assigns one or more space-separated CSS class names to the selected suggestion entry (table rows) |

| Attribute Name | Description |
|----------------------|--|
| selectValueClass | Assigns one or more space-separated CSS class names to the cells of the selected suggestion entry (table cells) |
| selfRendered | If "true", forces active Ajax region render response directly from stored components tree, bypasses page processing. Can be used for increase performance. Also, must be set to 'true' inside iteration components, such as dataTable. |
| shadowDepth | Pop-up shadow depth for suggestion content |
| shadowOpacity | Attribute defines shadow opacity for suggestion content |
| similarityGroupingId | If there are any component requests with identical IDs then these requests will be grouped. |
| status | ID (in format of call <code>UIComponent.findComponent()</code>) of Request status component |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more space-separated CSS class names to the component. Corresponds to the HTML "class" attribute. |
| suggestionAction | Method calls an expression to get a collection of suggestion data on request. It must have one parameter with a type of Object with content of input component and must return any type allowed for <code><h:datatable></code> |
| summary | This attribute provides a summary of the table's purpose and structure for user agents rendering to non-visual media such as speech and Braille |
| timeout | Response waiting time on a particular request. If a response is not received during this time, the request is aborted |
| title | HTML: Advisory title information about markup elements generated for this component |
| tokens | The list (or single value) of symbols which can be used for division chosen of suggestion pop-up values in a target element. After input of |

| Attribute Name | Description |
|---------------------|---|
| | a symbol from the list suggestion pop-up it is caused again |
| usingSuggestObjects | if true, a suggested object list will be created and will be updated every time when an input value is changed. Default value is "false". |
| var | A request-scope attribute via which the data object for the current row will be used when iterating |
| width | HTML: Width of the pop-up window in pixels. Default value is "200". |
| zindex | Attribute is similar to the standard HTML attribute and can specify window placement relative to the content. Default value is "200". |

Table 6.469. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.SuggestionBox |
| component-class | org.richfaces.component.html.HtmlSuggestionBox |
| component-family | org.richfaces.SuggestionBox |
| renderer-type | org.richfaces.SuggestionBoxRenderer |
| tag-class | org.richfaces.taglib.SuggestionBoxTag |

6.11.10.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```

...
<h:inputText value="#{bean.property}" id="suggest"/>
<rich:suggestionbox for="suggest" suggestionAction="#{bean.autocomplete}" var="suggest">
  <h:column>
    <h:outputText value="#{suggest.text}"/>
  </h:column>
</rich:suggestionbox>
...

```

Here is the `bean.autocomplete` method that returns the collection to pop up:

Example:

```
public List autocomplete(Object event) {
    String pref = event.toString();
    //Collecting some data that begins with "pref" letters
    ...
    return result;
}
```

6.11.10.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlSuggestionBox;
...
HtmlSuggestionBox myList = new HtmlSuggestionBox();
...
```

6.11.10.5. Details of Usage

As it is shown in the example above, the main component attribute are:

- *"for"*

The attribute where there is an input component which activation causes a suggestion activation

- *"suggestionAction"*

is an accepting parameter of a suggestionEvent type that returns as a result a collection for rendering in a tool tip window.

- *"var"*

a collection name that provides access for inputting into a table in a popup

There are also two size attributes (*"width"* and *"height"*) that are obligatory for the suggestion component. The attributes have initial Defaults but should be specified manually in order to be changed.

The suggestionbox component, as it is shown on the screenshot, could get any collection for an output and outputs it in a ToolTip window the same as a custom dataTable (in several columns)

```
...
<rich:suggestionbox for="test" suggestionAction="#{bean.autocomplete}" var="cit" fetchValue="#{cit.text}">
```

```

<h:column>
    <h:outputText value="#{cit.label}"/>
</h:column>
<h:column>
    <h:outputText value="#{cit.text}"/>
</h:column>
</rich:suggestionbox>
...

```

It looks on a page in the following way:



Figure 6.287. `<rich:suggestionbox>` with ToolTip window

When some string is chosen input receives the corresponding value from the second column containing `#{cit.text}`

There is also one more important attribute named *"tokens"* that specifies separators after which a set of some characters sequence is defined as a new prefix beginning from this separator and not from the string beginning.

Example:

```

...
<rich:suggestionbox for="test" suggestionAction="#{bean.autocomplete}" var="cit" selfRendered="true" tokens=
    <h:column>
        <h:outputText value="#{cit.text}"/>
    </h:column>
</rich:suggestionbox>
...

```

This example shows that when a city is chosen and a comma and first letter character are input, Ajax request is called again, but it submits a value starting from the last token:



Figure 6.288. <rich:suggestionbox> with chosen word

For a multiple definition use either " , . ; " syntax as a value for tokens or link a parameter to some bean property transmitting separators collection.

The component also encompasses "style" attributes corresponding to dataTable ones for a table appearing in popup (for additional information, read JSF Reference) and custom attribute managing Ajax requests sending (for additional information, see [Ajax4JSF Project](http://www.jboss.org/community/wiki/Ajax4jsf) [http://www.jboss.org/community/wiki/Ajax4jsf]).

In addition to these attributes common for Ajax action components and limiting requests quantity and frequency, suggestionbox has one more its own attribute limiting requests (the "minChars" attribute). The attribute defines characters quantity inputted into a field after which Ajax requests are called to perform suggestion.

There is possibility to define what be shown if the autocomplete returns empty list. Attribute "nothingLabel" or facet with the same name could be used for it.

Example:

```
...
<rich:suggestionbox nothingLabel="Empty" for="test" suggestionAction="#{bean.autocomplete}" var="cit">
  <h:column>
    <h:outputText value="#{cit.text}"/>
  </h:column>
</rich:suggestionbox>
...
```

Example:

```
...
<rich:suggestionbox for="test" suggestionAction="#{bean.autocomplete}" var="cit">
  <f:facet name="nothingLabel">
    <h:outputText value="Empty"/>
  </f:facet>
</rich:suggestionbox>
```

```
</f:facet>
<h:column>
  <h:outputText value="#{cit.text}"/>
</h:column>
</rich:suggestionbox>
...
```

It looks on a page in the following way:



Figure 6.289. `<rich:suggestionbox>` with empty list

There is such feature in `<rich:suggestionbox>` component as object selection. If you want that selected item has been represented as object, you could set to "true" the value for `"usingSuggestObjects"` attribute, "false" value means that selected item represents as string.

Example:

```
...
<rich:suggestionbox for="test" suggestionAction="#{bean.autocomplete}" var="cit" usingSuggestObjects="true">
  <h:column>
    <h:outputText value="#{cit.text}"/>
  </h:column>
</rich:suggestionbox>
...
```

Information about the `"process"` attribute usage you can find in the ["Decide what to process"](#) guide section.

In RichFaces Wiki article about [Additional Properties](http://wiki.jboss.org/wiki/RichFacesSuggestionGettingAdditionalProperties) [http://wiki.jboss.org/wiki/RichFacesSuggestionGettingAdditionalProperties] you can find example of getting additional properties.

6.11.10.6. JavaScript API

Table 6.470. JavaScript API

| Function | Description |
|--------------------|---|
| callSuggestion() | Calls the suggestion. If the "ignoreMinChars" value is "true" then the number of symbols to send a query is no longer actual for callSuggestion() |
| getSelectedItems() | Returns the array of objects |

6.11.10.7. Facets

Table 6.471. Facets

| Facet name | Description |
|--------------|--|
| nothingLabel | Redefines the content item if the autocomplete returns empty list. Related attribute is "nothingLabel" |
| popup | Redefines the content for the popup list of the suggestion |
| header | Defines the header content |
| footer | Defines the footer content |

6.11.10.8. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all **<rich:suggestionbox>** components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets *style classes* used by a **<rich:suggestionbox>** component

6.11.10.9. Skin Parameters Redefinition

Table 6.472. General skin parameters redefinition for popup list

| Parameters for popup list | CSS properties |
|---------------------------|------------------|
| additionalBackgroundColor | background-color |
| panelBorderColor | border-color |

Table 6.473. Skin parameters redefinition for shadow element of the list

| Parameters for shadow element of the list | CSS properties |
|---|------------------|
| shadowBackgroundColor | background-color |
| shadowBackgroundColor | border-color |
| shadowOpacity | opacity |

Table 6.474. Skin parameters redefinition for popup table rows

| Parameters for popup table rows | CSS properties |
|---------------------------------|----------------|
| generalSizeFont | font-size |
| generalTextColor | color |
| generalFamilyFont | font-family |

Table 6.475. Skin parameters redefinition for selected row

| Parameters for selected row | CSS properties |
|-----------------------------|------------------|
| headerBackgroundColor | background-color |
| generalSizeFont | font-size |
| generalFamilyFont | font-family |
| headerTextColor | color |

6.11.10.10. Definition of Custom Style Classes




Figure 6.290. Classes names

On the screenshot, there are classes names defining specified elements.

Table 6.476. Classes names that define a suggestionbox

| Class name | Description |
|--------------------------|--|
| rich-sb-common-container | Defines styles for a wrapper <div> element of a suggestion container |
| rich-sb-ext-decor-1 | Defines styles for the first wrapper <div> element of a suggestion box exterior |
| rich-sb-ext-decor-2 | Defines styles for the second wrapper <div> element of a suggestion box exterior |
| rich-sb-ext-decor-3 | Defines styles for the third wrapper <div> element of a suggestion box exterior |
| rich-sb-overflow | Defines styles for a wrapper <div> element |
| rich-sb-int-decor-table | Defines styles for a suggestion box table |
| rich-sb-int | Defines the styles for a suggestion box table rows (tr) |
| rich-sb-cell-padding | Defines the styles for suggestion box table cells (td) |
| rich-sb-int-sel | Defines styles for a selected row |
| rich-sb-shadow | Defines styles for a suggestion box shadow |

In order to redefine styles for all **<rich:suggestionbox>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-sb-int{  
    font-weight:bold;  
}  
...
```

This is a result:




Figure 6.291. Redefinition styles with predefined classes

In the example the font weight for rows was changed.

Also it's possible to change styles of particular `<rich:suggestionbox>` component. In this case you should create own style classes and use them in corresponding `<rich:suggestionbox>` `styleClass` attributes. An example is placed below:

Example:

```
...  
.myClass{  
    background-color:#f0ddcd;  
}  
...
```

The `"selectedClass"` attribute for `<rich:suggestionbox>` is defined as it's shown in the example below:

Example:

```
<rich:suggestionbox ... selectedClass="myClass"/>
```

This is a result:




Figure 6.292. Redefinition styles with own classes and *styleClass* attributes

As it could be seen on the picture above, background color for selected item was changed.

6.11.10.11. Relevant Resources Links

Vizit [SuggestionBox](http://livedemo.exadel.com/richfaces-demo/richfaces/suggestionBox.jsf?c=suggestionBox) [http://livedemo.exadel.com/richfaces-demo/richfaces/suggestionBox.jsf?c=suggestionBox] page at RichFaces Livedemo for examples of component usage and sources.

RichFaces cookbook at JBoss Portal includes some articles that cover different aspects of working with `<rich:suggestionbox>` :

- "[Creating suggestion box dynamically](http://www.jboss.org/community/docs/DOC-11851) [http://www.jboss.org/community/docs/DOC-11851]";
- "[Getting additional properties from <rich:suggectionbox>](http://www.jboss.org/community/docs/DOC-11865) [http://www.jboss.org/community/docs/DOC-11865]".

6.12. Rich Selects

RichFaces library provides desktop like complex controls to implement user select functionality.

6.12.1. `< rich:listShuttle >` available since 3.1.3

3.1.3

6.12.1.1. Description

The `<rich:listShuttle>` component is used for moving chosen items from one list into another with their optional reordering there.



Figure 6.293. <rich:ListShuttle> component

6.12.1.2. Key Features

- Highly customizable look and feel
- Reordering possibility for lists items
- Multiple selection of lists items
- Keyboard support

Table 6.477. rich : listShuttle attributes

| Attribute Name | Description |
|--------------------|---|
| activeItem | Stores active item |
| ajaxKeys | Defines row keys that are updated after an Ajax request |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bottomControlClass | Assigns one or more space-separated CSS class names to the 'Bottom' button |
| bottomControlLabel | Defines a label for a bottom control |
| bottomTitle | HTML: alt for the last button |
| columnClasses | JSF: Assigns one or more space-separated CSS class names to the columns. If the CSS class names are comma-separated, each class will be assigned to a particular column in the order they follow in the attribute. If you have less class names than columns, the class will be applied to every n-fold column where n is the order in which the class is listed in the attribute. If there are more class names than columns, the overflow ones are ignored. |

| Attribute Name | Description |
|--------------------------|--|
| componentState | It defines EL-binding for a component state for saving or redefinition |
| controlsType | Defines type of a control: button or none. Default value is "button". |
| controlsVerticalAlign | Customizes vertically a position of move/copy and order controls relatively to lists. Default value is "middle" |
| converter | JSF: Id of Converter to be used or reference to a Converter |
| converterMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the converter message, replacing any message that comes from the converter |
| copyAllControlClass | Assigns one or more space-separated CSS class names to the 'Copy all' button |
| copyAllControlLabel | Defines a label for a "Copy all" control |
| copyAllTitle | HTML: alt for "Copy all" button |
| copyControlClass | Assigns one or more space-separated CSS class names to the 'Copy' button |
| copyControlLabel | Defines a label for a "Copy" control |
| copyTitle | HTML: alt for a "Copy" button |
| disabledControlClass | Assigns one or more space-separated CSS class names to the component disabled controls |
| downControlClass | Assigns one or more space-separated CSS class names to the 'Down' button |
| downControlLabel | Defines a label for a down control |
| downTitle | HTML: alt for bottom button |
| fastMoveControlsVisible | If "false", 'Copy All' and 'Remove All' controls aren't displayed. Default value is "true". |
| fastOrderControlsVisible | If "false", 'Top' and 'Bottom' controls aren't displayed. Default value is "true". |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| immediate | A flag indicating that this component value must be converted and validated immediately (that is, during Apply Request Values phase), |

| Attribute Name | Description |
|---------------------|---|
| | rather than waiting until a Process Validations phase |
| label | A localized user presentable name for this component. |
| listClass | Assigns one or more space-separated CSS class names to the component lists |
| listsHeight | Defines height of the list. Default value is "140". |
| moveControlsVisible | If "false", 'Copy' and 'Remove' controls aren't displayed. Default value is "true". |
| onblur | DHTML: The client-side script method to be called when the component loses the focus |
| onbottomclick | The client-side script method to be called when the 'Bottom' button is clicked |
| onclick | DHTML: The client-side script method to be called when the component is clicked |
| oncopyallclick | The client-side script method to be called when the 'Copy All' button is clicked |
| oncopyclick | The client-side script method to be called when the 'Copy' button is clicked |
| ondblclick | DHTML: The client-side script method to be called when the component is double-clicked |
| onmousedown | The client-side script method to be called when the 'Down' button is clicked |
| onfocus | DHTML: The client-side script method to be called when the component gets the focus |
| onlistchange | The client-side script method to be called before the list is changed |
| onlistchanged | The client-side script method to be called when the list is changed |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the component |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the component |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the component |

| Attribute Name | Description |
|-----------------------|--|
| onorderchange | The client-side script method to be called before the list order is changed |
| onorderchanged | The client-side script method to be called when the list order is changed |
| onremoveallclick | The client-side script method to be called when the 'Remove All' button is clicked |
| onremoveclick | The client-side script method to be called when the 'Remove' button is clicked |
| ontopclick | The client-side script method to be called when the 'Top' button is clicked |
| onupclick | The client-side script method to be called when the 'Up' button is clicked |
| orderControlsVisible | If "false", 'Up' and 'Down' controls aren't displayed. Default value is "true". |
| removeAllControlClass | Assigns one or more space-separated CSS class names to the 'Remove all' button |
| removeAllControlLabel | Defines a label for a "Remove all" control |
| removeAllTitle | HTML: alt for "Remove all" button |
| removeControlClass | Assigns one or more space-separated CSS class names to the 'Remove' button |
| removeControlLabel | Defines a label for a "Remove" control |
| removeTitle | HTML: alt for a "Remove" button |
| rendered | JSF: If "false", this component is not rendered |
| requiredMessage | A ValueExpression enabled attribute which defines text of validation message to show, if a required field is missing |
| rowClasses | JSF: Assigns one or more space-separated CSS class names to the rows. If the CSS class names are comma-separated, each class will be assigned to a particular row in the order they follow in the attribute. If you have less class names than rows, the class will be applied to every n-fold row where n is the order in which the class is listed in the attribute. If there are more class names than rows, the overflow ones are ignored. |
| rowKeyConverter | Converter for a row key object |

| Attribute Name | Description |
|--------------------|---|
| rowKeyVar | The attribute provides access to a row key in a Request scope |
| showButtonLabels | Shows a label for a button. Default value is "true". |
| sourceCaptionLabel | Defines source list caption representation text |
| sourceListWidth | Defines width of a source list. Default value is "140". |
| sourceRequired | Defines the case when source value is being validated. If the value is "true", there should be at least one item in the source list |
| sourceSelection | Manages selection in a source list from the server side |
| sourceValue | Defines a List or Array of items to be shown in a source list |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| switchByClick | If "true", dragging between lists realized by click |
| switchByDbClick | If "true", items can be moved between the lists by double-clicking on them. Default value is "true". |
| targetCaptionLabel | Defines target list caption representation text |
| targetListWidth | Defines width of a target list. Default value is "140". |
| targetRequired | Defines the case when target value is being validated. If the value is "true", there should be at least one item in the target list |
| targetSelection | Manages selection in a target list from the server side |
| targetValue | Defines a List or Array of items to be shown in a target list |
| topControlClass | Assigns one or more space-separated CSS class names to the 'Top' button |
| topControlLabel | Defines a label for a "Top" control |
| topTitle | HTML: alt for the first button |

| Attribute Name | Description |
|---------------------|--|
| upControlClass | Assigns one or more space-separated CSS class names to the 'Up' button |
| upControlLabel | Defines a label for an "Up" control |
| upTitle | HTML: alt for top button |
| validator | JSF: MethodBinding pointing at a method that is called during Process Validations phase of the request processing lifecycle, to validate the current value of this component |
| validatorMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the validator message, replacing any message that comes from the validator |
| valueChangeListener | JSF: Listener for value changes |
| var | Defines a list on the page |

6.12.1.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...
<rich:listShuttle var="item" sourceValue="#{bean.source}" targetValue="#{bean.target}" converter="listShuttlecon
    <h:column>
        <f:facet name="header">
            <h:outputText value="Cars" />
        </f:facet>
        <h:outputText value="#{item.name}" />
    </h:column>
</rich:listShuttle>
...
```

6.12.1.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlListShuttle;
...
HtmlListShuttle myListShuttle = new HtmlListShuttle();
...
```

6.12.1.5. Details of Usage

The `<rich:listShuttle>` component consists of the following parts:

- two item lists (source and target). List consists of items. Each item has three different representations: common, selected, active
- optional caption element
- optional ordering controls set is a set of controls that performs reordering
- move controls set is a set of controls, which performs moving items between lists

Note:

Now the listener can not be called from the column facet. This is a temporary limitation. The additional information can be found in *RichFaces Jira* [<http://jira.jboss.org/jira/browse/RF-5327>].

The `"sourceValue"` attribute defines a List or Array of items to be shown in the source list.

The `"targetValue"` attribute defines a List or Array of items to be shown in the target list.

The `"var"` attribute could be shared between both Lists or Arrays to define lists on the page.

The `"sourceRequired"` and `"targetRequired"` attributes define the case when source and target values are being validated. If the value of both attributes is "true" there should be at least one item in source and target lists. Otherwise validation fails.

Example:

```
...
<h:form id="myForm">
  <rich:messages>
    <f:facet name="errorMarker">
      <h:graphicImage value="/images/ajax/error.gif" />
    </f:facet>
  </rich:messages>

  <rich:listShuttle id="myListShuttle" sourceValue="#{toolBar.freeltems}" targetValue="#{toolBar.items}"
    sourceRequired = "true" targetRequired = "true" var="items" converter="listShuttleconverter"
    sourceCaptionLabel="Source List" targetCaptionLabel="Target List">
    <rich:column>
      <h:graphicImage value="#{items.iconURI}" />
    </rich:column>
    <rich:column>
      <h:outputText value="#{items.label}" />
    </rich:column>
  </rich:listShuttle>
</h:form>
```

```
</rich:column>
</rich:listShuttle>
<a4j:commandButton value="Submit" />
</h:form>
...
```

In the example above the source list is empty. If you submit the form validation fails and error message appears on a page.

This is the result:




Figure 6.294. Style classes

The *"converter"* attribute is used to convert component data to a particular component's value. For example, when you select items in a list, a converter is used to format a set of objects to a strings to be displayed.

Note

The *"converter"* attribute and the *"equals"* and *"hashCode"* methods should be defined only in your own class.

The *"sourceSelection"* attribute stores the collection of items selected by you in the source list. The *"targetSelection"* attribute stores the collection of items selected by you in the target list.

Captions could be added to a list only after it was defined as a *"sourceCaption"* and *"targetCaption"* named facets inside the component or defined with the *"sourceCaptionLabel"* and *"targetCaptionLabel"* attribute.

```
...
<rich:listShuttle var="item" sourceValue="#{bean.source}" targetValue="#{bean.target}" sourceSelection="#{bean
targetSelection="#{bean.targetSelection}" converter="listShuttleconverter">
```

```

<f:facet name="sourceCaption">
    <h:outputText value="Cars Store #1" />
</f:facet>
<f:facet name="targetCaption">
    <h:outputText value="Cars Store #2" />
</f:facet>
<rich:column>
    <h:outputText value="#{items.name}" />
</rich:column>
</rich:listShuttle>
...

```

The **<rich:listShuttle>** component provides the possibility to use ordering controls set, which performs reordering in the target item list. Every control has possibility to be disabled.

An ordering controls set could be defined with *"topControlLabel"* , *"bottomControlLabel"* , *"upControlLabel"* , *"downControlLabel"* attributes.

It is also possible to use *"topControl"* , *"topControlDisabled"* , *"bottomControl"* , *"bottomControlDisabled"* , *"upControl"* , *"upControlDisabled"* , *"downControl"* , *"downControlDisabled"* facets in order to replace the default controls with facets content.

Example:

```

...
<rich:listShuttle var="item" sourceValue="#{bean.source}" targetValue="#{bean.target}" converter="listShuttlecon
...
    <f:facet name="topControl">
        <h:outputText value="Move to top" />
    </f:facet>
    <f:facet name="upControl">
        <h:outputText value="Move up" />
    </f:facet>
    <f:facet name="downControl">
        <h:outputText value="Move down" />
    </f:facet>
    <f:facet name="bottomControl">
        <h:outputText value="Move to bottom" />
    </f:facet>
</rich:listShuttle>
...

```

The **<rich:listShuttle>** component also provides 4 predefined controls in move controls set for moving items between source and target lists. Every control has possibility to be disabled.

A move controls set could be defined with "copyControlLabel" , "removeControlLabel" , "copyAllControlLabel" , "removeAllControlLabel" attributes.

It is also possible to use "copyControl" , "removeControl" , "copyAllControl" , "removeAllControl" facets in order to replace the default controls with facets content.

```
...
<rich:listShuttle var="item" sourceValue="#{bean.source}" targetValue="#{bean.target}" converter="listShuttlecon
    copyControlLabel="Copy" removeControlLabel="Remove"
    copyAllControlLabel="Copy all" removeAllControlLabel="Remove all">
  <h:column>
    <f:facet name="header">
      <h:outputText value="Cars" />
    </f:facet>
    <h:outputText value="#{item.name}" />
  </h:column>
</rich:listShuttle>
...
```

Controls rendering is based on the "controlsType" attribute. Possible types are button and none.

Note

Currently the button controls type is based on <div> element.

The **<rich:listShuttle>** component allows to use internationalization method to redefine and localize the labels. You could use application resource bundle and define RICH_SHUTTLES_TOP_LABEL, RICH_SHUTTLES_BOTTOM_LABEL, RICH_SHUTTLES_UP_LABEL, RICH_SHUTTLES_DOWN_LABEL, RICH_LIST_SHUTTLE_COPY_ALL_LABEL, RICH_LIST_SHUTTLE_COPY_LABEL, RICH_LIST_SHUTTLE_REMOVE_ALL_LABEL, RICH_LIST_SHUTTLE_REMOVE_LABEL there.

You could also pack org.richfaces.renderkit.listShuttle resource bundle with your JARs defining the same properties.

Table 6.478. Keyboard usage for elements selection

| Keys and combinations | Description |
|-----------------------|--|
| CTRL+click | Inverts selection for an item |
| SHIFT+click | Selects all rows from active one to a clicked row if they differ, else select the active row. All other selections are cleared |

| Keys and combinations | Description |
|-----------------------|---|
| CTRL+A | Selects all elements inside the list if some active element is already present in a list |
| Up, Down arrows | Changes the active element to the next or previous in a list and make it the only selected. Scroll follows the selection to keep it visible |

Table 6.479. Keyboard usage for elements reordering

| Keys and combinations | Description |
|-----------------------|---|
| Home | Moves selected set to the top of a list (for target list only) |
| End | Moves selected set to the bottom of a list (for target list only) |
| CTRL+Up arrow | Moves selected item to one position upper |
| CTRL+Down arrow | Moves selected item to one position lower |

6.12.1.6. JavaScript API

Table 6.480. JavaScript API

| Function | Description |
|----------------|---|
| enable() | Enables ordering control (to be implemented) |
| disable() | Disables ordering control (to be implemented) |
| isEnabled() | Checks if current control is enabled (to be implemented) |
| up() | Moves up selected item in the list |
| down() | Moves down selected item in the list |
| top() | Moves top selected item in the list |
| bottom() | Moves bottom selected item in the list |
| copy() | Copies selected item from the source list to the target list |
| remove() | Removes selected item from the target list to the source list |
| copyAll() | Copies all items from the source list to the target list |
| removeAll() | Removes all items from the target list to the source list |
| getSelection() | Returns currently selected item (to be implemented) |

| Function | Description |
|------------|---|
| getItems() | Returns the collection of all items (to be implemented) |

6.12.1.7. Facets

Table 6.481. Facets

| Facet | Description |
|--------------------------|---|
| copyAllControl | Redefines the label content for the "copyAll" control. Related attribute is "copyAllControlLabel" |
| removeAllControl | Redefines the label content for the "removeAll" control. Related attribute is "removeAllControlLabel" |
| copyControl | Redefines the label content for the "copy" control. Related attribute is "copyControlLabel" |
| removeControl | Redefines the label content for the "remove" control. Related attribute is "removeControlLabel" |
| copyAllControlDisabled | Redefines the disabled label content for the "copyAll" control |
| removeAllControlDisabled | Redefines the disabled label content for the "removeAll" control |
| caption | Redefines the caption control |
| sourceCaption | Defines source list caption representation text. Related attribute is "sourceCaptionLabel" |
| targetCaption | Defines source list target representation text. Related attribute is "targetCaptionLabel" |

6.12.1.8. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all **<rich:listShuttle>** components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets style classes used by a **<rich:listShuttle>** component

6.12.1.9. Skin Parameters Redefinition

Table 6.482. Skin parameters redefinition for items in the source and target lists

| Skin parameters | CSS properties |
|------------------------|------------------|
| generalBackgroundColor | background-color |
| tableBorderColor | border-color |
| tableBorderWidth | border-width |

Table 6.483. Skin parameters redefinition for caption in the source and target lists

| Skin parameters | CSS properties |
|------------------|----------------|
| headerFamilyFont | font-family |
| headerSizeFont | font-size |
| headerWeightFont | font-weight |

Table 6.484. Skin parameters redefinition for a selected rows in the source and target lists

| Skin parameters | CSS properties |
|---------------------------|------------------|
| additionalBackgroundColor | background-color |

Table 6.485. Skin parameters redefinition for a header cell

| Skin parameters | CSS properties |
|-----------------------|---------------------|
| headerBackgroundColor | background-color |
| headerTextColor | color |
| headerFamilyFont | font-family |
| headerSizeFont | font-size |
| tableBorderWidth | border-width |
| subBorderColor | border-top-color |
| panelBorderColor | border-bottom-color |
| panelBorderColor | border-right-color |

Table 6.486. Skin parameters redefinition for a selected cell

| Skin parameters | CSS properties |
|------------------|----------------|
| generalTextColor | color |

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalFamilyFont | font-family |
| generalSizeFont | font-size |

Table 6.487. Skin parameters redefinition for an active cell

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalSizeFont | font-size |
| generalFamilyFont | font-family |

Table 6.488. Skin parameters redefinition for controls

| Skin parameters | CSS properties |
|------------------|----------------|
| tableBorderColor | border-color |

Table 6.489. Skin parameters redefinition for a button

| Skin parameters | CSS properties |
|------------------|------------------|
| trimColor | background-color |
| generalTextColor | color |
| headerFamilyFont | font-family |
| headerSizeFont | font-size |

Table 6.490. Skin parameters redefinition for a disabled button

| Skin parameters | CSS properties |
|----------------------|------------------|
| trimColor | background-color |
| tabDisabledTextColor | color |
| headerFamilyFont | font-family |
| headerSizeFont | font-size |

Table 6.491. Skin parameters redefinition for a button highlight

| Skin parameters | CSS properties |
|--------------------|------------------|
| trimColor | background-color |
| selectControlColor | border-color |
| tableBorderWidth | border-width |
| headerFamilyFont | font-family |
| headerSizeFont | font-size |
| generalTextColor | color |

Table 6.492. Skin parameters redefinition for a pressed button

| Skin parameters | CSS properties |
|---------------------------|------------------|
| additionalBackgroundColor | background-color |
| tableBorderColor | border-color |
| tableBorderWidth | border-width |
| headerFamilyFont | font-family |
| headerSizeFont | font-size |
| generalTextColor | color |

Table 6.493. Skin parameters redefinition for a button content


| Skin parameters | CSS properties |
|------------------|----------------|
| headerFamilyFont | font-family |
| headerSizeFont | font-size |

Table 6.494. Skin parameters redefinition for a button selection

| Skin parameters | CSS properties |
|------------------|----------------|
| generalTextColor | color |

6.12.1.10. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.






Figure 6.295. Style classes

Table 6.495. Classes names that define a list representation

| Class name | Description |
|------------------------------|---|
| rich-list-shuttle | Defines styles for a wrapper table element of a listShuttle |
| rich-list-shuttle-caption | Defines styles for a list caption |
| rich-shuttle-body | Defines styles for a list body |
| rich-shuttle-list-content | Defines styles for a list content |
| rich-shuttle-source-items | Defines styles for a wrapper <div> element for source list |
| rich-shuttle-target-items | Defines styles for a wrapper <div> element for target list |
| rich-shuttle-list-header | Defines styles for a lists header |
| rich-shuttle-header-tab-cell | Defines styles for a header cell |

Table 6.496. Classes names that define a caption representations in a source and target lists

| Class name | Description |
|-----------------------------|---|
| rich-shuttle-source-caption | Defines styles for a caption in a source list |
| rich-shuttle-target-caption | Defines styles for a caption in a target list |

Table 6.497. Classes names that define a rows representations in a source list

| Class name | Description |
|----------------------------------|--|
| rich-shuttle-source-row | Defines styles for a row in a source list |
| rich-shuttle-source-row-selected | Defines styles for a selected row in a source list |

| Class name | Description |
|--------------------------------|---|
| rich-shuttle-source-row-active | Defines styles for an active row in a source list |

Table 6.498. Classes names that define a rows representations in a target list

| Class name | Description |
|----------------------------------|--|
| rich-shuttle-target-row | Defines styles for a row in a target list |
| rich-shuttle-target-row-selected | Defines styles for a selected row in a target list |
| rich-shuttle-target-row-active | Defines styles for an active row in a target list |

Table 6.499. Classes names that define a cells representations in a source list

| Class name | Description |
|-----------------------------------|---|
| rich-shuttle-source-cell | Defines styles for a cell in a source list |
| rich-shuttle-source-cell-selected | Defines styles for a selected cell in a source list |
| rich-shuttle-source-cell-active | Defines styles for an active cell in a source list |

Table 6.500. Classes names that define a cells representations in a target list

| Class name | Description |
|-----------------------------------|---|
| rich-shuttle-target-cell | Defines styles for a cell in a target list |
| rich-shuttle-target-cell-selected | Defines styles for a selected cell in a target list |
| rich-shuttle-target-cell-active | Defines styles for an active cell in a target list |

Table 6.501. Classes names that define controls representations

| Class name | Description |
|-------------------------------|--|
| rich-shuttle-controls | Defines styles for a controls group |
| rich-shuttle-top | Defines styles for a "Top" control |
| rich-shuttle-bottom | Defines styles for a "Bottom" control |
| rich-shuttle-up | Defines styles for a "Up" control |
| rich-shuttle-down | Defines styles for a "Down" control |
| rich-shuttle-copy | Defines styles for a "Copy" control |
| rich-shuttle-remove | Defines styles for a "Remove" control |
| rich-shuttle-copyAll | Defines styles for a "copyAll" control |
| rich-shuttle-removeAll | Defines styles for a "removeAll" control |
| rich-shuttle-control-disabled | Defines styles for a control in a disabled state |

Table 6.502. Classes names that define a button representation

| Class name | Description |
|------------------------------------|---------------------------------------|
| rich-list-shuttle-button | Defines styles for a button |
| rich-list-shuttle-button-disabled | Defines styles for a disabled button |
| rich-list-shuttle-button-light | Defines styles for a button highlight |
| rich-list-shuttle-button-press | Defines styles for a pressed button |
| rich-list-shuttle-button-content | Defines styles for a button content |
| rich-list-shuttle-button-selection | Defines styles for a button selection |

In order to redefine styles for all **<rich:listShuttle>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-shuttle-source-row-active{  
    background-color:#FFE4B5;  
}  
...  
...
```

This is a result:




Figure 6.296. Redefinition styles with predefined classes

In the example an active row background color in the source list was changed.

Also it's possible to change styles of particular **<rich:listShuttle>** component. In this case you should create own style classes and use them in corresponding **<rich:listShuttle>** *styleClass* attributes. An example is placed below:

Example:

```
...
.myClass{
    font-style:italic;
}
...
```

The `rowClasses` attribute for `<rich:listShuttle>` is defined as it's shown in the example below:

Example:

```
<rich:listShuttle ... rowClasses="myClass"/>
```

This is a result:




Figure 6.297. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, font style for row items was changed.

6.12.1.11. Relevant Resources Links

On [RichFaces LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/listShuttle.jsf?c=listShuttle) [http://livedemo.exadel.com/richfaces-demo/richfaces/listShuttle.jsf?c=listShuttle] you can see an example of `<rich:listShuttle>` usage and sources for the given example.

6.12.2. `< rich:orderingList >` available since 3.1.3

3.1.3

6.12.2.1. Description

The `<rich:orderingList>` is a component for ordering items in a list. This component provides possibilities to reorder a list and sort it on the client side.

Cars Store

| Cars | Price | Stock |
|-----------|-------|----------|
| Bentley | 22554 | New York |
| Ford | 53181 | New York |
| Chevrolet | 11931 | New York |
| Lincoln | 38109 | New York |
| Toyota | 58932 | New York |

⏪ First
▲ Up
▼ Down
⏩ Last

Figure 6.298. <rich:orderingList> component

6.12.2.2. Key Features

- Highly customizable look and feel
- Reordering possibility for list items
- Multiple selection of list items
- Keyboard support

Table 6.503. rich : orderingList attributes

| Attribute Name | Description |
|--------------------|---|
| activeItem | Stores active item |
| ajaxKeys | Defines row keys that are updated after an Ajax request |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bottomControlLabel | Defines a label for a 'Bottom' control |
| bottomTitle | HTML: alt for last button |
| captionLabel | Defines caption representation text |
| columnClasses | JSF: Assigns one or more space-separated CSS class names to the columns. If the CSS class names are comma-separated, each class will be assigned to a particular column in the order they follow in the attribute. If you have less class names than columns, the class will be applied to every n-fold column where n is the order in which the class is listed in the attribute. If there are more class names than columns, the overflow ones are ignored. |
| componentState | It defines EL-binding for a component state for saving or redefinition |

| Attribute Name | Description |
|--------------------------|---|
| controlsHorizontalAlign | Controls horizontal rendering. Possible values: "left" - controls should be rendered to the left side of a list. "right"- controls should be rendered to the right side of a list. Default value is "right". |
| controlsType | Defines type of a control: button or none. Default value is "button". |
| controlsVerticalAlign | Controls vertical rendering. Possible values: "top" - controls should be rendered aligned to top side of a list. "bottom" - controls should be rendered aligned to bottom side of a list. "middle" - controls should be rendered centered relatively to a list. Default value is "middle" |
| converter | JSF: Id of Converter to be used or reference to a Converter |
| converterMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the converter message, replacing any message that comes from the converter |
| downControlLabel | Defines a label for a 'Down' control |
| downTitle | HTML: alt for bottom button |
| fastOrderControlsVisible | If "false", 'Top' and 'Bottom' controls aren't displayed. Default value is "true". |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| immediate | A flag indicating that this component value must be converted and validated immediately (that is, during Apply Request Values phase), rather than waiting until a Process Validations phase |
| label | A localized user presentable name for this component. |
| listHeight | Defines height of a list. Default value is "140". |
| listWidth | Defines width of a list. Default value is "140". |
| onbottomclick | The client-side script method to be called when the 'Bottom' button is clicked |
| onclick | DHTML: The client-side script method to be called when the component is clicked |

| Attribute Name | Description |
|----------------------|---|
| ondblclick | DHTML: The client-side script method to be called when the component is double-clicked |
| onmousedown | The client-side script method to be called when the 'Down' button is clicked |
| onheaderclick | The client-side script method to be called when the list header is clicked |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the component |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the component |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the component |
| onorderchange | The client-side script method to be called before the list order is changed |
| onorderchanged | The client-side script method to be called when the list order is changed |
| ontopclick | The client-side script method to be called when the 'Top' button is clicked |
| onupclick | The client-side script method to be called when the 'Up' button is clicked |
| orderControlsVisible | If "false", 'Up' and 'Down' controls aren't displayed. Default value is "true". |
| rendered | JSF: If "false", this component is not rendered |
| required | JSF: If "true", this component is checked for non-empty input |
| requiredMessage | A ValueExpression enabled attribute which defines text of validation message to show, if a required field is missing |
| rowClasses | JSF: Assigns one or more space-separated CSS class names to the rows. If the CSS class names are comma-separated, each class will be assigned to a particular row in the order they follow in the attribute. If you have less class names than rows, the class will be applied to every n-fold row where n is the order in which the class is listed in the attribute. If there |

| Attribute Name | Description |
|---------------------|--|
| | are more class names than rows, the overflow ones are ignored. |
| rowKeyConverter | Converter for a row key object |
| rowKeyVar | The attribute provides access to a row key in a Request scope |
| rows | HTML: A number of rows to display, or zero for all remaining rows in the list |
| selection | Collection which stores a set of selected items |
| showButtonLabels | If "true", shows a label for a button. Default value is "true" |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| topControlLabel | Defines a label for a 'Top' control |
| topTitle | HTML: alt for first button |
| upControlLabel | Defines a label for a 'Up' control |
| upTitle | HTML: alt for top button |
| validator | JSF: MethodBinding pointing at a method that is called during Process Validations phase of the request processing lifecycle, to validate the current value of this component |
| validatorMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the validator message, replacing any message that comes from the validator |
| value | JSF: Defines a List or Array of items to be shown in a list |
| valueChangeListener | JSF: Listener for value changes |
| var | Defines a list on the page |

Table 6.504. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.OrderingList |
| component-class | org.richfaces.component.html.HtmlOrderingList |
| component-family | org.richfaces.OrderingList |

| Name | Value |
|---------------|------------------------------------|
| renderer-type | org.richfaces.OrderingListRenderer |

6.12.2.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...
<rich:orderingList value="#{bean.list}" var="list">
  <rich:column>
    <f:facet name="header">
      <h:outputText value="Name" />
    </f:facet>
    <h:inputText value="#{list.name}" />
  </rich:column>
</rich:orderingList>
...
```

6.12.2.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlOrderingList;
...
HtmlOrderingList myOrderingList = new HtmlOrderingList();
...
```

6.12.2.5. Details of Usage

The **<rich:orderingList>** component consists of

- Item list element that displays a list of items. It has three different representations for a single element: common, selected, active. Combination of these states is possible.
- Ordering controls set

The *"value"* and *"var"* attributes are used to access the values of a list.

Controls rendering is based on the *"controlsType"* attribute. Possible types are button or none.

Note

Currently the button controls type is based on `<div>` element.

The information about the `"converter"` attribute is [here](#).

The `"selection"` attribute stores the collection of items selected by you. In the example below after submitting the form the current collection is placed in the object's property and then `<rich:dataTable>` with selected items is shown.

Example:

```
...
<h:form>

  <rich:orderingList value="#{bean.simpleItems}" var="item" selection="#{bean.selection}" controlsType="button">
    <rich:column>
      <f:facet name="header">
        <h:outputText value="Cars" />
      </f:facet>
      <h:outputText value="#{item}" />
    </rich:column>
  </rich:orderingList>
  <rich:dataTable id="infoPanelID" value="#{bean.info}" var="info" rendered="true">
    <rich:column>
      <h:outputText value="#{info}" />
    </rich:column>
  </rich:dataTable>
  <a4j:commandButton value="reRender" reRender="infoPanelID" />
</h:form>
...
```

The `<rich:orderingList>` component allows to use `"caption"` facet. A caption could be also defined with `"captionLabel"` attribute.

Simple example is placed below.

Example:

```
...
<rich:orderingList value="#{bean.simpleItems}" var="item" controlsType="button" selection="#{bean.selection}">
  <f:facet name="caption">
    <h:outputText value="Caption Facet" />
  </f:facet>
</rich:orderingList>
```

```
</f:facet>
<rich:column>
  <f:facet name="header">
    <h:outputText value="Cars" />
  </f:facet>
  <h:outputText value="#{item.name}" />
</rich:column>
<rich:column>
  <f:facet name="header">
    <h:outputText value="Price" />
  </f:facet>
  <h:outputText value="#{item.price}" />
</rich:column>
</rich:orderingList>
...
```

The **<rich:orderingList>** component provides the possibility to use ordering controls set, which performs reordering. Every control has possibility to be disabled.

An ordering controls set could be defined with *"topControlLabel"* , *"bottomControlLabel"* , *"upControlLabel"* , *"downControlLabel"* attributes.

It is also possible to use *"topControl"* , *"topControlDisabled"* , *"bottomControl"* , *"bottomControlDisabled"* , *"upControl"* , *"upControlDisabled"* , *"downControl"* , *"downControlDisabled"* facets in order to replace the default controls with facets content.

Example:

```
...
<rich:orderingList value="#{bean.simpleItems}" var="item" controlsType="button" selection="#{bean.selection}">
  <f:facet name="topControl">
    <h:outputText value="Move to top" />
  </f:facet>
  <f:facet name="upControl">
    <h:outputText value="Move up" />
  </f:facet>
  <f:facet name="downControl">
    <h:outputText value="Move down" />
  </f:facet>
  <f:facet name="bottomControl">
    <h:outputText value="Move to bottom" />
  </f:facet>
</rich:orderingList>
...
```

The position of the controls relatively to a list could be customized with:

- *"controlsHorizontalAlign"* attribute. Possible values:
 - "left" - controls render to the left side of a list
 - "right" (default) - controls render to the right side of a list
 - "center" - controls is centered
- *"controlsVerticalAlign"* attribute. Possible values:
 - "top" - controls render aligned to the top side of a list
 - "bottom" - controls render aligned to the bottom side of a list
 - "center" (default) - controls is centered relatively to a list

The **<rich:orderingList>** component has a possibility to hide any of the controls by pairs using following attributes:

- *"orderControlsVisible"* attribute has two values: "true" or "false". If false Up and Down controls are not displayed.
- *"fastOrderControlsVisible"* attribute has two values: "true" or "false". If false Top and Bottom controls are not displayed.

The **<rich:orderingList>** component allows to use internationalization method to redefine and localize the labels. You could use application resource bundle and define `RICH_SHUTTLES_TOP_LABEL`, `RICH_SHUTTLES_BOTTOM_LABEL`, `RICH_SHUTTLES_UP_LABEL`, `RICH_SHUTTLES_DOWN_LABEL` there.

You could also pack `org.richfaces.renderkit.orderingList` resource bundle with your JARs defining the same properties.

Table 6.505. Keyboard usage for elements selection

| Keys and combinations | Description |
|-----------------------|--|
| CTRL+click | Inverts selection for an item |
| SHIFT+click | Selects all rows from active one to a clicked row if they differ, else select the active row. All other selections are cleared |
| CTRL+A | Selects all elements inside the list if some active element is already present in a list |
| Up, Down arrows | Changes the active and selected elements to the next or previous in a list |

Table 6.506. Keyboard usage for elements reordering

| Keys and combinations | Description |
|-----------------------|--|
| Page Up | Moves selected set to the top of a list |
| Page Down | Moves selected set to the bottom of a list |
| CTRL+Up arrow | Moves selected item to one position upper |
| CTRL+Down arrow | Moves selected item to one position lower |

6.12.2.6. JavaScript API

Table 6.507. JavaScript API

| Function | Description |
|----------------|--|
| hide() | Hides ordering control (to be implemented) |
| show() | Shows ordering control (to be implemented) |
| isShown() | Checks if current control is shown (to be implemented) |
| enable() | Enables ordering control (to be implemented) |
| disable() | Disables ordering control (to be implemented) |
| isEnabled() | Checks if current control is enabled (to be implemented) |
| Up() | Moves up selected item in the list |
| Down() | Moves down selected item in the list |
| Top() | Moves top selected item in the list |
| Bottom() | Moves bottom selected item in the list |
| getSelection() | Returns currently selected item |
| getItems() | Returns the collection of all items |

6.12.2.7. Facets

Table 6.508. Facets

| Facet | Description |
|---------------|---|
| caption | Redefines the caption content. Related attribute is "captionLabel" |
| topControl | Redefines the label for the "Top" control. Related attribute is "topControlLabel" |
| bottomControl | Redefines the label for the "Bottom" control. Related attribute is "bottomControlLabel" |

| Facet | Description |
|-----------------------|---|
| upControl | Redefines the label for the "Up" control. Related attribute is "upControlLabel" |
| downControl | Redefines the label for the "Down" control. Related attribute is "downControlLabel" |
| topControlDisabled | Redefines the disabled label for the "Top" control |
| bottomControlDisabled | Redefines the disabled label for the "Bottom" control |
| upControlDisabled | Redefines the disabled label for the "Up" control |
| downControlDisabled | Redefines the disabled label for the "Down" control |

6.12.2.8. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all `<rich:orderingList>` components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets style classes used by a `<rich:orderingList>` component

6.12.2.9. Skin Parameters Redefinition

Table 6.509. Skin parameters redefinition for a wrapper `<div>` element of a list

| Skin parameters | CSS properties |
|----------------------|------------------|
| tableBackgroundColor | background-color |
| tableBorderColor | border-color |

Table 6.510. Skin parameters redefinition for a header cell of a list

| Skin parameters | CSS properties |
|------------------|--------------------|
| trimColor | background-color |
| generalTextColor | color |
| headerFamilyFont | font-family |
| headerSizeFont | font-size |
| tableBorderWidth | border-right-width |

| Skin parameters | CSS properties |
|------------------|---------------------|
| tableBorderWidth | border-bottom-width |
| tableBorderColor | border-right-color |
| tableBorderColor | border-bottom-color |

Table 6.511. Skin parameters redefinition for caption element

| Skin parameters | CSS properties |
|------------------|----------------|
| headerFamilyFont | font-family |
| headerSizeFont | font-size |
| headerWeightFont | font-weight |

Table 6.512. Skin parameters redefinition for row element

| Skin parameters | CSS properties |
|---------------------|------------------|
| headerGradientColor | background-color |

Table 6.513. Skin parameters redefinition for selected row element

| Skin parameters | CSS properties |
|---------------------------|------------------|
| additionalBackgroundColor | background-color |

Table 6.514. Skin parameters redefinition for cell element

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalTextColor | color |
| generalFamilyFont | font-family |
| generalSizeFont | font-size |

Table 6.515. Skin parameters redefinition for selected cell element

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalTextColor | color |
| generalFamilyFont | font-family |
| generalSizeFont | font-size |

Table 6.516. Skin parameters redefinition for active cell element

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalFamilyFont | font-family |
| generalSizeFont | font-size |

Table 6.517. Skin parameters redefinition for a button

| Skin parameters | CSS properties |
|------------------|------------------|
| trimColor | background-color |
| generalTextColor | color |
| headerFamilyFont | font-family |
| headerSizeFont | font-size |

Table 6.518. Skin parameters redefinition for a disabled button

| Skin parameters | CSS properties |
|----------------------|------------------|
| trimColor | background-color |
| tabDisabledTextColor | color |
| headerFamilyFont | font-family |
| headerSizeFont | font-size |

Table 6.519. Skin parameters redefinition for a button highlight

| Skin parameters | CSS properties |
|--------------------|------------------|
| trimColor | background-color |
| selectControlColor | border-color |
| tableBorderWidth | border-width |
| headerFamilyFont | font-family |
| headerSizeFont | font-size |
| generalTextColor | color |

Table 6.520. Skin parameters redefinition for a pressed button

| Skin parameters | CSS properties |
|---------------------------|------------------|
| additionalBackgroundColor | background-color |
| tableBorderColor | border-color |
| tableBorderWidth | border-width |
| headerFamilyFont | font-family |
| headerSizeFont | font-size |
| generalTextColor | color |

Table 6.521. Skin parameters redefinition for a button content

| Skin parameters | CSS properties |
|------------------|----------------|
| headerFamilyFont | font-family |
| headerSizeFont | font-size |

Table 6.522. Skin parameters redefinition for a button selection

| Skin parameters | CSS properties |
|------------------|----------------|
| generalTextColor | color |

Table 6.523. Skin parameters redefinition for top, bottom, up, down controls and for controls in disabled state

| Skin parameters | CSS properties |
|------------------|----------------|
| panelBorderColor | border-color |

6.12.2.10. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.299. Classes names

Table 6.524. Classes names that define a list representation

| Class name | Description |
|---------------------------|---|
| rich-ordering-list-body | Defines styles for a wrapper table element of an orderingList |
| rich-ordering-list-output | Defines styles for a wrapper <div> element of a list |

| Class name | Description |
|--------------------------------------|---|
| rich-ordering-list-items | Defines styles for a wrapper table element of items in the list |
| rich-ordering-list-content | Defines styles for a list content |
| rich-ordering-list-header | Defines styles for a wrapper <div> element for a list header |
| rich-ordering-list-table-header | Defines styles for a wrapper <tr> element for a list header |
| rich-ordering-list-table-header-cell | Defines styles for a header cell |

Table 6.525. Classes names that define a caption representation

| Class name | Description |
|-------------------------------------|--|
| rich-ordering-list-caption | Defines styles for a caption |
| rich-ordering-list-caption-disabled | Defines styles for a caption in disabled state |
| rich-ordering-list-caption-active | Defines styles for a caption in active state |

Table 6.526. Classes names that define rows representation

| Class name | Description |
|---------------------------------|-----------------------------------|
| rich-ordering-list-row | Defines styles for a row |
| rich-ordering-list-row-selected | Defines styles for a selected row |
| rich-ordering-list-row-active | Defines styles for an active row |
| rich-ordering-list-row-disabled | Defines styles for a disabled row |

Table 6.527. Classes names that define cells representation

| Class name | Description |
|----------------------------------|------------------------------------|
| rich-ordering-list-cell | Defines styles for a cell |
| rich-ordering-list-cell-selected | Defines styles for a selected cell |
| rich-ordering-list-cell-active | Defines styles for an active cell |
| rich-ordering-list-cell-disabled | Defines styles for a disabled cell |

Table 6.528. Classes names that define a button representation

| Class name | Description |
|------------------------------------|---------------------------------------|
| rich-ordering-list-button | Defines styles for a button |
| rich-ordering-list-button-disabled | Defines styles for a disabled button |
| rich-ordering-list-button-light | Defines styles for a button highlight |
| rich-ordering-list-button-press | Defines styles for a pressed button |

| Class name | Description |
|-------------------------------------|--|
| rich-ordering-list-button-content | Defines styles for a button content |
| rich-ordering-list-button-selection | Defines styles for a button selection |
| rich-ordering-list-button-valign | Defines styles for a wrapper <td> element for buttons vertical align |
| rich-ordering-list-button-layout | Defines styles for a wrapper <div> element of buttons layout |

Table 6.529. Classes names that define controls representation

| Class name | Description |
|--------------------------------|---|
| rich-ordering-controls | Defines styles for a controls group |
| rich-ordering-control-top | Defines styles for a "top" control |
| rich-ordering-control-bottom | Defines styles for a "bottom" control |
| rich-ordering-control-up | Defines styles for a "up" control |
| rich-ordering-control-down | Defines styles for a "down" control |
| rich-ordering-control-disabled | Defines styles for controls in disabled state |

In order to redefine styles for all **<rich:orderingList>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-ordering-list-table-header-cell{  
    font-weight:bold;  
}  
...
```

This is a result:




Figure 6.300. Redefinition styles with predefined classes

In the example the font weight for header text was changed.

Also it's possible to change styles of particular `<rich:orderingList>` component. In this case you should create own style classes and use them in corresponding `<rich:orderingList>` `styleClass` attributes. An example is placed below:

Example:


```
...  
.myClass{  
    font-style:italic;  
}  
...
```

The `"rowClasses"` attribute for `<rich:orderingList>` is defined as it's shown in the example below:

Example:

```
<rich:orderingList ... rowClasses="myClass"/>
```

This is a result:



| Song Name | Artist Name |
|------------------------------------|------------------|
| <i>The Road To Hell (Part 2)</i> | <i>Chris Rea</i> |
| <i>Tell Me There's A Heaven</i> | <i>Chris Rea</i> |
| <i>Looking For A Rainbow</i> | <i>Chris Rea</i> |
| <i>Daytona</i> | <i>Chris Rea</i> |
| <i>That's What They Always Say</i> | <i>Chris Rea</i> |
| <i>You Must Be Evil</i> | <i>Chris Rea</i> |

Navigation buttons: First, Up, Down, Last

Figure 6.301. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, the font style for rows was changed.

6.12.2.11. Relevant Resources Links

On [RichFaces LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/orderingList.jsf?c=orderingList) [http://livedemo.exadel.com/richfaces-demo/richfaces/orderingList.jsf?c=orderingList] you can see an example of `<rich:orderingList>` usage and sources for the given example.

6.12.3. `< rich:pickList >` available since 3.2.0

3.2.0

6.12.3.1. Description

The <rich:pickList> component is used for moving selected item(s) from one list into another.



Figure 6.302. <rich:pickList> component

6.12.3.2. Key Features

- Multiple selection of list items
- Keyboard support
- Supports standard JSF internationalization
- Highly customizable look and feel

Table 6.530. rich : pickList attributes

| Attribute Name | Description |
|---------------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| controlClass | Assigns one or more space-separated CSS class names to the component controls |
| converter | JSF: Id of Converter to be used or reference to a Converter |
| converterMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the converter message, replacing any message that comes from the converter |
| copyAllControlLabel | Defines a label for a "Copy all" control |
| copyAllTitle | HTML: alt for a "Copy all" button |
| copyAllVisible | If "false", the 'Copy All' control will not be displayed. Even if this value is "true", the 'Copy All' control will not be displayed if the "fastMoveControlsVisible" attribute is "false". Default value is "true". |
| copyControlLabel | Defines a label for a "Copy" control |

| Attribute Name | Description |
|-------------------------|---|
| copyTitle | HTML: alt for a "Copy" button |
| copyVisible | If "false", the 'Copy' control will not be displayed. Even if this value is "true", the 'Copy' control will not be displayed if the "moveControlsVisible" attribute is "false". Default value is "true". |
| disabled | HTML: If "true", disable this component on page. |
| disabledStyle | CSS style rules to be applied to the component disabled controls |
| disabledStyleClass | Assigns one or more space-separated CSS class names to the component disabled controls |
| enabledStyle | CSS style rules to be applied to the component enabled controls |
| enabledStyleClass | Assigns one or more space-separated CSS class names to the component enabled controls |
| fastMoveControlsVisible | If "false", 'Copy All' and 'Remove All' controls aren't displayed. Even if this value is "true", the 'Copy All' and 'Remove All' controls will not be displayed if the "copyAllVisible" and "removeAllVisible" attribute values are "false". Default value is "true". |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| immediate | A flag indicating that this component value must be converted and validated immediately (that is, during Apply Request Values phase), rather than waiting until a Process Validations phase |
| label | A localized user presentable name for this component. |
| listClass | Assigns one or more space-separated CSS class names to the component lists |
| listsHeight | Defines height of the list. Default value is "140px" |

| Attribute Name | Description |
|---------------------------|---|
| moveControlsVerticalAlign | Customizes vertically a position of move/copy controls relatively to lists. Default value is "center". |
| moveControlsVisible | If "false", 'Copy' and 'Remove' controls aren't displayed. Even if this value is "true", the 'Copy' and 'Remove' controls will not be displayed if the "copyVisible" and "removeVisible" attribute values are "false". Default value is "true". |
| onblur | DHTML: The client-side script method to be called when the component loses the focus |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onfocus | DHTML: The client-side script method to be called when the component gets the focus |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onlistchange | The client-side script method to be called when the list is changed |
| onlistchanged | The client-side script method to be called before the list is changed |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |

| Attribute Name | Description |
|-----------------------|--|
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| removeAllControlLabel | Defines a label for a "Remove all" control |
| removeAllTitle | HTML: alt for a "Remove" all button |
| removeAllVisible | If "false", the 'Remove All' control will not be displayed. Even if this value is "true", the 'Remove All' control will not be displayed if the "fastMoveControlsVisible" attribute is "false". Default value is "true". |
| removeControlLabel | Defines a label for a "Remove" control |
| removeTitle | HTML: alt for a "Remove" button |
| removeVisible | If "false", the 'Remove' control will not be displayed. Even if this value is "true", the 'Remove' control will not be displayed if the "moveControlsVisible" attribute is "false". Default value is "true". |
| rendered | JSF: If "false", this component is not rendered |
| required | JSF: If "true", this component is checked for non-empty input |
| requiredMessage | A ValueExpression enabled attribute which defines text of validation message to show, if a required field is missing |
| showButtonsLabel | Shows a label for a button. Default value is "true" |
| sourceListWidth | Defines width of a source list. Default value is "140px" |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| switchByClick | If "true", items can be moved between the lists by clicking on them. Default value is "false". |

| Attribute Name | Description |
|---------------------|--|
| switchByDbClick | If "true", items can be moved between the lists by double-clicking on them. Default value is "true". |
| targetListWidth | Defines width of a target list. Default value is "140px" |
| title | HTML: Advisory title information about markup elements generated for this component |
| validator | JSF: MethodBinding pointing at a method that is called during Process Validations phase of the request processing lifecycle, to validate the current value of this component |
| validatorMessage | A ValueExpression enabled attribute that, if present, will be used as the text of the validator message, replacing any message that comes from the validator |
| value | JSF: The current value of this component |
| valueChangeListener | JSF: Listener for value changes |

Table 6.531. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.PickList |
| component-class | org.richfaces.component.html.HtmlPickList |
| component-family | org.richfaces.PickList |
| renderer-type | org.richfaces.PickListRenderer |
| tag-class | org.richfaces.taglib.PickListTag |

6.12.3.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...
<rich:pickList value="#{pickBean.targetValues}">
  <f:selectItem itemValue="Bentley" itemLabel="Bentley"/>
  <f:selectItems value="#{pickBean.sourceValues}" />
</rich:pickList>
...
```

6.12.3.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlPickList;
...
HtmlPickList myPickList = new HtmlPickList();
...
```

6.12.3.5. Details of Usage

The `<rich:pickList>` component consists of

- 2 item lists. Every item has three different representations: common, selected, active. Combination of these states is possible.
- Move controls set is a set of controls, which performs moving items between lists.

The `"value"` attribute is the initial value of this component.

The `<f:selectItem />` or `<f:selectItems />` facets are used to define the values of a source list.

Example:

```
...
<rich:pickList value="#{pickBean.listValues}">
  <f:selectItem itemValue="Bentley" itemLabel="Bentley"/>
  <f:selectItem itemValue="Audi" itemLabel="Audi"/>
  <f:selectItems value="#{pickBean.sourceList}" />
</rich:pickList>
...
```

The `"switchByClick"` attribute provides an option to copy and remove items between lists by one click. Default value of this attribute is `"false"`, so you need a double click to copy, remove items from one list to another.

Labels of the move controls can be defined with `"copyAllControlLabel"`, `"copyControlLabel"`, `"removeControlLabel"`, `"removeAllControlLabel"` attributes.

Example:

```
...
<rich:pickList copyAllControlLabel = "#{pickBean.copyAllLabel}" copyControlLabel = "#{pickBean.copyLabel}"
  removeControlLabel = "#{pickBean.removeLabel}" removeAllControlLabel = "#{pickBean.removeAllLabel}" />
```

```
<f:selectItem itemValue="Bentley" itemLabel="Bentley"/>
<f:selectItem itemValue="Audi" itemLabel="Audi"/>
<f:selectItems value="#{pickBean.sourceList}"/>
</rich:pickList>
...
```

If you don't want to display labels on the buttons you need to set *showButtonsLabel* to "false".




Figure 6.303. Move control buttons without labels

Alternative to the given attributes are the following facets: *copyAllControl* , *removeAllControl* , *copyControl* , *removeControl* , *copyAllControlDisabled* , *removeAllControlDisabled* , *copyControlDisabled* , *removeControlDisabled* , *caption* .

It is an example of usage of the facets and it is identical to the previous example.

```
...
<rich:pickList value="#{pickBean.listValues}">
  <facet name="copyAllControl">
    <h:commandButton value="#{pickBean.copyAllLabel}" />
  </facet>
  <facet name="copyControl">
    <h:commandButton value="#{pickBean.copyLabel}" />
  </facet>
  <facet name="removeControl">
    <h:commandButton value="#{pickBean.removeLabel}" />
  </facet>
  <facet name="removeAllControl">
    <h:commandButton value="#{pickBean.removeAllLabel}" />
  </facet>
  <f:selectItem itemValue="Bentley" itemLabel="Bentley"/>
  <f:selectItem itemValue="Audi" itemLabel="Audi"/>
  <f:selectItems value="#{pickBean.sourceList}"/>
</rich:pickList>
...
```

With the help of *moveControlsVerticalAlign* attribute you can align move controls vertically.

The possible value for `moveControlsVerticalAlign` are "top", "bottom" and "center" (default value).

The `<rich:pickList>` component provides resizing of lists by using such attributes as:

- `listsHeight` defines height of the lists.
- `sourceListWidth` defines width of a source list.
- `targetListWidth` defines width of a target list.

Example:

```

...
<rich:pickList listsHeight="#{pickBean.listsHeight}" sourceListWidth="#{pickBean.sourceListWidth}" targetListWidth="#{pickBean.targetListWidth}">
  <f:selectItem itemValue="Bentley" itemLabel="Bentley"/>
  <f:selectItem itemValue="Audi" itemLabel="Audi"/>
  <f:selectItems value="#{pickBean.sourceList}" />
</rich:pickList>
...

```

The `<rich:pickList>` component allows to use internationalization method to redefine and localize the labels. You could use application resource bundle and define `RICH_PICK_LIST_COPY_ALL_LABEL`, `RICH_PICK_LIST_COPY_LABEL`, `RICH_PICK_LIST_REMOVE_ALL_LABEL`, `RICH_PICK_LIST_REMOVE_LABEL` there.

Table 6.532. Keyboard usage for elements selection

| Keys and combinations | Description |
|-----------------------|--|
| CTRL+click | Inverts selection for an item |
| SHIFT+click | Selects all rows from active one to a clicked row if they differ, else select the active row. All other selections are cleared |
| CTRL+A | Selects all elements inside the list if some active element is already present in a list |
| Up, Down arrows | Changes the active and selected elements to the next or previous in a list |

6.12.3.6. Facets

Table 6.533. Facets

| Facet | Description |
|----------------|--|
| copyAllControl | Redefines the "copyAll" label with the control set. Related attribute is "copyAllControlLabel" |

| Facet | Description |
|--------------------------|--|
| removeAllControl | Redefines the "removeAll" label with the control set. Related attribute is "removeAllControlLabel" |
| copyControl | Redefines the "copy" label with the control set. Related attribute is "copyControlLabel" |
| removeControl | Redefines the "remove" label with the control set. Related attribute is "removeControlLabel" |
| copyAllControlDisabled | Redefines the disabled "copyAll" label with the control set. |
| removeAllControlDisabled | Redefines the disabled "removeAll" label with the control set. |
| copyControlDisabled | Redefines the disabled "copy" label with the control set. |
| removeControlDisabled | Redefines the disabled "remove" label with the control set. |
| caption | Defines the "caption" label with the control set. |

6.12.3.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*. Default style classes are mapped on *skin parameters*.

There are two ways to redefine the appearance of all **<rich:pickList>** components at once:

- Redefine the corresponding skin parameters
- Add to your style sheets style classes used by a **<rich:pickList>** component

6.12.3.8. Skin Parameters Redefinition

Table 6.534. Skin parameters redefinition for a list

| Skin parameters | CSS properties |
|----------------------|------------------|
| tableBackgroundColor | background-color |

Table 6.535. Skin parameters redefinition for a button

| Skin parameters | CSS properties |
|---------------------|------------------|
| tabBackgroundColorr | background-color |
| generalTextColor | color |
| headerFamilyFont | font-family |

| Skin parameters | CSS properties |
|-----------------|----------------|
| headerSizeFont | font-size |

Table 6.536. Skin parameters redefinition for a disabled button

| Skin parameters | CSS properties |
|----------------------|------------------|
| tabBackgroundColor | background-color |
| tabDisabledTextColor | color |
| headerFamilyFont | font-family |
| headerSizeFont | font-size |

Table 6.537. Skin parameters redefinition for a pressed button

| Skin parameters | CSS properties |
|--------------------|------------------|
| tabBackgroundColor | background-color |
| generalTextColor | color |
| headerFamilyFont | font-family |
| headerSizeFont | font-size |
| tableBorderColor | border-color |
| tableBorderWidth | border-width |

Table 6.538. Skin parameters redefinition for a highlighted button

| Skin parameters | CSS properties |
|--------------------|------------------|
| tabBackgroundColor | background-color |
| generalTextColor | color |
| headerFamilyFont | font-family |
| headerSizeFon | font-size |
| selectControlColor | border-color |
| tableBorderWidth | border-width |

Table 6.539. Skin parameters redefinition for a button selection

| Skin parameters | CSS properties |
|------------------|----------------|
| generalTextColor | color |

Table 6.540. Skin parameters redefinition for a button content

| Skin parameters | CSS properties |
|------------------|----------------|
| headerFamilyFont | font-family |
| headerSizeFont | font-size |

Table 6.541. Skin parameters redefinition for a source and target items

| Skin parameters | CSS properties |
|------------------------|------------------|
| generalBackgroundColor | background-color |
| tableBorderColor | border-color |
| tableBorderWidth | border-width |

Table 6.542. Skin parameters redefinition for a source and target cell

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalTextColor | color |
| generalSizeFont | font-size |
| generalFamilyFont | font-family |

Table 6.543. Skin parameters redefinition for a selected source and target cell

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalTextColor | color |
| generalSizeFont | font-size |
| generalFamilyFont | font-family |

Table 6.544. Skin parameters redefinition for an active source and target cell

| Skin parameters | CSS properties |
|-------------------|---------------------|
| generalSizeFont | font-size |
| generalFamilyFont | font-family |
| generalTextColor | border-top-color |
| generalTextColor | border-bottom-color |

Table 6.545. Skin parameters redefinition for a selected source and target row

| Skin parameters | CSS properties |
|---------------------------|------------------|
| additionalBackgroundColor | background-color |

Table 6.546. Skin parameters redefinition for a controls

| Skin parameters | CSS properties |
|------------------|----------------|
| tableBorderColor | border-color |

6.12.3.9. Definition of Custom Style Classes

The following pictures illustrate how CSS classes define styles for component elements.




Figure 6.304. Classes names

Table 6.547. Classes names that define a list representation

| Class name | Description |
|--------------------|--|
| rich-list-picklist | Defines styles for a wrapper <table> element of a pickList |

Table 6.548. Classes names that define a source and target items representation

| Class name | Description |
|----------------------------|---|
| rich-picklist-source-items | Defines styles for a wrapper <div> element of a source list |

| Class name | Description |
|----------------------------|---|
| rich-picklist-target-items | Defines styles for a wrapper <div> element of a target list |
| rich-picklist-body | Defines styles for a wrapper <table> element of a list body (source and target) |
| rich-picklist-list | Defines styles for a (source and target) list |
| rich-picklist-list-content | Defines styles for a (source and target) list content |
| rich-picklist-internal-tab | Defines styles for a wrapper <table> element of list items (source and target) |

Table 6.549. Classes names that define rows representation

| Class name | Description |
|-----------------------------------|--|
| rich-picklist-source-row | Defines styles for a source list row |
| rich-picklist-source-row-selected | Defines styles for a selected row in a source list |
| rich-picklist-target-row-selected | Defines styles for a selected row in a target list |

Table 6.550. Classes names that define a source cell representation

| Class name | Description |
|------------------------------------|---|
| rich-picklist-source-cell | Defines styles for a cell in a source list |
| rich-picklist-source-cell-selected | Defines styles for a selected cell in a source list |
| rich-picklist-source-cell-active | Defines styles for an active cell in a source list |

Table 6.551. Classes names that define a target cell representation

| Class name | Description |
|------------------------------------|---|
| rich-picklist-target-cell | Defines styles for a target list cell |
| rich-picklist-target-cell-selected | Defines styles for a selected cell in a target list |
| rich-picklist-target-cell-active | Defines styles for an active cell in a target list |

Table 6.552. Classes names that define a control representation

| Class name | Description |
|--------------------------------|---|
| rich-picklist-controls | Defines styles for wrapper <div> element of a pickList controls |
| rich-picklist-control-disabled | Defines styles for a control in a disabled state |
| rich-picklist-control-copyall | Defines styles for a "copyAll" control |
| rich-picklist-control-copy | Defines styles for a "Copy" control |
| rich-picklist-control-remove | Defines styles for a "Remove" control |

| Class name | Description |
|---------------------------------|--|
| rich-picklist-control-removeall | Defines styles for a "removeAll" control |
| rich-picklist-control-img | Defines styles for a control image |

Table 6.553. Classes names that define a button representation

| Class name | Description |
|-------------------------------------|---------------------------------------|
| rich-list-picklist-button | Defines styles for a button |
| rich-list-picklist-button-disabled | Defines styles for a disabled button |
| rich-list-picklist-button-press | Defines styles for a pressed button |
| rich-list-picklist-button-light | Defines styles for a button highlight |
| rich-list-picklist-button-selection | Defines styles for a button selection |
| rich-list-picklist-button-content | Defines styles for a button content |

In order to redefine styles for all `<rich:pickList>` components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...
.rich-picklist-list{
    background-color:#ecf4fe;
}
...
```

This is a result:




Figure 6.305. Redefinition styles with predefined classes

In the example the background color for lists is changed.

Also it's possible to change styles of particular `<rich:pickList>` component. In this case you should create own style classes and use them in the corresponding `<rich:pickList>` `styleClass` attributes. An example is placed below:

Example:

```
...
.myClass{
    font-weight:bold;
}
...
```

The `styleClass` attribute for `<rich:pickList>` is defined as it's shown in the example below:

Example:

```
<rich:pickList ... styleClass="myClass"/>
```

This is a result:



Figure 6.306. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, the font style for buttons is changed.

6.12.3.10. Relevant Resources Links

On [RichFaces LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/pickList.jsf?c=pickList) [http://livedemo.exadel.com/richfaces-demo/richfaces/pickList.jsf?c=pickList] you can see an example of `<rich:pickList>` usage and sources for the given example.

6.13. Rich Semantic Layouts

Layout components enrich RichFaces with functionality that enables you to create the whole page layout and define the parameters of the page. You can also create your custom theme and use it alongside with these components.

6.13.1. `< rich:page >` available since 3.3.1

3.3.1

6.13.1.1. Description

The `<rich:page>` component is used to create basic (X)HTML markup and define document parameters like DOCTYPE, title etc. The component also allows to build top level layout: header, bottom, center and left or right layout areas.

6.13.1.2. Key Features

- Option to change the renderer of the component (themes support)
- Possibility to define parameters of an HTML page
- Possibility to create page layout with facets
- Provides styling based on RichFaces skinnability

Table 6.554. rich : page attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| bodyClass | Assigns one or more space-separated CSS class names to the body part of the page |
| contentType | Set custom mime content type to response |
| dir | HTML: Direction indication for text that does not inherit directionality. Valid values are "LTR" (left-to-right) and "RTL" (right-to-left) |
| footerClass | Assigns one or more space-separated CSS class names to the component footer |
| headerClass | Assigns one or more space-separated CSS class names to the component header |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| lang | HTML: Code describing the language used in the generated markup for this component |
| markupType | Page layout format (html, xhtml, html-transitional, html-3.2) for encoding DOCTYPE, namespace and Content-Type definitions |
| namespace | Set html element default namespace |
| oncontextmenu | The client-side script method to be called when the right mouse button is clicked over the component |
| onload | The client-side script method to be called before a page is loaded |
| onunload | The client-side script method to be called when a page is unloaded |

| Attribute Name | Description |
|-----------------|---|
| pageTitle | String for output as a page title. |
| rendered | JSF: If "false", this component is not rendered |
| sidebarClass | Assigns one or more space-separated CSS class names to the component side panel |
| sidebarPosition | Defines the position of the side panel. Possible values are "left", "right". Default value is "left". |
| sidebarWidth | Defines width for the side panel. Default value is "160". |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| theme | Specifies the way of the component rendering |
| title | HTML: Advisory title information about markup elements generated for this component |
| width | HTML: Sets the width of the page |

Table 6.555. Component identification parameters

| Name | Value |
|------------------|---------------------------------------|
| component-type | org.richfaces.component.html.HtmlPage |
| component-class | org.richfaces.component.html.HtmlPage |
| component-family | org.richfaces.Page |
| renderer-type | org.richfaces.PageRenderer |
| tag-class | org.richfaces.taglib.PageTag |

6.13.1.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...  
<rich:page>  
    <!-- page body -->  
</rich:page>  
...
```

6.13.1.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlPage;
...
HtmlPage myHtmlPage = new HtmlPage();
...
```

6.13.1.5. Details of Usage

The `<rich:page>` component together with the `<rich:layout>` component provides a full-fledged mechanism for markup creation.

First of all, to declare the document type of the page you should use the `"markupType"` attribute which has the following values:

- "html"
- "html-transitional"
- "xhtml"
- "xhtml-transitional"
- "html-frameset"
- "html-3.2"

The default value is "html".

The `"contentType"` allows to specify the type of the content and encoding for the page.

The title of the page can be set with the `"pageTitle"` attribute. To place some other page parameters (like meta information, links to CSS style sheets etc.) in the `<head>` element of an HTML page use "pageHeader" facet.

Example:

```
...
<rich:page pageTitle="The title of the page" markupType="xhtml">
  <f:facet name="pageHeader">
    <meta content="The rich:page component" name="keywords" />
    <link rel="shortcut icon" href="/images/favicon.ico" />
  </f:facet>
</rich:page>
```

```
<link href="/css/style.css" rel="stylesheet" type="text/css" />
<script type="text/javascript" src="/js/menu.js"></script>
</f:facet>
<!-- page content -->
</rich:page>
...
```

Note:

Note, the **<rich:page>** component encodes the full page structure. Therefore, be sure you don't use the doctype declaration, root html element, head and body elements on the same page where you've put this component.

The implementation of the **<rich:page>** component provides four facets that you can use to arrange the layout of the page: "header", "subheader", "sidebar" and "footer". Their behavior is quite self-explanatory.

The position of the panel rendered by the "sidebar" facet can be set with the *"sidebarPosition"* attribute that can take either "right" or "left" as values, you can also specify the width for this facet with the *"sidebarWidth"* attribute.

Example:

```
...
<rich:page sidebarPosition="left" sidebarWidth="300">
  <f:facet name="header">
    <!-- header content -->
  </f:facet>
  <f:facet name="sidebar">
    <!-- side panel content -->
  </f:facet>
  <!-- body content -->
  <f:facet name="footer">
    <!-- footer content -->
  </f:facet>
</rich:page>
...
```

The **<rich:page>** component also provides attributes to define CSS classes for each nested facet as well as a body part of the page created with the component.

Several templates are available for the **<rich:page>** component. A template can be activated with the *"theme"* attribute.

The theme defines the way the `<rich:page>` is rendered. Default renderer(default theme) of the `<rich:page>` has no mappings to skin parameters and just provides CSS classes for the page part. However, the simple theme, which is an extension of the default theme, has mappings to skin parameters and adds the RichFaces skinning for the page elements.

As a whole, RichFaces provides 4 themes for the `<rich:page>` component out-of-the-box: "simple", "violetRays", "oldschool", "smooth". The [Creating a Theme for <rich:page>](http://www.jboss.org/community/docs/DOC-13635) [http://www.jboss.org/community/docs/DOC-13635] article tells how you can create your custom theme for the `<rich:page>` component.

6.13.1.6. Facets

Table 6.556. Facets

| Facet Name | Description |
|------------|--|
| pageHeader | Creates the <code><head/></code> part of the HTML page |
| header | Creates a header |
| subheader | Creates a horizontal panel under the header |
| footer | Creates a footer |
| sidebar | Creates a left/right panel |

6.13.1.7. Skin Parameters for the "simple" theme

Table 6.557. Skin parameters for the `<body/>` HTML element

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalFamilyFont | font-family |

Table 6.558. Skin parameters for the whole page

| Skin parameters | CSS properties |
|-----------------|----------------|
| generalSizeFont | font-size |

Table 6.559. Skin parameters for the header

| Skin parameters | CSS properties |
|---------------------|---------------------|
| generalSizeFont | border-bottom-color |
| headerGradientColor | background-color |
| trimColor | color |
| headerFamilyFont | font-family |
| headerTextColor | color |
| headerSizeFont | font-size |

Table 6.560. Skin parameters for the content area of the page

| Skin parameters | CSS properties |
|------------------------|------------------|
| generalBackgroundColor | background-color |
| panelBorderColor | border-top-color |
| trimColor | color |
| generalFamilyFont | font-family |
| generalTextColor | color |
| generalSizeFont | font-size |

Table 6.561. Skin parameters for the footer

| Skin parameters | CSS properties |
|------------------------|------------------|
| generalBackgroundColor | border-top-color |
| panelBorderColor | background-color |
| generalFamilyFont | font-family |
| generalTextColor | color |
| generalSizeFont | font-size |

Table 6.562. Skin parameters for the side panel

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalFamilyFont | font-family |
| generalTextColor | color |
| generalSizeFont | font-size |

Table 6.563. Skin parameters for h1,h2,h3 HTML tags

| Skin parameters | CSS properties |
|------------------|----------------|
| headerFamilyFont | font-family |
| headTextColor | color |

Table 6.564. Skin parameters for p,ul,ol HTML tags

| Skin parameters | CSS properties |
|-------------------|----------------|
| generalFamilyFont | font-family |
| controlTextColor | color |

Table 6.565. Skin parameters for the hovered link

| Skin parameters | CSS properties |
|-----------------|----------------|
| hoverLinkColor | color |

Table 6.566. Skin parameters for the visited link

| Skin parameters | CSS properties |
|------------------|----------------|
| visitedLinkColor | color |

6.13.1.8. Component CSS Selectors

Table 6.567. CSS Selectors that define the representation of the component's blocks

| CSS Selector | Description |
|----------------------|---|
| .rich-page | Defines styles for the whole page |
| .rich-page-header | Defines styles for the header |
| .rich-page-subheader | Defines styles for the block under the header |
| .rich-page-sidebar | Defines styles for the sidebar |
| .rich-page-body | Defines styles for the body part of the page |
| .rich-page-footer | Defines styles for the footer |

6.13.1.9. Relevant Resources Links

On the [component Live Demo page](http://livedemo.exadel.com/richfaces-demo/richfaces/layouts.jsf) [http://livedemo.exadel.com/richfaces-demo/richfaces/layouts.jsf] you can see the example of **<rich:page>** component usage and sources for the given example.


The [Layout components for RichFaces 3.3.1](http://www.jboss.org/community/docs/DOC-13336) [http://www.jboss.org/community/docs/DOC-13336] on the JBoss.org Wiki

6.13.2. < rich:layout > available since 3.3.1

3.3.1

6.13.2.1. Description

The **<rich:layout>** component is designed to build layouts basing on Yahoo UI Grids CSS

**Figure 6.307. The <rich:layout> component**

6.13.2.2. Key Features

- Cross-browser compatibility
- Easy layout creation

Table 6.568. rich : layout attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| rendered | JSF: If "false", this component is not rendered |

Table 6.569. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.layout |
| component-class | org.richfaces.component.html.HtmlLayout |
| component-family | org.richfaces.Layout |
| renderer-type | org.richfaces.LayoutRenderer |
| tag-class | org.richfaces.taglib.layoutTag |

6.13.2.3. Creating the Component with a Page Tag

To create the simplest layout with the **<rich:layout>** on a page, use the following syntax:

Example:

```
...  
<rich:layout>  
  <rich:layoutPanel position="center">  
    <!--center-->  
  </rich:layoutPanel>  
</rich:layout>  
...
```

6.13.2.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlLayout;
...
HtmlLayout mylayout = new HtmlLayout();
...
```

6.13.2.5. Details of Usage

The `<rich:layout>` allows to build a grid that can be used to make the layout on a page. The `<rich:layout>` is used in conjunction with the `<rich:layoutPanel>` that is used as a child element and carries the main burden of building the grid.

Hence, you need to use the `<rich:layout>` as a container and `<rich:layoutPanel>` to create areas inside the container.

This is how you can make a layout with 5 areas:

Example:

```
...
<rich:layout>
  <rich:layoutPanel position="top">
    <!--top-->
  </rich:layoutPanel>
  <rich:layoutPanel position="left">
    <!--left-->
  </rich:layoutPanel>
  <rich:layoutPanel position="center">
    <!--center-->
  </rich:layoutPanel>
  <rich:layoutPanel position="right">
    <!--right-->
  </rich:layoutPanel>
  <rich:layoutPanel position="bottom">
    <!--bottom-->
  </rich:layoutPanel>
</rich:layout>
...
```

To get more details about `<rich:layoutPanel>` please read the [chapter about layoutPanel](#) in the guide.

6.13.2.6. Relevant Resources Links

Visit [layout](http://livedemo.exadel.com/richfaces-demo/richfaces/layouts.jsf) [http://livedemo.exadel.com/richfaces-demo/richfaces/layouts.jsf] page at RichFaces Live Demo for examples of component usage and their sources.

The [Layout components for RichFaces 3.3.1](http://www.jboss.org/community/docs/DOC-13336) [http://www.jboss.org/community/docs/DOC-13336] on the JBoss.org Wiki

6.13.3. < rich:layoutPanel > available since 3.3.1

3.3.1

6.13.3.1. Description

The `<rich:layoutPanel>` is an auxiliary component used to create layout areas within the `<rich:layout>` container.

6.13.3.2. Key Features

- Cross-browser compatibility
- Provides possibility of an easy layout creation

Table 6.570. rich : layoutPanel attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| position | Positions the component relative to the <code><rich:layout/></code> component. Possible values are top, left, right, center, bottom. |
| rendered | JSF: If "false", this component is not rendered |
| width | HTML: Sets the width of the layout area |

Table 6.571. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.LayoutPanel |
| component-class | org.richfaces.component.html.HtmlLayoutPanel |
| component-family | org.richfaces.LayoutPanel |

| Name | Value |
|---------------|-------------------------------------|
| renderer-type | org.richfaces.LayoutPanelRenderer |
| tag-class | org.richfaces.taglib.LayoutPanelTag |

6.13.3.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...
<rich:layout>
  <rich:layoutPanel position="center">
    <!--center-->
  </rich:layoutPanel>
</rich:layout>
...
```

6.13.3.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmllayoutPanel;
...
HtmllayoutPanel mylayoutPanel = new HtmllayoutPanel();
...
```

6.13.3.5. Details of Usage

The **<rich:layoutPanel>** component is used to split the area inside the **<rich:layout>** into up to 5 parts: top, left, center, right, bottom.

The *"position"* attribute defines the position of the **<rich:layoutPanel>** in the area created with **<rich:layout>** .

```
...
<rich:layout>
  <rich:layoutPanel position="top">
    <!--top-->
  </rich:layoutPanel>
  <rich:layoutPanel position="left">
```

```
<!--left-->
</rich:layoutPanel>
<rich:layoutPanel position="center">
  <!--center-->
</rich:layoutPanel>
<rich:layoutPanel position="right">
  <!--right-->
</rich:layoutPanel>
<rich:layoutPanel position="bottom">
  <!--bottom-->
</rich:layoutPanel>
</rich:layout>
...
```

You can specify the width of the layout area with the *"width"* attribute.

6.13.3.6. Relevant Resources Links

On [RichFaces Live Demo page](http://livedemo.exadel.com/richfaces-demo/richfaces/layouts.jsf) [http://livedemo.exadel.com/richfaces-demo/richfaces/layouts.jsf] you can see an example of **<rich:layoutPanel>** usage and sources for the given example.

The **<rich:layout>** chapter of the guide.

The [Layout components for RichFaces 3.3.1](http://www.jboss.org/community/docs/DOC-13336) [http://www.jboss.org/community/docs/DOC-13336] on the JBoss.org Wiki.

6.14. Rich Miscellaneous

6.14.1. < rich:componentControl > available since 3.0.0

6.14.1.1. Description

The **<rich:componentControl>** allows to call JavaScript API functions on components after defined events.

6.14.1.2. Key Features

- Management of components JavaScript API
- Customizable initialization variants
- Customizable activation events
- Possibility to pass parameters to the target component

Table 6.572. rich : componentControl attributes

| Attribute Name | Description |
|----------------|--|
| attachTiming | Defines the page loading phase when componentControl is attached to another component. Default value is "onavailable" |
| attachTo | Client identifier of the component or id of the existing DOM element that is a source for given event. If attachTo is defined, the event is attached on the client according to the attachTiming attribute. If attachTo is not defined, the event is attached on the server to the closest in the component tree parent component. |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| disableDefault | Disable default action for target event. If the attribute is not set, it's made "true" by default if the event oncontextmenu is used and false in all other cases. if the attribute set, its value is used. |
| event | The Event that is used to trigger the operation on the target component |
| for | Client identifier of the target component. |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| name | The optional name of the function that might be used to trigger the operation on the target component |
| operation | The function of JavaScript API that will be invoked. The API method is attached to the 'component' property of the root DOM element that represents the target component. The function has two parameters - event and params. See: 'params' attribute for details. |
| params | The set of parameters passed to the function of Javascript API that will be invoked. The JSON syntax is used to define the parameters, but without open and closed curve bracket. As an alternative, the set of f:param can be used to define the parameters passed to the |

| Attribute Name | Description |
|----------------|--|
| | API function. If both way are used to define the parameters, both set are concatenated. if names are equals, the f:param has a priority. |
| rendered | JSF: If "false", this component is not rendered |

Table 6.573. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.ComponentControl |
| component-class | org.richfaces.component.html.HtmlComponentControl |
| component-family | org.richfaces.ComponentControl |
| renderer-type | org.richfaces.ComponentControlRenderer |
| tag-class | org.richfaces.taglib.ComponentControlTag |

6.14.1.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...  
<rich:componentControl attachTo="doExpandCalendar" id="ccCalendar" event="onclick" operation="Expand"  
>  
...
```

6.14.1.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlComponentControl;  
...  
HtmlComponentControl myComponentControl = new HtmlComponentControl();  
...
```

6.14.1.5. Details of Usage

<rich:componentControl> is a command component, that allows to call JavaScript API function on some defined event. Look at the example:

```
...
```

```
<rich:componentControl attachTo="doExpandCalendarID" event="onclick" for="ccCalendarID" operation="Expand"/>
...

```

In other words it means "clicking on the component with ID 'doExpandCalendarID', expands the component with ID 'ccCalendarID'". It can be said, that **<rich:componentControl>** connects two components with the help of JavaScript API function.

Component ID, to which the event, that invokes JavaScript API function is applied, is defined with "attachTo" attribute (see the example above). If "attachTo" attribute is not defined, the component will be attached to the parent component.

Example:

```
...
<h:commandButton value="Show Modal Panel">
    <rich:componentControl for="ccModalPanelID" event="onclick" operation="show"/> <!--
attached to the commandButton-->
</h:commandButton>
...

```

On the result page the component is rendered to JavaScript code. This means, that it is possible to invoke the **<rich:componentControl>** handler operation as usual JavaScript function. This function is called by name, specified in the component "name" attribute. The definition of "name" attribute is shown on the example below:

```
...
<rich:componentControl name="func" event="onRowClick" for="menu" operation="show" />
...

```

The generated JavaScript function will look as shown below:

```
function func (event) {
}
```

An important **<rich:componentControl>** feature, is that it allows transferring parameters, with the help of special attribute "params".

Example:

```
...
<rich:componentControl name="button" event="onRowClick" for="menu" operation="show" params="#{car.model}"/>
>
...
```

The alternative way for parameters transferring uses **<f:param>** attribute. As the code above, the following code will represent the same functionality.

Example:

```
...
<rich:componentControl event="onRowClick" for="menu" operation="show">
  <f:param value="#{car.model}" name="model"/>
</rich:componentControl>
...
```

With the help of the *"attachTiming"* attribute you can define the page loading phase when **<rich:componentControl>** is attached to source component. Possible values are:

- "immediate" - attached during execution of **<rich:componentControl>** script
- "onavailable" - attached after the target component is initialized
- "onload" - attached after the page is loaded

<rich:componentControl> interacts with such components as: **<rich:contextMenu>** , **<rich:toolTip>** , **<rich:modalPanel >** , **<rich:listShuttle>** , **<rich:orderingList>** , **<rich:calendar>**

In order to use **<rich:componentControl>** with another component you should place the id of this component into *"for"* attribute field. All operations with defined component you can find in the JavaScript API section of defined component.

Example:

```
...
<f:view>
  <h:form>
    <br />
    <rich:toolTip id="toolTipFor" followMouse="false" direction="top-right" mode="ajax" value="This is button"
      horizontalOffset="5" verticalOffset="5" layout="block" />
  </h:form>
</f:view>
```

```

<h:commandButton id="ButtonID" value="Button">

<rich:componentControlfor="toolTipFor"attachTo="ButtonID"operation="show"event="onclick"/
>
  </h:commandButton>
</f:view>
...

```

This is a result:




Figure 6.308. `<rich:toolTip>` shows with the help of `<rich:componentControl>` .

As it could be seen in the picture above, the `<rich:toolTip>` shows after you click the button.

6.14.1.6. Look-and-Feel Customization

`<rich:componentControl>` has no skin parameters and custom style classes, as the component isn't visual.

6.14.1.7. Relevant Resources Links

On [RichFaces LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/componentControl.jsf?c=componentControl) [http://livedemo.exadel.com/richfaces-demo/richfaces/componentControl.jsf?c=componentControl] you can see an example of `<rich:componentControl>` usage and sources for the given example.

On [RichFaces LiveDemo page](http://java.sun.com/javaee/javaserverfaces/1.1_01/docs/tlddocs/f/param.html) [http://java.sun.com/javaee/javaserverfaces/1.1_01/docs/tlddocs/f/param.html] you can find some additional information about `<f:param>` component.

6.14.2. `< rich:effect >` available since 3.1.0

3.1.0

6.14.2.1. Description

The `<rich:effect>` utilizes a set of effects provided by the scriptaculous JavaScript library. It allows to attach effects to JSF components and html tags.

6.14.2.2. Key Features

- No developers JavaScript writing needed to use it on pages

- Presents scriptaculous JavaScript library functionality

Table 6.574. rich : effect attributes

| Attribute Name | Description |
|----------------|---|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| disableDefault | Disable default action for target event (append "return false;" to JavaScript). Default value is "false". |
| event | Event on the component or html tag the effect is attached to |
| for | Id of the target component. |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| name | Generated JavaScript name. |
| params | Parameters passed to the effect function. Example params="{duration:0.2,from:1.0,to:0.1}" |
| rendered | JSF: If "false", this component is not rendered |
| targetId | The id of the element the effect apply to. Might be component id or client id of jsf component or html tag. If targetId is not defined the value of the attribute 'for' or the 'targetId' option effect play its role |
| type | HTML: Defines the type of effect. Possible values: "Fade", "Blind", "Opacity". |

Table 6.575. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.Effect |
| component-class | org.richfaces.component.html.HtmlEffect |
| component-family | org.richfaces.Effect |
| renderer-type | org.richfaces.EffectRenderer |
| tag-class | org.richfaces.taglib.EffectTag |

6.14.2.3. Creating the Component with a Page Tag

To create the simplest variant of **<rich:effect>** on a page, use the following syntax:

Example:

```
...  
<rich:effect for="componentId" type="Appear"/>  
...
```

6.14.2.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlRichEffect;  
...  
HtmlRichEffect myEffect = new HtmlRichEffect();  
...
```

6.14.2.5. Details of Usage

It is possible to use **<rich:effect>** in two modes:

- attached to the JSF components or html tags and triggered by a particular event. Wiring effect with JSF components might occur on the server or client. Wiring with html tag is possible only on the client side
- invoking from the JavaScript code by an effect name. During the rendering, **<rich:effect>** generates the JavaScript function with defined name. When the function is called, the effect is applied

Those are the typical variants of using:

```
...  
<!-- attaching by event -->  
<rich:panel>  
  <rich:effect event="onmouseout" type="Opacity" params="duration:0.8,from:1.0,to:0.3" />  
  <!--panel content-->  
</rich:panel>  
...  
  
<!-- invoking from JavaScript -->  
<div id="contentDiv">  
  <!--div content-->  
</div>
```

```
<input type="button" onclick="hideDiv({duration:0.7})" value="Hide" />
<input type="button" onclick="showDiv()" value="Show" />

<rich:effect name="hideDiv" for="contentDiv" type="Fade" />
<rich:effect name="showDiv" for="contentDiv" type="Appear" />

<!-- attaching to window on load and applying on particular page element -->
<rich:effect for="window" event="onload" type="Appear" params="targetId:'contentDiv',duration:0.8,from:0.3,to:1.0" />
>
...
```

The opacity of this panel will be set to 0.3 when the mouse cursor is out set to 1.0 if the mouse is over. The default opacity is set to 0.3 when the page is loaded.

Figure 6.309. Initial

The opacity of this panel will be set to 0.3 when the mouse cursor is out set to 1.0 if the mouse is over. The default opacity is set to 0.3 when the page is loaded.

Figure 6.310. When the mouse cursor is over

"name" attribute defines a name of the JavaScript function that is be generated on a page when the component is rendered. You can invoke this function to activate the effect. The function accesses one parameter. It is a set of effect options in JSON format.

"type" attribute defines the type of an effect. For example, "Fade", "Blind", "Opacity". Have a look at [scriptaculous documentation](http://script.aculo.us) [http://script.aculo.us] for set of available effect.

"for" attribute defines the id of the component or html tag, the effect is attached to. RichFaces converts the *"for"* attribute value to the client id of the component if such component is found. If not, the value is left as is for possible wiring with on the DOM element's id on the client side. By default, the target of the effect is the same element that effect pointed to. However, the target element is might be overridden with *"targetId"* option passed with *"params"* attribute of with function parameter.

"params" attribute allows to define the set of options possible for particular effect. For example, 'duration', 'delay', 'from', 'to'. Additionally to the options used by the effect itself, there are two option that might override the **<rich:effect>** attribute. Those are:

- *"targetId"* allows to re-define the target of effect. The option is override the value of *"for"* attribute.

- *"type"* defines the effect type. The option is override the value of *"type"* attribute.

You can use a set of effects directly without defining the `<rich:effect>` component on a page if it's convenient for you. For that, load the scriptaculous library to the page with the following code:

Example:

```
...  
<a4j:loadScript src="resource://scriptaculous/effect.js" />  
...
```

If you do use the `<rich:effect>` component, there is no need to include this library because it's already here.

For more information look at [RichFaces Users Forum](http://jboss.com/index.html?module=bb&op=viewtopic&t=119044) [http://jboss.com/index.html?module=bb&op=viewtopic&t=119044].

6.14.2.6. Look-and-Feel Customization

`<rich:effect>` has no skin parameters and custom style classes, as the component isn't visual.

6.14.2.7. Relevant Resources Links

[Here](http://wiki.jboss.org/wiki/CreateABannerUsingEffectsAndPoll) [http://wiki.jboss.org/wiki/CreateABannerUsingEffectsAndPoll] you can get additional information how to create an image banner using `<rich:effect>` and `<a4j:poll>` components and figure out how to create an HTML banner from ["Creating HTML Banner Using Effects And Poll RichFaces Wiki" article](http://wiki.jboss.org/auth/wiki/Creating_HTML_Banner_Using_Effects_And_Poll_RichFaces_Wiki) [http://wiki.jboss.org/auth/wiki/CreatingHTMLBannerUsingEffectsAndPoll].

In the [RichFaces Cookbook article](http://wiki.jboss.org/auth/wiki/RichFacesCookbook/SlideShow) [http://wiki.jboss.org/auth/wiki/RichFacesCookbook/SlideShow] you can find information how to make a Slide Show with help of the `<rich:effect>` and `<a4j:poll>` components.

[On the component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/effect.jsf?c=effect) [http://livedemo.exadel.com/richfaces-demo/richfaces/effect.jsf?c=effect] you can see the example of `<rich:effect>` usage.

How to save `<rich:effect>` status see on the [RichFaces Users Forum](http://www.jboss.com/index.html?module=bb&op=viewtopic&t=118833) [http://www.jboss.com/index.html?module=bb&op=viewtopic&t=118833].

6.14.3. `< rich:gmap >` available since 3.0.0

6.14.3.1. Description

Component that presents the Google map in the JSF applications.




Figure 6.311. <rich:gmap> component

6.14.3.2. Key Features

- Presents all the Google map functionality
- Highly customizable via attributes
- No developers JavaScript writing needed to use on a pages

Table 6.576. rich : gmap attributes

| Attribute Name | Description |
|-----------------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| enableContinuousZoom | Enables continuous smooth zooming for selected browsers. Default value is "false". |
| enableDoubleClickZoom | Enables zooming in by a double click. Default value is "false". |
| enableDragging | Enables a map dragging with the mouse. Default value is "true". |
| enableInfoWindow | Enables Info Window. Default value is "true". |

| Attribute Name | Description |
|----------------|--|
| gmapKey | Google Map key. A single Map API key is valid for a single "directory" on your web server. Default value is "internal". |
| gmapVar | The JavaScript variable that is used to access the Google Map API. If you have more than one Google Map components on the same page, use individual key for each of them. The default variable name is "map" (without quotes). |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| lat | Initial latitude coordinate in degrees, as a number between -90 and +90. Default value is "37.9721046". |
| lng | Initial longitude coordinate in degrees, as a number between -180 and +180. Default value is "-122.0424842834". |
| locale | Used for locale definition. Default value is "getDefaultLocale()". |
| mapType | Initial map type. The possible values are "G_NORMAL_MAP", "G_SATELLITE_MAP", "G_HYBRID_MAP". Default value is "G_SATELLITE_MAP". |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| oninit | The client-side script method to be called when the Google Map object is initiated |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |

| Attribute Name | Description |
|----------------------|--|
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |
| rendered | JSF: If "false", this component is not rendered |
| showGLargeMapControl | Shows the GLarge control. Default value is "true". |
| showGMapTypeControl | Shows the Type switch control. Default value is "true". |
| showGScaleControl | It shows the scale control. Default value is "true". |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| warningMessage | The warning message that appears if a browser is not compatible with Google Map. Default value is "Your browser does not support Google Maps". |
| zoom | Initial zoom level as a number between 1 and 18. Default value is "17". |

Table 6.577. Component identification parameters

| Name | Value |
|------------------|---------------------------------------|
| component-type | org.richfaces.Gmap |
| component-class | org.richfaces.component.html.HtmlGmap |
| component-family | org.richfaces.Gmap |
| renderer-type | org.richfaces.GmapRenderer |
| tag-class | org.richfaces.taglib.GmapTag |

6.14.3.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...  
<rich:gmap gmapKey="..."/>  
...
```

6.14.3.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlGmap;  
...  
HtmlGmap myMap = new HtmlGmap();  
...
```

6.14.3.5. Details of Usage

To use *Google Map* in your application, generate a key on [Google Map official resource](http://google.com/apis/maps) [http://google.com/apis/maps] . One key could be used for one directory on the server.

Here are the main settings of initial rendering performed with a component map that are accessible with the following attributes:

- *"zoom"* defines an approximation size (boundary values 1-18)
- *"lat"* specifies an initial latitude coordinate in degrees, as a number between -90 and +90
- *"lng"* specifies an initial longitude coordinate in degrees, as a number between -180 and +180
- *"mapType"* specifies a type of a rendered map (G_NORMAL_MAP, G_SATELLITE_MAP (DEFAULT), G_HYBRID_MAP)

For example, the city of Paris is shown after rendering with the following initial settings: `lat = "48.44" , lng = "2.24" and zoom = "5" .`



Figure 6.312. <rich:gmap> initial rendering

It's also possible to set accessible controls on the map with the help of the attributes:

- *"showGMapTypeControl"* determines whether the controls for a map type definition are switched on
- *"showGScaleControl"* determines whether the controls for scaling are switched on
- *"showGLargeMapControl"* determines whether the control for map scale rendering is rendered




Figure 6.313. `<rich:gmap>` accessible controls

To set all these parameters and perform some activity (Zoom In/Out etc.) is possible with your JavaScript, i.e. declare a name of an object on a map in the `"gmapVar"` attribute and then call the object directly with API *Google Map*.

For example, to approximate a map for `gmapVar = "map"` declared inside the component, call `map.zoomIn()` on an event.

Moreover, to add e.g. some JavaScript effects, events defined on it are used.

- `"onmouseover"`
- `"onclick"`
- `"onmouseout"`
- etc.

Note

Google Map does not support XHTML format of the page. Thus, if you use Facelets and JSF 1.2, do not forget to put the following tags somewhere on the page:

```
...  
<f:view contentType="text/html">...</f:view>  
...
```

6.14.3.6. Look-and-Feel Customization

<rich:gmap> component isn't tied to skin parameters, as there is no additional elements on it, except the ones provided with *Google Map* .

6.14.3.7. Definition of Custom Style Classes

Table 6.578. Classes names that define a component appearance

| Class name | Description |
|------------|---|
| rich-gmap | Defines styles for a wrapper <div> element of a component |

In order to redefine styles for all <rich:gmap> components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-gmap{  
  font-style:italic;  
}  
...
```

This is a result:



Figure 6.314. Redefinition styles with predefined classes

In the example the font style for buttons was changed.

Also it's possible to change styles of particular `<rich:gmap>` component. In this case you should create own style classes and use them in corresponding `<rich:gmap>` styleClass attributes. An example is placed below:

Example:

```

...
.myClass{
  font-weight:bold;
}
...
    
```

The "styleClass" attribute for <rich:gmap> is defined as it's shown in the example below:

Example:

```
<rich:gmap ... styleClass="myClass"/>
```

This is a result:




Figure 6.315. Redefinition styles with own classes and "styleClass" attributes

As it could be seen on the picture above, the font weight for buttons was changed.

6.14.3.8. Relevant Resources Links

On the [component Live Demo page](http://livedemo.exadel.com/richfaces-demo/richfaces/gmap.jsf?c=gmap) [http://livedemo.exadel.com/richfaces-demo/richfaces/gmap.jsf?c=gmap] you can see the example of `<rich:gmap>` usage and sources for the given example.

6.14.4. `< rich:virtualEarth >` available since 3.1.0

3.1.0

6.14.4.1. Description

The component presents the Microsoft Virtual Earth map in the JSF applications.




Figure 6.316. `<rich:virtualEarth>` component

6.14.4.2. Key Features

- Presents the Microsoft Virtual Earth map functionality
- Highly customizable via attributes
- No developers JavaScript writing is needed to use it on a pages

Table 6.579. `rich : virtualEarth` attributes

| Attribute Name | Description |
|----------------|---|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| dashboardSize | Initial map type. The possible values are "Normal", "Small", "Tiny". Default value is "Normal". |

| Attribute Name | Description |
|----------------|--|
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| lat | Initial latitude coordinate in degrees, as a number between -90 and +90. Default value is "37.9721046". |
| lng | Initial longitude coordinate in degrees, as a number between -180 and +180. Default value is "-122.04248428346". |
| mapStyle | Navigation control size. Possible values are "Road", "Aerial", "Hybrid", "Birdseye". Default value is "Road" |
| onclick | DHTML: The client-side script method to be called when the element is clicked |
| ondblclick | DHTML: The client-side script method to be called when the element is double-clicked |
| onkeydown | DHTML: The client-side script method to be called when a key is pressed down over the element |
| onkeypress | DHTML: The client-side script method to be called when a key is pressed over the element and released |
| onkeyup | DHTML: The client-side script method to be called when a key is released |
| onLoadMap | The client-side script method to be called when the Virtual Earth object is initiated |
| onmousedown | DHTML: The client-side script method to be called when a mouse button is pressed down over the element |
| onmousemove | DHTML: The client-side script method to be called when a pointer is moved within the element |
| onmouseout | DHTML: The client-side script method to be called when a pointer is moved away from the element |
| onmouseover | DHTML: The client-side script method to be called when a pointer is moved onto the element |
| onmouseup | DHTML: The client-side script method to be called when a mouse button is released |

| Attribute Name | Description |
|----------------|--|
| rendered | JSF: If "false", this component is not rendered |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more CSS class names to the component. Corresponds to the HTML "class" attribute. |
| var | The JavaScript variable that is used to access the Virtual Earth API. If you have more than one Virtual Earth components on the same page, use individual key for each of them. Default value name is "map". |
| version | Virtual earth version, Default value is "6.1". |
| zoom | Initial zoom level as a number between 1 and 18. Default value is "17". |

Table 6.580. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.VirtualEarth |
| component-class | org.richfaces.component.html.HtmlVirtualEarth |
| component-family | org.richfaces.VirtualEarth |
| renderer-type | org.richfaces.VirtualEarthRenderer |
| tag-class | org.richfaces.taglib.VirtualEarthTag |

6.14.4.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...
<rich:virtualEarth lat="..." lng="..."/>
...
```

6.14.4.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlVirtualEarth;
```

```
...  
HtmlVirtualEarth myMap = new HtmlVirtualEarth();  
...
```

6.14.4.5. Details of Usage

Here are the main settings of initial rendering performed with a component map that are accessible with the following attributes:

- "zoom" defines an approximation size (boundary values 1-18)
- "lat" specifies an initial latitude coordinate in degrees, as a number between -90 and +90
- "lng" specifies an initial longitude coordinate in degrees, as a number between -180 and +180
- "dashboardSize" specifies a type of a rendered map (Normal, Small, Tiny)

For example, the city of Paris is shown after rendering with the following initial settings: lat = "48.833" , lng = "2.40" and zoom = "11" .



Figure 6.317. <rich:virtualEarth> initial rendering

Code for this example is placed below:

Example:

```
...  
<rich:virtualEarth style="width:800px;" id="vm" lat="48.833" lng="2.40"  
    dashboardSize="Normal" zoom="11" mapStyle="Hybrid" var="map" />  
...
```

To set all these parameters and perform some activity (Zoom In/Out etc.) is possible with your JavaScript, i.e. declare a name of an object on a map in the "var" attribute and then call the object directly with API *Microsoft Virtual Earth map* .

For example, to approximate a map for `var = "map"` declared inside the component, call `map.ZoomIn()` on an event.

Moreover, to add e.g. some JavaScript effects, events defined on it are used.

- "onmouseover"
- "onclick"
- "onmouseout"
- etc.

Note

Virtual Earth does not support XHTML format of the page. Thus, if you use Facelets and JSF 1.2, do not forget to put the following tags somewhere on the page:

```
...  
<f:view contentType="text/html">...</f:view>  
...
```

6.14.4.6. Look-and-Feel Customization

`<rich:virtualEarth>` component isn't tied to skin parameters, as there is no additional elements on it, except the ones provided with *Virtual Earth map* .

6.14.4.7. Definition of Custom Style Classes

Table 6.581. Classes names that define a component appearance

| Class name | Description |
|-------------------|--|
| rich-virtualEarth | Defines styles for a wrapper <code><div></code> element of a component |

In order to redefine styles for all `<rich:virtualEarth>` components on a page using CSS, it's enough to create class with the same name and define necessary properties in it.

To change styles of particular `<rich:virtualEarth>` components, define your own style class in the corresponding `<rich:virtualEarth>` attribute.

6.14.4.8. Relevant Resources Links

[Here](http://msdn2.microsoft.com/en-us/library/bb429619.aspx) [http://msdn2.microsoft.com/en-us/library/bb429619.aspx] you can found additional information about Microsoft Virtual Earth map.

Some additional information about usage of component can be found [on its LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/virtualEarth.jsf?c=virtualEarth) [http://livedemo.exadel.com/richfaces-demo/richfaces/virtualEarth.jsf?c=virtualEarth].

6.14.5. < rich:hotKey > available since 3.2.2

3.2.2

6.14.5.1. Description

The **<rich:hotKey>** component allows to register hot keys for the page or particular elements and to define client-side processing functions for these keys.

6.14.5.2. Key Features

- Includes all features of the [Javascript jQuery Hotkeys Plugin](http://code.google.com/p/js-hotkeys/) [http://code.google.com/p/js-hotkeys/]
- Hot key registration by request through JavaScript API
- Possibility to attach **<rich:hotKey>** to a whole page or to a particular element using "selector" attribute
- Hot key registration timing
- Enabling/disabling the **<rich:hotKey>** using JavaScript API

Table 6.582. rich : hotKey attributes

| Attribute Name | Description |
|---------------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| checkParent | Defines the hotkey handling of events generated by child components nested into the parent component to which the <rich:hotKey> is attached. |
| disableInInput | Disables the hotkeys activated on input elements when the value of this attribute is "true". |
| disableInInputTypes | Defines the types of the inputs not to be influenced with hotKey component. Possible values: buttons, texts and all (default). By |

| Attribute Name | Description |
|----------------|--|
| | default it is empty and this means ALL the types. |
| handler | Defines the JavaScript function name which is called on hotkey activation |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| key | Defines the hotkey itself |
| rendered | JSF: If "false", this component is not rendered |
| selector | Defines a selector for query |
| timing | Defines the time when the hotkey is registered. Possible values are "immediate" (by default), "onload", and "onregistercall". Default value is "immediate" |
| type | HTML: Defines the type of a keyboard event (onkeyup, onkeypress, etc.) |

Table 6.583. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.HotKey |
| component-class | org.richfaces.component.html.HtmlHotKey |
| component-family | org.richfaces.HotKey |
| renderer-type | org.richfaces.HotKeyRenderer |

6.14.5.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...
<rich:hotKey key="alt+a" handler="alert('alt+A is pressed')" />
...
```

6.14.5.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlHotKey;
...
```

```
HtmlHotKey myHotKey = new HtmlHotKey();  
...
```

6.14.5.5. Details of Usage

There are two ways to register **<rich:hotKey>** :

- just place it anywhere on the page. In this case the **<rich:hotKey>** component is attached to the whole page (html[0] element). This is default scenario.
- attach it with *"selector"* attribute to all the elements defined using this selector. This attribute uses defined by *w3c consortium* [http://www.w3.org] syntax for CSS rule selector with some jQuery extensions.

The *"key"* attribute defines the hot key itself which is processed by the component.

After the hot key has been registered and defined you could set the *"handler"* attribute which determines a JavaScript function to be called every time when corresponding keys are pressed.

Example:

```
...  
<rich:listShuttle var="cap" sourceValue="#{capitalsBean.capitals}" id="ls">  
  <rich:column>  
    <f:facet name="header">  
      <h:outputText value="State flag"/>  
    </f:facet>  
    <h:graphicImage value="#{cap.stateFlag}"/>  
  </rich:column>  
  <rich:column>  
    <f:facet name="header">  
      <h:outputText value="State name"/>  
    </f:facet>  
    <h:outputText value="#{cap.name}"/>  
  </rich:column>  
</rich:listShuttle>  
<rich:hotKey selector="#ls" key="right" handler="#{rich:component('ls')}.copy()"/>  
<rich:hotKey selector="#ls" key="left" handler="#{rich:component('ls')}.remove()"/>  
<rich:hotKey selector="#ls" key="end" handler="#{rich:component('ls')}.copyAll()"/>  
<rich:hotKey selector="#ls" key="home" handler="#{rich:component('ls')}.removeAll()"/>  
...
```

In the example above the *"selector"* attribute is used. So the keys work only if **<rich:listShuttle>** component is focused.

You could press Right or Left keys in order to move some selected items between lists. You could press Home or End buttons in order to move all items between lists.

With the help of the *"timing"* attribute you could manage **<rich:hotKey>** registration timing. There are three possible values of this attribute:

- "immediate" - the component is rendered in browser immediately (by default)
- "onload" - the component is rendered after the page is fully loaded
- "onregistercall" - the component is rendered only after JavaScript API for the key registration is used.

The *"type"* attribute defines the type of keyboard event. Possible values are: "onkeyup", "onkeypress" and "onkeydown".

The *"disableInInput"* attribute disables the **<rich:hotKey>** if it is activated on input elements and the value of this attribute is "true".

The *"checkParent"* attribute defines the hotkey handling of events generated by child components nested into the parent component to which the **<rich:hotKey>** is attached.

The **<rich:hotKey>** component also provides a number of JavaScript API functions. There is an example below.

Example:

```
...
<h:form id="myForm">
  <rich:hotKey id="myKey" key="ctrl+g" handler="alert('Ctrl+G is pressed')" />
  <button onclick="{rich:component('myKey')}.enable(); return false;">Turn Ctrl+G On</button>
  <button onclick="{rich:component('myKey')}.disable(); return false;">Turn Ctrl+G Off</button>
</h:form>
...
```

In the example above the Ctrl+G is registered as a global hotkey, so if you press this key combination the alert window with the "Ctrl+G is pressed" text appears. With the help of enable(), disable() JavaScript API functions you could enable or disable registered hotkey.

6.14.5.6. JavaScript API

Table 6.584. JavaScript API

| Function | Description |
|-----------------------------|---|
| add(selector, key, handler) | Adds the hotkey(from key param) for elements targeted by selector. it assigns a handler function to the key |

| Function | Description |
|-----------|-----------------------------|
| remove() | Removes hotkey registration |
| enable() | Enables registered hotkey |
| disable() | Disables registered hotkey |

6.14.5.7. Look-and-Feel Customization

<rich:hotKey> has no skin parameters and custom style classes, as the component isn't visual.

6.14.5.8. Relevant Resources Links

On [RichFaces LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/hotKey.jsf?c=hotKey) [http://livedemo.exadel.com/richfaces-demo/richfaces/hotKey.jsf?c=hotKey] you can see an example of <rich:hotKey> usage and sources for the given example.

6.14.6. < rich:insert > available since 3.1.0

3.1.0

6.14.6.1. Description

The <rich:insert> component is used for highlighting, source code inserting and, optionally, format the file from the application context into the page.

6.14.6.2. Key Features

- Source code highlighting
- Variety of formats for source code highlighting

Table 6.585. rich : insert attributes

| Attribute Name | Description |
|----------------|---|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| content | Defines the String, inserted with this component. This attribute is alternative to "src" attribute. |
| encoding | Attribute defines encoding for inserted content |
| errorContent | Attribute defines the alternative content that will be shown in case component cannot read the resource defined with 'src' attribute. If "errorContent" attribute is not defined, the component shown the actual error message in the place where the content is expected |
| highlight | Defines a type of code |

| Attribute Name | Description |
|----------------|--|
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| rendered | JSF: If "false", this component is not rendered |
| src | Defines the path to the file with source code |

Table 6.586. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.ui.Insert |
| component-class | org.richfaces.ui.component.html.HtmlInsert |
| component-family | org.richfaces.ui.Insert |
| renderer-type | org.richfaces.ui.InsertRenderer |
| tag-class | org.richfaces.ui.taglib.InsertTag |

6.14.6.3. Creating the Component with a Page Tag

To create the simplest variant on a page use the following syntax:

Example:

```
...
<rich:insert src="/pages/sourcePage.xhtml" highlight="xhtml"/>
...
```

6.14.6.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.ui.component.html.HtmlInsert;
...
HtmlInsert myInsert = new HtmlInsert();
...
```

6.14.6.5. Details of Usage

There are two basic attributes. The `src` attribute defines the path to the file with source code. The `highlight` attribute defines the type of a syntax highlighting.

If `highlight` attribute is defined and [JHighlight](https://jhighlight.dev.java.net/) [https://jhighlight.dev.java.net/] open source library is in the classpath, the text from the file is formatted and colorized.

An example is placed below.

Example:

```
...  
<rich:insert src="/pages/sourcePage.xhtml" highlight="xhtml"/>  
...
```

The result of using **<rich:insert>** component is shown on the picture:

```
<ui:composition xmlns="http://www.w3.org/1999/xhtml"  
  xmlns:ui="http://java.sun.com/jsf/facelets"  
  xmlns:h="http://java.sun.com/jsf/html"  
  xmlns:a4j="http://richfaces.org/a4j"  
  xmlns:rich="http://richfaces.org/rich">  
  
  <h:form>  
    <rich:panel>  
      <a4j:commandButton value="Set Name to Alex" reRender="rep" >  
        <a4j:actionparam name="username" value="Alex" assignTo="#{userBean.name}"/>  
      </a4j:commandButton>  
      <rich:spacer width="20" />  
      <a4j:commandButton value="Set Name to John" reRender="rep" >  
        <a4j:actionparam name="username" value="John" assignTo="#{userBean.name}"/>  
      </a4j:commandButton>  
    </rich:panel>  
    <rich:panel>  
      <h:outputText id="rep" value="Selected Name:#{userBean.name}"/>  
    </rich:panel>  
  </h:form>  
</ui:composition>
```

Figure 6.318. Source code highlighting

The **<rich:insert>** component provides the same functionality as *JHighlight* [https://jhighlight.dev.java.net/]. Thus, all names of highlight style classes for source code of particular language could be changed to your names, which are used by the *JHighlight* [https://jhighlight.dev.java.net/] library.

6.14.6.6. Look-and-Feel Customization

<rich:insert> has no skin parameters and custom style classes, as the component doesn't have own visual representation.

6.14.6.7. Relevant Resources Links

On RichFaces LiveDemo page [http://livedemo.exadel.com/richfaces-demo/richfaces/insert.jsf?c=insert] you can found some additional information for **<rich:insert>** component usage.

6.14.7. < rich:message > available since 3.1.0

3.1.0

6.14.7.1. Description

The component is used for rendering a single message for a specific component.

 **Minimum 5 characters required**

Figure 6.319. <rich:message> component

6.14.7.2. Key Features

- Highly customizable look and feel
- Tracking both traditional and Ajax based requests
- Optional toolTip to display the detail portion of the message
- Additionally customizable with attributes and facets
- Additionally provides two parts to be optionally defined: marker and label

Table 6.587. rich : message attributes

| Attribute Name | Description |
|------------------|--|
| ajaxRendered | Define, must be (or not) content of this component will be included in AJAX response created by parent AJAX Container, even if not forced by reRender list of ajax action. Ignored if component marked to output by some Ajax action component. The default value is "true". |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| errorClass | Assigns one or more space-separated CSS class names to the message with a severity class of "ERROR" |
| errorLabelClass | Assigns one or more space-separated CSS class names to the message label with a severity class of "ERROR" |
| errorMarkerClass | Assigns one or more space-separated CSS class names to the message marker with a severity class of "ERROR" |
| fatalClass | Assigns one or more space-separated CSS class names to the message with a severity class of "FATAL" |

| Attribute Name | Description |
|-------------------------------|---|
| <code>fatalLabelClass</code> | Assigns one or more space-separated CSS class names to the message label with a severity class of "FATAL" |
| <code>fatalMarkerClass</code> | Assigns one or more space-separated CSS class names to the message marker with a severity class of "FATAL" |
| <code>for</code> | Client identifier of the component for which to display messages |
| <code>id</code> | JSF: Every component may have a unique id that is automatically created if omitted |
| <code>infoClass</code> | Assigns one or more space-separated CSS class names to the message with a severity class of "INFO" |
| <code>infoLabelClass</code> | Assigns one or more space-separated CSS class names to the message label with a severity class of "INFO" |
| <code>infoMarkerClass</code> | Assigns one or more space-separated CSS class names to the message marker with a severity class of "INFO" |
| <code>labelClass</code> | Assigns one or more space-separated CSS class names to the message label |
| <code>level</code> | Defines a comma-separated list of messages categories to display. Default value is "ALL". |
| <code>markerClass</code> | Assigns one or more space-separated CSS class names to the message marker |
| <code>markerStyle</code> | CSS style rules to be applied to the message marker |
| <code>minLevel</code> | Defines a minimum level of messages categories to display. |
| <code>rendered</code> | JSF: If "false", this component is not rendered |
| <code>showDetail</code> | Flag indicating whether detailed information of a displayed messages should be included. Default value is "true". |
| <code>showSummary</code> | Flag indicating whether the summary portion of displayed messages should be included. Default value is "false". |
| <code>style</code> | HTML: CSS style rules to be applied to the component |

| Attribute Name | Description |
|-----------------|---|
| styleClass | JSF: Assigns one or more space-separated CSS class names to the component. Corresponds to the HTML "class" attribute. |
| title | HTML: Advisory title information about markup elements generated for this component |
| tooltip | Flag indicating whether the detail portion of the message should be displayed as a tooltip. Default value is "false". |
| warnClass | Assigns one or more space-separated CSS class names to the message with a severity class of "WARN" |
| warnLabelClass | Assigns one or more space-separated CSS class names to the message label with a severity class of "WARN" |
| warnMarkerClass | Assigns one or more space-separated CSS class names to the message marker with a severity class ofS "WARN" |

Table 6.588. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.component.RichMessage |
| component-class | org.richfaces.component.html.HtmlRichMessage |
| component-family | org.richfaces.component.RichMessage |
| renderer-type | org.richfaces.renderkit.html.RichMessagesHtmlBaseRenderer |
| tag-class | org.richfaces.taglib.RichMessageTag |

6.14.7.3. Creating the Component with a Page Tag

To create the simplest variant of message on a page, use the following syntax:

Example:

```
...
<rich:message for="id"/>
...
```

6.14.7.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlRichMessage;
...
HtmlRichMessage myMessage = new HtmlRichMessage();
...
```

6.14.7.5. Details of Usage

The component has the same behavior as standard **<h:message>** component except next two features:

- It's ajaxRendered. It means that the component is reRendered after Ajax request automatically without outputPanel usage
- The component optionally provides "passed" state which will be shown if no message is displayed
- Provides possibility to add some marker to message. By default a marker element isn't shown

A set of facets which can be used for marker defining:

- *"passedMarker"*. This facet is provided to allow setting a marker to display if there is no message
- *"errorMarker"*. This facet is provided to allow setting a marker to display if there is a message with a severity class of "ERROR"
- *"fatalMarker"*. This facet is provided to allow setting a marker to display if there is a message with a severity class of "FATAL"
- *"infoMarker"*. This facet is provided to allow setting a marker to display if there is a message with a severity class of "INFO"
- *"warnMarker"*. This facet is provided to allow setting a marker to display if there is a message with a severity class of "WARN"

The following example shows different variants for component customization. The attribute *"passedLabel"* is used for definition of the label to display when no message appears. But the message component doesn't appear before the form submission even when state is defined as passed (on initial rendering). Boolean attribute *"showSummary"* defines possibility to display summary portion of displayed messages. The facets *"errorMarker"* and *"passedMarker"* set corresponding images for markers.

Example:

```
...
<rich:message for="id" passedLabel="No errors" showSummary="true">
  <f:facet name="errorMarker">
    <h:graphicImage url="/image/error.png"/>
  </f:facet>
</rich:message>
```

```

</f:facet>
<f:facet name="passedMarker">
  <h:graphicImage url="/image/passed.png"/>
</f:facet>
</rich:message>
...

```

6.14.7.6. Facets

Table 6.589. Facets

| Facet | Description |
|-------------|---|
| errorMarker | Redefines the content for the marker if there is message with a severity class of "ERROR" |
| fatalError | Redefines the content for the marker if there is message with a severity class of "FATAL" |
| infoError | Redefines the content for the marker if there is message with a severity class of "INFO" |
| warnError | Redefines the content for the marker if there is message with a severity class of "WARN" |
| passedError | Redefines the content for the marker if there is no message |

6.14.7.7. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*.

There are no skin parameters and default predefined values. To redefine the appearance of all `<rich:message>` components at once, you should only add to your style sheets *style classes* used by a `<rich:message>` component.

6.14.7.8. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.320. Classes names

Table 6.590. Classes names that define a component appearance

| Class name | Description |
|---------------------|--------------------------------------|
| rich-message | Defines styles for a wrapper element |
| rich-message-marker | Defines styles for a marker |
| rich-message-label | Defines styles for a label |

In order to redefine styles for all **<rich:message>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

```
...  
.rich-message-label{  
  font-style:italic  
}  
...
```

This is a result:

Form Validation. Using rich:message

Name: ✓

Job: ✗ *Job: Validation Error: Value is required.*

Address: ✗ *Address: Validation Error: Value is required.*

Zip: ✗ *Zip: Validation Error: Value is required.*

Figure 6.321. Redefinition styles with predefined classes

In the example the font style for message was changed.

Also it's possible to change styles of particular **<rich:message>** component. In this case you should create own style classes and use them in corresponding **<rich:message>** styleClass attributes. An example is placed below:

Example:

```
...  
.myClass{  
    font-weight:bold;  
}  
...
```

The `styleClass` attribute for `<rich:message>` is defined as it's shown in the example below:

Example:

```
<rich:message ... styleClass="myClass"/>
```

This is a result:

Form Validation. Using rich:message

Name: ✓

Job: ✗ **Job: Validation Error: Value is required.**

Address: ✗ **Address: Validation Error: Value is required.**

Zip: ✗ **Zip: Validation Error: Value is required.**

Figure 6.322. Redefinition styles with own classes and `styleClass` attributes

As it could be seen on the picture above, the font weight for message was changed.

6.14.7.9. Relevant Resources Links

On the [component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/message.jsf?c=message) [http://livedemo.exadel.com/richfaces-demo/richfaces/message.jsf?c=message] you can see the example of `<rich:message>` usage and sources for the given example.

6.14.8. `< rich:messages >` available since 3.1.0

3.1.0

6.14.8.1. Description

The `<rich:messages>` component is similar to `<rich:message>` component but used for rendering all messages for the components.

- ✘ Minimum 5 characters required for: 1 input
- ✘ Minimum 3 characters required for: 2 input

Figure 6.323. <rich:messages> component

6.14.8.2. Key Features

- Highly customizable look and feel
- Track both traditional and Ajax based requests
- Optional ToolTip to display a detailed part of the messages
- Additionally customizable via attributes and facets
- Additionally provides of three parts to be optionally defined: marker, label and header

Table 6.591. rich : messages attributes

| Attribute Name | Description |
|------------------|--|
| ajaxRendered | Define, must be (or not) content of this component will be included in AJAX response created by parent AJAX Container, even if not forced by reRender list of ajax action. Ignored if component marked to output by some Ajax action component. The default value is "true". |
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| errorClass | Assigns one or more space-separated CSS class names to the messages with a severity class of "ERROR" |
| errorLabelClass | Assigns one or more space-separated CSS class names to the messages labels with a severity class of "ERROR" |
| errorMarkerClass | Assigns one or more space-separated CSS class names to the messages marker with a severity class of "ERROR" |
| fatalClass | Assigns one or more space-separated CSS class names to the messages with a severity class of "FATAL" |
| fatalLabelClass | Assigns one or more space-separated CSS class names to the messages labels with a severity class of "FATAL" |

| Attribute Name | Description |
|------------------|---|
| fatalMarkerClass | Assigns one or more space-separated CSS class names to the messages markers with a severity class of "FATAL" |
| for | Client identifier of the component for which to display messages |
| globalOnly | Flag indicating that only global messages (that is, messages not associated with any client identifier) are to be displayed. Default value is "false" |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| infoClass | Assigns one or more space-separated CSS class names to the messages with a severity class of "INFO" |
| infoLabelClass | Assigns one or more space-separated CSS class names to the messages labels with a severity class of "INFO" |
| infoMarkerClass | Assigns one or more space-separated CSS class names to the messages markers with a severity class of "INFO" |
| labelClass | Assigns one or more space-separated CSS class names to the messages labels |
| layout | The type of layout markup to use when rendering error messages. Possible values are "table" (an HTML table), "list" (an HTML list) and iterator. If not specified, the default value is "list". |
| level | Defines a comma-separated list of messages categories to display. Default value is "ALL". |
| markerClass | Assigns one or more space-separated CSS class names to the messages markers |
| markerStyle | CSS style rules to be applied to the messages markers |
| minLevel | Defines a minimum level of messages categories to display. |
| rendered | JSF: If "false", this component is not rendered |
| showDetail | Flag indicating whether the detailed information of displayed messages should be included. Default value is "false" |

| Attribute Name | Description |
|-----------------|---|
| showSummary | Flag indicating whether the summary portion of displayed messages should be included. Default value is "true" |
| style | HTML: CSS style rules to be applied to the component |
| styleClass | JSF: Assigns one or more space-separated CSS class names to the component. Corresponds to the HTML 'class' attribute. |
| title | HTML: Advisory title information about markup elements generated for this component |
| tooltip | Flag indicating whether the detail portion of the message should be displayed as a tooltip. Default value is "false". |
| warnClass | Assigns one or more space-separated CSS class names to the messages with a severity class of "WARN" |
| warnLabelClass | Assigns one or more space-separated CSS class names to the messages labels with a severity class of "WARN" |
| warnMarkerClass | Assigns one or more space-separated CSS class names to the messages markers with a severity class of "WARN" |

Table 6.592. Component identification parameters

| Name | Value |
|------------------|--|
| component-type | org.richfaces.component.RichMessages |
| component-class | org.richfaces.component.html.HtmlRichMessages |
| component-family | org.richfaces.component.RichMessages |
| renderer-type | org.richfaces.renderkit.html.HtmlRichMessagesRenderere |
| tag-class | org.richfaces.taglib.RichMessagesTag |

6.14.8.3. Creating the Component with a Page Tag

To create the simplest variant of message on a page, use the following syntax:

Example:

```
...  
<rich:messages/>
```

...

6.14.8.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmlRichMessages;
...
HtmlRichMessages myMessages = new HtmlRichMessages();
...
```

6.14.8.5. Details of Usage

The `<rich:messages>` component is considered as JSF HTML `<h:messages>`, extended with following features:

- Ajax support (the component does not require to be wrapped in `<a4j:outputPanel>` in order to be rendered during Ajax requests);
- possibility to add graphical markers (pictograms) to reinforce a message for both "passed" or "failed" states;
- set of predefined CSS classes for customizing messages appearance.

There are two optional parts that could be defined for every message: marker and text label. The set of facets, which can be used for a marker definition, is shown below:

Table 6.593. Facets

| Facet | Description |
|-------------|---|
| errorMarker | Defines marker for "Error" message severity class |
| fatalMarker | Defines marker for "Fatal" message severity class |
| infoMarker | Defines marker for "Info" message severity class |
| warnMarker | Defines marker for "Warn" message severity class |

The following example shows different variants of customization of the component.

Example:

```
<rich:messages layout="table" tooltip="true" showDetail="false" showSummary="true">
```

```
<f:facet name="errorMarker">
  <h:graphicImage url="/image/error.png"/>
</f:facet>
<f:facet name="infoMarker">
  <h:graphicImage url="/image/info.png"/>
</f:facet>
</rich:messages>
```

The **<rich:messages>** component keeps all messages for all components even after only one Ajax-validated component was updated.

6.14.8.6. Look-and-Feel Customization

For skinnability implementation, the components use a *style class redefinition method*.

There are no skin parameters and default predefined values. To redefine the appearance of all **<rich:messages>** components at once, you should only add to your style sheets *style classes* used by a **<rich:messages>** component.

6.14.8.7. Definition of Custom Style Classes

On the screenshot there are classes names that define styles for component elements.




Figure 6.324. Classes names

Table 6.594. Classes names that define a component appearance

| Class name | Description |
|----------------------|--------------------------------------|
| rich-messages | Defines styles for a wrapper element |
| rich-messages-marker | Defines styles for a marker |
| rich-messages-label | Defines styles for a label |

In order to redefine styles for all **<rich:messages>** components on a page using CSS, it's enough to create classes with the same names (possible classes could be found in the tables [above](#)) and define necessary properties in them.

Example:

...

```
.rich-messages-label{  
    font-style:italic;  
}  
...
```

This is a result:




Figure 6.325. Redefinition styles with predefined classes

In the example the font style for messages was changed.

Also it's possible to change styles of particular `<rich:messages>` component. In this case you should create own style classes and use them in corresponding `<rich:messages>` `styleClass` attributes. An example is placed below:

Example:

```
...  
.myClass{  
    color:red;  
}  
...
```

The `"errorClass"` attribute for `<rich:messages>` is defined as it's shown in the example below:

Example:

```
<rich:messages ... errorClass="myClass"/>
```

This is a result:




Figure 6.326. Redefinition styles with own classes and *styleClass* attributes

As it could be seen on the picture above, color of messages was changed.

6.14.8.8. Relevant Resources Links

On the [component LiveDemo page](http://livedemo.exadel.com/richfaces-demo/richfaces/messages.jsf?c=messages&tab=usage) [http://livedemo.exadel.com/richfaces/messages.jsf?c=messages&tab=usage] you can see the example of <rich:messages> usage and sources for the given example.

6.14.9. < rich:jQuery > ^{available since 3.0.0}

6.14.9.1. Description

The <rich:jQuery> allows to apply styles and behaviour to DOM objects.

6.14.9.2. Key Features

- Presents jQuery JavaScript framework functionality
- Able to apply onto JSF components and other DOM objects.

- Works without conflicts with prototype.js library

Table 6.595. rich : jQuery attributes

| Attribute Name | Description |
|----------------|--|
| binding | JSF: The attribute takes a value-binding expression for a component property of a backing bean |
| id | JSF: Every component may have a unique id that is automatically created if omitted |
| name | The name of a function that will be generated to execute a query. The "name" attribute is required if "timing" attribute equals to "onJScall" |
| query | The query string that is executed for a given selector. |
| rendered | JSF: If "false", this component is not rendered |
| selector | Selector for query. The "selector" attribute uses defined by w3c consortium syntax for CSS rule selector with some jQuery extensions. |
| timing | The attribute that defines when to perform the query. The possible values are "immediate","onload" and "onJScall". "immediate" performs the query right away. "onload" adds the task to the time when a document is loaded (the DOM tree is created). "onJScall" allows to invoke the query by Javascript function name defined with "name" attribute. The default value is "immediate". |

Table 6.596. Component identification parameters

| Name | Value |
|------------------|---|
| component-type | org.richfaces.JQuery |
| component-class | org.richfaces.component.html.HtmljQuery |
| component-family | org.richfaces.JQuery |
| renderer-type | org.richfaces.JQueryRenderer |
| tag-class | org.richfaces.taglib.JQueryTag |

6.14.9.3. Creating the Component with a Page Tag

To create the simplest variant on a page, use the following syntax:

Example:

```
...  
<rich:jQuery selector="#customList tr:odd" timing="onload" query="addClass(odd)" />  
...
```

6.14.9.4. Creating the Component Dynamically Using Java

Example:

```
import org.richfaces.component.html.HtmljQuery;  
...  
HtmljQuery myjQuery = new HtmljQuery();  
...
```

6.14.9.5. Details of Usage

<rich:jQuery> can be used in two main modes:

- as a one-time query applied immediately or on a document ready event
- as a JavaScript function that can be invoked from the JavaScript code

The mode is chosen with *"timing"* attribute that has the following options:

- "immediate" - applying a query immediately
- "onload" - applying a query when a document is loaded
- onJScall - applying a query by invoked JavaScript function defined with the *"name"* attribute

Definition of the *"name"* attribute is mandatory when the value of *"timing"* attribute is "onJScall". If the *"name"* attribute is defined when *"timing"* value equals to "immediate" or "onload", the query is applied according to this value, but you still have an opportunity to invoke it by a function name.

The *"selector"* attribute defines an object or a list of objects. The query is defined with the *"query"* attribute.

Here is an example of how to highlight odd rows in a table:

Example:

```
...  
<style>
```

```

.odd {
    background-color: #FFC;
}
</style>
...

```

```

...
<rich:table id="customList" ...>
    ...
</rich:table>
...
<rich:jQuery selector="#customList tr:odd" timing="onload" query="addClass(odd)" />
...

```

The *"selector"* attribute uses defined by w3c consortium syntax for CSS rule *selector* [<http://www.w3.org/TR/REC-CSS2/selector.html>] with some jQuery extensions

Those are typical examples of using selector in the `<rich:jQuery>` component.

Table 6.597. Examples of using selector

| Selector | Comment |
|--------------------------------|--|
| "p[a]" | In a document all "p" tags with "a" tag inside are selected |
| "ul/li" | All "li" elements of unordered "ul" lists are selected |
| "p.foo[a]" | All "p" tags with "foo" class and inserted "a" tag are selected |
| "input[@name=bar]" | All "input" tags with "name" attribute which value is "bar" are selected |
| "input[@type=radio][@checked]" | All "input" tags with attribute "type"="radio" and attribute value = "checked" are selected |
| "p,span,td" | All tag elements "p" or "span" or "td" are selected |
| "p#secret" | "p" paragraph element with "id" identification = "secret" is selected |
| "p span" | "span" tag is a (direct or non-direct) child of "p" tag. If it's necessary, use "p > span" or "p/span" is selected |
| "p[@foo^=bar]" | "p" tag containing "foo" attribute with textual value beginning with "bar" word is selected |

| Selector | Comment |
|------------------|--|
| "p[@foo\$=bar] " | "p" tag containing "foo" attribute with textual value ending with "bar" word is selected |
| "p[@foo*=bar] " | "p" tag with "foo" attribute containing substring "bar" in any place is selected |
| "p//span " | "span" tag that is a (direct or non-direct) child of "p" tag is selected |
| "p../span " | "span" tag that is a grandchild of "p" tag is selected |

In addition, RichFaces allows using either a component id or client id if you apply the query to a JSF component. When you define a selector, RichFaces examines its content and tries to replace the defined in the selector id with a component id if it's found.

For example, you have the following code:

```
...  
<h:form id="form">  
  ...  
  <h:panelGrid id="menu">  
    <h:graphicImage ... />  
    <h:graphicImage ... />  
    ...  
  </h:panelGrid>  
</h:form>  
...
```

The actual id of the **<h:panelGrid>** table in the browser DOM is "form:menu". However, you still can reference to images inside this table using the following selector:

```
...  
<rich:jQuery selector="#menu img" query="..." />  
...
```

You can define the exact id in the selector if you want. The following code reference to the same set of a DOM object:

```
...  
<rich:jQuery selector="#form\\:menu img" query="..." />  
...
```

Pay attention to double slashes that escape a colon in the id.

In case when the *"name"* attribute is defined, **<rich:jQuery>** generates a JavaScript function that might be used from any place of JavaScript code on a page.

There is an example of how to enlarge the picture smoothly on a mouse over event and return back to the normal size on mouse out:

```
...
<h:graphicImage width="50" value="/images/price.png"
    onmouseover="enlargePic(this, {pwidth:'60px'})" onmouseout="releasePic(this)" />
<h:graphicImage width="50" value="/images/discount.png"
    onmouseover="enlargePic(this, {pwidth:'100px'})" onmouseout="releasePic(this)" />
...
<rich:jQuery name="enlargePic" timing="onJScall" query="animate({width:param.pwidth})" />
<rich:jQuery name="releasePic" timing="onJScall" query="animate({width:'50px'})"/>
...
```

The JavaScript could use two parameters. The first parameter is a replacement for the selector attribute. Thus, you can share the same query, applying it to the different DOM objects. You can use a literal value or a direct reference for an existing DOM object. The second parameter can be used to path the specific value inside the query. The JSON syntax is used for the second parameter. The "param." namespace is used for referencing data inside the parameter value.

<rich:jQuery> adds styles and behavior to the DOM object dynamically. This means if you replace something on a page during an Ajax response, the applied artifacts is overwritten. But you are allowed to apply them again after the Ajax response is complete.

Usually, it could be done with reRendering the **<rich:jQuery>** components in the same Ajax interaction with the components these queries are applied to. Note, that queries with *"timing"* attribute set to "onload" are not invoked even if the query is reRendered, because a DOM document is not fully reloaded during the Ajax interaction. If you need to re-applies query with "onload" value of *"timing"* attribute, define the *"name"* attribute and invoke the query by name in the *"oncomplete"* attribute of the Ajax component.

RichFaces includes jQuery JavaScript framework. You can use the futures of jQuery directly without defining the **<rich:jQuery>** component on a page if it is convenient for you. To start using the jQuery feature on the page, include the library into a page with the following code:

```
...
<a4j:loadScript src="resource://jquery.js"/>
...
```

Refer to the [jQuery documentation](http://docs.jquery.com/) [http://docs.jquery.com/] for the right syntax. Remember to use `jQuery()` function instead of `$()`, as soon as jQuery works without conflicts with `prototype.js`.

6.14.9.6. Look-and-Feel Customization

<rich:jQuery> has no skin parameters and custom style classes, as the component isn't visual.

6.14.9.7. Relevant Resources Links

More information about jQuery framework and its features you can read in [jQuery official documentation](http://jquery.com/) [http://jquery.com/].

How to use jQuery with other libraries see also in [jQuery official documentation](http://docs.jquery.com/Using_jQuery_with_Other_Libraries) [http://docs.jquery.com/Using_jQuery_with_Other_Libraries].

Some additional information about usage of component can be found [on its LiveDemo](http://livedemo.exadel.com/richfaces-demo/richfaces/jQuery.jsf?c=jQuery) [http://livedemo.exadel.com/richfaces-demo/richfaces/jQuery.jsf?c=jQuery].

IDE Support

RichFaces support is implemented in *JBoss Developer Studio 1.0.0 GA* [<http://www.redhat.com/developers/rhds/index.html>] and in *Jboss Tools* [<http://www.jboss.org/tools/index.html>]. JBoss Developer Studio is a fully packaged IDE that provides full support for Java Server Faces, RichFaces, Facelets, Struts and other Web technologies. In addition to this, it seamlessly combines visual and source-oriented development approaches. One of the special support feature for RichFaces is that it is available as project "capability" which can be added to any existing JSF project by adding libraries and modifying configuration files as required."

Links to information resources

Table 8.1. Web Resources

| Resources | Links |
|-----------------|--|
| JBoss RichFaces | JBoss RichFaces [http://labs.jboss.com/portal/jbossrichfaces/] |
| JBoss Forum | JBoss Forums [http://jboss.com/index.html?module=bb&op=main&c=27] |
| RichFaces Wiki | RichFaces Wiki [http://labs.jboss.com/wiki/RichFaces] |
| RichFaces Blog | RichFaces Blog [http://jroller.com/page/a4j] |