Tuning Infinispan 10.1 Performance

## **Table of Contents**

1.	Capacity planning	2
2.	Java Virtual Machine settings	3
	2.1. Memory settings	3
	2.2. Garbage collection	3
	2.3. Other settings	3
	2.4. Example configuration	4
3.	Network configuration	5
4.	Number of threads	6
5.	Number of threads (Server mode only)	7
6.	Cache Store performance	8
7.	Hints for program developers.	9
	7.1. Ignore return values	9
	7.2. Use Externalizer for marshalling	9
	7.3. Storing Strings efficiently	1
	7.4. Use simple cache for local caches	1

This guide will give you information and tweaks about tuning Infinispan performance (both server and library mode).

# **Chapter 1. Capacity planning**

Data in Infinispan is either stored as plain Java objects or in a serialized form, depending on operating mode (embedded or server) or on specific configuration options such as store-as-binary. For more information, see store-as-binary. Data size can be estimated using sophisticated tools like Java Object Layout and the total amount of required memory can be roughly estimated using the following formulas:

Term overhead is used here as an average amount of additional memory (e.g. expiration or eviction data) needed for storing an Entry in a Cache.

In case of Local or Replicated mode, all data needs to fit in memory, so calculating the amount of required memory is trivial.

Calculating memory requirements for Distributed mode is slightly more complicated and requires using the following:

Where:

- Total Data Set Estimated size of all data
- Nodes The number of nodes in the cluster
- Node Failures Number of possible failures (also number of owners 1)

Calculated amount of memory should be used for setting Xmx and Xms parameters.

JVM as well as Infinispan require additional memory for other tasks like searches, allocating network buffers etc. It is advised to allocate no more than 50% of memory with living data when using Infinispan solely as a caching data store, and no more than 33% of memory with living data when using Infinispan to store and analyze the data using querying, distributed execution or distributed streams.

When considering large heaps, make sure there's enough CPU to perform garbage collection efficiently.

# **Chapter 2. Java Virtual Machine settings**

Java Virtual Machine tuning might be divided into sections like memory or GC. Below is a list of helpful configuration parameters and a guide how to adjust them.

#### 2.1. Memory settings

Adjusting memory size is one of the most crucial step in Infinispan tuning. The most commonly used JVM flags are:

- -Xms Defines the minimum heap size allowed.
- -Xmx Defines the maximum heap size allowed.
- -Xmn Defines the minimum and maximum value for the young generation.
- -XX:NewRatio Define the ratio between young and old generations. Should not be used if -Xmn is enabled.

Using Xms equal to Xmx will prevent JVM from dynamically sizing memory and might decrease GC pauses caused by resizing. It is a good practice to specify Xmn parameter. This guaranteed proper behavior during load peak (in such case Infinispan generates lots of small, short living objects).

### 2.2. Garbage collection

The main goal is to minimize the amount of time when JVM is paused. Having said that, CMS is a suggested GC for Infinispan applications.

The most frequently used JVM flags are:

- -XX:MaxGCPauseMillis Sets a target for the maximum GC pause time. Should be tuned to meet the SLA.
- -XX:+UseConcMarkSweepGC Enables usage of the CMS collector.
- -XX:+CMSClassUnloadingEnabled Allows class unloading when the CMS collector is enabled.
- -XX:+UseParNewGC Utilize a parallel collector for the young generation. This parameter minimizes pausing by using multiple collection threads in parallel.
- -XX:+DisableExplicitGC Prevent explicit garbage collections.
- -XX:+UseG1GC Turn on G1 Garbage Collector.

#### 2.3. Other settings

There are two additional parameters which are suggested to be used:

- -server Enables server mode for the JVM.
- -XX:+ UseLargePages Instructs the JVM to allocate memory in Large Pages. These pages must be configured at the OS level for this parameter to function successfully.

#### 2.4. Example configuration

In most of the cases we suggest using CMS. However when using the latest JVM, G1 might perform slightly better.

32GB JVM

-server
-Xmx32G
-Xms32G
-Xmn8G
-XX:+UseLargePages
-XX:+UseConcMarkSweepGC
-XX:+UseParNewGC
-XX:+DisableExplicitGC

32GB JVM with G1 Garbage Collector

-server

-Xmx32G

-Xms32G

-Xmn8G

-XX:+UseG1GC

# **Chapter 3. Network configuration**

Infinispan uses TCP/IP for sending packets over the network (for both cluster communication when using TCP stack or when communication with Hot Rod clients)

In order to achieve the best results, it is recommended to increase TCP send and receive window size (refer to you OS manual for instructions). The recommended values are:

- send window size 640 KB
- receive window size 25 MB

# **Chapter 4. Number of threads**

Infinispan tunes its thread pools according to the available CPU cores. Under Linux this will also take into consideration taskset / CGroup quotas. It is possible to override the detected value by specifying the system property infinispan.activeprocessorcount.



Java 10 and later can limit the number of active processor using the VM flag -XX:ActiveProcessorCount=xx.

# Chapter 5. Number of threads (Server mode only)

Hot Rod Server uses worker threads which are activated by a client's requests. It's important to match the number of worker threads to the number of concurrent client requests:

```
Hot Rod Server worker thread pool size
```

```
<hotrod-connector socket-binding="hotrod" cache-container="local" worker-threads="200
">
        <!-- Additional configuration here -->
</hotrod-connector>
```

## **Chapter 6. Cache Store performance**

In order to achieve the best performance, please follow the recommendations below when using Cache Stores:

- Use async mode (write-behind) if possible
- Prevent cache misses by preloading data
- For JDBC Cache Store:
  - $\,\circ\,$  Use indexes on  $\operatorname{\mathsf{id}}$  column to prevent table scans
  - Use PRIMARY\_KEY on id column
  - Configure batch-size, fetch-size, etc

## Chapter 7. Hints for program developers

There are also several hints for developers which can be easily applied to the client application and will boost up the performance.

#### 7.1. Ignore return values

When you're not interested in returning value of the **#put(k**, **v**) or **#remove(k**) method, use Flag.IGNORE\_RETURN\_VALUES flag as shown below:

Using Flag.IGNORE\_RETURN\_VALUES

```
Cache noPreviousValueCache = cache.getAdvancedCache().withFlags(Flag
.IGNORE_RETURN_VALUES);
noPreviousValueCache.put(k, v);
```

It is also possible to set this flag using ConfigurationBuilder

Using ConfigurationBuilder settings

```
ConfigurationBuilder cb = new ConfigurationBuilder();
cb.unsafe().unreliableReturnValues(true);
```

#### 7.2. Use Externalizer for marshalling

Infinispan uses JBoss Marshalling to transfer objects over the wire. The most efficient way to marshall user data is to provide an AdvancedExternalizer. This solutions prevents JBoss Marshalling from sending class name over the network and allows to save some bandwidth:

```
import org.infinispan.marshall.AdvancedExternalizer;
public class Book {
  final String name;
  final String author;
  public Book(String name, String author) {
      this.name = name;
      this.author = author;
  }
  public static class BookExternalizer
            implements AdvancedExternalizer<Book> {
      @Override
      public void writeObject(ObjectOutput output, Book book)
            throws IOException {
        output.writeObject(book.name);
         output.writeObject(book.author);
      }
      @Override
      public Person readObject(ObjectInput input)
            throws IOException, ClassNotFoundException {
         return new Person((String) input.readObject(), (String) input.readObject());
      }
      @Override
      public Set<Class<? extends Book>> getTypeClasses() {
         return Util.<Class<? extends Book>>asSet(Book.class);
      }
      @Override
      public Integer getId() {
         return 2345;
      }
  }
}
```

The Externalizer must be registered in cache configuration. See configuration examples below:

```
<cache-container>
<serialization>
<advanced-externalizer class="Book$BookExternalizer"/>
</serialization>
</cache-container>
```

Adding Externalizer using Java

```
GlobalConfigurationBuilder builder = ...
builder.serialization().addAdvancedExternalizer(new Book.BookExternalizer());
```

#### 7.3. Storing Strings efficiently

If your strings are mostly ASCII, convert them to UTF-8 and store them as byte[]:

- Using String#getBytes("UTF-8") allows to decrease size of the object
- Consider using G1 GC with additional JVM flag -XX:+UseStringDeduplication. This allows to decrease memory footprint (see JEP 192 for details).

#### 7.4. Use simple cache for local caches

When you don't need the full feature set of caches, you can set local cache to "simple" mode and achieve non-trivial speedup while still using Infinispan API.

This is an example comparison of the difference, randomly reading/writing into cache with 2048 entries as executed on 2x8-core Intel® Xeon® CPU E5-2640 v3 @ 2.60GHz:

Cache type	single-threaded cache.get()	single-threaded cache.put()	32 threads cache.get()	32 threads cache.put()
Local cache	14,321,510 ± 260,807	1,141,168 ± 6,079	236,644,227 ± 2,657,918	2,287,708 ± 100,236
Simple cache	38,144,468 ±	11,706,053 ±	836,510,727 ±	47,971,836 ±
	575,420	92,515	3,176,794	1,125,298
СНМ	60,592,770 ±	23,533,141 ±	1,369,521,754 ±	75,839,121 ±
	924,368	98,632	4,919,753	3,319,835

*Table 1. Number of operations per second (± std. dev.)* 

The CHM shows comparison for ConcurrentHashMap from JSR-166 with pluggable equality/hashCode function, which is used as the underlying storage in Infinispan.

Even though we use JMH to prevent some common pitfalls of microbenchmarking, consider these results only approximate. Your mileage may vary.