

Component Reference

**A reference guide
to the components
of the RichFaces 4
(*draft*) framework**

by Sean Rogers (Red Hat)

DRAFT

1. Introduction	1
1.1. Libraries	1
2. Common Ajax attributes	3
2.1. Rendering	3
2.1.1. render	3
2.1.2. ajaxRendered	4
2.1.3. limitRender	4
2.2. Queuing and traffic control	5
2.2.1. queue	5
2.2.2. requestDelay	5
2.2.3. ignoreDupResponses	5
2.3. Data processing	5
2.3.1. execute	5
2.3.2. immediate	5
2.3.3. bypassUpdates	6
2.4. Action and navigation	6
2.4.1. action	6
2.4.2. actionListener	6
2.5. Events and JavaScript interactions	6
2.5.1. onsubmit	6
2.5.2. onbegin	6
2.5.3. onclick	6
2.5.4. onsuccess	7
2.5.5. oncomplete	7
2.5.6. onerror	7
2.5.7. data	7
3. Common features	9
3.1. Positioning and appearance of components	9
3.2. Calling available JavaScript methods	9
I. a4j tag library	11
4. Actions	13
4.1. <a4j:actionParam>	13
4.1.1. Basic usage	13
4.1.2. Interoperability	14
4.1.3. Reference data	14
4.2. <a4j:commandButton>	14
4.2.1. Basic usage	14
4.2.2. Reference data	15
4.3. <a4j:commandLink>	15
4.3.1. Basic usage	15
4.3.2. Reference data	15
4.4. <rich:componentControl>	16
4.4.1. Basic usage	16
4.4.2. Attaching to a component	16

4.4.3. Parameters and JavaScript	16
4.4.4. Timing	17
4.4.5. Reference data	17
4.5. <a4j:jsFunction>	18
4.5.1. Basic usage	18
4.5.2. Parameters and JavaScript	18
4.5.3. Reference data	18
4.6. <a4j:poll>	19
4.6.1. Timing options	19
4.6.2. Reference data	19
4.7. <a4j:push>	19
4.7.1. Timing options	19
4.7.2. Reference data	20
4.8. <a4j:ajax>	20
4.8.1. Reference data	20
5. Resources	23
5.1. <a4j:keepAlive>	23
5.1.1. Basic usage	23
5.1.2. Non-Ajax requests	23
5.1.3. Reference data	23
6. Containers	25
6.1. <a4j:include>	25
6.1.1. Basic usage	25
6.1.2. Reference data	27
6.2. <a4j:outputPanel>	27
6.2.1. Panel appearance	27
6.2.2. Reference data	27
6.3. <a4j:region>	27
6.3.1. Reference data	28
7. Validation	29
7.1. <rich:ajaxValidator>	29
7.1.1. Custom validators	29
7.1.2. Reference data	32
7.2. <rich:beanValidator>	32
7.2.1. Basic usage	32
7.2.2. Reference data	35
7.3. <rich:graphValidator>	35
7.3.1. Basic usage	35
7.3.2. Bean values	38
7.3.3. Reference data	39
8. Processing management	41
8.1. <a4j:queue>	41
8.1.1. Queue size	41
8.1.2. <a4j:queue> client-side events	41

8.1.3. Reference data	41
8.2. <a4j:log>	42
8.2.1. Log monitoring	42
8.2.2. Reference data	42
8.3. <a4j:status>	43
8.3.1. Customizing the text	43
8.3.2. Specifying a region	43
8.3.3. Reference data	44
II. rich tag library	45
9. Rich inputs	47
9.1. <rich:autocomplete>	47
9.1.1. Basic usage	47
9.1.2. Interactivity options	47
9.1.3. Reference data	48
9.2. <rich:inplaceInput>	48
9.2.1. Basic usage	48
9.2.2. Interactivity options	48
9.2.3. Reference data	48
9.3. <rich:inplaceSelect>	49
9.3.1. Basic usage	49
9.3.2. Interactivity options	49
9.3.3. <rich:inplaceSelect> events	50
9.3.4. Reference data	50
9.4. <rich:inputNumberSlider>	50
9.4.1. Basic usage	50
9.4.2. Interactivity options	50
9.4.3. Reference data	51
10. Panels and containers	53
10.1. <rich:accordion>	53
10.1.1. Basic usage	53
10.1.2. Switching panels	54
10.1.3. <rich:accordion> client-side events	54
10.1.4. <rich:accordion> server-side events	54
10.1.5. Reference data	54
10.2. <rich:accordionItem>	55
10.2.1. Basic usage	55
10.2.2. <rich:accordionItem> client-side events	55
10.2.3. Reference data	55
10.3. <rich:panel>	56
10.3.1. Basic usage	56
10.3.2. Adding a header	56
10.3.3. Reference data	57
10.4. <rich:popupPanel>	57
10.4.1. Basic usage	57

10.4.2. Showing and hiding the pop-up	57
10.4.3. Modal and non-modal panels	58
10.4.4. Size and positioning	58
10.4.5. Contents of the pop-up	59
10.4.6. Header and controls	59
10.4.7. Reference data	60
10.5. <rich:tab>	61
10.5.1. Basic usage	61
10.5.2. Switching tabs	61
10.5.3. <rich:tab> client-side events	61
10.5.4. Reference data	62
10.6. <rich:tabPanel>	62
10.6.1. Switching panels	63
10.6.2. Tab position and alignment	63
10.6.3. <rich:tabPanel> client-side events	64
10.6.4. <rich:tabPanel> server-side events	64
10.6.5. Reference data	64
10.7. <rich:toggleControl>	64
10.7.1. Basic usage	65
10.7.2. Specifying the next state	65
10.7.3. Reference data	65
10.8. <rich:togglePanel>	66
10.8.1. Basic usage	66
10.8.2. Toggling between components	66
10.8.3. Switching panels	66
10.8.4. Reference data	67
10.9. <rich:togglePanelItem>	67
10.9.1. Reference data	67
11. Tables and grids	69
11.1. <a4j:repeat>	69
11.1.1. Basic usage	69
11.1.2. Reference data	70
11.2. <rich:column>	70
11.2.1. Basic usage	70
11.2.2. Spanning columns	71
11.2.3. Spanning rows	72
11.2.4. Reference data	73
11.3. <rich:columnGroup>	73
11.3.1. Complex headers	74
11.3.2. Reference data	75
11.4. <rich:dataGrid>	75
11.4.1. Basic usage	76
11.4.2. Customizing the grid	76
11.4.3. Patial updates	77

11.4.4. Reference data	77
11.5. <rich:dataTable>	78
11.5.1. Basic usage	78
11.5.2. Customizing the table	78
11.5.3. Partial updates	79
11.5.4. Reference data	80
11.6. <rich:extendedDataTable>	80
11.6.1. Basic usage	80
11.6.2. Table appearance	80
11.6.3. Extended features	81
11.6.4. Reference data	84
11.7. <rich:list>	84
11.7.1. Basic usage	85
11.7.2. Type of list	85
11.7.3. Customizing the list	86
11.7.4. Reference data	87
11.8. Table filtering	87
11.9. Table sorting	87
12. Layout and appearance	89
12.1. <rich:jQuery>	89
12.1.1. Basic usage	89
12.1.2. Calling a <rich:jQuery> as a JavaScript function	91
12.1.3. Dynamic rendering	92
12.1.4. Using the jQuery JavaScript framework	92
12.1.5. Reference data	92
13. Functions	95
13.1. rich:clientId	95
13.2. rich:component	95
13.3. rich:element	95
13.4. rich:findComponent	95
13.5. rich:isUserInRole	95

Introduction

This book is a guide to the various components available in the RichFaces 4.0 framework. It includes descriptions of the role of the components, details on how best to use them, coded examples of their use, and basic references of their properties and attributes.

For full in-depth references for all component classes and properties, refer to the *API Reference* available from the RichFaces website.

1.1. Libraries

The RichFaces framework is made up of two tag libraries: the `a4j` library and the `rich` library. The `a4j` tag library represents `Ajax4jsf`, which provides page-level Ajax support with core Ajax components. This allows developers to make use of custom Ajax behavior with existing components. The `rich` tag library provides Ajax support at the component level instead, and includes ready-made, self-contained components. These components don't require additional configuration in order to send requests or update.



Ajax support

All components in the `a4j` library feature built-in Ajax support, so it is unnecessary to add the `<a4j:support>` behavior.

Common Ajax attributes

The Ajax components in the `a4j` library share common attributes to perform similar functionality. Most RichFaces components in the `rich` library that feature built-in Ajax support share these common attributes as well.

Most attributes have default values, so they need not be explicitly set for the component to function in its default state. These attributes can be altered to customize the behavior of the component if necessary.

2.1. Rendering

2.1.1. `render`

The `render` attribute provides a reference to one or more areas on the page that need updating after an Ajax interaction. It uses the `UIComponent.findComponent()` algorithm to find the components in the component tree using their `id` attributes as a reference. Components can be referenced by their `id` attribute alone, or by a hierarchy of components' `id` attributes to make locating components more efficient. [Example 2.1, “render example”](#) shows both ways of referencing components. Each command button will correctly render the referenced panel grids, but the second button locates the references more efficiently with explicit hierarchy paths.

Example 2.1. render example

```
<h:form id="form1">
  <a4j:commandButton value="Basic reference" render="infoBlock, infoBlock2" />
  <a4j:commandButton value="Specific
    reference" render=":infoBlock,:sv:infoBlock2" />
</h:form>

<h:panelGrid id="infoBlock">
  ...
</h:panelGrid>

<f:subview id="sv">
  <h:panelGrid id="infoBlock2">
    ...
  </h:panelGrid>
</f:subview>
```

The value of the `render` attribute can also be an expression written using JavaServer Faces' Expression Language (EL); this can either be a Set, Collection, Array, or String.



rendered attributes

A common problem with using `render` occurs when the referenced component has a `rendered` attribute. JSF does not mark the place in the browser's Document Object Model (DOM) where the rendered component would be placed in case the `rendered` attribute returns `false`. As such, when RichFaces sends the render code to the client, the page does not update as the place for the update is not known.

To work around this issue, wrap the component to be rendered in an `<a4j:outputPanel>` with `layout="none"`. The `<a4j:outputPanel>` will receive the update and render the component as required.

2.1.2. `ajaxRendered`

A component with `ajaxRendered="true"` will be re-rendered with every Ajax request, even when not referenced by the requesting component's `render` attribute. This can be useful for updating a status display or error message without explicitly requesting it.

Rendering of components in this way can be repressed by adding `limitRender="true"` to the requesting component, as described in [Section 2.1.3, “`limitRender`”](#).

2.1.3. `limitRender`

A component with `limitRender="true"` specified will *not* cause components with `ajaxRendered="true"` to re-render, and only those components listed in the `render` attribute will be updated. This essentially overrides the `ajaxRendered` attribute in other components.

[Example 2.3, “Data reference example”](#) describes two command buttons, a panel grid rendered by the buttons, and an output panel showing error messages. When the first button is clicked, the output panel is rendered even though it is not explicitly referenced with the `render` attribute. The second button, however, uses `limitRender="true"` to override the output panel's rendering and only render the panel grid.

Example 2.2. Rendering example

```
<h:form id="form1">
  <a4j:commandButton value="Normal rendering" render="infoBlock" />
  <a4j:commandButton value="Limited
  rendering" render="infoBlock" limitRender="true" />
</h:form>

<h:panelGrid id="infoBlock">
  ...
</h:panelGrid>

<a4j:outputPanel ajaxRendered="true">
```

```
<h:messages />
</a4j:outputPanel>
```

2.2. Queuing and traffic control

2.2.1. queue

The `queue` attribute defines the name of the queue that will be used to schedule upcoming Ajax requests. Typically RichFaces does not queue Ajax requests, so if events are produced simultaneously they will arrive at the server simultaneously. This can potentially lead to unpredictable results when the responses are returned. The `queue` attribute ensures that the requests are responded to in a set order.

A queue name is specified with the `queue` attribute, and each request added to the named queue is completed one at a time in the order they were sent. In addition, RichFaces intelligently removes similar requests produced by the same event from a queue to improve performance, protecting against unnecessary traffic flooding and

2.2.2. requestDelay

The `requestDelay` attribute specifies an amount of time in milliseconds for the request to wait in the queue before being sent to the server. If a similar request is added to the queue before the delay is over, the original request is removed from the queue and not sent.

2.2.3. ignoreDupResponses

When set to `true`, the `ignoreDupResponses` attribute causes responses from the server for the request to be ignored if there is another similar request in the queue. This avoids unnecessary updates on the client when another update is expected. The request is still processed on the server, but if another similar request has been queued then no updates are made on the client.

2.3. Data processing

RichFaces uses a form-based approach for sending Ajax requests. As such, each time a request is sent the data from the requesting component's parent JSF form is submitted along with the `XMLHttpRequest` object. The form data contains values from the input element and auxiliary information such as state-saving data.

2.3.1. execute

The `execute` attribute allows JSF processing to be limited to defined components. To only process the requesting component, `execute="@this"` can be used.

2.3.2. immediate

If the `immediate` attribute is set to `true`, the default `ActionListener` is executed immediately during the Apply Request Values phase of the request processing lifecycle, rather than waiting for

the Invoke Application phase. This allows some data model values to be updated regardless of whether the Validation phase is successful or not.

2.3.3. `bypassUpdates`

If the `bypassUpdates` attribute is set to `true`, the Update Model phase of the request processing lifecycle is bypassed. This is useful if user input needs to be validated but the model does not need to be updated.

2.4. Action and navigation

The `action` and `actionListener` attributes can be used to invoke action methods and define action events.

2.4.1. `action`

The `action` attribute is a method binding that points to the application action to be invoked. The method can be activated during the Apply Request Values phase or the Invoke Application phase of the request processing lifecycle.

The method specified in the `action` attribute must return `null` for an Ajax response with a partial page update.

2.4.2. `actionListener`

The `actionListener` attribute is a method binding for `ActionEvent` methods with a return type of `void`.

2.5. Events and JavaScript interactions

RichFaces allows for Ajax-enabled JSF applications to be developed without using any additional JavaScript code. However it is still possible to invoke custom JavaScript code through Ajax events.

2.5.1. `onsubmit`

The `onsubmit` attribute invokes the JavaScript code *before* the Ajax request is sent. The request is canceled if the JavaScript code defined for `onsubmit` returns `false`.

2.5.2. `onbegin`

The `onbegin` attribute invokes the JavaScript code *after* the Ajax request is sent.

2.5.3. `onclick`

The `onclick` attribute functions similarly to the `onsubmit` attribute for those components that can be clicked, such as `<a4j:commandButton>` and `<a4j:commandLink>`. It invokes the defined

JavaScript before the Ajax request, and the request will be canceled if the defined code returns false.

2.5.4. onsuccess

The onsuccess attribute invokes the JavaScript code after the Ajax response has been returned but *before* the DOM tree of the browser has been updated.

2.5.5. oncomplete

The oncomplete attribute invokes the JavaScript code after the Ajax response has been returned *and* the DOM tree of the browser has been updated.



Reference consistency

The code is registered for further invocation of the XMLHttpRequest object before an Ajax request is sent. As such, using JSF Expression Language (EL) value binding means the code will not be changed during processing of the request on the server. Additionally the oncomplete attribute cannot use the `this` keyword as it will not point to the component from which the Ajax request was initiated.

2.5.6. onerror

The onerror attribute invokes the JavaScript code when an error has occurred during Ajax communications.

2.5.7. data

The data attribute allows the use of additional data during an Ajax call. JSF Expression Language (EL) can be used to reference the property of the managed bean, and its value will be serialized in JavaScript Object Notation (JSON) and returned to the client side. The property can then be referenced through the data variable in the event attribute definitions. Both primitive types and complex types such as arrays and collections can be serialized and used with data.

Example 2.3. Data reference example

```
<ajax:commandButton value="Update" data="#{userBean.name}" complete="showTheName(data.name)" />
```


Common features

This chapter covers those attributes and features that are common to many of the components in the tag libraries.

3.1. Positioning and appearance of components

A number of attributes relating to positioning and appearance are common to several components.

`disabled`

Specifies whether the component is disabled, which disallows user interaction.

`focus`

References the `id` of an element on which to focus after a request is completed on the client side.

`height`

The height of the component in pixels.

`dir`

Specifies the direction in which to display text that does not inherit its writing direction. Valid values are LTR (left-to-right) and RTL (right-to-left).

`style`

Specifies Cascading Style Sheet (CSS) styles to apply to the component.

`styleClass`

Specifies one or more CSS class names to apply to the component.

`width`

The width of the component in pixels.

3.2. Calling available JavaScript methods

Client-side JavaScript methods can be called using component events. These JavaScript methods are defined using the relevant event attribute for the component tag. Methods are referenced through typical Java syntax within the event attribute, while any parameters for the methods are obtained through the `data` attribute, and referenced using JSF Expression Language (EL). [Example 2.3, “Data reference example”](#) a simple reference to a JavaScript method with a single parameter.

Refer to [Section 2.5, “Events and JavaScript interactions”](#) or to event descriptions unique to each component for specific usage.

Part I. a4j tag library

DRAFT

DRAFT

Actions

This chapter details the basic components that respond to a user action and submit an Ajax request.

4.1. <a4j:actionParam>

The <a4j:actionParam> behavior combines the functionality of the JavaServer Faces (JSF) components <f:param> and <f:actionListener>.

4.1.1. Basic usage

Basic usage of the <a4j:actionParam> requires three main attributes:

- name, for the name of the parameter;
- value, for the initial value of the parameter; and
- assignTo, for defining the bean property. The property will be updated if the parent command component performs an action event during the *Process Request* phase.

Example 4.1, “<a4j:actionParam> example” shows a simple implementation along with the accompanying managed bean.

Example 4.1. <a4j:actionParam> example

```
<h:form id="form">
    <a4j:commandButton value="Set name to Alex" reRender="rep">

<a4j:actionparamname="username"value="Alex"assignTo="#{actionparamBean.name}"/
>
    </a4j:commandButton>
    <h:outputText id="rep" value="Name: #{actionparamBean.name}"/>
</h:form>
```

```
public class ActionparamBean {
    private String name = "John";

    public String getName() {
        return name;
    }

    public void setName(String name) {
        this.name = name;
    }
}
```

```
}
```

When the **Set name to Alex** button is pressed, the application sets the name parameter of the bean to Alex, and displays the name in the output field.

4.1.2. Interoperability

The `<a4j:actionParam>` behavior can be used with non-Ajax components in addition to Ajax components. In this way, data model values can be updated without an JavaScript code on the server side.

The `converter` attribute can be used to specify how to convert the value before it is submitted to the data model. The property is assigned the new value during the *Update Model* phase.



Validation failure

If the validation of the form fails, the *Update Model* phase will be skipped and the property will not be updated.

Variables from JavaScript functions can be used for the `value` attribute. In such an implementation, the `noEscape` attribute should be set to `true`. Using `noEscape="true"`, the `value` attribute can contain any JavaScript expression or JavaScript function invocation, and the result will be sent to the server as the `value` attribute.

4.1.3. Reference data

- `component-type`: `org.ajax4jsf.ActionParameter`
- `component-class`: `org.ajax4jsf.component.html.HTMActionParameter`

4.2. `<a4j:commandButton>`

The `<a4j:commandButton>` is similar to the JavaServer Faces (JSF) component `<h:commandButton>`, but additionally includes Ajax support. When the command button is clicked it submits an Ajax form, and when a response is received the command button can be dynamically rendered.


A blue rectangular button with the text "Command Button" in white.

Figure 4.1. `<a4j:commandButton>`

4.2.1. Basic usage

The `<a4j:commandButton>` requires only the `value` and `render` attributes to function. The `value` attribute specifies the text of the button and the `render` attribute specifies which areas are to be

updated. The `<a4j:commandButton>` uses the `onclick` event instead of the `onsubmit` event, but otherwise uses all common Ajax attributes as listed in [Chapter 2, Common Ajax attributes](#).



Set `disabledDefault="true"`

When attaching a JavaScript function to a `<a4j:commandButton>` with the help of a `<rich:componentControl>`, do not use the `attachTo` attribute of `<rich:componentControl>`. The attribute adds event handlers using `Event.observe` but `<a4j:commandButton>` does not include this event.

4.2.2. Reference data

- *component-type*: `org.ajax4jsf.CommandButton`
- *component-class*: `org.ajax4jsf.component.html.HtmlAjaxCommandButton`
- *component-family*: `javax.faces.Command`
- *renderer-type*: `org.ajax4jsf.components.AjaxCommandButtonRenderer`

4.3. `<a4j:commandLink>`

The `<a4j:commandLink>` is similar to the JavaServer Faces (JSF) component `<h:commandLink>`, but additionally includes Ajax support. When the command link is clicked it generates an Ajax form submit, and when a response is received the command link can be dynamically rendered.

[Command Link](#)

Figure 4.2. `<a4j:commandLink>`

4.3.1. Basic usage

The `<a4j:commandLink>` requires only the `value` and `render` attributes to function. The `value` attribute specifies the text of the link and the `render` attribute specifies which areas are to be updated. The `<a4j:commandLink>` uses the `onclick` event instead of the `onsubmit` event, but otherwise uses all common Ajax attributes as listed in [Chapter 2, Common Ajax attributes](#).

4.3.2. Reference data

- *component-type*: `org.ajax4jsf.CommandLink`
- *component-class*: `org.ajax4jsf.component.html.HtmlAjaxCommandLink`
- *component-family*: `javax.faces.Command`

- *renderer-type*: org.ajax4jsf.components.AjaxCommandLinkRenderer

4.4. <rich:componentControl>

The <rich:componentControl> allows JavaScript API functions to be called on components after defined events. Initialization variants and activation events can be customized, and parameters can be passed to the target component.

4.4.1. Basic usage

The event, for, and operation attributes are all that is required to attach JavaScript functions to the parent component. The event attribute specifies the event that triggers the JavaScript API function call. The for attribute defines the target component, and the operation attribute specifies the JavaScript function to perform.

Example 4.2. <rich:componentControl> basic usage

```
<h:commandButton value="Show Modal Panel">
  <!--componentControl is attached to the commandButton-->
  <rich:componentControl for="ccModalPanelID" event="onclick" operation="show"/>
</h:commandButton>
```

The example contains a single command button, which when clicked shows the modal panel with the identifier ccModalPanelID.

4.4.2. Attaching to a component

The attachTo attribute can be used to attach the event to a component other than the parent component. If no attachTo attribute is supplied, the <rich:componentControl> component's parent is used, as in [Example 4.2](#), “<rich:componentControl> basic usage”.

Example 4.3. Attaching <rich:componentControl> to a component

```
<rich:componentControl attachTo="doExpandCalendar" event="onclick" operation="Expand" for="ccCalendarID">
</rich:componentControl>
```

In the example, the onclick event of the component with the identifier ccCalendarID will trigger the Expand operation for the component with the identifier doExpandCalendarID.

4.4.3. Parameters and JavaScript

The operation can receive parameters either through the params attribute, or by using <f:param> elements.

Example 4.4. Using parameters

The `params` attribute

```
<rich:componentControl name="event" event="onRowClick" for="menu" operation="show" params="#{car.model}"/>
```

`<f:param>` elements

```
<rich:componentControl event="onRowClick" for="menu" operation="show">
  <f:param value="#{car.model}" name="model"/>
</rich:componentControl>
```

The `name` attribute can be used to define a normal JavaScript function that triggers the specified operation on the target component.

4.4.4. Timing

The `attachTiming` attribute can determine the page loading phase during which the `<rich:componentControl>` is attached to the source component:

`immediate`

attached during execution of the script.

`onavailable`

attached after the target component is initialized.

`onload`

attached after the page is loaded.

4.4.5. Reference data

- *component-type*: `org.richfaces.ComponentControl`
- *component-class*: `org.richfaces.component.html.HtmlComponentControl`
- *component-family*: `org.richfaces.ComponentControl`
- *renderer-type*: `org.richfaces.ComponentControlRenderer`
- *tag-class*: `org.richfaces.taglib.ComponentControlTag`

4.5. <a4j:jsFunction>

The <a4j:jsFunction> component allows Ajax requests to be performed directly from JavaScript code, and server-side data to be invoked and returned in JavaScript Object Notation (JSON) format to use in client-side JavaScript calls.

4.5.1. Basic usage

The <a4j:jsFunction> component has all the common Ajax action attributes as listed in [Chapter 2, Common Ajax attributes](#); the action and actionListener attributes can be invoked and parts of the page can be re-rendered after a successful call to the JavaScript function. [Example 4.5, “<a4j:jsFunction> example”](#) shows how an Ajax request can be initiated from the JavaScript and a partial page update performed. The JavaScript function can be invoked with the data returned by the Ajax response.

Example 4.5. <a4j:jsFunction> example

```
<h:form>
    ...
    <a4j:jsFunction name="callSa" if="#{bean.someProperty}" complete="myScript(data.subProperty1,
        data.subProperty2)">
        <a4j:actionParam name="param_name" assignTo="#{bean.someProperty2}" />
    </a4j:jsFunction>
    ...
</h:form>
```

4.5.2. Parameters and JavaScript

The <a4j:jsFunction> component allows the use of the <a4j:actionParam> component or the JavaServer Faces <f:param> component to pass any number of parameters for the JavaScript function.

The <a4j:jsFunction> component is similar to the <a4j:commandButton> component, but it can be activated from the JavaScript code. This allows some server-side functionality to be invoked and the returned data to subsequently be used in a JavaScript function invoked by the oncomplete event attribute. In this way, the <a4j:jsFunction> component can be used instead of the <a4j:commandButton> component.

4.5.3. Reference data

- *component-type*: org.ajax4jsf.Function
- *component-class*: org.ajax4jsf.component.html.HtmlAjaxFunction

- *component-family*: org.ajax4jsf.components.ajaxFunction
- *renderer-type*: org.ajax4jsf.components.ajaxFunctionRenderer

4.6. <a4j:poll>

The <a4j:poll> component allows periodical sending of Ajax requests to the server. It is used for repeatedly updating a page at specific time intervals.

4.6.1. Timing options

The *interval* attribute specifies the time in milliseconds between requests. The default for this value is 1000 ms (1 second).

The *timeout* attribute defines the response waiting time in milliseconds. If a response isn't received within the timeout period, the connection is aborted and the next request is sent. By default, the timeout is not set.

The <a4j:poll> component can be enabled and disabled using the *enabled* attribute. Using Expression Language (EL), the *enabled* attribute can point to a bean property to apply a particular attribute value.

4.6.2. Reference data

- *component-type*: org.ajax4jsf.Poll
- *component-class*: org.ajax4jsf.component.html.AjaxPoll
- *component-family*: org.ajax4jsf.components.AjaxPoll
- *renderer-type*: org.ajax4jsf.components.AjaxPollRenderer

4.7. <a4j:push>

The <a4j:push> component periodically performs an Ajax request to the server, simulating "push" functionality. While it is not strictly pushing updates, the request is made to minimal code only, not to the JSF tree, checking for the presence of new messages in the queue. The request registers *EventListener*, which receives messages about events, but does not poll registered beans. If a message exists, a complete request is performed. This is different from the <a4j:poll> component, which performs a full request at every interval.

4.7.1. Timing options

The *interval* attribute specifies the time in milliseconds between checking for messages. The default for this value is 1000 ms (1 second). It is possible to set the interval value to 0, in which case it is constantly checking for new messages.

The `timeout` attribute defines the response waiting time in milliseconds. If a response isn't received within the timeout period, the connection is aborted and the next request is sent. By default, the timeout is not set. In combination with the `interval` attribute, checks for the queue state can short polls or long connections.

4.7.2. Reference data

- *component-type*: `org.ajax4jsf.Push`
- *component-class*: `org.ajax4jsf.component.html.AjaxPush`
- *component-family*: `org.ajax4jsf.components.AjaxPush`
- *renderer-type*: `org.ajax4jsf.components.AjaxPushRenderer`

4.8. <a4j:ajax>

The `<a4j:ajax>` component allows Ajax capability to be added to any non-Ajax component. It is placed as a direct child to the component that requires Ajax support. The `<a4j:ajax>` component uses the common attributes listed in [Chapter 2, Common Ajax attributes](#).



Attaching JavaScript functions

When attaching the `<a4j:ajax>` component to non-Ajax JavaServer Faces command components, such as `<h:commandButton>` and `<h:commandLink>`, it is important to set `disabledDefault="true"`. If this attribute is not set, a non-Ajax request is sent after the Ajax request and the page is refreshed unexpectedly.

Example 4.6. <a4j:ajax> example

```
<h:panelGrid columns="2">
  <h:inputText id="myinput" value="#{userBean.name}">
    <a4j:ajax event="onkeyup" reRender="outtext" />
  </h:inputText>
  <h:outputText id="outtext" value="#{userBean.name}" />
</h:panelGrid>
```

4.8.1. Reference data

- *component-type*: `org.ajax4jsf.Ajax`
- *component-class*: `org.ajax4jsf.component.html.HtmlAjaxSupport`
- *component-family*: `org.ajax4jsf.Ajax`

- *renderer-type*: `org.ajax4jsf.components.AjaxSupportRenderer`

DRAFT

Resources

This chapter covers those components used to handle and manage resources and beans.

5.1. <a4j:keepAlive>

The <a4j:keepAlive> component allows the state of a managed bean to be retained between Ajax requests.

Managed beans can be declared with the request scope in the faces-config.xml configuration file, using the <managed-bean-scope> tag. Any references to the bean instance after the request has ended will cause the server to throw an illegal argument exception (IllegalArgumentException). The <a4j:keepAlive> component avoids this by maintaining the state of the whole bean object for subsequent requests.

5.1.1. Basic usage

The beanName attribute defines the request-scope managed bean name to keep alive.

Example 5.1. <a4j:keepAlive> example

```
<a4j:keepAlive beanName="testBean" />
```

5.1.2. Non-Ajax requests

The ajaxOnly attribute determines whether or not the value of the bean should be available during non-Ajax requests; if ajaxOnly="true", the request-scope bean keeps its value during Ajax requests, but any non-Ajax requests will re-create the bean as a regular request-scope bean.

5.1.3. Reference data

- *component-type*: org.ajax4jsf.components.KeepAlive
- *component-class*: org.ajax4jsf.components.AjaxKeepAlive
- *component-family*: org.ajax4jsf.components.AjaxKeepAlive

Containers

This chapter details those components in the `a4j` tag library which define an area used as a container or wrapper for other components.

6.1. `<a4j:include>`

The `<a4j:include>` component allows one view to be included as part of another page. This is useful for applications where multiple views might appear on the one page, with navigation between the views. Views can use partial page navigation in Ajax mode, or standard JSF navigation for navigation between views.

6.1.1. Basic usage

The `viewId` attribute is required to reference the resource that will be included as a view on the page. It uses a full context-relative path to point to the resource, similar to the paths used for the `<from-view-id>` and `<to-view-id>` tags in the `faces-config.xml` JSF navigation rules.

Example 6.1. A wizard using `<a4j:include>`

The page uses `<a4j:include>` to include the first step of the wizard:

```
<h:panelGrid width="100%" columns="2">
  <a4j:keepAlive beanName="profile" />
  <rich:panel>
    <f:facet name="header">
      <h:outputText value="A wizard using a4j:include" />
    </f:facet>
    <h:form>
      <a4j:include viewId="/richfaces/include/examples/wstep1.xhtml" />
    </h:form>
  </rich:panel>
</h:panelGrid>
```

The first step is fully contained in a separate file, `wstep1.xhtml`. Subsequent steps are set up similarly with additional **Previous** buttons.

```
<ui:composition xmlns="http://www.w3.org/1999/xhtml"
  xmlns:ui="http://java.sun.com/jsf/facelets"
  xmlns:h="http://java.sun.com/jsf/html"
  xmlns:f="http://java.sun.com/jsf/core"
  xmlns:a4j="http://richfaces.org/a4j"
  xmlns:rich="http://richfaces.org/rich">

  <div style="position:relative;height:140px">
```

```

<h:panelGrid rowClasses="s1row" columns="3" columnClasses="wfc01,wfc02,wfc03">
    <h:outputText value="First Name:" />
    <h:inputText id="fn" value="#{profile.firstName}" label="First
Name" required="true" />
    <rich:message for="fn" />

    <h:outputText value="Last Name:" />
    <h:inputText id="ln" value="#{profile.lastName}" label="Last
Name" required="true" />
    <rich:message for="ln" />
</h:panelGrid>
<div class="navPanel" style="width:100%;">
    <a4j:commandButton style="float:right" action="next" value="Next
&gt;&gt;"/>
</div>
</div>
</ui:composition>

```

The navigation is defined in the faces-config.xml configuration file:

```

<navigation-rule>
    <from-view-id>/richfaces/include/examples/wstep1.xhtml</from-view-id>
    <navigation-case>
        <from-outcome>next</from-outcome>
        <to-view-id>/richfaces/include/examples/wstep2.xhtml</to-view-id>
    </navigation-case>
</navigation-rule>
<navigation-rule>
    <from-view-id>/richfaces/include/examples/wstep2.xhtml</from-view-id>
    <navigation-case>
        <from-outcome>previous</from-outcome>
        <to-view-id>/richfaces/include/examples/wstep1.xhtml</to-view-id>
    </navigation-case>
    <navigation-case>
        <from-outcome>next</from-outcome>
        <to-view-id>/richfaces/include/examples/finalStep.xhtml</to-view-id>
    </navigation-case>
</navigation-rule>
<navigation-rule>
    <from-view-id>/richfaces/include/examples/finalStep.xhtml</from-view-id>
    <navigation-case>
        <from-outcome>previous</from-outcome>
        <to-view-id>/richfaces/include/examples/wstep2.xhtml</to-view-id>
    </navigation-case>
</navigation-rule>

```

6.1.2. Reference data

- *component-type*: org.ajax4jsf.Include
- *component-class*: org.ajax4jsf.component.html.Include
- *component-family*: javax.faces.Output
- *renderer-type*: org.ajax4jsf.components.AjaxIncludeRenderer

6.2. <a4j:outputPanel>

The <a4j:outputPanel> component is used to group together components in to update them as a whole, rather than having to specify the components individually.

6.2.1. Panel appearance

The *layout* attribute can be used to determine how the component is rendered in HTML:

- *layout*="inline" is the default behavior, which will render the component as a pair of tags containing the child components.
- *layout*="block" will render the component as a pair of <div> tags containing the child components, which will use any defined <div> element styles.
- *layout*="none" will render the component as a pair of tags with an identifier equal to that of a child component. If the child component is rendered then the are not included, leaving no markup representing the <a4j:outputPanel> in HTML.

Setting *ajaxRendered*="true" will cause the <a4j:outputPanel> to be updated with each Ajax response for the page, even when not listed explicitly by the requesting component. This can in turn be overridden by specific attributes on any requesting components.

6.2.2. Reference data

- *component-type*: org.ajax4jsf.OutputPanel
- *component-class*: org.ajax4jsf.component.html.HtmlAjaxOutputPanel
- *component-family*: javax.faces.Panel
- *renderer-type*: org.ajax4jsf.components.AjaxOutputPanelRenderer

6.3. <a4j:region>

The <a4j:region> component specifies a part of the document object model (DOM) tree to be processed on the server. The processing includes data handling during decoding, conversion,

validation, and model updating. When not using `<a4j:region>`, the entire view functions as a region.

The whole form is still submitted to the server, but only the specified region is processed. Regions can be nested, in which case only the immediate region of the component initiating the request will be processed.

6.3.1. Reference data

- *component-type*: `org.ajax4jsf.AjaxRegion`
- *component-class*: `org.ajax4jsf.component.html.HtmlAjaxRegion`
- *component-family*: `org.ajax4jsf.AjaxRegion`
- *renderer-type*: `org.ajax4jsf.components.AjaxRegionRenderer`

Validation

This chapter covers those components that validate user input. The components enhance JSF validation capabilities with Ajax support and the use of **Hibernate** validators.

7.1. <rich:ajaxValidator>

The <rich:ajaxValidator> component provides Ajax validation for JSF inputs. It is added as a child component to a JSF tag, and the event attribute specifies when to trigger the validation.

Example 7.1. <rich:ajaxValidator> example

This example shows the use of <rich:ajaxValidator> with standard JSF validators. The validators check the length of the entered name, and the range of the entered age.

```
<rich:panel>
  <f:facet name="header">
    <h:outputText value="User Info:" />
  </f:facet>
  <h:panelGrid columns="3">

    <h:outputText value="Name:" />
    <h:inputText value="#{userBean.name}" id="name" required="true">
      <f:validateLength minimum="3" maximum="12"/>
      <rich:ajaxValidator event="onblur"/>
    </h:inputText>
    <rich:message for="name" />

    <h:outputText value="Age:" />
    <h:inputText value="#{userBean.age}" id="age" required="true">
      <f:convertNumber integerOnly="true"/>
      <f:validateLongRange minimum="18" maximum="99"/>
      <rich:ajaxValidator event="onblur"/>
    </h:inputText>
    <rich:message for="age"/>

  </h:panelGrid>
</rich:panel>
```

7.1.1. Custom validators

The <rich:ajaxValidator> component can also work with custom validators made using the JSF Validation API in the `javax.faces.validator` package, or with Hibernate Validator. Refer to the *Hibernate Validator documentation* for details on how to use Hibernate Validator.

Example 7.2. Using <rich:ajaxValidator> with Hibernate Validator

This example shows the use of <rich:ajaxValidator> with Hibernate Validator. It validates the entered name, email, and age.

```
<h:form id="ajaxValidatorForm2">
  <rich:panel>
    <f:facet name="header">
      <h:outputText value="User Info:" />
    </f:facet>
    <h:panelGrid columns="3">
      <h:outputText value="Name:" />
      <h:inputText value="#{validationBean.name}" id="name" required="true">
        <rich:ajaxValidator event="onblur" />
      </h:inputText>
      <rich:message for="name" />
      <h:outputText value="Email:" />
      <h:inputText value="#{validationBean.email}" id="email">
        <rich:ajaxValidator event="onblur" />
      </h:inputText>
      <rich:message for="email" />
      <h:outputText value="Age:" />
      <h:inputText value="#{validationBean.age}" id="age">
        <rich:ajaxValidator event="onblur" />
      </h:inputText>
      <rich:message for="age" />
    </h:panelGrid>
  </rich:panel>
</h:form>
```

The validation is performed using the ValidationBean class:

```
package org.richfaces.demo.validation;

import org.hibernate.validator.Email;
import org.hibernate.validator.Length;
import org.hibernate.validator.Max;
import org.hibernate.validator.Min;
import org.hibernate.validator.NotEmpty;
import org.hibernate.validator.NotNull;
import org.hibernate.validator.Pattern;

public class ValidationBean {

    private String progressString="Fill the form in";
```

```
@NotEmpty
@Pattern(regex=".*[^\s].*", message="This string contains only spaces")
@Length(min=3,max=12)
private String name;
@email
@NotEmpty
private String email;

@NotNull
@Min(18)
@Max(100)
private Integer age;

public ValidationBean() {
}

public String getName() {
    return name;
}

public void setName(String name) {
    this.name = name;
}

public String getEmail() {
    return email;
}

public void setEmail(String email) {
    this.email = email;
}

public Integer getAge() {
    return age;
}

public void setAge(Integer age) {
    this.age = age;
}

public void success() {
    setProgressString(getProgressString() + "(Stored successfully)");
}

public String getProgressString() {
    return progressString;
}

public void setProgressString(String progressString) {
    this.progressString = progressString;
}
```

```

}
}

```

Fill the form please

Name: may not be null or empty

Email: not a well-formed email address

Age: must be greater than or equal to 18

Figure 7.1. <rich:ajaxValidator> example result

7.1.2. Reference data

- *component-type*: org.richfaces.ajaxValidator
- *component-class*: org.richfaces.component.html.HtmlajaxValidator
- *component-family*: org.richfaces.ajaxValidator
- *renderer-type*: org.richfaces.ajaxValidatorRenderer
- *tag-class*: org.richfaces.taglib.ajaxValidatorTag

7.2. <rich:beanValidator>

The <rich:beanValidator> component provides model-based constraints using Hibernate Validator. This allows Hibernate Validator to be used similar to its use with Seam-based applications.

7.2.1. Basic usage

The summary attribute is used for displaying messages about validation errors.

Example 7.3. <rich:beanValidator> example

This example shows the bean-based validation of a simple form, containing the user's name, email, and age. The <rich:beanValidator> component is defined in the same way as for JSF validators.

```

<h:form id="beanValidatorForm">
  <rich:panel>
    <f:facet name="header">
      <h:outputText value="#{validationBean.progressString}" id="progress"/>
    </f:facet>
  </rich:panel>
</h:form>

```

```

        </f:facet>
        <h:panelGrid columns="3">
            <h:outputText value="Name:" />
            <h:inputText value="#{validationBean.name}" id="name">
                <rich:beanValidator summary="Invalid name"/>
            </h:inputText>
            <rich:message for="name" />
            <h:outputText value="Email:" />
            <h:inputText value="#{validationBean.email}" id="email">
                <rich:beanValidator summary="Invalid email"/>
            </h:inputText>
            <rich:message for="email" />
            <h:outputText value="Age:" />
            <h:inputText value="#{validationBean.age}" id="age">
                <rich:beanValidator summary="Wrong age"/>
            </h:inputText>
            <rich:message for="age" />
            <f:facet name="footer">
                <a4j:commandButton value="Submit" action="#{validationBean.success}" reRender="progress"/>
            </f:facet>
        </h:panelGrid>
    </rich:panel>
</h:form>

```

The accompanying bean contains the validation data:

```

package org.richfaces.demo.validation;

import org.hibernate.validator.Email;
import org.hibernate.validator.Length;
import org.hibernate.validator.Max;
import org.hibernate.validator.Min;
import org.hibernate.validator.NotEmpty;
import org.hibernate.validator.NotNull;
import org.hibernate.validator.Pattern;

public class ValidationBean {

    private String progressString="Fill the form in";

    @NotEmpty
    @Pattern(regex=".*[^\s].*", message="This string contains only spaces")
    @Length(min=3,max=12)
    private String name;

    @Email

```

```
@NotEmpty
private String email;

@NotNull
@Min(18)
@Max(100)
private Integer age;

public ValidationBean() {
}

public String getName() {
    return name;
}

public void setName(String name) {
    this.name = name;
}

public String getEmail() {
    return email;
}

public void setEmail(String email) {
    this.email = email;
}

public Integer getAge() {
    return age;
}

public void setAge(Integer age) {
    this.age = age;
}

public void success() {
    setProgressString(getProgressString() + "(Stored successfully)");
}

public String getProgressString() {
    return progressString;
}

public void setProgressString(String progressString) {
    this.progressString = progressString;
}
}
```

User Info:	
Name:	ajaxValidatorForm2:name: Validation Error: Value is required.
Email:	may not be null or empty
Age:	may not be null

Figure 7.2. <rich:beanValidator> example result

7.2.2. Reference data

- *component-type*: org.richfaces.beanValidator
- *component-class*: org.richfaces.component.html.HtmlbeanValidator
- *component-family*: org.richfaces.beanValidator
- *renderer-type*: org.richfaces.beanValidatorRenderer
- *tag-class*: org.richfaces.taglib.beanValidatorTag

7.3. <rich:graphValidator>

The <rich:graphValidator> component is used to wrap a group of input components for overall validation with Hibernate Validators. This is different from the <rich:beanValidator> component, which is used as a child element to individual input components.

7.3.1. Basic usage

The summary attribute is used for displaying messages about validation errors.

Example 7.4. <rich:graphValidator> example

This example shows the validation of a simple form, containing the user's name, email, and age. The <rich:graphValidator> component wraps the input components to validate them together.

```
<ui:composition xmlns="http://www.w3.org/1999/xhtml"
    xmlns:ui="http://java.sun.com/jsf/facelets"
    xmlns:h="http://java.sun.com/jsf/html"
    xmlns:f="http://java.sun.com/jsf/core"
    xmlns:a4j="http://richfaces.org/a4j"
    xmlns:rich="http://richfaces.org/rich">

    <h:form id="graphValidatorForm">
        <a4j:region renderRegionOnly="true">
            <rich:panel id="panel">
                <f:facet name="header">
                    <h:outputText value="User Info:" />
                </f:facet>
            </rich:panel>
        </a4j:region>
    </h:form>
</ui:composition>
```

```

        </f:facet>
        <rich:graphValidator summary="Invalid values: ">
            <h:panelGrid columns="3">
                <h:outputText value="Name:" />
                <h:inputText value="#{validationBean.name}" id="name">
                    <f:validateLength minimum="2" />
                </h:inputText>
                <rich:message for="name" />
                <h:outputText value="Email:" />
                <h:inputText value="#{validationBean.email}" id="email" />
                <rich:message for="email" />
                <h:outputText value="Age:" />
                <h:inputText value="#{validationBean.age}" id="age" />
                <rich:message for="age" />
            </h:panelGrid>
        </rich:graphValidator>
        <a4j:commandButton value="Store changes" />
    </rich:panel>
</a4j:region>
</h:form>
</ui:composition>

```

The accompanying bean contains the validation data:

```

package org.richfaces.demo.validation;

import org.hibernate.validator.Email;
import org.hibernate.validator.Length;
import org.hibernate.validator.Max;
import org.hibernate.validator.Min;
import org.hibernate.validator.NotEmpty;
import org.hibernate.validator.NotNull;
import org.hibernate.validator.Pattern;

public class ValidationBean {

    private String progressString="Fill the form in";

    @NotEmpty
    @Pattern(regex=".*[^\s].*", message="This string contains only spaces")
    @Length(min=3,max=12)
    private String name;
    @Email
    @NotEmpty
    private String email;

    @NotNull

```

```
@Min(18)
@Max(100)
private Integer age;

public ValidationBean() {
}

public String getName() {
    return name;
}

public void setName(String name) {
    this.name = name;
}

public String getEmail() {
    return email;
}

public void setEmail(String email) {
    this.email = email;
}

public Integer getAge() {
    return age;
}

public void setAge(Integer age) {
    this.age = age;
}

public void success() {
    setProgressString(getProgressString() + "(Stored successfully)");
}

public String getProgressString() {
    return progressString;
}

public void setProgressString(String progressString) {
    this.progressString = progressString;
}
}
```

User Info:

Name: may not be null or empty

Email: may not be null or empty

Age: may not be null

Figure 7.3. `<rich:graphValidator>` example result

7.3.2. Bean values

The optional `value` attribute can be used to define a value bound to the bean. The bean properties are then validated again *after* the model has been updated.

Example 7.5. Using the `value` attribute

```
<h:form id="graphValidatorForm2">
  <a4j:region renderRegionOnly="true">
    <rich:graphValidator summary="Invalid values: " value="#{dayStatistics}">
      <table>
        <thead>
          <tr>
            <th>Activity</th>
            <th>Time</th>
          </tr>
        </thead>
        <tbody>
          <a4j:repeat value="#{dayStatistics.dayPasstimes}" var="pt"
            id="table">
            <tr>
              <td align="center" width="100px"><h:outputText
                value="#{pt.title}" /></td>
              <td align="center" width="100px"><rich:inputNumberSpinner
                minValue="0" maxValue="24" value="#{pt.time}" id="time">
                </rich:inputNumberSpinner></td>
              <td><rich:message for="time" /></td>
            </tr>
          </a4j:repeat>
        </tbody>
      </table>
    </rich:graphValidator>
    <a4j:commandButton value="Store my details"
      ActionListener="#{dayStatistics.store}" reRender="panel" />
  </a4j:region>
</h:form>
```

```
<rich:messages infoClass="green" errorClass="red" />
</a4j:region>
</h:form>
```

Activity	Time
Sport	3
Entertainment	2
Sleeping	8
Games	15

Store my details

must be less than or equal to 12

Figure 7.4. Result from using the `value` attribute

7.3.3. Reference data

- *component-type*: org.richfaces.graphValidator
- *component-class*: org.richfaces.component.html.HtmlgraphValidator
- *component-family*: org.richfaces.graphValidator
- *renderer-type*: org.richfaces.graphValidatorRenderer
- *tag-class*: org.richfaces.taglib.graphValidatorTag

Processing management

This chapter covers those components that manage the processing of information, requests, and updates.

8.1. `<a4j:queue>`

The `<a4j:queue>` component manages a queue of Ajax requests to control message processing.

8.1.1. Queue size

The `size` attribute specifies the number of requests that can be stored in the queue at a time; smaller queue sizes help prevent server overloads. When the queue's size is exceeded, the `sizeExceededBehavior` determines the way in which the queue handles the requests:

- `dropNext` drops the next request currently in the queue.
- `dropNew` drops the incoming request.
- `fireNext` immediately sends the next request currently in the queue.
- `fireNew` immediately sends the incoming request.

8.1.2. `<a4j:queue>` client-side events

The `<a4j:queue>` component features several events relating to queuing actions:

- The `oncomplete` event attribute is fired after a request is completed. The request object is passed as a parameter to the event handler, so the queue is accessible using `request.queue` and the element which was the source of the request is accessible using `this`.
- The `onrequestqueue` event attribute is fired after a new request has been added to the queue.
- The `onrequestdequeue` event attribute is fired after a request has been removed from the queue.
- The `onsizeexceeded` event attribute is fired when the queue has been exceeded.
- The `onsubmit` event attribute is fired before the request is sent.
- The `onsuccess` event attribute is fired after a successful request but before the DOM is updated on the client side.

8.1.3. Reference data

- `renderer-type: org.ajax4jsf.QueueRenderer`

- *component-class*: org.ajax4jsf.component.html.HtmlQueue
- *component-family*: org.ajax4jsf.Queue
- *tag-class*: org.ajax4jsf.taglib.html.jsp.QueueTag

8.2. <a4j:log>

The <a4j:log> component generates JavaScript that opens a debug window, logging application information such as requests, responses, and DOM changes.

8.2.1. Log monitoring

The popup attribute causes the logging data to appear in a new pop-up window if set to true, or in place on the current page if set to false. The window is set to be opened by pressing the key combination **Ctrl+Shift+L**; this can be partially reconfigured with the hotkey attribute, which specifies the letter key to use in combination with **Ctrl+Shift** instead of **L**.

The amount of data logged can be determined with the level attribute:

- ERROR
- FATAL
- INFO
- WARN
- ALL, the default setting, logs all data.

Example 8.1. <a4j:log> example

```
<a4j:log level="ALL" popup="false" width="400" height="200" />
```



Log renewal

The log is automatically renewed after each Ajax request. It does not need to be explicitly re-rendered.

8.2.2. Reference data

- *component-type*: org.ajax4jsf.Log
- *component-class*: org.ajax4jsf.component.html.AjaxLog

- *component-family*: org.ajax4jsf.Log
- *renderer-type*: org.ajax4jsf.LogRenderer

8.3. <a4j:status>

The <a4j:status> component displays the status of current Ajax requests; the status can be either in progress or complete.

8.3.1. Customizing the text

The `startText` attribute defines the text shown after the request has been started and is currently in progress. This text can be styled with the `startStyle` and `startStyleClass` attributes. Similarly, the `stopText` attribute defines the text shown once the request is complete, and text is styled with the `stopStyle` and `stopStyleClass` attributes. Alternatively, the text styles can be customized using facets, with the facet name set to either `start` or `stop` as required. If the `stopText` attribute is not defined, and no facet exists for the stopped state, the status is simply not shown; in this way only the progress of the request is displayed to the user.

Example 8.2. Basic <a4j:status> usage

```
<a4j:status startText="In progress..." stopText="Complete" />
```

8.3.2. Specifying a region

The <a4j:status> component works for each Ajax component inside the local region. If no region is defined, every request made on the page will activate the <a4j:status> component. Alternatively, the <a4j:status> component can be linked to specific components in one of two ways:

- The `for` attribute can be used to specify the component for which the status is to be monitored.
- With an `id` identifier attribute specified for the <a4j:status>, individual components can have their statuses monitored by referencing the identifier with their own status attributes.

Example 8.3. Updating a common <a4j:status> component

```
<a4j:region id="extr">
  <h:form>
    <h:outputText value="Status:" />
    <a4j:status id="commonstatus" startText="In Progress..." stopText="" />

  <a4j:region id="intr">
    <h:panelGrid columns="2">
```

```

        <h:outputText value="Name" />
        <h:inputText id="name" value="#{userBean.name}">

<a4j:support event="onkeyup" reRender="out" status="commonstatus" />
        </h:inputText>

        <h:outputText value="Job" />
        <h:inputText id="job" value="#{userBean.job}">

<a4j:support event="onkeyup" reRender="out" status="commonstatus" />
        </h:inputText>

        <h:panelGroup />

    </h:panelGrid>
</a4j:region>
<a4j:region>
    <br />
    <rich:spacer height="5" />
    <b><h:outputText id="out"
        value="Name: #{userBean.name}, Job: #{userBean.job}" /></b>
    <br />
    <rich:spacer height="5" />
    <br />
    <a4j:commandButton ajaxSingle="true" value="Clean Up Form"
        reRender="name, job, out" status="commonstatus">
        <a4j:actionparam name="n" value="" assignTo="#{userBean.name}" />
        <a4j:actionparam name="j" value="" assignTo="#{userBean.job}" />
    </a4j:commandButton>
</a4j:region>

</h:form>
</a4j:region>

```

8.3.3. Reference data

- *component-type*: org.ajax4jsf.Status
- *component-class*: org.ajax4jsf.component.html.HtmlAjaxStatus
- *component-family*: javax.faces.Panel
- *renderer-type*: org.ajax4jsf.components.AjaxStatusRenderer

Part II. rich tag library

DRAFT

DRAFT

Rich inputs



Documentation in development

Some concepts covered in this chapter may refer to the previous version of Richfaces, version 3.3.3. This chapter is scheduled for review to ensure all information is up to date.

This chapter details those components which act as panels and containers to hold groups of other components.

9.1. <rich:autocomplete>

The <rich:autocomplete> component is an auto-completing input-box with built-in Ajax capabilities. It supports client-side suggestions, browser-like selection, and customization of the look and feel.



Figure 9.1. <rich:autocomplete>

9.1.1. Basic usage

The value attribute stores the text entered by the user for the auto-complete box. Suggestions shown in the auto-complete list can be specified using the autocompleteList attribute, which points to a collection of suggestions:

Example 9.1. Defining suggestion values

```
<rich:autocomplete value="#{bean.state}" autocompleteList="#{bean.suggestions}" />
```

9.1.2. Interactivity options

Users can type into the combo-box's text field to enter a value, which also searches through the suggestion items in the drop-down box. By default, the first suggestion item is selected as the user types. This behavior can be deactivated by setting selectFirst="false".

Setting `autoFill="true"` causes the combo-box to fill the text field box with a matching suggestion as the user types.

9.1.3. Reference data

- *component-type*: `org.richfaces.autocomplete`
- *component-class*: `org.richfaces.component.html.HtmlAutocomplete`
- *component-family*: `org.richfaces.autocomplete`
- *renderer-type*: `org.richfaces.renderkit.autocompleteRenderer`
- *tag-class*: `org.richfaces.taglib.autocompleteTag`

9.2. <rich:inplaceInput>

The `<rich:inplaceInput>` component allows information to be entered in-line in blocks of text, improving readability of the text. Changes can be rendered either in-line or for the whole block, and inputs can be focused with keyboard navigation. The component has three functional states: the "view" state, where the component displays its initial setting, such as "click to edit"; the "edit" state, where the user can input text; and the "changed" state, where the new value for the component has been confirmed but can be edited again if required.

9.2.1. Basic usage

Basic usage requires the `value` attribute to point to the expression for the current value of the component.

9.2.2. Interactivity options

By default, the event to switch the component to the "edit" state is a single mouse click. This can be changed using the `editEvent` attribute to specify a different event.

The user can confirm and save their input by pressing the **Enter** key or cancel by pressing the **Esc** key. Alternatively, buttons for confirming or canceling can be added to the component by setting `showControls="true"`. These buttons can be positioned using the `controlsHorizontalPosition` attribute with settings of `left`, `right`, or `center`, and the `controlsVerticalPosition` attribute with settings `bottom`, `center`, or `top`. The confirmation control icons can be altered using the `saveControlIcon` and `cancelControlIcon`. Further customization is possible through the use of facets.

9.2.3. Reference data

- *component-type*: `org.richfaces.inplaceInput`
- *component-class*: `org.richfaces.component.html.HtmlInplaceInput`

- *component-family*: org.richfaces.inplaceInput
- *renderer-type*: org.richfaces.renderkit.inplaceInputRenderer
- *tag-class*: org.richfaces.taglib.inplaceInputTag

9.3. <rich:inplaceSelect>

The <rich:inplaceSelect> component is similar to the <rich:inplaceInput> component, except that the <rich:inplaceSelect> component uses a drop-down selection box to enter text instead of a regular text field. Changes can be rendered either in-line or for the whole block, and inputs can be focused with keyboard navigation. The component has three functional states: the "view" state, where the component displays its initial setting, such as "click to edit"; the "edit" state, where the user can select a value from a drop-down list; and the "changed" state, where the new value for the component has been confirmed but can be edited again if required.

9.3.1. Basic usage

Basic usage requires the value attribute to point to the expression for the current value of the component and a list of items. The list of items can be defined using the JSF components <f:selectItem/> and <f:selectItems/>.

Example 9.2. Defining list items for <rich:inplaceSelect>

```
<rich:inplaceSelect value="#{bean.inputValue}" defaultLabel="click to edit" >
  <f:selectItems value="#{bean.selectItems}" />
  <f:selectItem itemValue="1" itemLabel="Item 1" />
  <f:selectItem itemValue="2" itemLabel="Item 2" />
  <f:selectItem itemValue="3" itemLabel="Item 3" />
  <f:selectItem itemValue="4" itemLabel="Item 4" />
</rich:comboBox>
```

9.3.2. Interactivity options

When in the initial "view" state, the starting label can be set using the defaultLabel attribute, such as defaultLabel="click to edit".

By default, the event to switch the component to the "edit" state is a single mouse click. This can be changed using the editEvent attribute to specify a different event. When switching to "edit" mode, the drop-down list of possible values will automatically be displayed; this can be deactivated by setting openOnEdit="false".

Once the user selects an option from the drop-down list, the item becomes the new value for the component and the state is switched to the "changed" state. Alternatively, buttons for confirming or canceling can be added to the component by setting showControls="true". These buttons can be positioned using the controlsHorizontalPosition attribute with settings of left, right, or

center, and the `controlsVerticalPosition` attribute with settings bottom, center, or top. The confirmation control icons can be altered using the `saveControlIcon` and `cancelControlIcon`. Further customization is possible through the use of facets.

9.3.3. `<rich:inplaceSelect>` events

There are several event handlers that are specific to the `<rich:inplaceSelect>` component:

- `oneditactivation` is triggered before the "edit" state is activated.
- `oneditactivated` is triggered after the "edit" state is activated.
- `onviewactivation` is triggered before the "view" or "changed" state is activated.
- `onviewactivated` is triggered after the "view" or "changed" state is activated.

9.3.4. Reference data

- *component-type*: `org.richfaces.inplaceSelect`
- *component-class*: `org.richfaces.component.html.HtmlInplaceSelect`
- *component-family*: `org.richfaces.inplaceSelect`
- *renderer-type*: `org.richfaces.renderkit.inplaceSelectRenderer`
- *tag-class*: `org.richfaces.taglib.inplaceSelectTag`

9.4. `<rich:inputNumberSlider>`

The `<rich:inputNumberSlider>` component provides a slider for changing numerical values. Optional features include control arrows to step through the values, a tool-tip to display the value while sliding, and a text field for typing the numerical value which can then be validated against the slider's range.

9.4.1. Basic usage

Basic use of the component with no attributes specified will render a slider with a minimum value of 0, a maximum of 100, and a gradient step of 1, together with a text field for typing the desired numerical value. The slider is labeled with the minimum and maximum boundary values, and a tool-tip showing the current value is shown while sliding the slider. The `value` attribute is used for storing the currently selected value of the slider.

9.4.2. Interactivity options

The text field can be removed by setting `showInput="false"`.

The properties of the slider can be set with the attributes `minValue`, `maxValue`, and `step`.

The minimum and maximum labels on the slider can be hidden by setting `showBoundaryValues="false"`. The tool-tip showing the current value can be hidden by setting `showToolTip="false"`.

Arrow controls can be added to either side of the slider to adjust the value incrementally by setting `showArrows="true"`. Clicking the arrows move the slider indicator in that direction by the gradient step, and clicking and holding the arrows moves the indicator continuously. The time delay for each step when updating continuously can be defined using the `delay` attribute.

9.4.3. Reference data

- *component-type*: `org.richfaces.inputNumberSlider`
- *component-class*: `org.richfaces.component.html.HtmlInputNumberSlider`
- *component-family*: `org.richfaces.inputNumberSlider`
- *renderer-type*: `org.richfaces.renderkit.inputNumberSliderRenderer`
- *tag-class*: `org.richfaces.taglib.inputNumberSliderTag`

Panels and containers



Documentation in development

Some concepts covered in this chapter may refer to the previous version of Richfaces, version 3.3.3. This chapter is scheduled for review to ensure all information is up to date.

This chapter details those components which act as panels and containers to hold groups of other components.

10.1. <rich:accordion>

The <rich:accordion> is a series of panels stacked on top of each other, each collapsed such that only the header of the panel is showing. When the header of a panel is clicked, it is expanded to show the content of the panel. Clicking on a different header will collapse the previous panel and expand the selected one. Each panel contained in a <rich:accordion> component is a <rich:accordionItem> component.



Figure 10.1. A <rich:accordion> component containing three <rich:accordionItem> components

10.1.1. Basic usage

The <rich:accordion> component requires no attributes for basic usage. The component can contain any number of <rich:accordionItem> components as children. The headers of the <rich:accordionItem> components control the expanding and collapsing when clicked. Only a single <rich:accordionItem> can be displayed at a time. Refer to [Section 10.2, “<rich:accordionItem>”](#) for details on the <rich:accordionItem> component.

10.1.2. Switching panels

The switching mode for performing submissions is determined by the `switchType` attribute, which can have one of the following three values:

server

The default setting. Activation of a `<rich:accordionItem>` component causes the parent `<rich:accordion>` component to perform a common submission, completely re-rendering the page. Only one panel at a time is uploaded to the client side.

ajax

Activation of a `<rich:accordionItem>` component causes the parent `<rich:accordion>` component to perform an Ajax form submission, and the content of the panel is rendered. Only one panel at a time is uploaded to the client side.

client

Activation of a `<rich:accordionItem>` component causes the parent `<rich:accordion>` component to update on the client side. JavaScript changes the styles such that one panel component becomes hidden while the other is shown.

10.1.3. `<rich:accordion>` client-side events

In addition to the standard Ajax events and HTML events, the `<rich:accordion>` component uses the client-side events common to all switchable panels:

- The `onitemchange` event points to the function to perform when the switchable item is changed.
- The `onbeforeitemchange` event points to the function to perform when before the switchable item is changed.

10.1.4. `<rich:accordion>` server-side events

The `<rich:accordion>` component uses the server-side events common to all switchable panels:

- The `ItemChangeEvent` event occurs on the server side when an item is changed through Ajax using the server mode. It can be processed using the `ItemChangeListener` attribute.

10.1.5. Reference data

- *component-type*: `org.richfaces.accordion`
- *component-class*: `org.richfaces.component.html.HtmlAccordion`
- *component-family*: `org.richfaces.accordion`
- *renderer-type*: `org.richfaces.accordionRenderer`

- `tag-class: org.richfaces.taglib.accordionTag`

10.2. <rich:accordionItem>

The <rich:accordionItem> component is a panel for use with the <rich:accordion> component. Refer to [Section 10.1, “<rich:accordion>”](#) for details on the <rich:accordion> component.



Figure 10.2. A <rich:accordion> component containing three <rich:accordionItem> components

10.2.1. Basic usage

Basic usage of the <rich:accordionItem> component requires the `label` attribute, which provides the text on the panel header. The panel header is all that is visible when the accordion item is collapsed.

Alternatively the header facet could be used in place of the `label` attribute. This would allow for additional styles and custom content to be applied to the tab.

10.2.2. <rich:accordionItem> client-side events

In addition to the standard HTML events, the <rich:accordionItem> component uses the client-side events common to all switchable panel items:

- The `onenter` event points to the function to perform when the mouse enters the panel.
- The `onleave` attribute points to the function to perform when the mouse leaves the panel.

10.2.3. Reference data

- `component-type: org.richfaces.accordionItem`
- `component-class: org.richfaces.component.html.HtmlAccordionItem`

- *component-family*: org.richfaces.accordionItem
- *renderer-type*: org.richfaces.accordionItemRenderer
- *tag-class*: org.richfaces.taglib.accordionItemTag

10.3. <rich:panel>

The <rich:panel> component is a bordered panel with an optional header.




Figure 10.3. <rich:panel>

10.3.1. Basic usage

No attributes need to be listed for basic usage. a <rich:panel> without any attributes defined renders a bordered region with no header.

10.3.2. Adding a header

To add a header to the panel, use the header attribute to specify the text to appear in the header. Alternatively the header can be constructed using a header facet. [Example 10.1, “Adding a header”](#) demonstrates the two different approaches.

Example 10.1. Adding a header

```
<rich:panel header="This is the panel header">
    <h:outputText value="This is the panel content" />
</rich:panel>
```

```
<rich:panel>
    <f:facet name="header">
        <h:outputText value="This is the panel header">
    </f:facet>
    <h:outputText value="This is the panel content" />
</rich:panel>
```

Both the examples render an identical panel.




Figure 10.4. Adding a header

10.3.3. Reference data

- *component-type*: `org.richfaces.panel`
- *component-class*: `org.richfaces.component.html.HtmlPanel`
- *component-family*: `org.richfaces.panel`
- *renderer-type*: `org.richfaces.panelRenderer`
- *tag-class*: `org.richfaces.taglib.panelTag`

10.4. <rich:popupPanel>

The `<rich:popupPanel>` component provides a pop-up panel or window that appears in front of the rest of the application. The `<rich:popupPanel>` component functions either as a modal window which blocks interaction with the rest of the application while active, or as a non-modal window. It can be positioned on the screen, dragged to a new position by the user, and re-sized.

10.4.1. Basic usage

The `<rich:popupPanel>` does not require any compulsory attributes, though certain use cases require different attributes.

10.4.2. Showing and hiding the pop-up

If `show="true"` then the pop-up panel will display when the page is first loaded.

The `<rich:popupPanel>` component can be shown and hidden manually using the `show()` and `hide()` methods from the JavaScript API. These can be implemented using two different approaches:

- Using the `<rich:componentControl>` component. For details on the component, refer to [Section 4.4, “<rich:componentControl>”](#).
- Using the `rich:component` function. For details on the function, refer to [Section 13.2, “rich:component”](#).

For explicit referencing when using the functions, the component can be given an `id` identifier. The component can, however, be referenced using other means, such as through a selector.

Example 10.2, “`<rich:popupPanel>` example” demonstrates basic use of both the `<rich:componentControl>` component and the `rich:component` function to show and hide the `<rich:popupPanel>` component.

Example 10.2. `<rich:popupPanel>` example

```
<h:commandButton value="Show the panel">
  <rich:componentControl target="popup" operation="show" />
</h:commandButton>
...
<a4j:form>
  <rich:popupPanel id="popup">

    <p><a href="#" onclick="#{rich:component('popup')}.hide()">Hide the panel</a></p>
  </rich:popupPanel>
</a4j:form>
```



Placement

The `<rich:popupPanel>` component should usually be placed outside the original form, and include its own form if performing submissions. An exception to this is when using the `domElementAttachment` attribute, as described in [Section 10.4.4](#), “Size and positioning”.

10.4.3. Modal and non-modal panels

By default, the `<rich:popupPanel>` appears as a modal window that blocks interaction with the other objects on the page. To implement a non-modal window instead, set `modal="false"`. This will allow interaction with other objects outside the pop-up panel.

10.4.4. Size and positioning

The pop-up panel can be both re-sized and re-positioned by the user. The minimum possible size for the panel can be set with the `minWidth` and `minHeight` attributes. These abilities can be deactivated by setting `resizable` or `movable` to `false` as necessary.

The pop-up panel can be automatically sized when it is shown if the `autosized` attribute is set to `true`.

The `<rich:popupPanel>` component is usually rendered in front of any other objects on the page. This is achieved by attaching the component to the `<body>` element of the page, and setting a very high “z-index” (the stack order of the object). This approach is taken because relatively-positioned elements could still overlap the pop-up panel if they exist at higher levels of the DOM hierarchy,

even if their z-index is less than the `<rich:popupPanel>` component. However, to avoid form limitation of the pop-up panel on pages where no such elements exist, the `<rich:popupPanel>` component can be reattached to its original DOM element by setting `domElementAttachment` to either parent or form.

Embedded objects inserted into the HTML with the `<embed>` tag will typically be rendered in front of a `<rich:popupPanel>` component. The `<rich:popupPanel>` component can be forcibly rendered in front of these objects by setting `overlapEmbedObjects="true"`.



Using `overlapEmbedObjects`

Due to the additional script processing required when using the `overlapEmbedObjects` attribute, applications can suffer from decreased performance. As such, `overlapEmbedObjects` should only be set to `true` when `<embed>` tags are being used. Do not set it to `true` for applications that do not require it.

10.4.5. Contents of the pop-up

The `<rich:popupPanel>` component can contain any other rich component just like a normal panel.

Contents of the `<rich:popupPanel>` component which are positioned relatively may be trimmed if they extend beyond the borders of the pop-up panel. For certain in-line controls this behavior may be preferable, but for other dynamic controls it could be undesirable. If the `trimOverlaidElements` attribute is set to `false` then child components will not be trimmed if they extend beyond the borders of the pop-up panel.

10.4.6. Header and controls

A panel header and associated controls can be added to the `<rich:popupPanel>` component through the use of facets. The header facet displays a title for the panel, and the `controls` facet can be customized to allow window controls such as a button for closing the pop-up. [Example 10.3, "Header and controls"](#) demonstrates the use of the facets.

Example 10.3. Header and controls

```
<h:commandLink value="Show pop-up">
  <rich:componentControl target="popup" operation="show" />
</h:commandLink>
...
<a4j:form>

  <rich:popupPanel id="popup" modal="false" autosized="true" resizeable="false">
    <f:facet name="header">
```

```
<h:outputText value="The title of the panel" />
</f:facet>
<f:facet name="controls">
    <h:graphicImage value="/pages/
close.png" style="cursor:pointer" onclick="#{rich:component('popup')}.hide()" /
>
</f:facet>
<p>
    This is the content of the panel.
</p>
</rich:popupPanel>
</a4j:form>
```



Figure 10.5. Header and controls

10.4.7. Reference data

- *component-type*: org.richfaces.popupPanel
- *component-class*: org.richfaces.component.html.HtmlpopupPanel
- *component-family*: org.richfaces.popupPanel

- `renderer-type: org.richfaces.popupPanelRenderer`
- `tag-class: org.richfaces.taglib.popupPanelTag`

10.5. <rich:tab>

The <rich:tab> component represents an individual tab inside a <rich:tabPanel> component, including the tab's content. Clicking on the tab header will bring its corresponding content to the front of other tabs. Refer to [Section 10.6, "<rich:tabPanel>"](#) for details on the <rich:tabPanel> component.




Figure 10.6. A <rich:tabPanel> component containing three <rich:tab> components

10.5.1. Basic usage

Basic usage of the <rich:tab> component requires the `label` attribute, which provides the text on the tab header. The content of the tab is then detailed inside the <rich:tab> tags.

Alternatively the header facet could be used in place of the `label` attribute. This would allow for additional styles and custom content to be applied to the tab.

10.5.2. Switching tabs

The switching mode for performing submissions can be inherited from the `switchMode` attribute of the parent <rich:tabPanel> component, or set individually for each <rich:tab> component. Refer to [Section 10.6, "<rich:tabPanel>"](#) for details on the `switchMode` attribute.

An individual tab can be disabled by setting `disabled="true"`. Disabled tabs cannot be activated or switched to.

10.5.3. <rich:tab> client-side events

In addition to the standard HTML events, the <rich:tab> component uses the client-side events common to all switchable panel items:

- The `onenter` event points to the function to perform when the mouse enters the tab.

- The `onleave` attribute points to the function to perform when the mouse leaves the tab.

10.5.4. Reference data

- `component-type`: `org.richfaces.tab`
- `component-class`: `org.richfaces.component.html.HtmlTab`
- `component-family`: `org.richfaces.tab`
- `renderer-type`: `org.richfaces.tabRenderer`
- `tag-class`: `org.richfaces.taglib.tabTag`

10.6. `<rich:tabPanel>`

The `<rich:tabPanel>` component provides a set of tabbed panels for displaying one panel of content at a time. The tabs can be highly customized and themed. Each tab within a `<rich:tabPanel>` container is a `<rich:tab>` component. Refer to [Section 10.5, “<rich:tab>”](#) for further details on the `<rich:tab>` component.




Figure 10.7. A `<rich:tabPanel>` component containing three `<rich:tab>` components



Form elements required

All `<rich:tabPanel>` components should be wrapped in a form element so that the contents of the tab are processed correctly during a tab change in either ajax or server mode.

Alternatively, the contents of a `<rich:tab>` component within the `<rich:tabPanel>` component could be wrapped in a form element, such that they will be processed using the inner submitting component only. In this case, the `<rich:tabPanel>` component will automatically add form tags around the tab's contents, and the contents will not be processed during switching.

10.6.1. Switching panels

The switching mode for performing submissions is determined by the `switchType` attribute, which can have one of the following three values:

server

The default setting. Activation of a `<rich:tab>` component causes the parent `<rich:tabPanel>` component to perform a common submission, completely re-rendering the page. Only one tab at a time is uploaded to the client side.

ajax

Activation of a `<rich:tab>` component causes the parent `<rich:tabPanel>` component to perform an Ajax form submission, and the content of the tab is rendered. Only one tab at a time is uploaded to the client side.

client

Activation of a `<rich:tab>` component causes the parent `<rich:tabPanel>` component to update on the client side. JavaScript changes the styles such that one tab becomes hidden while the other is shown.

The `activeItem` attribute holds the active tab name.

10.6.2. Tab position and alignment

The tab headers, used for switching between the tabs, can be positioned along any edge of the panel by using the `headerPosition` attribute. The possible values for the `headerPosition` attribute are as follows:

top

The tab headers are positioned along the top of the panel. This is the default position.

left

The tab headers are positioned along the left edge of the panel.

right

The tab headers are positioned along the right edge of the panel.

bottom

The tab headers are positioned along the bottom of the panel.

The tab headers themselves can be aligned using the `headerAlignment` attribute. The possible values for the `headerAlignment` attribute are as follows:

top

The tab headers are aligned to the top of the tab header position.

left

The tab headers are aligned to the left of the tab header position. This is the default alignment.

`right`

The tab headers are aligned to the right of the tab header position.

`bottom`

The tab headers are aligned to the bottom of the tab header position.

`center`

The tab headers are aligned in the center of the tab header position.

10.6.3. `<rich:tabPanel>` client-side events

In addition to the standard Ajax events and HTML events, the `<rich:tabPanel>` component uses the client-side events common to all switchable panels:

- The `onitemchange` event points to the function to perform when the switchable item is changed.
- The `onbeforeitemchange` event points to the function to perform when before the switchable item is changed.

10.6.4. `<rich:tabPanel>` server-side events

The `<rich:tabPanel>` component uses the server-side events common to all switchable panels:

- The `ItemChangeEvent` event occurs on the server side when an item is changed through Ajax using the server mode. It can be processed using the `ItemChangeListener` attribute.

10.6.5. Reference data

- *component-type*: `org.richfaces.tabPanel`
- *component-class*: `org.richfaces.component.html.HtmlTabPanel`
- *component-family*: `org.richfaces.tabPanel`
- *renderer-type*: `org.richfaces.tabPanelRenderer`
- *tag-class*: `org.richfaces.taglib.tabPanelTag`

10.7. `<rich:toggleControl>`

The `<rich:toggleControl>` behavior can be attached to any interface component. It works with a `<rich:togglePanel>` component to switch between different `<rich:togglePanelItem>` components.

Refer to [Section 10.8, “<rich:togglePanel>”](#) and [Section 10.9, “<rich:togglePanelItem>”](#) for details on how to use the components together.

10.7.1. Basic usage

The `<rich:toggleControl>` can be used to switch through `<rich:togglePanelItem>` components in a `<rich:togglePanel>` container. If the `<rich:toggleControl>` component is positioned inside a `<rich:togglePanel>` component, no attributes need to be defined, as the control is assumed to switch through the `<rich:togglePanelItem>` components of its parent.

A `<rich:toggleControl>` component can be located outside the `<rich:togglePanel>` component it needs to switch. Where this is the case, the `<rich:togglePanel>` is identified using the `activePanel` attribute. the Cycling through components requires the `for` attribute, which points to the `id` identifier of the `<rich:togglePanel>` that it controls.

10.7.2. Specifying the next state

The `<rich:toggleControl>` component will cycle through `<rich:togglePanelItem>` components in the order they are defined within the view. However, the next item to switch to can be explicitly defined by including a `<rich:toggleControl>` component within a `<rich:togglePanelItem>` and using the `targetItem` attribute. The `targetItem` attribute points to the `<rich:togglePanelItem>` to switch to when the state is next changed. [Example 10.4](#), “`<rich:toggleControl>` example” demonstrates how to specify the next switchable state in this way.

Example 10.4. `<rich:toggleControl>` example

```
<rich:togglePanel id="layout" activeItem="short">
  <rich:togglePanelItem id="short">
    //content
    <h:commandButton>
      <rich:toggleControl targetItem="details"> // switches to details state
    </h:commandButton>
  </rich:togglePanelItem>
  <rich:togglePanelItem id="details">
    //content
    <h:commandButton>
      <rich:toggleControl targetItem="short"> //switches to short state
    </h:commandButton>
  </rich:togglePanelItem>
</rich:togglePanel>
<h:commandButton>
  <rich:toggleControl activePanel="layout"/> // cycles through the states
</h:commandButton>
```

10.7.3. Reference data

- *component-type*: `org.richfaces.ToggleControl`
- *component-class*: `org.richfaces.component.html.HtmlToggleControl`

- *component-family*: `org.richfaces.ToggleControl`
- *renderer-type*: `org.richfaces.ToggleControlRenderer`
- *tag-class*: `org.richfaces.taglib.ToggleControlTag`

10.8. <rich:togglePanel>

The `<rich:togglePanel>` component is a wrapper for multiple `<rich:togglePanelItem>` components. Each child component is displayed after being activated with the `<rich:toggleControl>` behavior.

Refer to [Section 10.7, “<rich:toggleControl>”](#) and [Section 10.8, “<rich:togglePanel>”](#) for details on how to use the components together.

The `<rich:togglePanel>` component is used as a base for the other switchable components, the `<rich:accordion>` component and the `<rich:tabPanel>` component. It provides an abstract switchable component without any associated markup. As such, the `<rich:togglePanel>` component could be customized to provide a switchable component when neither an accordion component or a tab panel component is appropriate.

10.8.1. Basic usage

The initial state of the component can be configured using the `activeItem` attribute, which points to a child component to display. Alternatively, if no `activeItem` attribute is defined, the initial state will be blank until the user activates a child component using the `<rich:toggleControl>` component.

The child components are shown in the order in which they are defined in the view.

10.8.2. Toggling between components

The switching mode for performing submissions is determined by the `switchType` attribute, which can have one of the following three values:

- `server`, the default setting, which causes the child components to perform a common submission, completely re-rendering the page. Only one panel at a time is uploaded to the client side.
- `ajax`, which causes the child components to perform an Ajax form submission, and the content of the panel is rendered. Only one panel at a time is uploaded to the client side.
- `client`, which causes the child components to update on the client side. JavaScript changes the styles such that one component becomes hidden while the other is shown.

10.8.3. Switching panels

The switching mode for performing submissions is determined by the `switchType` attribute, which can have one of the following three values:

server

The default setting. Activation of a child component causes the parent `<rich:togglePanel>` component to perform a common submission, completely re-rendering the page. Only one child at a time is uploaded to the client side.

ajax

Activation of a child component causes the parent `<rich:togglePanel>` component to perform an Ajax form submission, and the content of the child is rendered. Only one child at a time is uploaded to the client side.

client

Activation of a child component causes the parent `<rich:togglePanel>` component to update on the client side. JavaScript changes the styles such that one child component becomes hidden while the other is shown.

10.8.4. Reference data

- *component-type*: `org.richfaces.TogglePanel`
- *component-class*: `org.richfaces.component.html.HtmlTogglePanel`
- *component-family*: `org.richfaces.TogglePanel`
- *renderer-type*: `org.richfaces.TogglePanelRenderer`
- *tag-class*: `org.richfaces.taglib.TogglePanelTag`

10.9. `<rich:togglePanelItem>`

The `<rich:togglePanelItem>` component is a switchable panel for use with the `<rich:togglePanel>` component. Switching between `<rich:togglePanelItem>` components is handled by the `<rich:toggleControl>` behavior.

Refer to [Section 10.7, “<rich:toggleControl>”](#) and [Section 10.8, “<rich:togglePanel>”](#) for details on how to use the components together.

10.9.1. Reference data

- *component-type*: `org.richfaces.TogglePanelItem`
- *component-class*: `org.richfaces.component.html.HtmlTogglePanelItem`
- *component-family*: `org.richfaces.TogglePanelItem`
- *renderer-type*: `org.richfaces.TogglePanelItemRenderer`
- *tag-class*: `org.richfaces.taglib.TogglePanelItemTag`

Tables and grids



Documentation in development

Some concepts covered in this chapter may refer to the previous version of Richfaces, version 3.3.3. This chapter is scheduled for review to ensure all information is up to date.

This chapter covers all components related to the display of tables and grids.

11.1. <a4j:repeat>

The <a4j:repeat> component is used to iterate changes through a repeated collection of components. It allows specific rows of items to be updated without sending Ajax requests for the entire collection. The <a4j:repeat> component forms the basis for many of the tabular components detailed in [Chapter 11, Tables and grids](#).

11.1.1. Basic usage

The contents of the collection are determined using Expression Language (EL). The data model for the contents is specified with the `value` attribute. The `var` attribute names the object to use when iterating through the collection. This object is then referenced in the relevant child components. [Example 11.1, “<a4j:repeat> example”](#) shows how to use <a4j:repeat> to maintain a simple table.

Example 11.1. <a4j:repeat> example

```
<table>
  <tbody>
    <a4j:repeat value="#{repeatBean.items}" var="item">
      <tr>
        <td><h:outputText value="#{item.code}" id="item1" /></td>
        <td><h:outputText value="#{item.price}" id="item2" /></td>
      </tr>
    </a4j:repeat>
  </tbody>
</table>
```

Each row of a table contains two cells: one showing the item code, and the other showing the item price. The table is generated by iterating through items in the `repeatBeans.items` data model.

11.1.2. Reference data

- *component-type*: org.ajax4jsf.Repeat
- *component-class*: org.ajax4jsf.component.html.HtmlAjaxRepeat
- *component-family*: javax.faces.Data
- *renderer-type*: org.ajax4jsf.components.RepeatRenderer

11.2. <rich:column>

The <rich:column> component facilitates columns in a table. It supports merging columns and rows, sorting, filtering, and customized skinning.

11.2.1. Basic usage

In general usage, the <rich:column> component is used in the same way as the JavaServer Faces (JSF) <h:column> component. It requires no extra attributes for basic usage, as shown in [Example 11.2, “Basic column example”](#).

Example 11.2. Basic column example

```
<rich:dataTable value="#{capitalsBean.capitals}" var="cap" rows="5">
  <rich:column>
    <f:facet name="header">State Flag</f:facet>
    <h:graphicImage value="#{cap.stateFlag}" />
  </rich:column>
  <rich:column>
    <f:facet name="header">State Name</f:facet>
    <h:outputText value="#{cap.state}" />
  </rich:column>
  <rich:column>
    <f:facet name="header">State Capital</f:facet>
    <h:outputText value="#{cap.name}" />
  </rich:column>
  <rich:column>
    <f:facet name="header">Time Zone</f:facet>
    <h:outputText value="#{cap.timeZone}" />
  </rich:column>
</rich:dataTable>
```

State Flag	State Name	State Capital	Time Zone
	Alabama	Montgomery	GMT-6
	Alaska	Juneau	GMT-9
	Arizona	Phoenix	GMT-7
	Arkansas	Little Rock	GMT-6
	California	Sacramento	GMT-8

Figure 11.1. Basic column example

11.2.2. Spanning columns

Columns can be merged by using the `colspan` attribute to specify how many normal columns to span. The `colspan` attribute is used in conjunction with the `breakBefore` attribute on the next column to determine how the merged columns are laid out. [Example 11.3, “Column spanning example”](#).

Example 11.3. Column spanning example

```
<rich:dataTable value="#{capitalsBean.capitals}" var="cap" rows="5">
  <rich:column colspan="3">
    <h:graphicImage value="#{cap.stateFlag}"/>
  </rich:column>
  <rich:column breakBefore="true">
    <h:outputText value="#{cap.state}"/>
  </rich:column>
  <rich:column >
    <h:outputText value="#{cap.name}"/>
  </rich:column>
  <rich:column>
    <h:outputText value="#{cap.timeZone}"/>
  </rich:column>
</rich:dataTable>
```

		
Alabama	Montgomery	GMT-6
		
Alaska	Juneau	GMT-9
		
Arizona	Phoenix	GMT-7
		
Arkansas	Little Rock	GMT-6
		
California	Sacramento	GMT-8

Figure 11.2. Column spanning example

11.2.3. Spanning rows

Similarly, the `rowspan` attribute can be used to merge and span rows. Again the `breakBefore` attribute needs to be used on related `<rich:column>` components to define the layout. [Example 11.4, “Row spanning example”](#) and the resulting [Figure 11.4, “Complex headers using column groups”](#) show the first column of the table spanning three rows.

Example 11.4. Row spanning example

```
<rich:dataTable value="#{capitalsBean.capitals}" var="cap" rows="5">
  <rich:column rowspan="3">
    <f:facet name="header">State Flag</f:facet>
    <h:graphicImage value="#{cap.stateFlag}"/>
  </rich:column>
  <rich:column>
    <f:facet name="header">State Info</f:facet>
    <h:outputText value="#{cap.state}"/>
  </rich:column>
  <rich:column breakBefore="true">
    <h:outputText value="#{cap.name}"/>
  </rich:column>
  <rich:column breakBefore="true">
    <h:outputText value="#{cap.timeZone}"/>
  </rich:column>
</rich:dataTable>
```

State Flag	State Info
	Alabama
	Montgomery
	GMT-6
	Alaska
	Juneau
	GMT-9
	Arizona
	Phoenix
	GMT-7
	Arkansas
	Little Rock
	GMT-6
	California
	Sacramento
	GMT-8

Figure 11.3. Row spanning example

For details on filtering and sorting columns, refer to [Section 11.8, “Table filtering”](#) and [Section 11.9, “Table sorting”](#).

11.2.4. Reference data

- *component-type*: org.richfaces.Column
- *component-class*: org.richfaces.component.html.HtmlColumn
- *component-family*: org.richfaces.Column
- *renderer-type*: org.richfaces.renderkit.CellRenderer
- *tag-class*: org.richfaces.taglib.ColumnTag

11.3. <rich:columnGroup>

The <rich:columnGroup> component combines multiple columns in a single row to organize complex parts of a table. The resulting effect is similar to using the `breakBefore` attribute of the <rich:column> component, but is clearer and easier to follow in the source code.

11.3.1. Complex headers

The `<rich:columnGroup>` can also be used to create complex headers in a table. [Example 11.5](#), “Complex headers using column groups” and the resulting [Figure 11.4](#), “Complex headers using column groups” demonstrate how complex headers can be achieved.

Example 11.5. Complex headers using column groups

```
<rich:dataTable value="#{capitalsBean.capitals}" var="cap" rows="5" id="sublist">
  <f:facet name="header">
    <rich:columnGroup>
      <rich:column rowspan="2">
        <h:outputText value="State Flag"/>
      </rich:column>
      <rich:column colspan="3">
        <h:outputText value="State Info"/>
      </rich:column>
      <rich:column breakBefore="true">
        <h:outputText value="State Name"/>
      </rich:column>
      <rich:column>
        <h:outputText value="State Capital"/>
      </rich:column>
      <rich:column>
        <h:outputText value="Time Zone"/>
      </rich:column>
    </rich:columnGroup>
  </f:facet>
  <rich:column>
    <h:graphicImage value="#{cap.stateFlag}"/>
  </rich:column>
  <rich:column>
    <h:outputText value="#{cap.state}"/>
  </rich:column>
  <rich:column>
    <h:outputText value="#{cap.name}"/>
  </rich:column>
  <rich:column>
    <h:outputText value="#{cap.timeZone}"/>
  </rich:column>
</rich:dataTable>
```

State Flag	State Info		
	State Name	State Capital	Time Zone
	Alabama	Montgomery	GMT-6
	Alaska	Juneau	GMT-9
	Arizona	Phoenix	GMT-7
	Arkansas	Little Rock	GMT-6
	California	Sacramento	GMT-8

Figure 11.4. Complex headers using column groups

11.3.2. Reference data

- *component-type*: org.richfaces.ColumnGroup
- *component-class*: org.richfaces.component.html.HtmlColumnGroup
- *component-family*: org.richfaces.ColumnGroup
- *renderer-type*: org.richfaces.ColumnGroupRenderer
- *tag-class*: org.richfaces.taglib.ColumnGroupTag

11.4. <rich:dataGrid>

The <rich:dataGrid> component is used to arrange data objects in a grid. Values in the grid can be updated dynamically from the data model, and Ajax updates can be limited to specific rows. The component supports header, footer, and caption facets.

Car Store	
Chevrolet Corvette Price: 46071 Mileage: 40446.0	Chevrolet Corvette Price: 46416 Mileage: 48531.0
Chevrolet Corvette Price: 47822 Mileage: 15438.0	Chevrolet Corvette Price: 16629 Mileage: 69237.0

Navigation: <<< << 1 2 3 4 5 6 7 8 9 10 >> >>>

Figure 11.5. The `<rich:dataGrid>` component

11.4.1. Basic usage

The `<rich:dataGrid>` component requires the `value` attribute, which points to the data model, and the `var` attribute, which holds the current variable for the collection of data.

11.4.2. Customizing the grid

The number of columns for the grid is specified with the `columns` attribute, and the number of elements to layout among the columns is determined with the `elements` attribute. The first attribute references the zero-based element in the data model from which the grid starts.

Example 11.6. `<rich:dataGrid>` example

```
<rich:panel style="width:150px;height:200px;">
  <h:form>

  <rich:dataGrid value="#{dataTableScrollerBean.allCars}" var="car" columns="2" elements="4" f
    <f:facet name="header">
      <h:outputText value="Car Store"></h:outputText>
    </f:facet>
    <rich:panel>
      <f:facet name="header">
        <h:outputText value="#{car.make} #{car.model}"></h:outputText>
      </f:facet>
      <h:panelGrid columns="2">
        <h:outputText value="Price:" styleClass="label"></h:outputText>
        <h:outputText value="#{car.price}"/>
        <h:outputText value="Mileage:" styleClass="label"></h:outputText>
        <h:outputText value="#{car.mileage}"/>
      </h:panelGrid>
    </rich:panel>
  </h:form>
</rich:panel>
```

```

</rich:panel>
<f:facet name="footer">
    <rich:datascroller></rich:datascroller>
</f:facet>
</rich:dataGrid>
</h:form>
</rich:panel>

```




Figure 11.6. <rich:dataGrid> example

11.4.3. Patial updates

As the component is based on the <a4j:repeat> component, it can be partially updated with Ajax. The ajaxkeys attribute allows row keys to be defined, which are updated after an Ajax request.

Example 11.7. ajaxKeys example

```

<rich:dataGrid value="#{dataTableScrollerBean.allCars}" var="car" ajaxKeys="#{listBean.list}"
...
</rich:dataGrid>
...
<a4j:commandButton action="#{listBean.action}" reRender="grid" value="Submit"/>

```

11.4.4. Reference data

- *component-type*: org.richfaces.DataGrid

- *component-class*: org.richfaces.component.html.HtmlDataGrid
- *component-family*: org.richfaces.DataGrid
- *renderer-type*: org.richfaces.DataGridRenderer
- *tag-class*: org.richfaces.taglib.DataGridTag

11.5. <rich:dataTable>

The <rich:dataTable> component is used to render a table, including the table's header and footer. It works in conjunction with the <rich:column> and <rich:columnGroup> components to list the contents of a data model.



<rich:extendedDataTable>

The <rich:dataTable> component does not include extended table features, such as data scrolling, row selection, and column reordering. These features are available as part of the <rich:extendedDataTable> component; refer to [Section 11.6, "<rich:extendedDataTable>"](#) for further details.

11.5.1. Basic usage

The value attribute points to the data model, and the var attribute specifies a variable to use when iterating through the data model.

11.5.2. Customizing the table

The first attribute specifies which item in the data model to start from, and the rows attribute specifies the number of items to list. The header, footer, and caption facets can be used to display text, and to customize the appearance of the table through skinning. demonstrates a simple table implementation.

Example 11.8. <rich:dataTable> example

```
<rich:dataTable value="#{capitalsBean.capitals}" var="cap" rows="5">
  <f:facet name="caption">
    <h:outputText value="United States Capitals" />
  </f:facet>
  <f:facet name="header">
    <h:outputText value="Capitals and States Table" />
  </f:facet>
  <rich:column>
    <f:facet name="header">State Flag</f:facet>
    <h:graphicImage value="#{cap.stateFlag}" />
    <f:facet name="footer">State Flag</f:facet>
  </rich:column>
```

```

<rich:column>
    <f:facet name="header">State Name</f:facet>
    <h:outputText value="#{cap.state}"/>
    <f:facet name="footer">State Name</f:facet>
</rich:column>
<rich:column >
    <f:facet name="header">State Capital</f:facet>
    <h:outputText value="#{cap.name}"/>
    <f:facet name="footer">State Capital</f:facet>
</rich:column>
<rich:column>
    <f:facet name="header">Time Zone</f:facet>
    <h:outputText value="#{cap.timeZone}"/>
    <f:facet name="footer">Time Zone</f:facet>
</rich:column>
<f:facet name="footer">
    <h:outputText value="Capitals and States Table" />
</f:facet>
</rich:dataTable>

```

United States Capitals

Capitals and States Table			
State Flag	Capital Name	State Name	TimeZone
	Montgomery	Alabama	GMT-6
	Juneau	Alaska	GMT-9
	Phoenix	Arizona	GMT-7
	Little Rock	Arkansas	GMT-6
	Sacramento	California	GMT-8
State Flag	Capital Name	State Name	TimeZone

Capitals and States Table

Figure 11.7. <rich:dataTable> example

For details on filtering and sorting data tables, refer to [Section 11.8, “Table filtering”](#) and [Section 11.9, “Table sorting”](#).

11.5.3. Partial updates

The <rich:dataTable> component is based on the <a4j:repeat> component, and as such it can be partially updated using Ajax. The ajaxKeys attribute defines the rows to be updated during an Ajax request.

11.5.4. Reference data

- *component-type*: org.richfaces.DataTable
- *component-class*: org.richfaces.component.html.HtmlDataTable
- *component-family*: org.richfaces.DataTable
- *renderer-type*: org.richfaces.DataTableRenderer
- *tag-class*: org.richfaces.taglib.DataTableTag

11.6. <rich:extendedDataTable>

The `<rich:extendedDataTable>` component builds on the functionality of the `<rich:dataTable>` component, adding features such as data scrolling, row and column selection, and rearranging of columns.

The `<rich:extendedDataTable>` component includes the following attributes not included in the `<rich:dataTable>` component:

frozenColumns	onselectionchange	selectionMode
height	selectedClass	tableState
noDataLabel	selection	

The `<rich:extendedDataTable>` component does *not* include the following attributes available with the `<rich:dataTable>` component:

- columns
- columnsWidth

11.6.1. Basic usage

Basic use of the `<rich:extendedDataTable>` component requires the `value` and `var` attributes, the same as with the `<rich:dataTable>` component. Refer to [Section 11.5, “<rich:dataTable>”](#) for details.

11.6.2. Table appearance

The `height` attribute defines the height of the table on the page. This is set to 100% by default. The width of the table can be set by using the `width` attribute. As with the `<rich:dataTable>` component, the look of the `<rich:extendedDataTable>` component can be customized and skinned using the header, footer, and caption facets.

11.6.3. Extended features

Example 11.9. <rich:extendedDataTable> example

```
<rich:extendedDataTable id="edt" value="#{extendedDT.dataModel}" var="edt" width="500px" height="300px">

    <rich:column id="id" headerClass="dataTableHeader" width="50" label="Id" sortable="true" sort="asc">
        <f:facet name="header">
            <h:outputText value="Id" />
        </f:facet>
        <h:outputText value="#{edt.id}" />
    </rich:column>

    <rich:column id="name" width="300" headerClass="dataTableHeader" label="Name" sortable="true" sort="asc">
        <f:facet name="header">
            <h:outputText value="Name" />
        </f:facet>
        <h:outputText value="#{edt.name}" />
    </rich:column>

    <rich:column id="date" width="100" headerClass="dataTableHeader" label="Date" sortable="true" sort="asc">
        <f:facet name="header">
            <h:outputText value="Date" />
        </f:facet>
        <h:outputText value="#{edt.date}"><f:convertDateTime pattern="yyyy-MM-dd HH:mm:ss" />
        </h:outputText>
    </rich:column>

    <rich:column id="group" width="50" headerClass="dataTableHeader" label="Group" sortable="true" sort="asc">
        <f:facet name="header">
            <h:outputText value="Group" />
        </f:facet>
        <h:outputText value="#{edt.group}" />
    </rich:column>
</rich:extendedDataTable>
```

Table header				
Id ↕	Name ↕	Date ↕	Group ↕	
0	bf753ee6-7	1970-06-30 04:52	group 1	▲
1	e481be6b-c	1979-02-22 21:51	group 2	
2	1b2328fd-c	1977-07-08 09:44	group 3	
3	e57d01ce-b	1992-05-16 10:58	group 4	
4	06d3b7d8-2	1978-07-05 01:11	group 5	
5	b4d0be0e-e	2008-01-15 21:06	group 6	
6	983f8d96-4	1990-10-21 21:37	group 7	
7	4e341f46-9	1988-10-13 12:34	group 8	
8	9ea456da-6	1976-07-11 02:01	group 9	▼

Figure 11.8. `<rich:extendedDataTable>` example

Example 11.9, “`<rich:extendedDataTable>` example” shows an example extended data table. The implementation features a scrolling data table, selection of one or more rows, sorting by columns, grouping by column, and a filter on the **Name** column.

11.6.3.1. Row selection

Row selection is determined by the `selectionMode` attribute. Setting the attribute to `none` allows for no row selection capability. Setting the `selectionMode` attribute to `single` allows the user to select a single row at a time using the mouse. With the `selectionMode` attribute set to `multi`, the user can select multiple rows by holding down the **Shift** or **Ctrl** keys while clicking. The `selection` attribute points to the object that tracks which rows are selected. *Figure 11.9, “Selecting multiple rows”* shows the table from the example with multiple rows selected.

Table header				
Id ↕	Name ↕	Date ↕	Group ↕	
0	bf753ee6-7	1970-06-30 04:52	group 1	▲
1	e481be6b-c	1979-02-22 21:51	group 2	
2	1b2328fd-c	1977-07-08 09:44	group 3	
3	e57d01ce-b	1992-05-16 10:58	group 4	
4	06d3b7d8-2	1978-07-05 01:11	group 5	
5	b4d0be0e-e	2008-01-15 21:06	group 6	
6	983f8d96-4	1990-10-21 21:37	group 7	
7	4e341f46-9	1988-10-13 12:34	group 8	
8	9ea456da-6	1976-07-11 02:01	group 9	▼

Figure 11.9. Selecting multiple rows

11.6.3.2. Filtering

A user can type their criteria into the text field to customize the filter of the column below. For full details on filtering tables, refer to [Section 11.8, “Table filtering”](#).

11.6.3.3. Sorting

Each column can be used to sort the contents of the table. The value of the data model to sort by is specified with the `sortBy` attribute. Columns can be quickly sorted either ascending or descending by clicking on the directional icon next to the column title. The directional icons are defined in each `<rich:column>` component with the `sortIconAscending` and `sortIconDescending` attributes, for ascending and descending icons respectively. For full details on sorting tables, refer to [Section 11.9, “Table sorting”](#).

11.6.3.4. Rearranging columns

Columns in a `<rich:extendedDataTable>` component can be rearranged by the user by dragging each column to a different position. The `label` attribute for the `<rich:column>` component is displayed during dragging, as shown in




Table header			
Id	Name	Date	Group
0	bf753ee6-7	1970-06-30 04:52	00000
1	e481be8b-c	1979-02-22 21:51	11111
2	1b2328fd-c	1977-07-08 09:44	22222
3	e57d01ce-b	1992-05-16 10:58	33333
4	06d3b7d8-2	1978-07-05 01:11	44444
5	b4d0be0e-e	2008-01-15 21:06	55555
6	983f8d96-4	1990-10-21 21:37	66666
7	4e341f46-9	1988-10-13 12:34	77777
8	9ea456da-6	1976-07-11 02:01	88888
9	802e811e-5	1984-04-02 21:24	99999

Figure 11.10. Dragging columns

11.6.3.5. Saving the state

Once the contents of the table have been rearranged and customized by the user, the `tableState` attribute can be used to preserve the customization so it can be restored later. The `tableState` attribute points to a backing-bean property which can in turn be saved to a database separate from standard JSF state-saving mechanisms.

11.6.4. Reference data

- *component-type*: `org.richfaces.ExtendedDataTable`
- *component-class*: `org.richfaces.component.html.HtmlExtendedDataTable`
- *component-family*: `org.richfaces.ExtendedDataTable`
- *renderer-type*: `org.richfaces.ExtendedDataTableRenderer`
- *tag-class*: `org.richfaces.taglib.ExtendedDataTableTag`

11.7. <rich:list>

The `<rich:list>` component renders a list of items. The list can be an numerically ordered list, an unordered bullet-point list, or a data definition list. The component uses a data model for managing the list items, which can be updated dynamically.

11.7.1. Basic usage

The `var` attribute names a variable for iterating through the items in the data model. The items to iterate through are determined with the `value` attribute by using EL (Expression Language).

11.7.2. Type of list

By default, the list is displayed as an unordered bullet-point list. The `type` attribute is used to specify different list types:

unordered

The default presentation. The list is presented as a series of bullet-points, similar to the `<ul>` HTML element.


- 
- Chevrolet Corvette
Price:41753
Mileage:10419.0
 - Chevrolet Corvette
Price:17540
Mileage:45531.0
 - Chevrolet Corvette
Price:20191
Mileage:5927.0
 - Chevrolet Corvette
Price:46960
Mileage:13937.0
 - Chevrolet Corvette
Price:34164
Mileage:72236.0

Figure 11.11. Unordered list

ordered

The list is presented as a numbered series of items, similar to the `<ol>` HTML element.

- 
1. Chevrolet Corvette
Price:16080
Mileage:55773.0
 2. Chevrolet Corvette
Price:49936
Mileage:72356.0
 3. Chevrolet Corvette
Price:52167
Mileage:30749.0
 4. Chevrolet Corvette
Price:21148
Mileage:55447.0
 5. Chevrolet Corvette
Price:18098
Mileage:16296.0

Figure 11.12. Ordered list

data

The list is presented as a series of data definitions. Part of the data model, specified as the term, is listed prominently. The other associated data is listed after each term.

```
Chevrolet Corvette
  Price:18098
  Mileage:16296.0
Chevrolet Malibu
  Price:36523
  Mileage:46112.0
Chevrolet Malibu
  Price:33307
  Mileage:57709.0
Chevrolet Malibu
  Price:34248
  Mileage:62821.0
Chevrolet Malibu
  Price:51555
  Mileage:51549.0
```

Figure 11.13. Data definition list

11.7.3. Customizing the list

The first attribute specifies which item in the data model to start from, and the rows attribute specifies the number of items to list. The title attribute is used for a floating tooltip. [Example 11.10](#), “`<rich:list> example`” shows a simple example using the `<rich:dataList>` component.

Example 11.10. `<rich:list>` example

```
<h:form>
<rich:dataList var="cars" value="#{dataTableScrollerBean.allCars}" rows="5" type="unorder" title="Car
Store">
  <h:outputText value="#{car.make} #{car.model}"/><br/>
  <h:outputText value="Price:" styleClass="label"/></h:outputText>
  <h:outputText value="#{car.price}"/><br/>
  <h:outputText value="Mileage:" styleClass="label"/></h:outputText>
  <h:outputText value="#{car.mileage}"/><br/>
</rich:dataList>
</h:form>
```

- Chevrolet Corvette
Price:41753
Mileage:10419.0
- Chevrolet Corvette
Price:17540
Mileage:45531.0
- Chevrolet Corvette
Price:20191
Mileage:5927.0
- Chevrolet Corvette
Price:46960
Mileage:13937.0
- Chevrolet Corvette
Price:34164
Mileage:72236.0

Figure 11.14. <rich:list> example

11.7.4. Reference data

- *component-type*: org.richfaces.List
- *component-class*: org.richfaces.component.html.HtmlList
- *component-family*: org.richfaces.List
- *renderer-type*: org.richfaces.ListRenderer
- *tag-class*: org.richfaces.taglib.ListTag

11.8. Table filtering

Under development.

11.9. Table sorting

Under development.

Layout and appearance



Documentation in development

Some concepts covered in this chapter may refer to the previous version of Richfaces, version 3.3.3. This chapter is scheduled for review to ensure all information is up to date.

Read this chapter to alter the layout and appearance of web applications using special components.

12.1. <rich:jQuery>

The <rich:jQuery> component applies styles and custom behavior to both JSF (JavaServer Faces) objects and regular DOM (Document Object Model) objects. It uses the jQuery JavaScript framework to add functionality without conflicting with the `prototype.js` library.

12.1.1. Basic usage

The query triggered by the <rich:jQuery> component is specified using the `query` attribute.

The query can be triggered in three different ways. Use the `timing` attribute to specify the point at which the query is triggered:

`immediate`

The query is triggered immediately.

`onload`

The query is triggered when the document is loaded.

`onJScall`

The query is triggered when a JavaScript function is invoked. The JavaScript function is specified using the `name` attribute.

If the `name` attribute is included when the `timing` attribute is set to either `immediate` or `onload`, the query can be triggered using the JavaScript function *in addition* to the specified trigger timing.

Example 12.1. <rich:jQuery> example

```
<rich:dataTable id="customList" ... >
  ...
```

```

</rich:dataTable>

<rich:jQuery selector="#customList
  tr:odd" timing="onload" query="addClass(odd)" />

```

In the example, the selector picks out the odd `<tr>` elements that are children of the element with an `id="customlist"` attribute. The query `addClass(odd)` is then performed on the selection during page loading (`onload`) such that the `odd` CSS class is added to the selected elements.

Any objects or lists of objects used in the query are specified using the `selector` attribute. The `selector` attribute references objects using the following method:

- The `selector` attribute can refer to the `id` attribute of any JSF component or client.
- If the `selector` attribute does not match the `id` identifier attribute of any JSF components or clients on the page, it instead uses syntax defined by the World Wide Web Consortium (W3C) for the CSS rule selector. [Example 12.2, "Example selector values"](#) shows a list of examples of the selector syntax. Refer to the syntax specification at <http://www.w3.org/TR/CSS2/selector.html> for full details.

Example 12.2. Example selector values

`p:has(a)`

All `<p>` elements which contain an `<a>` element are selected.

`p.foo:has(a)`

All `<p>` elements of class `foo` which contain an `<a>` element are selected.

`p#secret`

All `<p>` elements with an `id` identifier of `secret` are selected.

`ul > li`

All `<li>` elements that are children of `<ul>` elements are selected.

`input[name=bar]`

All `<input>` elements with a `name` attribute whose value is `bar` are selected.

`input[type=radio][@checked]`

All `<input>` elements with both a `type="radio"` attribute and a `checked` attribute are selected.

`p, span, td`

All `<p>` elements, `<span>` elements, and `<td>` elements are selected.

`p span`

All `<span>` elements that are direct or indirect children of `<p>` elements are selected. Use `p > span` for direct children only.

p[foo^=bar]

All <p> elements that contain a foo attribute with a textual value *beginning* with bar are selected.

p[foo\$=bar]

All <p> elements that contain a foo attribute with a textual value *ending* with bar are selected.

p[foo*=bar]

All <p> elements that contain a foo attribute with a textual value that contains the sub-string bar in any position are selected.

Because the selector attribute can be either an id identifier attribute or CSS selector syntax, conflicting values could arise. [Example 12.3, “Avoiding syntax confusion”](#) demonstrates how to use double backslashes to escape colon characters in id identifier values.

Example 12.3. Avoiding syntax confusion

```
<h:form id="form">
  <h:panelGrid id="menu">
    <h:graphicImage value="pic1.jpg" />
    <h:graphicImage value="pic2.jpg" />
  </h:panelGrid>
</h:form>
```

The id identifier for the <h:panelGrid> element is form:menu, which can conflict with CSS selector syntax. Double backslashes can be used to escape the colon character such that the identifier is read correctly instead of being interpreted as CSS selector syntax.

```
<rich:jQuery selector="#form\\:menu img" query="..." />
```

12.1.2. Calling a <richjQuery> as a JavaScript function

If the name attribute is specified, the <rich:jQuery> component generates a JavaScript function that can be called by any other JavaScript on the page.

Calls to the function must pass a direct reference (this) to the calling object as a parameter. If the function requires extra parameters itself, these are provided in JavaScript Object Notation (JSON) syntax as a second parameter in the JavaScript call. The param namespace is then used in the <rich:jQuery> query to access the passed function parameters. [Example 12.4, “Calling a <rich:jQuery> component as a function”](#) demonstrates the use of the name attribute and how to pass function parameters through the JavaScript calls.

Example 12.4. Calling a `<rich:jquery>` component as a function

```
<h:graphicImage width="50" value="/images/price.png"
onmouseover="enlargePic(this,{pwidth:'60px'})"onmouseout="releasePic(this)"
>
<h:graphicImage width="50" value="/images/discount.png"
onmouseover="enlargePic(this,{pwidth:'100px'})"onmouseout="releasePic(this)"
>
...
<rich:jquery name="enlargePic" timing="onJScall" query="animate({width:param.pwidth})"/>
<rich:jquery name="releasePic" timing="onJScall" query="animate({width:'50px'})"/>
```

The example enlarges the images when the mouse moves over them. The `enlargePic` and `releasePic` components are called like ordinary JavaScript functions from the image elements.

12.1.3. Dynamic rendering

The `<rich:jquery>` component applies style and behavioral changes to DOM objects dynamically. As such, changes applied during an Ajax response are overwritten, and will need to be re-applied once the Ajax response is complete.

Any queries with the `timing` attribute set to `onload` may not update during an Ajax response, as the DOM document is not completely reloaded. To ensure the query is re-applied after an Ajax response, include the `name` attribute in the `<rich:jquery>` component and invoke it using JavaScript from the `oncomplete` event attribute of the component that triggered the Ajax interaction.

12.1.4. Using the jQuery JavaScript framework

RichFaces includes the jQuery JavaScript framework. The features of the framework can be accessed directly without using a `<rich:jquery>` component by including the library on the page using the `<a4j:loadScript>` component:

```
<a4j:loadScript src="resource://jquery.js"/>
```

Refer to the *jQuery documentation* at <http://docs.jquery.com> for full details on jQuery syntax and usage.

12.1.5. Reference data

- *component-type*: `org.richfaces.JQuery`

- *component-class*: org.richfaces.component.html.HtmlJQuery
- *component-family*: org.richfaces.JQuery
- *renderer-type*: org.richfaces.JQueryRenderer
- *tag-class*: org.richfaces.taglib.JQueryTag

DRAFT

Functions

Read this chapter for details on special functions for use with particular components. Using JavaServer Faces Expression Language (JSF EL), these functions can be accessed through the data attribute of components. Refer to [Section 2.5.7, “data”](#) for details on the data attribute.

13.1. rich:clientId

The `rich:clientId('id')` function returns the client identifier related to the passed component identifier ('id'). If the specified component identifier is not found, `null` is returned instead.

13.2. rich:component

The `rich:component('id')` function is a shortcut for the equivalent `#{rich:clientId('id')}.component` code. It returns the `UIComponent` instance from the client, based on the passed server-side component identifier ('id'). If the specified component identifier is not found, `null` is returned instead.

13.3. rich:element

The `rich:element('id')` function is a shortcut for the equivalent `document.getElementById("#{rich:clientId('id')})` code. It returns the element from the client, based on the passed server-side component identifier. If the specified component identifier is not found, `null` is returned instead.

13.4. rich:findComponent

The `rich:findComponent('id')` function returns the a `UIComponent` instance of the passed component identifier. If the specified component identifier is not found, `null` is returned instead.

Example 13.1. rich:findComponent example

```
<h:inputText id="myInput">
  <a4j:support event="onkeyup" reRender="outtext"/>
</h:inputText>
<h:outputText id="outtext" value="#{rich:findComponent('myInput').value}" />
```

13.5. rich:isUserInRole

The `rich:isUserInRole(Object)` function checks whether the logged-in user belongs to a certain user role, such as being an administrator. User roles are defined in the `web.xml` settings file.

Example 13.2. rich:isUserInRole example

The `rich:isUserInRole(Object)` function can be used in conjunction with the `rendered` attribute of a component to only display certain controls to authorized users.

```
<rich:editor value="#{bean.text}" rendered="#{rich:isUserInRole('admin')}}" />
```