
# **Smooks Dev Tools Reference Guide**

Version: 1.0.0.CR1



1.	Introd	uction	1
	1.1.	What is Smooks?	1
	1.2.	What is Smooks dev tools?	2
	1.3.	How to install Smooks dev tools?	2
2.	Quick	Start	3
	2.1.	Download Smooks Java-to-Java Example	3
	2.2.	Smooks Configuration File Wizard	3
	2.3.	Smooks Editor	6
	2.4.	Choosing the Source/Target Data	8
	2.5.	Mapping 1	0
3.	Smool	ks Graphical Editor Page1	7
	3.1.	Introducing the areas of graphical editor 1	7
	3.2.	Load Source/Target Data1	7
	3.3.	Using Graphical Editor for Mapping	0
	3.4.	Error Messages	0
	3.5.	Properties View	0
4.	Smool	ks Configuration Editor Page 2	3
	4.1.	Smooks Parse Type	3
	4.2.	Import File	4
	4.3.	Date Decoder Detail Page	4
5.	Smool	ks Source Editor Page 2	7
	5.1.	XML Source Editor	7
	5.2.	Error Messages GUI	7

## Introduction

#### 1.1. What is Smooks?

Smooks is a Java Framework/Engine for processing XML and non XML data (CSV, EDI, Java, JSON etc).

- Transformation: Perform a wide range of Data Transforms. Supports many different Source and Result types -XML/CSV/EDI/Java/JSON to XML/CSV/EDI/Java/JSON.
- II. **Java Binding**: Bind into a Java Object Model from any data source (CSV, EDI, XML, Java, JSON etc).
- III. **Huge Message Processing**: Process huge messages (GBs) Split, Transform and Route message fragments to JMS, File, Database etc destinations. Route multiple message formats to multiple destinations in a single pass over a message.
- IV. Message Enrichment: Enrich a message with data from a Database, or other Datasources.
- V. **Combine**: Combine the above features in different ways e.g. add Message Enrichment as part of a Splitting and Routing process.




Figure 1.1. Smooks

For More informations about Smooks, please visit Smooks official site [http://www.smooks.org].

#### 1.2. What is Smooks dev tools?

Smooks dev tools is a set of graphical tools for editing Smooks configuration file base on Eclipse.




Figure 1.2. Smooks form editor

#### 1.3. How to install Smooks dev tools?

The Smooks dev tools was included by the JBoss Tools since 3.0.0 Beta1 version. You can download the JBoss Tools from <a href="here">here</a> [http://www.jboss.org/tools/download/index.html].

Smooks dev tools ( JBoss Tools) run with the latest Eclipse and other required plug-ins (GEF, EMF, etc.).

You should download the latest IDE for Java EE developers from this <u>site</u> [http://www.eclipse.org/downloads/]. It contains many plug-ins ( GEF, EMF, etc. ) required by Smooks dev tools.

# **Quick Start**

This "Quick Start" will show how to use the Smooks tools to create/edit the Smooks configuration file for Java2Java data transformation.

This chapter should give you a brief understanding of the Smooks dev tools.

## 2.1. Download Smooks Java-to-Java Example

Visit <u>here</u> [http://www.smooks.org/documentation/documentation-smooks-1-1-x/examples/example---java-to-java] to download the "java-to-java" example project.



#### Tip:

The example project is base on Maven, you suggest you to create a new eclipse Java project and copy the example code and .jar files from the example project paste them into the eclipse Java project.

#### 2.2. Smooks Configuration File Wizard

Select the Smooks Java-to-Java example project what you created and right-click, select the menu *New > Other*, then find *Smooks > Smooks Configuration File*. Click the *Next* button.




Figure 2.1. Selecting Smooks Configuration File Wizard

The first wizard page is a file path creation page. Select the *src* folder to be the files container, and input the name *newConfig.smooks*. Click *Next*.




Figure 2.2. Choosing the configuration file container and the file name

The second wizard page is a transform data type choose page.

As the quick start introduces how to create/edit the Java-to-Java Smooks configuration file, let's select the *Java-to-Java* type as the source/target transform data type.




Figure 2.3. Selecting Data Type

On the next page you are prompted to choose the source data for transformation. Let's select the Order class from the example project as the source JavaBean class.



Figure 2.4. Selecting the Source Data

Then the wizard page asks you to choose the target data for transformation. We select the ListOrder class as the target JavaBean class.




Figure 2.5. Selecting the Target Data



#### 2.3. Smooks Editor

When all the wizard steps are passed, a new Smooks Configuration file is created and the Smooks Editor will be opened automatically:




Figure 2.6. Smooks Editor

This editor contains several parts:

**Table 2.1. The Smooks Editor Parts** 

Editor feature	Functionality
Problems area	If there are any errors when you are editing the file, the Problems area will display them
Source data tree	The tree will display the structure of transformed source data
Target data tree	The tree will display the structure of transformed target data
Mapping graphical area	Show the data mapping connection lines

Editor feature	Functionality
Source/ Target data selection links	Click the link, and <u>Data Selection wizard</u> will be opened helping you to choose the source/target data

## 2.4. Choosing the Source/Target Data

To choose the transform data you should make use of the data selection links:

- Source Select for selecting source data
- Target Select for selecting target data

After clicking the link the Data Type Selection wizard will be opened, and there are two data types on the list: Java and XML.






Figure 2.7. Data Type Wizard

Select the Java data type and click Next, you will see the JavaBean class selection page:




Figure 2.8. JavaBean Data Selection

When you select all the necessary java classes, click *Finish* and the structure of the java class will be displayed on the source/target data tree.




Figure 2.9. Displaying the Structure of the Transformed Data

## 2.5. Mapping

As you see, the source/target data tree displays the structure of the java class.

How to map it?

First, you should know what to transform:

- a. Bind the "customerName" property of the Order#header to the "customerName" property of LineOrder.
- b. Bind the "customerNumber" property of the Order#header to the "customerId" property of LineOrder.
- c. Bind the "price" property of the OrderItem to the "unitPrice" property of LineItem.
- d. Bind the "productId" property of the OrderItem to the "productCode" property of LineItem.

e. Bind the "quantity" property of the OrderItem to the "unitQuantity" property of LineItem.

#### Make sense?

OK, let's select the "customerName" item of the "header" item on the source data tree and start to drag it. When the drag item crosses the Mapping graphical area, you will see a connection line. Drop the item onto the "customerName" of the LineOrder on the target data view.

Now a dialog is opened asking you to connect the root node:





Figure 2.10. Dialog Asking You to Connect to the Root Nodes

Please, click Yes to connect the root node. If you don't do that, this dialog will be opened again when you connect other nodes.



This rule is not only for Java-to-Java, but the same is also relevant for XML-to-Java

Now let's do the same operation with the "customerNumber", that is what you should see:




Figure 2.11. Correctly Mapping Editor

Next, you are going to bind the properties of the Orderltem to the properties of the LineItem.

Select the "price" and drag it onto the "unitPrice" of the other side tree viewer. The Problems area will show an error:




Figure 2.12. Connection Error 1

How to deal with the error?

Please click the Fix it link, a menu is popped-up with several resolve methods on it.




Figure 2.13. Fixing the Connection Error

Select the first resolve method: 'Connect the "OrderItem" to the "LineItem" '. As the result the "OrderItem" is connected with the "LineItem".

But the notify message area still shows some other errors:




Figure 2.14. Connection Error 2

OK, let's deal with the fire error. Click the *Fix it* link and select the first resolve method. The *"orderItems"* is connected with the *"lineItems"*.



After that, connect "quantity" to the "unitQuantity" and "productId" to the "productCode":




Figure 2.15. Complete Mapping

Now, you should save the file and the Smooks tools will generate the correct configuration file content.

OK, let run the test class: example.Main. (Please, make sure that the Smooks engine loads the correct configuration file).

Success!

# **Smooks Graphical Editor Page**

Smooks Graphical Editor page is one tab of the Smooks Editor.




Figure 3.1. Graphical Editor

This Graphical editor allows you to perform drug/drop operations with the nodes of transform data to map the source data to target data.

When you save the changes in the Graphical editor the correct Smooks Configuration file content will be generated.

## 3.1. Introducing the areas of graphical editor

Information on the topic could be found in the *Quick Start/Smooks Editor* section.

## 3.2. Load Source/Target Data

Click the links under the data view, the Data Type Selection wizard page will be shown.




Figure 3.2. Data Type Selection Wizard Page

There are sets of transform data type on the wizard page, select one type and click *Next*, the data source selection wizard page will be shown.






Figure 3.3. Java Data Source Selection Wizard Page




Figure 3.4. XML File Path Selection Wizard Page

When you finish the data selection (file path selection), click *Finish*, the data view will display the selected data structure.

## 3.3. Using Graphical Editor for Mapping

To get information on the topic please, read the **Quick Start/Mapping** section.

#### 3.4. Error Messages

When you do any mapping operations, the Smooks tools validate the file content with "Mapping Logic". If there are any errors of the configuration file content, error messages are shown in the *Problems area*.

Please, read the *Quick Start/Mapping* section to find how to fix the errors.

### 3.5. Properties View

You can edit the properties of the connection lines with the Properties view.

Navigate to Window > Show View > Other > Properties, to open the Properties view.

When you select on the connection lines, the Properties view will show a set of section GUI for editing the properties of the connection line.






Figure 3.5. JavaBean Properties Section




Figure 3.6. XML Properties Section



**Figure 3.7. Mapping Properties Section** 

# **Smooks Configuration Editor Page**

Smooks Configuration Editor Page is one tab of the Smooks Editor.



#### Figure 4.1. Graphical Editor

You can add/edit/remove the <u>Date Decoder</u> on the #onfiguration page of the <u>Smooks Editor</u>.

The configuration also edit the <u>Smooks parse type</u> and manage the <u>Import Files</u>.

## 4.1. Smooks Parse Type

Open the *Other Configurations* section, we will see there is a set of radio buttons:





Figure 4.2. Smooks Parse Types

Select the radio button to change the Smooks parse type.

#### 4.2. Import File

Open the *Other Configurations* section, there is an *Import Files* list under the Smooks parse type buttons.



#### Figure 4.3. Import File

There are three buttons on the right side of the *File Import* list. You can click those to add/edit/remove the import files.



#### Tip:

If the import file dosen't exist, the image of the import file will change to "Error Image". If you double-click the import file in the Import File list, the file will be open with a new default editor.

#### 4.3. Date Decoder Detail Page

Date Decoder is a resourceConfig element in the Smooks configuration file. It describes how to transform the "Date" type.

Click the New button to open the New Resource Type wizard dialog.




Figure 4.4. Resource Type Selection Wizard

There are several resource type on the list. Select the *Date Decoder* and click the *Finish* button, a new *Date Decoder* item was added and shown on the resource type list.

There are several parameters in the *Date Decoder* resourceConfig element:

- · locale-language
- format
- locale-country

You can modify the parameters of the *Date Decoder* item with the left detail page.




Figure 4.5. Date Decoder Detail Page

When you defined a new *Date Decoder*, they can use the *JavaBean Properties*. GUI to set the them to be the "Java type".

# **Smooks Source Editor Page**

#### 5.1. XML Source Editor

You can use this editor to edit the Smooks Configuration file directly.

```
- -
¥ *Smooks Editor ≅
  <?xml version="1.0" encoding="UTF-8"?>
  <smooks-resource-list xmlns="http://www.milyn.org/xsd/smooks-1.0.xsd">
    <resource-config selector="global-parameters">
      <param name="stream.filter.type"/>
    </resource-config>
    <resource-config selector="example.srcmodel.Order">
      <resource>org.milyn.javabean.BeanPopulator</resource>
      <param name="beanId">LineOrder</param</pre>
      <param name="beanClass">example.trgmodel.LineOrder</param>
      </resource-config>
    <resource-config selector="orderItems">
      <resource>org.milyn.javabean.BeanPopulator</resource>
      <param name="beanId">lineItems</param</pre>
      <param name="beanClass">example.trgmodel.LineItem[]</param>
      <param name="bindings"><binding selector="${LineItem}"/></param>
    </resource-config>
    <resource-config selector="example.srcmodel.OrderItem">
      <resource>org.milyn.javabean.BeanPopulator</resource>
      <param name="beanId">LineItem</param>
      <param name="beanClass">example.trgmodel.LineItem</param>
      <param name="bindings"><binding property="productCode" selector="example.srcmodel.OrderIt</pre>
    </resource-config>
  </smooks-resource-list>
                                                                                         >
Graph Configuration Source
```

Figure 5.1. Graphical Editor

## 5.2. Error Messages GUI

If the Smooks tools can't understand the configuration file or the configuration file is illegal (XML structure isn't right for Smooks Configuration file, etc.), the error will be underlined.

```
- 0
* *Smooks Editor &
  <?xml version="1.0" encoding="UTF-8"?>
  <smooks-resource-list xmlns="http://www.milyn.org/xsd/smooks-1.0.xsd">
<resource-config selector="global-parameters">
      <param name="stream.filter.type"/>
    </resource-config>
    <resource-config selector="example.srcmodel.Order">
      <resource>org.milyn.javabean.BeanPopulator</resource>
      <param name="beanId">LineOrder</parama</pre>
      <param name="beanClass">example.trgmodel.LineOrder</param>
      <param name="bindings"><binding property="customerId" selector="header customerNumber"/>
    </resource-config>
    <resource-config selector="orderItems">
      <resource>org.milyn.javabean.BeanPopulator</resource>
      <param name="beanId">lineItems</param>
      <param name="beanClass">example.trgmodel.LineItem[]</param>
      <param name="bindings"><binding selector="${LineItem}"/></param>
    </resource-config>
    <resource-config selector="example.srcmodel.OrderItem">
      <resource>org.milyn.javabean.BeanPopulator</resource>
      <param name="beanId">LineItem</param</pre>
      <param name="beanClass">example.trgmodel.LineItem</param>
      </resource-config>
                                                                                            >
Graph Configuration Source
```

Figure 5.2. Graphical Editor